

Table 2-G
Resident Deaths from Pneumonia and Influenza
Number and Crude Rate*: Kentucky 1960 - 1998

| Year | Number | Rate | Year | Number | Rate | Year | Number | Rate |
|------|--------|------|------|--------|------|------|--------|------|
| 1960 | 1,407 | 46.3 | 1975 | 1,031 | 30.7 | 1990 | 1,405 | 37.7 |
| 1961 | 946 | 31.0 | 1976 | 1,016 | 30.0 | 1991 | 1,439 | 39.0 |
| 1962 | 1,005 | 32.6 | 1977 | 935 | 27.3 | 1992 | 1,355 | 36.5 |
| 1963 | 1,630 | 53.2 | 1978 | 1,076 | 31.1 | 1993 | 1,536 | 40.9 |
| 1964 | 1,019 | 33.5 | 1979 | 802 | 22.9 | 1994 | 1,510 | 39.5 |
| 1965 | 1,135 | 37.0 | 1980 | 988 | 28.0 | 1995 | 1,476 | 38.2 |
| 1966 | 1,091 | 34.7 | 1981 | 1,004 | 27.4 | 1996 | 1,350 | 34.8 |
| 1967 | 1,080 | 33.9 | 1982 | 838 | 22.6 | 1997 | 1,346 | 34.4 |
| 1968 | 1,254 | 39.2 | 1983 | 964 | 26.1 | 1998 | 1,496 | 38.0 |
| 1969 | 1,222 | 38.0 | 1984 | 1,025 | 27.6 | | | |
| 1970 | 1,130 | 35.1 | 1985 | 1,268 | 34.1 | | | |
| 1971 | 958 | 29.5 | 1986 | 1,262 | 33.9 | | | |
| 1972 | 1,099 | 33.5 | 1987 | 1,117 | 30.0 | | | |
| 1973 | 1,086 | 32.8 | 1988 | 1,340 | 36.0 | | | |
| 1974 | 938 | 28.2 | 1989 | 1,309 | 35.1 | | | |

*Crude Rate per 100,000 total population

Figure 2-G: Crude Deaths - Pneumonia & Influenza
Kentucky 1960 - 1998

