

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,934	983.2	1003.2	12,336	311.5	319.8	8,933	225.6	226.4	2,780	70.2	72.9
DISTRICT 01	2,273	1192.3	963.7	786	412.3	326.4	466	244.4	197.7	240	125.9	99.0
BALLARD	114	1340.1	1069.3	53	623.0	484.1	15	176.3	139.4	13	152.8	119.0
CALLOWAY	330	991.4	865.5	119	357.5	305.9	64	192.3	169.3	27	81.1	71.0
CARLISLE	77	1431.2	1113.5	29	539.0	408.2	9	167.3	125.9	13	241.6	170.7
FULTON	117	1572.8	1134.2	41	551.1	371.3	22	295.7	221.6	11	147.9	97.5
GRAVES	452	1246.9	995.5	142	391.7	303.4	96	264.8	214.0	42	115.9	89.5
HICKMAN	72	1400.5	943.2	23	447.4	276.2	18	350.1	252.6	12	233.4	141.0
MCCRACKEN	761	1181.5	982.8	268	416.1	341.4	161	250.0	206.4	84	130.4	105.8
MARSHALL	350	1158.1	905.4	111	367.3	283.9	81	268.0	205.1	38	125.7	98.3
DISTRICT 02	2,286	1066.6	991.7	809	377.5	349.2	435	203.0	189.5	154	71.9	66.0
CALDWELL	169	1264.3	960.9	61	456.3	334.6	32	239.4	183.3	13	97.3	69.2
CHRISTIAN	612	850.7	970.5	207	287.7	332.3	117	162.6	191.3	27	37.5	42.6
CRITTENDEN	134	1405.5	1141.1	62	650.3	508.7	18	188.8	157.0	8	83.9	67.4
HOPKINS	517	1120.3	975.8	168	364.1	314.3	109	236.2	208.7	45	97.5	83.3
LIVINGSTON	112	1181.9	1069.5	43	453.8	411.5	23	242.7	209.9	7	73.9	71.9
LYON	90	1118.8	865.7	27	335.7	254.3	23	285.9	221.1	3	37.3	28.3
MUHLENBERG	365	1142.3	1010.8	132	413.1	362.9	62	194.0	169.7	31	97.0	84.2
TODD	153	1355.9	1259.1	55	487.4	452.9	25	221.6	200.6	13	115.2	107.5
TRIGG	134	1064.9	859.1	54	429.2	344.3	26	206.6	154.3	7	55.6	44.4
DISTRICT 03	2,114	1023.9	983.1	653	316.3	302.9	498	241.2	229.2	182	88.1	84.8
DAVIESS	876	960.8	929.8	252	276.4	268.6	221	242.4	228.6	86	94.3	93.1
HANCOCK	66	737.6	980.2	26	290.6	397.7	15	167.6	208.3	4	44.7	68.2
HENDERSON	478	1076.4	1063.4	147	331.0	329.1	116	261.2	255.1	39	87.8	87.1
MCLEAN	124	1254.7	1117.6	40	404.7	359.4	21	212.5	186.0	19	192.2	170.8
OHIO	236	1067.2	949.5	83	375.3	327.1	50	226.1	202.8	11	49.7	45.0
UNION	185	1122.0	1175.9	61	370.0	389.5	47	285.1	294.9	13	78.8	83.6
WEBSTER	149	1107.5	887.7	44	327.0	251.1	28	208.1	172.9	10	74.3	47.9

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,934	983.2	1003.2	12,336	311.5	319.8	8,933	225.6	226.4	2,780	70.2	72.9
DISTRICT 04	2,511	1021.2	998.9	837	340.4	333.7	540	219.6	211.3	208	84.6	83.7
ALLEN	189	1122.1	1089.7	60	356.2	347.2	53	314.7	295.9	13	77.2	75.9
BARREN	379	1014.7	857.0	119	318.6	265.1	81	216.9	183.0	26	69.6	58.5
BUTLER	145	1209.8	1157.1	46	383.8	368.9	29	242.0	226.1	11	91.8	88.2
EDMONSON	106	915.8	913.9	24	207.3	210.1	32	276.5	263.2	13	112.3	127.0
HART	202	1198.7	1167.4	71	421.3	414.5	31	184.0	168.6	14	83.1	85.3
LOGAN	310	1179.0	1078.6	113	429.8	392.4	64	243.4	222.0	29	110.3	101.0
METCALFE	117	1219.9	1056.2	48	500.5	425.9	18	187.7	159.2	11	114.7	97.5
MONROE	144	1291.8	1098.5	52	466.5	394.3	28	251.2	208.9	9	80.7	67.0
SIMPSON	163	983.5	969.4	58	349.9	345.2	34	205.1	202.6	14	84.5	84.0
WARREN	756	862.2	970.0	246	280.6	319.1	170	193.9	215.7	68	77.6	88.8
DISTRICT 05	2,004	832.9	957.7	585	243.2	285.2	461	191.6	214.5	173	71.9	86.8
BRECKINRIDGE	216	1219.0	1089.5	71	400.7	356.0	49	276.5	233.1	12	67.7	63.1
GRAYSON	251	1052.9	1037.8	86	360.8	359.9	58	243.3	232.1	19	79.7	82.7
HARDIN	661	721.8	936.5	197	215.1	293.6	151	164.9	208.3	46	50.2	68.8
LARUE	120	913.2	760.2	34	258.8	214.4	24	182.6	152.7	11	83.7	67.2
MARION	175	1022.6	1003.1	48	280.5	278.9	33	192.8	186.7	28	163.6	159.6
MEADE	184	630.3	994.2	49	167.8	280.2	44	150.7	219.4	19	65.1	120.8
NELSON	293	792.5	953.9	75	202.9	249.8	81	219.1	257.7	27	73.0	93.6
WASHINGTON	104	941.6	824.5	25	226.3	196.2	21	190.1	166.1	11	99.6	85.4
DISTRICT 06	8,284	982.0	979.7	2,596	307.7	308.9	1,931	228.9	224.4	537	63.7	64.5
BULLITT	380	623.4	1015.9	126	206.7	362.4	92	150.9	223.6	21	34.4	62.7
HENRY	164	1093.0	1153.4	45	299.9	322.7	36	239.9	246.5	13	86.6	89.9
JEFFERSON	7,050	1047.7	981.7	2,209	328.3	307.1	1,656	246.1	228.1	439	65.2	61.4
OLDHAM	222	484.6	796.7	61	133.1	223.8	53	115.7	181.3	16	34.9	67.6
SHELBY	301	984.8	1052.0	114	373.0	397.3	46	150.5	157.3	36	117.8	127.4
SPENCER	84	803.6	973.7	24	229.6	290.9	24	229.6	267.4	2	19.1	24.0
TRIMBLE	83	1047.8	1116.8	17	214.6	234.0	24	303.0	313.8	10	126.2	138.3

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,934	983.2	1003.2	12,336	311.5	319.8	8,933	225.6	226.4	2,780	70.2	72.9
DISTRICT 07	3,117	819.9	946.8	913	240.2	283.6	784	206.2	232.7	201	52.9	64.0
BOONE	484	580.6	847.0	141	169.1	259.4	125	149.9	209.2	36	43.2	71.3
CAMPBELL	845	969.1	998.0	256	293.6	305.5	208	238.5	240.0	59	67.7	71.3
CARROLL	98	1003.9	1009.0	34	348.3	347.0	27	276.6	276.4	9	92.2	96.1
GALLATIN	66	887.6	1010.6	23	309.3	349.4	22	295.9	344.5	3	40.3	47.1
GRANT	162	779.2	947.1	41	197.2	252.3	48	230.9	273.1	6	28.9	36.4
KENTON	1,228	834.1	948.3	345	234.3	271.2	296	201.1	224.9	74	50.3	59.5
OWEN	112	1075.6	977.7	34	326.5	291.2	29	278.5	257.8	9	86.4	74.6
PENDLETON	122	873.6	990.9	39	279.2	328.7	29	207.6	231.5	5	35.8	43.8
DISTRICT 08	625	1144.9	1037.1	227	415.8	376.3	135	247.3	221.9	44	80.6	72.1
BRACKEN	98	1158.0	1045.1	42	496.3	449.0	19	224.5	202.6	9	106.3	92.2
FLEMING	137	1007.2	878.5	48	352.9	307.3	29	213.2	185.4	7	51.5	43.1
LEWIS	162	1204.1	1215.1	48	356.8	366.7	35	260.1	258.4	11	81.8	84.0
MASON	201	1196.0	1040.0	74	440.3	381.7	47	279.7	241.1	15	89.3	75.6
ROBERTSON	27	1192.1	1008.4	15	662.3	550.9	5	220.8	183.5	2	88.3	75.6
DISTRICT 09	729	984.6	1031.4	215	290.4	305.8	157	212.1	221.7	60	81.0	85.8
BATH	120	1117.1	972.7	40	372.4	315.8	22	204.8	184.8	14	130.3	108.2
MENIFEE	65	1108.1	1203.2	21	358.0	405.2	10	170.5	178.3	3	51.1	54.1
MONTGOMERY	242	1118.8	1114.3	77	356.0	352.6	62	286.6	284.2	19	87.8	88.7
MORGAN	122	893.8	935.1	37	271.1	286.9	23	168.5	173.1	3	22.0	22.3
ROWAN	180	812.7	1014.5	40	180.6	230.8	40	180.6	223.9	21	94.8	117.8
DISTRICT 10	1,500	1111.2	1045.5	494	365.9	348.5	380	281.5	256.7	103	76.3	72.2
BOYD	584	1195.7	1032.5	199	407.5	355.8	157	321.5	269.6	43	88.0	76.0
CARTER	292	1077.8	1119.1	83	306.4	321.1	70	258.4	260.9	17	62.8	68.3
ELLIOTT	70	1071.5	1125.2	16	244.9	259.8	8	122.5	124.3	7	107.1	114.3
GREENUP	378	1028.9	957.1	130	353.8	334.9	101	274.9	246.9	23	62.6	55.4
LAWRENCE	176	1114.8	1189.1	66	418.0	460.1	44	278.7	282.0	13	82.3	90.3

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,934	983.2	1003.2	12,336	311.5	319.8	8,933	225.6	226.4	2,780	70.2	72.9
DISTRICT 11	1,693	1028.0	1177.5	580	352.2	413.9	410	248.9	273.5	85	51.6	62.4
FLOYD	454	1049.7	1186.7	137	316.8	364.8	120	277.5	303.3	23	53.2	64.3
JOHNSON	222	925.3	1043.2	66	275.1	323.8	62	258.4	275.2	13	54.2	67.0
MAGOFFIN	123	876.6	1170.4	39	278.0	370.3	27	192.4	253.0	4	28.5	40.3
MARTIN	113	949.5	1217.3	47	394.9	522.8	23	193.3	244.4	8	67.2	99.4
PIKE	781	1092.0	1217.7	291	406.9	467.5	178	248.9	265.5	37	51.7	60.1
DISTRICT 12	1,296	1037.2	1150.1	456	365.0	410.0	285	228.1	247.6	49	39.2	45.0
BREATHITT	175	1110.9	1255.0	76	482.4	548.8	38	241.2	274.6	6	38.1	45.6
KNOTT	170	948.5	1142.8	58	323.6	404.4	43	239.9	276.7	7	39.1	49.3
LEE	87	1089.7	986.0	35	438.4	397.7	15	187.9	173.8	3	37.6	32.7
LESLIE	116	856.7	994.1	35	258.5	307.8	23	169.9	192.4	5	36.9	42.7
LETCHER	249	955.3	1055.0	78	299.3	338.6	51	195.7	206.9	9	34.5	40.1
OWSLEY	74	1376.7	1231.5	21	390.7	343.1	15	279.1	250.9	7	130.2	108.8
PERRY	336	1090.8	1248.6	129	418.8	486.1	78	253.2	282.9	6	19.5	23.2
WOLFE	89	1185.7	1396.0	24	319.7	367.0	22	293.1	357.8	6	79.9	91.7
DISTRICT 13	2,497	1061.9	1118.2	794	337.7	357.3	578	245.8	254.6	158	67.2	72.5
BELL	334	1151.2	1124.2	119	410.2	401.4	94	324.0	310.2	14	48.3	47.5
CLAY	213	936.1	1098.0	64	281.3	334.4	40	175.8	205.7	18	79.1	98.7
HARLAN	412	1201.9	1238.0	127	370.5	380.4	80	233.4	232.2	22	64.2	67.4
JACKSON	137	1050.6	1108.8	36	276.1	290.0	40	306.7	327.7	11	84.4	84.6
KNOX	347	1085.2	1172.9	121	378.4	410.9	70	218.9	237.0	28	87.6	94.8
LAUREL	454	873.2	971.0	152	292.3	329.3	105	201.9	218.2	27	51.9	61.8
ROCKCASTLE	201	1258.7	1219.2	55	344.4	333.1	45	281.8	272.4	14	87.7	84.6
WHITLEY	399	1104.5	1126.9	120	332.2	342.6	104	287.9	288.1	24	66.4	66.4

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,934	983.2	1003.2	12,336	311.5	319.8	8,933	225.6	226.4	2,780	70.2	72.9
DISTRICT 14	2,151	1129.9	1022.8	661	347.2	311.7	494	259.5	229.0	156	81.9	74.5
ADAIR	183	1111.8	1008.3	52	315.9	277.0	37	224.8	203.2	19	115.4	104.7
CASEY	195	1309.0	1188.3	62	416.2	371.7	40	268.5	235.3	14	94.0	87.6
CLINTON	103	1088.9	920.7	33	348.9	290.6	22	232.6	196.1	8	84.6	70.4
CUMBERLAND	110	1602.3	1185.3	52	757.5	542.8	14	203.9	154.6	15	218.5	155.6
GREEN	125	1180.7	920.1	44	415.6	313.7	25	236.1	186.5	10	94.5	71.0
MCCREARY	164	979.9	1242.6	47	280.8	365.7	44	262.9	324.4	2	12.0	20.3
PULASKI	612	1071.4	952.8	185	323.9	285.5	149	260.8	227.2	43	75.3	66.7
RUSSELL	189	1169.6	997.2	62	383.7	321.3	44	272.3	227.1	17	105.2	92.5
TAYLOR	260	1134.3	1019.6	53	231.2	208.0	63	274.8	240.5	19	82.9	74.0
WAYNE	210	1095.5	1077.3	71	370.4	363.3	56	292.1	278.5	9	47.0	46.9
DISTRICT 15	5,854	887.6	980.3	1,730	262.3	293.2	1,379	209.1	228.6	430	65.2	73.8
ANDERSON	165	878.2	976.0	44	234.2	264.4	40	212.9	233.3	11	58.5	67.6
BOURBON	221	1141.8	1128.6	72	372.0	372.1	55	284.1	276.2	18	93.0	93.1
BOYLE	325	1188.0	1052.0	77	281.5	245.6	73	266.8	234.9	26	95.0	82.7
CLARK	304	936.5	924.2	84	258.8	254.7	66	203.3	198.7	17	52.4	51.6
ESTILL	163	1051.2	926.4	55	354.7	305.3	40	258.0	233.1	15	96.7	79.0
FAYETTE	1,923	788.8	934.7	584	239.6	289.7	430	176.4	207.7	143	58.7	72.1
FRANKLIN	437	938.1	1011.2	121	259.8	283.3	107	229.7	240.3	27	58.0	67.3
GARRARD	145	1011.9	961.5	33	230.3	218.6	39	272.2	252.6	10	69.8	67.1
HARRISON	211	1194.6	1072.3	77	435.9	379.5	43	243.4	220.8	16	90.6	80.6
JESSAMINE	285	764.0	986.9	76	203.7	267.6	69	185.0	239.1	26	69.7	95.6
LINCOLN	248	1101.0	1103.4	71	315.2	318.8	60	266.4	258.3	11	48.8	49.7
MADISON	550	812.5	972.8	181	267.4	325.6	134	198.0	232.9	45	66.5	79.8
MERCER	228	1095.5	973.0	58	278.7	241.7	71	341.1	301.0	15	72.1	61.6
NICHOLAS	82	1151.7	1017.3	17	238.8	209.7	22	309.0	269.3	4	56.2	50.6
POWELL	134	1012.0	1412.6	38	287.0	408.3	35	264.3	374.2	10	75.5	122.4
SCOTT	252	781.4	1022.4	92	285.3	382.4	57	176.8	224.5	20	62.0	86.3
WOODFORD	181	794.9	932.4	50	219.6	261.3	38	166.9	195.6	16	70.3	85.0

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Nephritis, Nephrotic Syndrome and Nephrosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,285	57.7	58.6	1,713	43.3	43.4	1,118	28.2	28.7	799	20.2	20.8
DISTRICT 01	123	64.5	51.3	86	45.1	42.3	43	22.6	18.4	25	13.1	10.1
BALLARD	4	47.0	37.4	3	35.3	35.1	2	23.5	19.8	2	23.5	17.8
CALLOWAY	12	36.1	31.1	8	24.0	21.5	9	27.0	24.5	3	9.0	7.5
CARLISLE	7	130.1	90.4	4	74.3	68.5	2	37.2	31.7	1	18.6	14.1
FULTON	4	53.8	31.4	9	121.0	123.1	2	26.9	25.6	1	13.4	10.4
GRAVES	23	63.4	47.5	23	63.4	63.7	11	30.3	23.8	5	13.8	10.5
HICKMAN	5	97.3	65.2	1	19.5	24.0	4	77.8	60.1	3	58.4	34.7
MCCRACKEN	45	69.9	56.5	24	37.3	35.9	7	10.9	9.3	5	7.8	6.3
MARSHALL	23	76.1	58.7	14	46.3	40.5	6	19.9	15.5	5	16.5	12.9
DISTRICT 02	126	58.8	54.3	124	57.9	56.0	54	25.2	23.4	42	19.6	18.1
CALDWELL	12	89.8	63.8	7	52.4	50.6	7	52.4	38.7	4	29.9	21.3
CHRISTIAN	28	38.9	45.7	42	58.4	58.2	18	25.0	28.6	15	20.9	24.6
CRITTENDEN	6	62.9	49.1	10	104.9	112.8	4	42.0	31.7	1	10.5	8.2
HOPKINS	32	69.3	60.2	27	58.5	54.6	10	21.7	19.1	11	23.8	20.4
LIVINGSTON	5	52.8	46.3	5	52.8	49.1	1	10.6	8.9	2	21.1	20.6
LYON	7	87.0	65.7	3	37.3	38.7	3	37.3	28.5	1	12.4	9.4
MUHLENBERG	23	72.0	62.7	18	56.3	54.2	6	18.8	17.3	4	12.5	10.8
TODD	9	79.8	74.0	3	26.6	25.8	2	17.7	15.8	1	8.9	8.5
TRIGG	4	31.8	27.0	9	71.5	66.7	3	23.8	16.7	3	23.8	18.4
DISTRICT 03	108	52.3	49.9	85	41.2	40.6	73	35.4	33.8	38	18.4	17.5
DAVISS	42	46.1	44.6	28	30.7	30.7	33	36.2	34.6	16	17.5	17.2
HANCOCK	2	22.4	29.2	5	55.9	71.8	2	22.4	31.7	1	11.2	11.1
HENDERSON	26	58.5	57.2	22	49.5	49.0	16	36.0	35.2	6	13.5	13.3
MCLEAN	3	30.4	26.4	1	10.1	9.2	3	30.4	27.1	5	50.6	44.4
OHIO	11	49.7	44.1	16	72.4	69.6	10	45.2	40.5	4	18.1	15.9
UNION	9	54.6	56.2	8	48.5	50.4	6	36.4	36.6	4	24.3	25.0
WEBSTER	15	111.5	85.7	5	37.2	34.3	3	22.3	18.0	2	14.9	12.8

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Nephritis, Nephrotic Syndrome and Nephrosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,285	57.7	58.6	1,713	43.3	43.4	1,118	28.2	28.7	799	20.2	20.8
DISTRICT 04	142	57.7	55.7	112	45.5	45.6	55	22.4	21.7	59	24.0	23.5
ALLEN	7	41.6	36.4	7	41.6	44.6	1	5.9	7.0	6	35.6	36.2
BARREN	28	75.0	62.8	13	34.8	32.0	11	29.4	25.0	10	26.8	22.1
BUTLER	7	58.4	54.3	8	66.8	65.9	6	50.1	47.6	4	33.4	32.3
EDMONSON	8	69.1	60.6	3	25.9	29.2	3	25.9	25.3	2	17.3	18.3
HART	8	47.5	43.1	14	83.1	86.9	5	29.7	30.1	5	29.7	26.0
LOGAN	17	64.7	58.4	12	45.6	42.3	6	22.8	21.2	8	30.4	27.6
METCALFE	12	125.1	106.2	4	41.7	40.7	1	10.4	9.6	3	31.3	26.2
MONROE	9	80.7	68.3	12	107.7	99.0	1	9.0	7.9	4	35.9	30.3
SIMPSON	3	18.1	17.8	9	54.3	53.2	1	6.0	6.1	5	30.2	29.9
WARREN	43	49.0	56.2	30	34.2	36.4	20	22.8	25.5	12	13.7	15.2
DISTRICT 05	115	47.8	54.7	113	47.0	49.0	52	21.6	24.4	53	22.0	26.6
BRECKINRIDGE	10	56.4	46.5	11	62.1	60.7	12	67.7	57.7	4	22.6	20.5
GRAYSON	15	62.9	59.0	16	67.1	68.7	6	25.2	24.0	2	8.4	8.9
HARDIN	42	45.9	60.0	34	37.1	37.6	8	8.7	10.7	13	14.2	19.4
LARUE	8	60.9	50.1	4	30.4	29.2	2	15.2	12.5	8	60.9	48.5
MARION	11	64.3	62.3	11	64.3	63.4	3	17.5	17.6	8	46.7	46.6
MEADE	9	30.8	49.6	18	61.7	73.4	7	24.0	35.0	3	10.3	19.9
NELSON	16	43.3	52.5	13	35.2	36.7	10	27.0	31.9	10	27.0	35.5
WASHINGTON	4	36.2	31.4	6	54.3	51.9	4	36.2	30.9	5	45.3	41.1
DISTRICT 06	511	60.6	60.2	302	35.8	35.6	218	25.8	25.5	172	20.4	20.4
BULLITT	23	37.7	64.0	21	34.4	45.7	7	11.5	16.1	4	6.6	14.5
HENRY	8	53.3	56.3	12	80.0	82.9	3	20.0	21.4	4	26.7	29.7
JEFFERSON	448	66.6	61.5	233	34.6	33.6	195	29.0	26.8	149	22.1	20.6
OLDHAM	10	21.8	34.1	11	24.0	32.1	2	4.4	8.8	5	10.9	19.1
SHELBY	14	45.8	51.3	16	52.3	54.0	5	16.4	17.8	8	26.2	29.4
SPENCER	4	38.3	49.0	5	47.8	47.7	1	9.6	12.2	2	19.1	25.1
TRIMBLE	4	50.5	53.3	4	50.5	52.9	5	63.1	67.7	0	0.0	0.0

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Nephritis, Nephrotic Syndrome and Nephrosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,285	57.7	58.6	1,713	43.3	43.4	1,118	28.2	28.7	799	20.2	20.8
DISTRICT 07	192	50.5	58.2	103	27.1	28.6	133	35.0	39.9	54	14.2	16.9
BOONE	28	33.6	50.3	12	14.4	17.0	14	16.8	25.5	5	6.0	9.0
CAMPBELL	45	51.6	52.0	22	25.2	26.2	47	53.9	55.1	19	21.8	22.7
CARROLL	4	41.0	37.9	4	41.0	45.0	2	20.5	18.0	0	0.0	0.0
GALLATIN	4	53.8	62.0	3	40.3	43.8	4	53.8	63.1	0	0.0	0.0
GRANT	11	52.9	65.2	10	48.1	48.8	11	52.9	67.4	2	9.6	9.7
KENTON	89	60.5	68.8	35	23.8	24.7	48	32.6	36.7	22	14.9	17.6
OWEN	4	38.4	34.3	5	48.0	45.6	5	48.0	41.4	4	38.4	35.4
PENDLETON	7	50.1	58.4	12	85.9	87.8	2	14.3	14.8	2	14.3	14.6
DISTRICT 08	42	76.9	69.2	18	33.0	32.8	29	53.1	47.6	16	29.3	26.3
BRACKEN	7	82.7	71.2	1	11.8	12.8	4	47.3	43.1	1	11.8	10.4
FLEMING	10	73.5	64.5	2	14.7	15.1	7	51.5	44.5	9	66.2	56.9
LEWIS	14	104.1	105.4	7	52.0	52.8	11	81.8	81.5	1	7.4	6.7
MASON	10	59.5	50.7	8	47.6	45.0	7	41.7	37.2	5	29.8	25.5
ROBERTSON	1	44.2	37.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
DISTRICT 09	51	68.9	72.4	41	55.4	54.6	20	27.0	28.5	16	21.6	22.5
BATH	8	74.5	61.2	6	55.9	57.3	4	37.2	33.0	5	46.5	40.6
MENIFEE	7	119.3	132.4	6	102.3	97.9	2	34.1	36.0	2	34.1	41.2
MONTGOMERY	10	46.2	46.0	14	64.7	65.8	2	9.2	9.4	2	9.2	8.6
MORGAN	10	73.3	74.3	5	36.6	35.8	5	36.6	38.1	2	14.7	16.4
ROWAN	16	72.2	91.1	10	45.1	52.3	7	31.6	39.6	5	22.6	27.9
DISTRICT 10	91	67.4	61.9	50	37.0	36.7	45	33.3	31.2	27	20.0	18.9
BOYD	23	47.1	39.8	20	41.0	37.1	9	18.4	15.0	11	22.5	19.5
CARTER	23	84.9	85.8	13	48.0	50.5	15	55.4	58.1	4	14.8	14.8
ELLIOTT	13	199.0	211.6	5	76.5	78.2	3	45.9	47.7	1	15.3	16.1
GREENUP	19	51.7	46.3	8	21.8	21.6	14	38.1	35.7	7	19.1	17.3
LAWRENCE	13	82.3	81.9	4	25.3	25.2	4	25.3	26.2	4	25.3	29.7

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Nephritis, Nephrotic Syndrome and Nephrosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,285	57.7	58.6	1,713	43.3	43.4	1,118	28.2	28.7	799	20.2	20.8
DISTRICT 11	123	74.7	86.9	98	59.5	62.4	59	35.8	41.5	25	15.2	17.3
FLOYD	34	78.6	89.6	24	55.5	58.1	23	53.2	60.8	5	11.6	13.9
JOHNSON	25	104.2	116.5	8	33.3	35.5	5	20.8	23.2	3	12.5	14.4
MAGOFFIN	11	78.4	105.5	2	14.3	14.9	8	57.0	82.5	3	21.4	31.0
MARTIN	2	16.8	25.5	6	50.4	60.3	0	0.0	0.0	5	42.0	50.7
PIKE	51	71.3	81.6	58	81.1	83.3	23	32.2	35.3	9	12.6	13.0
DISTRICT 12	97	77.6	86.7	79	63.2	64.9	32	25.6	28.6	30	24.0	27.2
BREATHITT	8	50.8	60.2	11	69.8	69.0	2	12.7	15.1	8	50.8	57.2
KNOTT	8	44.6	52.0	11	61.4	62.6	3	16.7	20.8	6	33.5	44.0
LEE	7	87.7	77.1	3	37.6	34.4	2	25.1	18.8	3	37.6	34.4
LESLIE	13	96.0	113.0	8	59.1	62.1	5	36.9	42.0	3	22.2	26.2
LETCHER	25	95.9	101.4	14	53.7	58.2	13	49.9	54.0	3	11.5	13.2
OWSLEY	8	148.8	133.4	5	93.0	90.0	2	37.2	30.1	0	0.0	0.0
PERRY	18	58.4	68.6	19	61.7	64.1	3	9.7	10.9	4	13.0	13.9
WOLFE	10	133.2	155.1	8	106.6	102.0	2	26.6	32.3	3	40.0	62.0
DISTRICT 13	132	56.1	59.0	134	57.0	57.9	72	30.6	32.4	56	23.8	25.2
BELL	23	79.3	77.0	14	48.3	48.4	6	20.7	20.4	6	20.7	20.1
CLAY	15	65.9	79.7	19	83.5	86.5	4	17.6	22.1	2	8.8	10.2
HARLAN	23	67.1	69.6	31	90.4	94.5	15	43.8	44.2	12	35.0	36.8
JACKSON	8	61.3	63.7	8	61.3	65.5	4	30.7	32.9	2	15.3	15.7
KNOX	16	50.0	55.7	13	40.7	42.0	13	40.7	44.6	6	18.8	20.1
LAUREL	27	51.9	56.4	20	38.5	38.2	8	15.4	16.5	14	26.9	30.7
ROCKCASTLE	11	68.9	66.5	13	81.4	79.9	5	31.3	30.7	7	43.8	42.4
WHITLEY	9	24.9	24.8	16	44.3	44.0	17	47.1	46.4	7	19.4	20.3

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Nephritis, Nephrotic Syndrome and Nephrosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,285	57.7	58.6	1,713	43.3	43.4	1,118	28.2	28.7	799	20.2	20.8
DISTRICT 14	112	58.8	51.4	105	55.2	53.1	63	33.1	29.5	58	30.5	27.6
ADAIR	8	48.6	41.1	7	42.5	41.8	1	6.1	6.0	7	42.5	37.0
CASEY	6	40.3	36.2	12	80.6	78.6	6	40.3	36.8	6	40.3	39.6
CLINTON	9	95.1	78.4	6	63.4	55.5	2	21.1	17.5	5	52.9	43.6
CUMBERLAND	5	72.8	52.5	2	29.1	26.6	3	43.7	34.0	4	58.3	46.1
GREEN	7	66.1	48.6	8	75.6	65.2	1	9.4	6.6	2	18.9	14.1
MCCREARY	8	47.8	61.0	13	77.7	88.0	10	59.8	81.8	3	17.9	26.1
PULASKI	28	49.0	42.3	33	57.8	54.8	23	40.3	34.3	5	8.8	8.0
RUSSELL	12	74.3	62.3	5	30.9	29.6	6	37.1	30.0	3	18.6	15.4
TAYLOR	16	69.8	61.4	12	52.4	49.6	5	21.8	19.1	14	61.1	55.3
WAYNE	13	67.8	65.9	7	36.5	36.9	6	31.3	32.8	9	47.0	45.9
DISTRICT 15	320	48.5	54.2	263	39.9	40.3	170	25.8	28.5	128	19.4	21.9
ANDERSON	9	47.9	53.6	11	58.5	59.0	8	42.6	48.5	2	10.6	12.5
BOURBON	11	56.8	54.9	9	46.5	46.3	5	25.8	24.6	3	15.5	14.7
BOYLE	23	84.1	73.4	19	69.5	68.5	12	43.9	38.3	8	29.2	25.4
CLARK	13	40.0	39.5	16	49.3	51.0	10	30.8	30.5	6	18.5	18.3
ESTILL	4	25.8	21.2	9	58.0	56.1	4	25.8	20.8	7	45.1	36.7
FAYETTE	114	46.8	56.6	61	25.0	25.7	58	23.8	27.8	37	15.2	18.5
FRANKLIN	27	58.0	59.6	20	42.9	45.7	11	23.6	24.7	14	30.1	34.3
GARRARD	8	55.8	53.4	6	41.9	41.7	9	62.8	59.1	1	7.0	6.5
HARRISON	5	28.3	25.4	12	67.9	68.5	8	45.3	39.6	4	22.6	20.5
JESSAMINE	15	40.2	53.4	19	50.9	53.8	8	21.4	28.0	5	13.4	17.3
LINCOLN	16	71.0	71.0	10	44.4	45.9	10	44.4	44.5	4	17.8	18.3
MADISON	26	38.4	46.6	26	38.4	40.9	7	10.3	12.7	14	20.7	25.6
MERCER	5	24.0	21.0	11	52.9	52.1	5	24.0	20.6	5	24.0	21.5
NICHOLAS	10	140.4	123.7	4	56.2	59.1	6	84.3	73.2	3	42.1	37.1
POWELL	6	45.3	64.7	9	68.0	83.2	3	22.7	25.9	2	15.1	24.9
SCOTT	15	46.5	63.5	10	31.0	33.4	5	15.5	20.0	7	21.7	31.5
WOODFORD	13	57.1	68.5	11	48.3	54.3	1	4.4	4.6	6	26.4	31.4

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Alzheimer's Disease			Septicemia			Influenza and Pneumonia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	776	19.6	20.7	669	16.9	17.4	604	15.3	15.9	473	11.9	11.8
DISTRICT 01	42	22.0	17.0	34	17.8	14.3	48	25.2	20.1	49	25.7	23.9
BALLARD	1	11.8	8.9	2	23.5	18.9	1	11.8	8.6	5	58.8	59.2
CALLOWAY	6	18.0	15.2	6	18.0	15.3	9	27.0	22.7	9	27.0	27.0
CARLISLE	0	0.0	0.0	1	18.6	14.1	0	0.0	0.0	3	55.8	61.1
FULTON	0	0.0	0.0	6	80.7	48.0	6	80.7	46.3	2	26.9	21.3
GRAVES	16	44.1	32.4	8	22.1	17.7	7	19.3	16.2	5	13.8	10.7
HICKMAN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	38.9	42.6
MCCRACKEN	15	23.3	18.9	8	12.4	10.5	19	29.5	24.5	12	18.6	17.9
MARSHALL	4	13.2	10.6	3	9.9	7.6	6	19.9	15.0	11	36.4	30.3
DISTRICT 02	47	21.9	20.0	40	18.7	17.3	30	14.0	12.9	22	10.3	10.1
CALDWELL	4	29.9	21.0	1	7.5	5.7	2	15.0	10.8	2	15.0	17.2
CHRISTIAN	7	9.7	10.9	18	25.0	29.7	8	11.1	12.7	6	8.3	10.4
CRITTENDEN	3	31.5	24.1	3	31.5	22.8	1	10.5	8.2	1	10.5	8.9
HOPKINS	12	26.0	21.6	4	8.7	7.4	6	13.0	11.3	6	13.0	12.0
LIVINGSTON	2	21.1	17.6	3	31.7	29.4	0	0.0	0.0	0	0.0	0.0
LYON	0	0.0	0.0	0	0.0	0.0	4	49.7	37.5	1	12.4	10.3
MUHLENBERG	6	18.8	16.1	7	21.9	20.4	6	18.8	16.4	2	6.3	6.3
TODD	10	88.6	83.5	3	26.6	25.2	1	8.9	8.3	1	8.9	7.5
TRIGG	3	23.8	19.5	1	7.9	6.3	2	15.9	13.8	3	23.8	24.4
DISTRICT 03	76	36.8	35.7	26	12.6	12.1	37	17.9	17.4	21	10.2	10.1
DAVIESS	33	36.2	36.4	11	12.1	11.4	10	11.0	11.1	7	7.7	7.4
HANCOCK	4	44.7	65.7	0	0.0	0.0	1	11.2	18.2	0	0.0	0.0
HENDERSON	14	31.5	31.2	8	18.0	18.4	11	24.8	25.0	7	15.8	15.4
MCLEAN	5	50.6	45.2	3	30.4	27.8	3	30.4	26.7	2	20.2	22.0
OHIO	11	49.7	42.3	2	9.0	7.4	4	18.1	16.3	1	4.5	4.1
UNION	2	12.1	13.4	2	12.1	12.3	5	30.3	32.6	2	12.1	14.6
WEBSTER	7	52.0	34.7	0	0.0	0.0	3	22.3	15.1	2	14.9	12.8

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Alzheimer's Disease			Septicemia			Influenza and Pneumonia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	776	19.6	20.7	669	16.9	17.4	604	15.3	15.9	473	11.9	11.8
DISTRICT 04	49	19.9	20.0	55	22.4	21.9	33	13.4	13.2	36	14.6	14.5
ALLEN	4	23.7	24.4	1	5.9	7.0	4	23.7	24.4	4	23.7	25.0
BARREN	10	26.8	22.0	13	34.8	29.1	8	21.4	17.6	3	8.0	8.0
BUTLER	3	25.0	24.7	3	25.0	23.1	2	16.7	16.1	1	8.3	7.4
EDMONSON	3	25.9	30.1	2	17.3	15.7	1	8.6	8.3	1	8.6	7.4
HART	9	53.4	57.7	6	35.6	31.4	4	23.7	24.7	4	23.7	21.9
LOGAN	8	30.4	27.4	4	15.2	13.6	4	15.2	13.9	2	7.6	7.5
METCALFE	1	10.4	9.3	2	20.9	20.6	0	0.0	0.0	0	0.0	0.0
MONROE	1	9.0	6.3	6	53.8	46.4	1	9.0	6.3	0	0.0	0.0
SIMPSON	2	12.1	12.1	2	12.1	11.7	2	12.1	12.3	7	42.2	41.4
WARREN	8	9.1	10.5	16	18.2	20.9	7	8.0	8.6	14	16.0	17.0
DISTRICT 05	24	10.0	12.3	30	12.5	14.4	42	17.5	21.7	30	12.5	12.9
BRECKINRIDGE	2	11.3	11.9	2	11.3	8.9	3	16.9	17.1	1	5.6	6.6
GRAYSON	1	4.2	4.9	6	25.2	24.2	2	8.4	8.9	3	12.6	11.6
HARDIN	10	10.9	15.5	10	10.9	14.9	15	16.4	24.0	14	15.3	16.2
LARUE	3	22.8	17.8	1	7.6	6.3	6	45.7	36.7	0	0.0	0.0
MARION	2	11.7	11.3	1	5.8	5.9	3	17.5	17.6	2	11.7	12.0
MEADE	2	6.9	11.8	1	3.4	6.9	0	0.0	0.0	3	10.3	13.3
NELSON	3	8.1	10.7	6	16.2	19.0	9	24.3	32.3	7	18.9	20.3
WASHINGTON	1	9.1	7.7	3	27.2	25.8	4	36.2	30.7	0	0.0	0.0
DISTRICT 06	134	15.9	16.4	157	18.6	18.7	124	14.7	14.9	94	11.1	10.9
BULLITT	3	4.9	11.4	4	6.6	11.4	6	9.8	23.4	9	14.8	15.4
HENRY	0	0.0	0.0	3	20.0	22.4	3	20.0	23.4	2	13.3	12.7
JEFFERSON	115	17.1	16.2	138	20.5	19.2	99	14.7	13.8	74	11.0	10.7
OLDHAM	7	15.3	33.7	3	6.5	12.5	2	4.4	7.1	3	6.5	5.4
SHELBY	3	9.8	10.6	7	22.9	23.6	13	42.5	46.1	2	6.5	6.3
SPENCER	5	47.8	62.9	2	19.1	24.9	1	9.6	12.9	2	19.1	17.0
TRIMBLE	1	12.6	14.4	0	0.0	0.0	0	0.0	0.0	2	25.2	26.6

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Alzheimer's Disease			Septicemia			Influenza and Pneumonia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	776	19.6	20.7	669	16.9	17.4	604	15.3	15.9	473	11.9	11.8
DISTRICT 07	80	21.0	26.3	48	12.6	15.1	35	9.2	11.3	36	9.5	9.6
BOONE	11	13.2	22.9	8	9.6	16.1	4	4.8	7.9	6	7.2	6.5
CAMPBELL	22	25.2	27.4	14	16.1	16.8	9	10.3	11.0	10	11.5	11.6
CARROLL	1	10.2	12.4	2	20.5	19.2	0	0.0	0.0	0	0.0	0.0
GALLATIN	0	0.0	0.0	1	13.4	16.5	0	0.0	0.0	0	0.0	0.0
GRANT	3	14.4	20.2	1	4.8	6.1	3	14.4	20.2	3	14.4	13.1
KENTON	39	26.5	31.9	18	12.2	14.1	16	10.9	12.9	17	11.5	11.8
OWEN	2	19.2	17.2	3	28.8	26.3	2	19.2	17.2	0	0.0	0.0
PENDLETON	2	14.3	17.0	1	7.2	8.9	1	7.2	8.5	0	0.0	0.0
DISTRICT 08	13	23.8	21.5	5	9.2	8.1	7	12.8	11.5	2	3.7	3.8
BRACKEN	0	0.0	0.0	0	0.0	0.0	3	35.4	32.0	0	0.0	0.0
FLEMING	4	29.4	25.4	1	7.4	6.5	1	7.4	5.9	0	0.0	0.0
LEWIS	5	37.2	38.7	0	0.0	0.0	1	7.4	7.7	1	7.4	7.9
MASON	3	17.9	15.9	4	23.8	19.5	1	6.0	4.8	1	6.0	6.2
ROBERTSON	1	44.2	37.8	0	0.0	0.0	1	44.2	35.3	0	0.0	0.0
DISTRICT 09	19	25.7	27.5	9	12.2	13.0	9	12.2	12.9	13	17.6	17.9
BATH	1	9.3	7.6	1	9.3	7.7	2	18.6	15.3	2	18.6	17.4
MENIFEE	1	17.0	19.3	1	17.0	21.8	0	0.0	0.0	2	34.1	35.0
MONTGOMERY	7	32.4	33.0	4	18.5	18.4	4	18.5	18.7	3	13.9	14.5
MORGAN	4	29.3	32.1	0	0.0	0.0	1	7.3	7.9	3	22.0	20.7
ROWAN	6	27.1	34.5	3	13.5	17.1	2	9.0	11.1	3	13.5	15.5
DISTRICT 10	23	17.0	17.1	28	20.7	19.6	22	16.3	15.5	9	6.7	6.5
BOYD	11	22.5	20.7	13	26.6	23.2	10	20.5	17.1	3	6.1	5.6
CARTER	4	14.8	16.7	5	18.5	19.4	6	22.1	23.7	2	7.4	8.0
ELLIOTT	1	15.3	16.6	1	15.3	16.6	1	15.3	16.1	1	15.3	16.1
GREENUP	7	19.1	19.1	7	19.1	17.6	2	5.4	5.5	0	0.0	0.0
LAWRENCE	0	0.0	0.0	2	12.7	13.4	3	19.0	24.1	3	19.0	18.6

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Alzheimer's Disease			Septicemia			Influenza and Pneumonia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	776	19.6	20.7	669	16.9	17.4	604	15.3	15.9	473	11.9	11.8
DISTRICT 11	12	7.3	8.9	29	17.6	20.8	22	13.4	16.9	10	6.1	6.1
FLOYD	6	13.9	16.7	6	13.9	16.3	3	6.9	8.5	3	6.9	7.2
JOHNSON	2	8.3	8.8	5	20.8	23.0	2	8.3	12.6	0	0.0	0.0
MAGOFFIN	0	0.0	0.0	4	28.5	41.2	4	28.5	41.2	1	7.1	7.4
MARTIN	0	0.0	0.0	1	8.4	13.1	1	8.4	12.3	1	8.4	8.2
PIKE	4	5.6	6.8	13	18.2	20.2	12	16.8	20.6	5	7.0	6.8
DISTRICT 12	22	17.6	21.0	22	17.6	20.0	21	16.8	19.4	12	9.6	9.7
BREATHITT	3	19.0	22.4	4	25.4	29.2	2	12.7	15.1	2	12.7	12.7
KNOTT	1	5.6	7.0	1	5.6	7.0	6	33.5	39.3	0	0.0	0.0
LEE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	25.1	25.7
LESLIE	1	7.4	9.8	1	7.4	9.8	3	22.2	26.2	0	0.0	0.0
LETCHER	6	23.0	28.9	7	26.9	31.4	3	11.5	15.2	4	15.3	15.8
OWSLEY	2	37.2	31.2	2	37.2	33.0	0	0.0	0.0	2	37.2	39.7
PERRY	7	22.7	27.5	6	19.5	22.5	6	19.5	22.8	0	0.0	0.0
WOLFE	2	26.6	37.8	1	13.3	17.1	1	13.3	20.7	2	26.6	25.9
DISTRICT 13	41	17.4	19.2	57	24.2	25.9	38	16.2	17.7	36	15.3	15.7
BELL	5	17.2	17.7	3	10.3	10.6	1	3.4	3.6	5	17.2	16.7
CLAY	4	17.6	22.3	7	30.8	36.9	3	13.2	16.8	2	8.8	9.9
HARLAN	6	17.5	18.2	8	23.3	24.3	7	20.4	23.4	6	17.5	17.8
JACKSON	2	15.3	15.7	0	0.0	0.0	4	30.7	33.8	1	7.7	9.2
KNOX	6	18.8	21.0	10	31.3	33.0	4	12.5	14.0	9	28.1	29.3
LAUREL	4	7.7	9.3	16	30.8	35.8	10	19.2	22.4	6	11.5	11.4
ROCKCASTLE	8	50.1	48.1	2	12.5	11.4	2	12.5	12.1	3	18.8	20.5
WHITLEY	6	16.6	17.8	11	30.4	32.6	7	19.4	20.5	4	11.1	11.8

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Alzheimer's Disease			Septicemia			Influenza and Pneumonia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	776	19.6	20.7	669	16.9	17.4	604	15.3	15.9	473	11.9	11.8
DISTRICT 14	45	23.6	21.6	43	22.6	20.7	45	23.6	21.5	34	17.9	17.8
ADAIR	1	6.1	5.0	7	42.5	40.1	3	18.2	15.2	4	24.3	20.3
CASEY	3	20.1	17.7	7	47.0	39.6	7	47.0	42.8	3	20.1	22.0
CLINTON	0	0.0	0.0	2	21.1	17.5	1	10.6	8.8	2	21.1	23.0
CUMBERLAND	2	29.1	18.9	1	14.6	9.4	0	0.0	0.0	3	43.7	38.3
GREEN	3	28.3	20.7	1	9.4	7.6	3	28.3	20.7	1	9.4	10.6
MCCREARY	0	0.0	0.0	2	12.0	17.8	1	6.0	10.1	2	12.0	13.2
PULASKI	24	42.0	37.7	8	14.0	12.7	20	35.0	31.3	8	14.0	14.6
RUSSELL	3	18.6	16.1	5	30.9	26.7	4	24.8	21.5	3	18.6	19.0
TAYLOR	7	30.5	27.1	5	21.8	19.8	4	17.5	15.9	5	21.8	20.6
WAYNE	2	10.4	10.4	5	26.1	27.3	2	10.4	10.0	3	15.7	15.9
DISTRICT 15	149	22.6	26.0	86	13.0	14.6	91	13.8	15.7	69	10.5	10.1
ANDERSON	8	42.6	49.8	1	5.3	5.1	1	5.3	6.2	3	16.0	16.2
BOURBON	4	20.7	21.5	4	20.7	21.1	3	15.5	14.8	2	10.3	9.9
BOYLE	15	54.8	48.5	8	29.2	25.1	12	43.9	38.6	1	3.7	3.7
CLARK	17	52.4	51.5	4	12.3	12.4	2	6.2	6.0	5	15.4	14.8
ESTILL	0	0.0	0.0	3	19.3	16.7	1	6.4	5.7	6	38.7	40.2
FAYETTE	36	14.8	18.6	27	11.1	13.7	34	13.9	16.9	23	9.4	8.9
FRANKLIN	8	17.2	20.5	5	10.7	10.7	4	8.6	10.8	7	15.0	14.5
GARRARD	5	34.9	33.3	2	14.0	13.6	2	14.0	11.9	1	7.0	7.1
HARRISON	4	22.6	20.5	2	11.3	9.7	4	22.6	19.1	3	17.0	18.2
JESSAMINE	9	24.1	35.2	5	13.4	16.8	3	8.0	11.0	1	2.7	2.4
LINCOLN	3	13.3	14.0	10	44.4	45.5	6	26.6	27.8	2	8.9	9.0
MADISON	13	19.2	24.2	7	10.3	12.8	5	7.4	9.0	1	1.5	1.5
MERCER	5	24.0	21.2	4	19.2	16.6	5	24.0	21.3	5	24.0	24.6
NICHOLAS	1	14.0	11.6	0	0.0	0.0	2	28.1	24.8	0	0.0	0.0
POWELL	4	30.2	49.2	2	15.1	24.6	2	15.1	24.6	1	7.6	6.9
SCOTT	9	27.9	38.2	1	3.1	4.3	3	9.3	11.5	5	15.5	15.0
WOODFORD	8	35.1	43.7	1	4.4	3.8	2	8.8	9.5	3	13.2	13.3

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Aortic Aneurysm and Dissection			Essential Hypertension & Renal Disease			Assault (Homicide)			Parkinson's Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	366	9.2	9.1	286	7.2	7.3	217	5.5	5.7	211	5.3	5.2	194	4.9	5.1
DISTRICT 01	15	7.9	7.0	16	8.4	6.8	7	3.7	3.0	9	4.7	4.5	12	6.3	4.9
BALLARD	1	11.8	10.0	2	23.5	17.3	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
CALLOWAY	2	6.0	5.6	3	9.0	7.6	0	0.0	0.0	3	9.0	8.7	2	6.0	5.0
CARLISLE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	18.6	20.8	0	0.0	0.0
FULTON	2	26.9	30.0	1	13.4	16.2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
GRAVES	3	8.3	7.3	3	8.3	6.0	4	11.0	8.7	1	2.8	2.3	5	13.8	10.5
HICKMAN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
MCCRACKEN	6	9.3	7.9	4	6.2	5.0	2	3.1	2.5	4	6.2	6.5	5	7.8	6.2
MARSHALL	1	3.3	2.4	3	9.9	7.3	1	3.3	2.7	0	0.0	0.0	0	0.0	0.0
DISTRICT 02	20	9.3	9.0	20	9.3	8.5	9	4.2	3.8	12	5.6	5.3	10	4.7	4.3
CALDWELL	2	15.0	15.0	2	15.0	10.8	0	0.0	0.0	1	7.5	9.2	1	7.5	5.1
CHRISTIAN	4	5.6	7.0	5	7.0	7.7	4	5.6	6.1	5	7.0	5.8	4	5.6	6.6
CRITTENDEN	0	0.0	0.0	1	10.5	7.6	1	10.5	9.2	0	0.0	0.0	0	0.0	0.0
HOPKINS	5	10.8	9.6	2	4.3	3.8	1	2.2	1.9	1	2.2	1.9	3	6.5	5.5
LIVINGSTON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	10.6	11.7
LYON	1	12.4	9.5	2	24.9	18.8	2	24.9	18.8	0	0.0	0.0	0	0.0	0.0
MUHLENBERG	5	15.6	13.7	8	25.0	21.7	1	3.1	2.7	5	15.6	15.7	0	0.0	0.0
TODD	2	17.7	15.9	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	8.9	7.9
TRIGG	1	7.9	6.9	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
DISTRICT 03	24	11.6	10.9	16	7.7	7.4	11	5.3	5.0	15	7.3	7.3	17	8.2	7.9
DAVISS	15	16.5	15.4	7	7.7	7.5	4	4.4	4.2	5	5.5	5.6	9	9.9	9.6
HANCOCK	1	11.2	11.1	0	0.0	0.0	0	0.0	0.0	1	11.2	11.5	0	0.0	0.0
HENDERSON	2	4.5	4.5	4	9.0	9.0	0	0.0	0.0	7	15.8	15.6	6	13.5	13.5
MCLEAN	1	10.1	9.1	2	20.2	18.0	3	30.4	26.5	0	0.0	0.0	1	10.1	9.1
OHIO	1	4.5	4.2	1	4.5	4.0	1	4.5	3.7	2	9.0	9.5	1	4.5	4.2
UNION	0	0.0	0.0	1	6.1	6.3	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
WEBSTER	4	29.7	25.4	1	7.4	6.2	3	22.3	19.7	0	0.0	0.0	0	0.0	0.0

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Aortic Aneurysm and Dissection			Essential Hypertension & Renal Disease			Assault (Homicide)			Parkinson's Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	366	9.2	9.1	286	7.2	7.3	217	5.5	5.7	211	5.3	5.2	194	4.9	5.1
DISTRICT 04	18	7.3	6.8	14	5.7	5.5	11	4.5	4.3	12	4.9	4.7	12	4.9	4.8
ALLEN	1	5.9	4.8	1	5.9	5.2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
BARREN	3	8.0	6.8	0	0.0	0.0	2	5.4	4.6	2	5.4	5.1	2	5.4	4.4
BUTLER	1	8.3	7.5	2	16.7	15.6	0	0.0	0.0	1	8.3	7.4	0	0.0	0.0
EDMONSON	0	0.0	0.0	2	17.3	14.2	0	0.0	0.0	1	8.6	7.4	1	8.6	8.3
HART	0	0.0	0.0	1	5.9	5.0	4	23.7	20.9	2	11.9	10.4	2	11.9	11.0
LOGAN	7	26.6	24.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	4	15.2	13.9
METCALFE	2	20.9	20.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
MONROE	0	0.0	0.0	3	26.9	23.2	0	0.0	0.0	1	9.0	10.1	0	0.0	0.0
SIMPSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	12.1	12.6	0	0.0	0.0
WARREN	4	4.6	4.9	5	5.7	6.6	5	5.7	6.7	3	3.4	3.1	3	3.4	3.9
DISTRICT 05	9	3.7	4.1	12	5.0	5.8	8	3.3	3.8	7	2.9	2.9	11	4.6	5.4
BRECKINRIDGE	1	5.6	5.9	2	11.3	10.3	0	0.0	0.0	0	0.0	0.0	1	5.6	4.3
GRAYSON	3	12.6	11.4	1	4.2	3.8	1	4.2	3.8	1	4.2	4.9	1	4.2	4.1
HARDIN	2	2.2	2.6	4	4.4	6.0	5	5.5	7.1	1	1.1	0.9	4	4.4	6.1
LARUE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	7.6	8.2	1	7.6	6.3
MARION	1	5.8	5.5	1	5.8	5.5	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
MEADE	1	3.4	5.3	2	6.9	12.2	0	0.0	0.0	2	6.9	6.3	2	6.9	12.2
NELSON	1	2.7	2.7	1	2.7	2.7	2	5.4	7.0	2	5.4	6.4	0	0.0	0.0
WASHINGTON	0	0.0	0.0	1	9.1	7.8	0	0.0	0.0	0	0.0	0.0	2	18.1	15.4
DISTRICT 06	96	11.4	11.0	72	8.5	8.5	68	8.1	8.2	57	6.8	6.7	29	3.4	3.5
BULLITT	3	4.9	8.2	3	4.9	8.3	2	3.3	5.8	5	8.2	7.6	0	0.0	0.0
HENRY	5	33.3	30.7	0	0.0	0.0	1	6.7	6.7	0	0.0	0.0	0	0.0	0.0
JEFFERSON	78	11.6	10.9	62	9.2	8.6	63	9.4	8.9	47	7.0	7.0	27	4.0	3.8
OLDHAM	3	6.5	7.4	3	6.5	10.8	1	2.2	5.1	2	4.4	6.4	0	0.0	0.0
SHELBY	3	9.8	9.7	2	6.5	7.7	0	0.0	0.0	2	6.5	6.8	1	3.3	3.8
SPENCER	1	9.6	12.0	0	0.0	0.0	0	0.0	0.0	1	9.6	9.2	1	9.6	12.0
TRIMBLE	3	37.9	39.2	2	25.2	24.7	1	12.6	13.9	0	0.0	0.0	0	0.0	0.0

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Aortic Aneurysm and Dissection			Essential Hypertension & Renal Disease			Assault (Homicide)			Parkinson's Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	366	9.2	9.1	286	7.2	7.3	217	5.5	5.7	211	5.3	5.2	194	4.9	5.1
DISTRICT 07	28	7.4	7.7	30	7.9	8.8	22	5.8	6.9	13	3.4	3.4	22	5.8	7.1
BOONE	2	2.4	2.7	6	7.2	9.6	6	7.2	11.2	0	0.0	0.0	4	4.8	8.3
CAMPBELL	8	9.2	9.4	8	9.2	9.0	6	6.9	7.2	1	1.1	1.2	3	3.4	3.7
CARROLL	2	20.5	18.7	1	10.2	9.9	1	10.2	9.9	1	10.2	8.8	0	0.0	0.0
GALLATIN	0	0.0	0.0	1	13.4	12.7	0	0.0	0.0	0	0.0	0.0	1	13.4	17.9
GRANT	2	9.6	9.1	2	9.6	9.0	0	0.0	0.0	1	4.8	4.6	2	9.6	11.9
KENTON	12	8.2	8.8	9	6.1	7.0	7	4.8	5.6	9	6.1	6.1	10	6.8	8.0
OWEN	0	0.0	0.0	1	9.6	7.7	2	19.2	17.4	0	0.0	0.0	0	0.0	0.0
PENDLETON	2	14.3	13.5	2	14.3	16.7	0	0.0	0.0	1	7.2	7.0	2	14.3	17.0
DISTRICT 08	7	12.8	11.7	6	11.0	9.7	2	3.7	3.1	7	12.8	13.0	0	0.0	0.0
BRACKEN	2	23.6	22.8	1	11.8	11.6	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
FLEMING	1	7.4	6.5	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
LEWIS	2	14.9	15.2	1	7.4	6.7	1	7.4	6.7	6	44.6	45.1	0	0.0	0.0
MASON	2	11.9	10.9	4	23.8	20.5	1	6.0	5.1	1	6.0	6.2	0	0.0	0.0
ROBERTSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
DISTRICT 09	9	12.2	12.0	2	2.7	2.9	3	4.1	4.3	3	4.1	3.9	3	4.1	4.3
BATH	0	0.0	0.0	0	0.0	0.0	1	9.3	7.6	0	0.0	0.0	0	0.0	0.0
MENIFEE	4	68.2	64.5	0	0.0	0.0	0	0.0	0.0	1	17.0	18.3	0	0.0	0.0
MONTGOMERY	1	4.6	4.1	2	9.2	9.4	0	0.0	0.0	1	4.6	4.5	0	0.0	0.0
MORGAN	2	14.7	13.6	0	0.0	0.0	1	7.3	7.9	1	7.3	6.9	3	22.0	24.3
ROWAN	2	9.0	11.4	0	0.0	0.0	1	4.5	5.4	0	0.0	0.0	0	0.0	0.0
DISTRICT 10	20	14.8	13.2	14	10.4	9.1	6	4.4	4.1	3	2.2	2.0	6	4.4	4.1
BOYD	8	16.4	14.0	5	10.2	8.3	0	0.0	0.0	0	0.0	0.0	3	6.1	5.1
CARTER	5	18.5	18.0	2	7.4	7.1	1	3.7	4.3	2	7.4	6.6	1	3.7	4.3
ELLIOTT	0	0.0	0.0	0	0.0	0.0	2	30.6	31.2	0	0.0	0.0	0	0.0	0.0
GREENUP	6	16.3	14.7	5	13.6	12.1	3	8.2	7.7	1	2.7	2.3	2	5.4	4.3
LAWRENCE	1	6.3	6.6	2	12.7	14.6	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Aortic Aneurysm and Dissection			Essential Hypertension & Renal Disease			Assault (Homicide)			Parkinson's Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	366	9.2	9.1	286	7.2	7.3	217	5.5	5.7	211	5.3	5.2	194	4.9	5.1
DISTRICT 11	14	8.5	8.5	13	7.9	9.3	6	3.6	4.2	6	3.6	3.7	8	4.9	5.7
FLOYD	6	13.9	14.0	1	2.3	2.4	2	4.6	5.5	1	2.3	2.4	0	0.0	0.0
JOHNSON	3	12.5	12.4	6	25.0	28.0	0	0.0	0.0	0	0.0	0.0	2	8.3	8.8
MAGOFFIN	0	0.0	0.0	1	7.1	9.2	0	0.0	0.0	0	0.0	0.0	1	7.1	7.6
MARTIN	1	8.4	8.3	1	8.4	12.3	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
PIKE	4	5.6	5.5	4	5.6	6.7	4	5.6	6.1	5	7.0	6.9	5	7.0	8.1
DISTRICT 12	9	7.2	7.4	6	4.8	5.3	3	2.4	2.7	3	2.4	2.4	2	1.6	1.8
BREATHITT	0	0.0	0.0	1	6.3	6.0	0	0.0	0.0	0	0.0	0.0	1	6.3	7.8
KNOTT	1	5.6	5.6	2	11.2	13.4	1	5.6	7.0	0	0.0	0.0	0	0.0	0.0
LEE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	12.5	12.9	1	12.5	12.5
LESLIE	1	7.4	7.4	0	0.0	0.0	0	0.0	0.0	1	7.4	7.1	0	0.0	0.0
LETCHER	2	7.7	7.5	2	7.7	8.3	1	3.8	3.8	0	0.0	0.0	0	0.0	0.0
OWSLEY	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
PERRY	3	9.7	11.3	1	3.2	4.1	1	3.2	4.1	1	3.2	3.3	0	0.0	0.0
WOLFE	2	26.6	23.2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
DISTRICT 13	25	10.6	10.8	11	4.7	4.9	11	4.7	5.0	14	6.0	6.0	7	3.0	3.3
BELL	3	10.3	9.7	0	0.0	0.0	0	0.0	0.0	1	3.4	3.6	2	6.9	7.0
CLAY	3	13.2	14.5	1	4.4	4.5	0	0.0	0.0	5	22.0	23.2	0	0.0	0.0
HARLAN	6	17.5	17.1	1	2.9	3.0	5	14.6	16.6	0	0.0	0.0	1	2.9	3.4
JACKSON	1	7.7	7.4	0	0.0	0.0	1	7.7	7.1	1	7.7	7.8	0	0.0	0.0
KNOX	2	6.3	6.8	2	6.3	6.6	1	3.1	3.6	3	9.4	9.4	0	0.0	0.0
LAUREL	2	3.8	4.1	4	7.7	8.4	2	3.8	4.4	1	1.9	1.9	0	0.0	0.0
ROCKCASTLE	2	12.5	11.4	2	12.5	12.2	0	0.0	0.0	2	12.5	12.2	2	12.5	11.9
WHITLEY	6	16.6	16.0	1	2.8	2.7	2	5.5	5.9	1	2.8	2.7	2	5.5	5.4

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Aortic Aneurysm and Dissection			Essential Hypertension & Renal Disease			Assault (Homicide)			Parkinson's Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	366	9.2	9.1	286	7.2	7.3	217	5.5	5.7	211	5.3	5.2	194	4.9	5.1
DISTRICT 14	12	6.3	5.7	12	6.3	5.6	11	5.8	5.2	8	4.2	4.3	7	3.7	3.3
ADAIR	0	0.0	0.0	1	6.1	6.0	2	12.2	10.0	1	6.1	6.9	1	6.1	5.2
CASEY	0	0.0	0.0	1	6.7	5.4	0	0.0	0.0	0	0.0	0.0	1	6.7	5.4
CLINTON	1	10.6	9.4	1	10.6	8.8	0	0.0	0.0	0	0.0	0.0	1	10.6	8.7
CUMBERLAND	0	0.0	0.0	1	14.6	11.3	0	0.0	0.0	1	14.6	10.6	0	0.0	0.0
GREEN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
MCCREARY	1	6.0	7.7	1	6.0	7.7	0	0.0	0.0	1	6.0	6.6	0	0.0	0.0
PULASKI	5	8.8	7.6	6	10.5	9.2	4	7.0	6.2	3	5.3	5.5	2	3.5	3.2
RUSSELL	1	6.2	5.7	1	6.2	4.6	2	12.4	10.5	1	6.2	6.7	0	0.0	0.0
TAYLOR	2	8.7	7.8	0	0.0	0.0	2	8.7	7.5	0	0.0	0.0	2	8.7	8.2
WAYNE	2	10.4	9.8	0	0.0	0.0	1	5.2	5.2	1	5.2	5.0	0	0.0	0.0
DISTRICT 15	60	9.1	9.5	42	6.4	7.1	39	5.9	6.7	42	6.4	6.1	48	7.3	8.4
ANDERSON	1	5.3	6.2	2	10.6	11.2	0	0.0	0.0	0	0.0	0.0	2	10.6	12.5
BOURBON	3	15.5	14.8	2	10.3	10.1	3	15.5	16.0	0	0.0	0.0	1	5.2	5.0
BOYLE	4	14.6	13.8	3	11.0	9.6	2	7.3	6.4	0	0.0	0.0	5	18.3	16.1
CLARK	7	21.6	20.8	5	15.4	15.2	3	9.2	8.8	4	12.3	12.3	1	3.1	3.2
ESTILL	4	25.8	23.0	0	0.0	0.0	0	0.0	0.0	2	12.9	14.0	1	6.4	5.7
FAYETTE	15	6.2	6.7	17	7.0	8.5	17	7.0	8.3	24	9.8	8.9	16	6.6	8.1
FRANKLIN	3	6.4	5.9	2	4.3	4.7	3	6.4	7.6	2	4.3	4.0	3	6.4	6.8
GARRARD	2	14.0	13.1	3	20.9	20.1	1	7.0	6.5	0	0.0	0.0	0	0.0	0.0
HARRISON	1	5.7	5.4	0	0.0	0.0	1	5.7	4.8	1	5.7	6.1	1	5.7	4.8
JESSAMINE	5	13.4	15.0	0	0.0	0.0	3	8.0	11.4	1	2.7	2.7	3	8.0	11.0
LINCOLN	2	8.9	7.9	2	8.9	8.0	2	8.9	9.3	0	0.0	0.0	1	4.4	4.7
MADISON	7	10.3	11.9	3	4.4	5.3	2	3.0	3.8	3	4.4	4.0	5	7.4	9.6
MERCER	1	4.8	4.2	0	0.0	0.0	2	9.6	8.4	2	9.6	10.5	0	0.0	0.0
NICHOLAS	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	14.0	12.7	1	14.0	12.6
POWELL	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	7.6	7.5	3	22.7	36.3
SCOTT	2	6.2	7.3	1	3.1	4.2	0	0.0	0.0	0	0.0	0.0	3	9.3	13.9
WOODFORD	3	13.2	13.4	2	8.8	9.5	0	0.0	0.0	1	4.4	4.9	2	8.8	11.5

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Certain Conditions Orig. In Perinatal Period			In Situ Neoplasms, Benign Neoplasms			Atherosclerosis			Congenital Malformations, Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	180	4.5	4.7	171	4.3	4.4	157	4.0	4.2	144	3.6	3.7	4,522	114.2	117.3
DISTRICT 01	3	1.6	1.9	16	8.4	6.6	24	12.6	9.7	5	2.6	3.0	224	117.5	95.8
BALLARD	0	0.0	0.0	1	11.8	8.6	1	11.8	8.6	0	0.0	0.0	8	94.0	76.7
CALLOWAY	0	0.0	0.0	4	12.0	10.0	0	0.0	0.0	1	3.0	3.9	43	129.2	113.6
CARLISLE	0	0.0	0.0	1	18.6	12.0	0	0.0	0.0	0	0.0	0.0	6	111.5	96.0
FULTON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	10	134.4	91.7
GRAVES	1	2.8	3.3	4	11.0	8.8	4	11.0	8.3	1	2.8	2.3	48	132.4	108.2
HICKMAN	0	0.0	0.0	0	0.0	0.0	1	19.5	9.2	0	0.0	0.0	3	58.4	37.5
MCCRACKEN	2	3.1	3.6	5	7.8	6.4	14	21.7	17.7	2	3.1	3.6	69	107.1	89.8
MARSHALL	0	0.0	0.0	1	3.3	2.7	4	13.2	10.5	1	3.3	4.0	37	122.4	97.6
DISTRICT 02	7	3.3	3.2	14	6.5	6.0	9	4.2	3.8	4	1.9	1.8	298	139.0	129.0
CALDWELL	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	18	134.7	104.7
CHRISTIAN	3	4.2	3.1	4	5.6	6.3	1	1.4	1.5	4	5.6	4.7	85	118.2	134.6
CRITTENDEN	0	0.0	0.0	2	21.0	18.1	0	0.0	0.0	0	0.0	0.0	13	136.4	107.1
HOPKINS	3	6.5	7.3	4	8.7	7.4	1	2.2	1.8	0	0.0	0.0	67	145.2	123.8
LIVINGSTON	0	0.0	0.0	2	21.1	17.6	3	31.7	29.5	0	0.0	0.0	15	158.3	145.4
LYON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	13	161.6	124.6
MUHLENBERG	0	0.0	0.0	1	3.1	2.7	3	9.4	8.2	0	0.0	0.0	45	140.8	125.2
TODD	1	8.9	8.5	0	0.0	0.0	1	8.9	8.5	0	0.0	0.0	25	221.6	208.8
TRIGG	0	0.0	0.0	1	7.9	6.3	0	0.0	0.0	0	0.0	0.0	17	135.1	110.3
DISTRICT 03	12	5.8	6.2	10	4.8	4.7	12	5.8	5.6	11	5.3	5.5	189	91.5	88.4
DAVISS	4	4.4	4.4	4	4.4	4.3	8	8.8	8.6	6	6.6	6.7	75	82.3	79.6
HANCOCK	0	0.0	0.0	0	0.0	0.0	1	11.2	18.2	0	0.0	0.0	3	33.5	37.4
HENDERSON	4	9.0	9.2	1	2.3	2.2	2	4.5	4.5	3	6.8	6.8	37	83.3	82.0
MCLEAN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	12	121.4	109.8
OHIO	0	0.0	0.0	1	4.5	4.0	1	4.5	4.2	0	0.0	0.0	25	113.1	100.6
UNION	1	6.1	7.6	2	12.1	12.7	0	0.0	0.0	1	6.1	7.6	21	127.4	132.7
WEBSTER	3	22.3	27.5	2	14.9	10.7	0	0.0	0.0	1	7.4	9.2	16	118.9	103.8

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Certain Conditions Orig. In Perinatal Period			In Situ Neoplasms, Benign Neoplasms			Atherosclerosis			Congenital Malformations, Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	180	4.5	4.7	171	4.3	4.4	157	4.0	4.2	144	3.6	3.7	4,522	114.2	117.3
DISTRICT 04	11	4.5	4.9	15	6.1	6.0	10	4.1	4.1	6	2.4	2.5	276	112.2	110.4
ALLEN	1	5.9	6.3	0	0.0	0.0	0	0.0	0.0	1	5.9	6.3	25	148.4	143.4
BARREN	1	2.7	3.1	2	5.4	4.4	2	5.4	4.6	1	2.7	2.5	42	112.4	96.4
BUTLER	1	8.3	9.6	2	16.7	16.1	0	0.0	0.0	0	0.0	0.0	18	150.2	146.3
EDMONSON	2	17.3	17.2	1	8.6	7.4	1	8.6	10.9	0	0.0	0.0	6	51.8	53.2
HART	2	11.9	13.8	0	0.0	0.0	1	5.9	5.5	0	0.0	0.0	19	112.7	110.5
LOGAN	1	3.8	4.2	2	7.6	7.0	0	0.0	0.0	0	0.0	0.0	29	110.3	102.3
METCALFE	1	10.4	11.8	2	20.9	17.2	1	10.4	9.3	0	0.0	0.0	11	114.7	102.7
MONROE	0	0.0	0.0	1	9.0	6.3	0	0.0	0.0	0	0.0	0.0	16	143.5	124.1
SIMPSON	2	12.1	10.9	0	0.0	0.0	2	12.1	12.1	0	0.0	0.0	20	120.7	117.5
WARREN	0	0.0	0.0	5	5.7	6.5	3	3.4	3.9	4	4.6	5.1	90	102.6	115.4
DISTRICT 05	15	6.2	5.7	10	4.2	5.0	13	5.4	6.6	9	3.7	3.4	232	96.4	112.3
BRECKINRIDGE	1	5.6	7.1	1	5.6	4.6	1	5.6	5.9	1	5.6	7.1	31	174.9	162.4
GRAYSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	4.2	4.4	29	121.7	120.5
HARDIN	11	12.0	10.1	5	5.5	7.7	8	8.7	12.2	4	4.4	3.7	77	84.1	111.0
LARUE	1	7.6	8.9	0	0.0	0.0	1	7.6	6.3	0	0.0	0.0	15	114.2	95.1
MARION	0	0.0	0.0	1	5.8	5.5	0	0.0	0.0	1	5.8	6.2	21	122.7	118.6
MEADE	1	3.4	2.3	1	3.4	6.5	1	3.4	6.9	2	6.9	4.8	17	58.2	107.3
NELSON	0	0.0	0.0	1	2.7	3.6	1	2.7	3.6	0	0.0	0.0	28	75.7	87.7
WASHINGTON	1	9.1	9.9	1	9.1	7.8	1	9.1	7.8	0	0.0	0.0	14	126.8	108.6
DISTRICT 06	40	4.7	5.0	43	5.1	5.1	27	3.2	3.3	34	4.0	4.2	1,042	123.5	123.8
BULLITT	0	0.0	0.0	1	1.6	1.4	2	3.3	5.8	1	1.6	1.6	47	77.1	126.7
HENRY	1	6.7	6.4	1	6.7	7.8	1	6.7	7.8	1	6.7	6.4	25	166.6	179.9
JEFFERSON	38	5.6	5.9	38	5.6	5.3	17	2.5	2.4	30	4.5	4.6	895	133.0	125.3
OLDHAM	1	2.2	2.5	2	4.4	10.2	2	4.4	7.1	0	0.0	0.0	35	76.4	121.7
SHELBY	0	0.0	0.0	0	0.0	0.0	3	9.8	10.2	2	6.5	7.2	24	78.5	85.7
SPENCER	0	0.0	0.0	1	9.6	12.2	2	19.1	25.1	0	0.0	0.0	6	57.4	69.3
TRIMBLE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	10	126.2	138.1

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Certain Conditions Orig. In Perinatal Period			In Situ Neoplasms, Benign Neoplasms			Atherosclerosis			Congenital Malformations, Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	180	4.5	4.7	171	4.3	4.4	157	4.0	4.2	144	3.6	3.7	4,522	114.2	117.3
DISTRICT 07	17	4.5	3.9	14	3.7	4.3	6	1.6	2.0	14	3.7	3.4	372	97.9	113.1
BOONE	6	7.2	6.1	2	2.4	3.3	2	2.4	4.1	3	3.6	3.0	63	75.6	103.6
CAMPBELL	3	3.4	3.1	3	3.4	3.5	1	1.1	1.3	3	3.4	3.1	98	112.4	117.2
CARROLL	1	10.2	10.0	1	10.2	12.4	0	0.0	0.0	0	0.0	0.0	8	82.0	87.2
GALLATIN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	4	53.8	53.5
GRANT	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	4.8	4.8	15	72.1	95.1
KENTON	5	3.4	2.9	8	5.4	6.4	3	2.0	2.5	6	4.1	3.7	160	108.7	123.3
OWEN	2	19.2	22.5	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	10	96.0	89.1
PENDLETON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	7.2	6.5	14	100.2	116.3
DISTRICT 08	1	1.8	2.0	4	7.3	6.8	3	5.5	4.9	2	3.7	3.8	55	100.8	91.1
BRACKEN	1	11.8	11.9	1	11.8	11.6	0	0.0	0.0	0	0.0	0.0	7	82.7	73.9
FLEMING	0	0.0	0.0	0	0.0	0.0	1	7.4	6.5	0	0.0	0.0	17	125.0	110.9
LEWIS	0	0.0	0.0	2	14.9	14.6	1	7.4	6.7	0	0.0	0.0	15	111.5	110.1
MASON	0	0.0	0.0	1	6.0	5.3	1	6.0	5.3	2	11.9	11.9	14	83.3	71.6
ROBERTSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	88.3	87.4
DISTRICT 09	2	2.7	2.9	1	1.4	1.4	4	5.4	5.6	2	2.7	2.5	90	121.6	128.9
BATH	0	0.0	0.0	1	9.3	8.8	0	0.0	0.0	0	0.0	0.0	13	121.0	107.4
MENIFEE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	5	85.2	99.2
MONTGOMERY	2	9.2	10.2	0	0.0	0.0	1	4.6	4.1	0	0.0	0.0	31	143.3	141.9
MORGAN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	7.3	8.2	21	153.8	166.6
ROWAN	0	0.0	0.0	0	0.0	0.0	3	13.5	17.9	1	4.5	2.1	20	90.3	116.0
DISTRICT 10	8	5.9	7.1	3	2.2	2.1	4	3.0	2.9	7	5.2	5.5	157	116.3	110.5
BOYD	2	4.1	5.3	2	4.1	3.5	2	4.1	3.5	3	6.1	6.0	60	122.9	107.5
CARTER	1	3.7	4.2	1	3.7	3.9	0	0.0	0.0	2	7.4	7.1	35	129.2	136.6
ELLIOTT	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	15.3	17.3	10	153.1	159.3
GREENUP	5	13.6	17.1	0	0.0	0.0	1	2.7	2.7	1	2.7	3.6	36	98.0	92.2
LAWRENCE	0	0.0	0.0	0	0.0	0.0	1	6.3	8.0	0	0.0	0.0	16	101.3	108.4

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Certain Conditions Orig. In Perinatal Period			In Situ Neoplasms, Benign Neoplasms			Atherosclerosis			Congenital Malformations, Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	180	4.5	4.7	171	4.3	4.4	157	4.0	4.2	144	3.6	3.7	4,522	114.2	117.3
DISTRICT 11	7	4.3	4.6	2	1.2	1.5	3	1.8	2.3	3	1.8	1.9	178	108.1	125.0
FLOYD	1	2.3	2.3	1	2.3	2.5	1	2.3	3.1	2	4.6	4.7	55	127.2	146.3
JOHNSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	20	83.4	93.8
MAGOFFIN	3	21.4	23.4	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	15	106.9	142.9
MARTIN	1	8.4	7.7	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	16	134.4	152.3
PIKE	2	2.8	3.2	1	1.4	2.0	2	2.8	3.3	1	1.4	1.4	72	100.7	113.9
DISTRICT 12	5	4.0	4.4	6	4.8	5.4	0	0.0	0.0	6	4.8	5.2	151	120.9	135.3
BREATHITT	0	0.0	0.0	2	12.7	13.9	0	0.0	0.0	0	0.0	0.0	11	69.8	77.4
KNOTT	1	5.6	6.2	1	5.6	8.3	0	0.0	0.0	0	0.0	0.0	20	111.6	139.4
LEE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	15	187.9	166.0
LESLIE	2	14.8	14.3	1	7.4	9.1	0	0.0	0.0	0	0.0	0.0	14	103.4	124.2
LETCHER	1	3.8	4.4	0	0.0	0.0	0	0.0	0.0	1	3.8	4.3	29	111.3	123.1
OWSLEY	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	37.2	38.6	8	148.8	132.7
PERRY	1	3.2	3.9	2	6.5	7.2	0	0.0	0.0	3	9.7	11.3	48	155.8	180.9
WOLFE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	6	79.9	103.3
DISTRICT 13	10	4.3	4.4	7	3.0	3.3	14	6.0	6.5	11	4.7	4.8	291	123.7	131.9
BELL	0	0.0	0.0	4	13.8	13.8	1	3.4	3.6	3	10.3	10.7	30	103.4	102.3
CLAY	1	4.4	4.4	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	25	109.9	128.3
HARLAN	4	11.7	12.5	0	0.0	0.0	4	11.7	13.0	1	2.9	3.1	53	154.6	160.5
JACKSON	1	7.7	7.2	0	0.0	0.0	0	0.0	0.0	1	7.7	7.3	16	122.7	133.1
KNOX	2	6.3	6.0	2	6.3	7.0	2	6.3	7.0	1	3.1	3.0	36	112.6	121.2
LAUREL	2	3.8	4.3	1	1.9	2.4	2	3.8	4.6	1	1.9	1.9	50	96.2	109.1
ROCKCASTLE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	28	175.3	169.8
WHITLEY	0	0.0	0.0	0	0.0	0.0	5	13.8	15.1	4	11.1	11.6	53	146.7	152.3

*Age-Adjusted and Crude Rates per 100,000 1999 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-
Adjusted Rates*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Certain Conditions Orig. In Perinatal Period			In Situ Neoplasms, Benign Neoplasms			Atherosclerosis			Congenital Malformations, Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	180	4.5	4.7	171	4.3	4.4	157	4.0	4.2	144	3.6	3.7	4,522	114.2	117.3
DISTRICT 14	7	3.7	4.2	4	2.1	1.8	11	5.8	5.4	5	2.6	2.9	258	135.5	125.7
ADAIR	4	24.3	30.0	0	0.0	0.0	1	6.1	6.0	1	6.1	7.5	26	158.0	145.1
CASEY	0	0.0	0.0	0	0.0	0.0	1	6.7	7.0	0	0.0	0.0	26	174.5	162.8
CLINTON	1	10.6	13.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	9	95.1	78.5
CUMBERLAND	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	29.1	29.1	5	72.8	55.5
GREEN	0	0.0	0.0	0	0.0	0.0	1	9.4	6.6	0	0.0	0.0	19	179.5	148.2
MCCREARY	0	0.0	0.0	1	6.0	7.7	1	6.0	7.0	1	6.0	5.9	26	155.4	191.5
PULASKI	1	1.8	2.0	2	3.5	3.2	1	1.8	1.6	1	1.8	2.0	61	106.8	97.2
RUSSELL	0	0.0	0.0	0	0.0	0.0	2	12.4	10.8	0	0.0	0.0	18	111.4	97.3
TAYLOR	1	4.4	5.6	1	4.4	3.7	2	8.7	7.8	0	0.0	0.0	47	205.0	187.8
WAYNE	0	0.0	0.0	0	0.0	0.0	2	10.4	11.5	0	0.0	0.0	21	109.6	112.1
DISTRICT 15	35	5.3	5.6	22	3.3	3.7	17	2.6	2.9	25	3.8	4.0	709	107.5	119.3
ANDERSON	1	5.3	5.1	1	5.3	6.2	0	0.0	0.0	1	5.3	5.1	19	101.1	113.6
BOURBON	0	0.0	0.0	0	0.0	0.0	2	10.3	10.3	1	5.2	5.5	23	118.8	117.5
BOYLE	1	3.7	4.6	3	11.0	9.2	0	0.0	0.0	0	0.0	0.0	33	120.6	107.5
CLARK	2	6.2	6.8	0	0.0	0.0	0	0.0	0.0	1	3.1	2.9	41	126.3	125.2
ESTILL	1	6.4	7.2	0	0.0	0.0	1	6.4	6.1	0	0.0	0.0	10	64.5	55.6
FAYETTE	15	6.2	6.2	4	1.6	2.1	0	0.0	0.0	7	2.9	2.9	261	107.1	126.9
FRANKLIN	5	10.7	12.9	3	6.4	8.0	2	4.3	4.7	3	6.4	6.3	60	128.8	138.9
GARRARD	0	0.0	0.0	2	14.0	13.5	0	0.0	0.0	3	20.9	23.3	18	125.6	120.1
HARRISON	2	11.3	12.1	0	0.0	0.0	4	22.6	19.0	1	5.7	6.1	22	124.6	111.6
JESSAMINE	2	5.4	5.1	2	5.4	6.2	0	0.0	0.0	0	0.0	0.0	33	88.5	115.4
LINCOLN	1	4.4	4.3	1	4.4	4.6	1	4.4	4.7	1	4.4	4.3	34	150.9	152.8
MADISON	2	3.0	3.5	2	3.0	2.7	1	1.5	1.8	3	4.4	5.1	63	93.1	113.4
MERCER	0	0.0	0.0	1	4.8	4.1	2	9.6	8.5	0	0.0	0.0	31	148.9	134.1
NICHOLAS	0	0.0	0.0	1	14.0	11.6	0	0.0	0.0	0	0.0	0.0	10	140.4	121.3
POWELL	1	7.6	7.0	1	7.6	11.4	0	0.0	0.0	2	15.1	14.0	14	105.7	127.6
SCOTT	2	6.2	6.5	1	3.1	3.1	3	9.3	13.4	1	3.1	3.0	15	46.5	60.3
WOODFORD	0	0.0	0.0	0	0.0	0.0	1	4.4	4.6	1	4.4	4.8	22	96.6	112.8

*Age-Adjusted and Crude Rates per 100,000 1999 Population