

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2002**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>988</b>	<b>24.1</b>	<b>433</b>	<b>10.6</b>	<b>3,327</b>	<b>81.3</b>	<b>130</b>	<b>3.2</b>	<b>652</b>	<b>31.2</b>	<b>54</b>	<b>2.6</b>	<b>407</b>	<b>20.3</b>	<b>317</b>	<b>7.7</b>
<b>DISTRICT 01</b>	<b>59</b>	<b>30.6</b>	<b>28</b>	<b>14.5</b>	<b>141</b>	<b>73.2</b>	<b>6</b>	<b>3.1</b>	<b>33</b>	<b>33.1</b>	<b>1</b>	<b>1.0</b>	<b>21</b>	<b>22.6</b>	<b>14</b>	<b>7.3</b>
BALLARD	7	85.8	2	24.5	6	73.5	0	0.0	0	0.0	0	0.0	2	49.2	0	0.0
CALLOWAY	10	29.1	2	5.8	16	46.5	1	2.9	12	67.5	0	0.0	5	30.1	3	8.7
CARLISLE	1	18.8	0	0.0	3	56.4	0	0.0	1	36.8	0	0.0	1	38.5	0	0.0
FULTON	2	26.5	0	0.0	5	66.2	1	13.2	2	49.5	0	0.0	1	28.5	0	0.0
GRAVES	10	26.9	5	13.4	29	77.9	3	8.1	2	10.5	1	5.2	5	27.5	0	0.0
HICKMAN	3	57.8	2	38.5	3	57.8	0	0.0	0	0.0	0	0.0	1	40.1	1	19.3
MCCRACKEN	18	27.9	13	20.2	53	82.2	1	1.6	8	23.6	0	0.0	4	13.0	6	9.3
MARSHALL	8	26.4	4	13.2	26	85.9	0	0.0	8	51.8	0	0.0	2	13.5	4	13.2
<b>DISTRICT 02</b>	<b>46</b>	<b>21.5</b>	<b>24</b>	<b>11.2</b>	<b>198</b>	<b>92.4</b>	<b>1</b>	<b>0.5</b>	<b>41</b>	<b>38.2</b>	<b>5</b>	<b>4.7</b>	<b>15</b>	<b>14.0</b>	<b>33</b>	<b>15.4</b>
CALDWELL	5	38.7	1	7.7	15	116.0	0	0.0	2	29.8	0	0.0	0	0.0	1	7.7
CHRISTIAN	10	14.0	6	8.4	44	61.7	0	0.0	8	23.1	4	11.6	5	13.6	7	9.8
CRITTENDEN	2	21.7	0	0.0	11	119.2	0	0.0	6	126.0	0	0.0	0	0.0	0	0.0
HOPKINS	12	25.8	2	4.3	50	107.3	0	0.0	12	49.4	0	0.0	1	4.5	8	17.2
LIVINGSTON	0	0.0	1	10.2	9	91.4	0	0.0	3	60.3	1	20.1	3	61.6	3	30.5
LYON	1	12.2	1	12.2	9	110.2	0	0.0	0	0.0	0	0.0	1	21.3	0	0.0
MUHLENBERG	10	31.5	7	22.1	39	123.0	0	0.0	4	25.0	0	0.0	1	6.4	8	25.2
TODD	2	16.7	2	16.7	11	91.8	1	8.3	1	16.3	0	0.0	3	51.3	5	41.7
TRIGG	4	31.5	4	31.5	10	78.9	0	0.0	5	77.5	0	0.0	1	16.1	1	7.9
<b>DISTRICT 03</b>	<b>44</b>	<b>21.1</b>	<b>27</b>	<b>13.0</b>	<b>178</b>	<b>85.5</b>	<b>8</b>	<b>3.8</b>	<b>33</b>	<b>30.9</b>	<b>1</b>	<b>0.9</b>	<b>23</b>	<b>22.7</b>	<b>20</b>	<b>9.6</b>
DAVIESS	13	14.2	11	12.0	76	82.9	5	5.5	18	37.9	0	0.0	10	22.6	8	8.7
HANCOCK	2	23.3	0	0.0	4	46.7	0	0.0	3	69.2	0	0.0	2	47.2	1	11.7
HENDERSON	14	31.1	11	24.5	31	68.9	2	4.4	2	8.6	1	4.3	1	4.6	3	6.7
MCLEAN	2	19.9	1	10.0	11	109.5	0	0.0	1	19.6	0	0.0	2	40.5	2	19.9
OHIO	5	21.5	4	17.2	30	128.8	1	4.3	5	42.4	0	0.0	4	34.8	2	8.6
UNION	3	19.3	0	0.0	15	96.5	0	0.0	2	26.1	0	0.0	3	38.1	1	6.4
WEBSTER	5	35.5	0	0.0	11	78.2	0	0.0	2	27.8	0	0.0	1	14.6	3	21.3

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2002**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>988</b>	<b>24.1</b>	<b>433</b>	<b>10.6</b>	<b>3,327</b>	<b>81.3</b>	<b>130</b>	<b>3.2</b>	<b>652</b>	<b>31.2</b>	<b>54</b>	<b>2.6</b>	<b>407</b>	<b>20.3</b>	<b>317</b>	<b>7.7</b>
<b>DISTRICT 04</b>	<b>48</b>	<b>18.5</b>	<b>27</b>	<b>10.4</b>	<b>198</b>	<b>76.3</b>	<b>8</b>	<b>3.1</b>	<b>44</b>	<b>33.1</b>	<b>1</b>	<b>0.8</b>	<b>15</b>	<b>11.8</b>	<b>21</b>	<b>8.1</b>
ALLEN	2	11.0	0	0.0	13	71.5	0	0.0	5	53.9	0	0.0	4	44.9	1	5.5
BARREN	6	15.5	5	12.9	27	69.7	1	2.6	8	39.8	0	0.0	2	10.7	6	15.5
BUTLER	1	7.6	3	22.8	13	98.8	1	7.6	3	45.3	0	0.0	0	0.0	1	7.6
EDMONSON	2	16.9	0	0.0	15	126.5	0	0.0	2	33.3	1	16.6	1	17.1	1	8.4
HART	4	22.6	4	22.6	12	67.9	0	0.0	0	0.0	0	0.0	2	23.0	1	5.7
LOGAN	10	37.3	0	0.0	17	63.4	0	0.0	7	50.7	0	0.0	1	7.7	3	11.2
METCALFE	1	10.0	3	29.9	13	129.5	1	10.0	1	19.5	0	0.0	0	0.0	0	0.0
MONROE	3	25.4	3	25.4	4	33.9	1	8.5	3	49.5	0	0.0	0	0.0	0	0.0
SIMPSON	4	24.0	0	0.0	14	84.0	0	0.0	2	23.5	0	0.0	0	0.0	0	0.0
WARREN	15	15.8	9	9.5	70	73.9	4	4.2	13	26.9	0	0.0	5	10.8	8	8.4
<b>DISTRICT 05</b>	<b>69</b>	<b>27.8</b>	<b>28</b>	<b>11.3</b>	<b>163</b>	<b>65.7</b>	<b>7</b>	<b>2.8</b>	<b>26</b>	<b>20.9</b>	<b>5</b>	<b>4.0</b>	<b>20</b>	<b>16.1</b>	<b>20</b>	<b>8.1</b>
BRECKINRIDGE	6	31.7	3	15.8	14	73.9	0	0.0	6	62.9	0	0.0	2	21.2	4	21.1
GRAYSON	7	28.7	3	12.3	17	69.6	3	12.3	6	48.7	0	0.0	3	24.8	5	20.5
HARDIN	23	24.0	11	11.5	65	67.9	2	2.1	8	16.9	4	8.4	5	10.3	5	5.2
LARUE	9	67.4	2	15.0	8	59.9	0	0.0	1	14.6	0	0.0	3	46.0	0	0.0
MARION	4	21.7	1	5.4	12	65.1	0	0.0	1	11.0	1	11.0	1	10.7	1	5.4
MEADE	3	10.9	1	3.6	21	76.6	0	0.0	1	7.3	0	0.0	1	7.3	2	7.3
NELSON	13	33.5	6	15.5	24	61.8	2	5.2	3	15.2	0	0.0	5	26.2	3	7.7
WASHINGTON	4	36.1	1	9.0	2	18.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BULLITT	10	15.7	4	6.3	45	70.5	3	4.7	6	18.7	0	0.0	4	12.6	4	6.3
HENRY	3	19.5	3	19.5	20	130.2	0	0.0	0	0.0	0	0.0	3	39.2	0	0.0
JEFFERSON	224	32.1	84	12.0	543	77.8	20	2.9	120	33.0	11	3.0	88	26.3	55	7.9
OLDHAM	9	18.3	3	6.1	27	54.8	1	2.0	5	21.6	0	0.0	3	11.5	2	4.1
SHELBY	11	31.3	2	5.7	27	76.9	4	11.4	4	22.3	1	5.6	4	23.3	2	5.7
SPENCER	3	22.2	2	14.8	7	51.8	1	7.4	1	14.9	1	14.9	0	0.0	0	0.0
TRIMBLE	1	11.5	0	0.0	5	57.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2002**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>988</b>	<b>24.1</b>	<b>433</b>	<b>10.6</b>	<b>3,327</b>	<b>81.3</b>	<b>130</b>	<b>3.2</b>	<b>652</b>	<b>31.2</b>	<b>54</b>	<b>2.6</b>	<b>407</b>	<b>20.3</b>	<b>317</b>	<b>7.7</b>
<b>DISTRICT 07</b>	<b>93</b>	<b>23.2</b>	<b>29</b>	<b>7.2</b>	<b>287</b>	<b>71.5</b>	<b>8</b>	<b>2.0</b>	<b>64</b>	<b>31.4</b>	<b>8</b>	<b>3.9</b>	<b>32</b>	<b>16.2</b>	<b>18</b>	<b>4.5</b>
BOONE	20	21.4	3	3.2	52	55.7	3	3.2	12	25.5	2	4.2	5	10.8	4	4.3
CAMPBELL	28	31.6	10	11.3	67	75.6	2	2.3	12	26.2	2	4.4	6	14.0	3	3.4
CARROLL	2	19.5	2	19.5	10	97.7	0	0.0	5	98.5	0	0.0	1	19.4	1	9.8
GALLATIN	4	51.0	0	0.0	10	127.6	0	0.0	1	25.5	0	0.0	0	0.0	1	12.8
GRANT	2	8.5	0	0.0	23	97.4	0	0.0	3	25.2	0	0.0	1	8.5	0	0.0
KENTON	32	21.0	12	7.9	110	72.3	2	1.3	28	36.2	3	3.9	15	20.0	9	5.9
OWEN	1	9.1	1	9.1	4	36.5	1	9.1	2	36.5	0	0.0	2	36.5	0	0.0
PENDLETON	4	27.0	1	6.8	11	74.3	0	0.0	1	13.5	1	13.5	2	27.0	0	0.0
<b>DISTRICT 08</b>	<b>12</b>	<b>21.5</b>	<b>5</b>	<b>9.0</b>	<b>44</b>	<b>78.8</b>	<b>1</b>	<b>1.8</b>	<b>7</b>	<b>24.6</b>	<b>0</b>	<b>0.0</b>	<b>7</b>	<b>25.6</b>	<b>8</b>	<b>14.3</b>
BRACKEN	2	23.6	0	0.0	8	94.3	1	11.8	0	0.0	0	0.0	2	47.5	1	11.8
FLEMING	4	28.4	1	7.1	5	35.5	0	0.0	2	27.8	0	0.0	0	0.0	3	21.3
LEWIS	0	0.0	2	14.3	17	121.8	0	0.0	4	56.9	0	0.0	3	43.4	1	7.2
MASON	5	29.5	2	11.8	11	65.0	0	0.0	1	11.4	0	0.0	2	24.4	3	17.7
ROBERTSON	1	42.3	0	0.0	3	127.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>DISTRICT 09</b>	<b>14</b>	<b>18.0</b>	<b>6</b>	<b>7.7</b>	<b>51</b>	<b>65.5</b>	<b>6</b>	<b>7.7</b>	<b>13</b>	<b>33.5</b>	<b>0</b>	<b>0.0</b>	<b>8</b>	<b>20.5</b>	<b>8</b>	<b>10.3</b>
BATH	3	26.3	1	8.8	9	78.9	1	8.8	1	17.3	0	0.0	3	53.1	0	0.0
MENIFEE	1	14.9	1	14.9	4	59.6	1	14.9	3	89.9	0	0.0	1	29.7	0	0.0
MONTGOMERY	5	21.5	2	8.6	14	60.2	1	4.3	5	42.0	0	0.0	2	17.6	4	17.2
MORGAN	2	14.1	0	0.0	12	84.5	2	14.1	0	0.0	0	0.0	2	25.6	3	21.1
ROWAN	3	13.5	2	9.0	12	53.9	1	4.5	4	35.0	0	0.0	0	0.0	1	4.5
<b>DISTRICT 10</b>	<b>31</b>	<b>22.8</b>	<b>11</b>	<b>8.1</b>	<b>141</b>	<b>103.7</b>	<b>2</b>	<b>1.5</b>	<b>25</b>	<b>35.9</b>	<b>0</b>	<b>0.0</b>	<b>14</b>	<b>21.1</b>	<b>10</b>	<b>7.4</b>
BOYD	17	34.3	4	8.1	54	108.9	0	0.0	13	51.5	0	0.0	5	20.5	4	8.1
CARTER	6	22.2	2	7.4	29	107.2	0	0.0	5	36.2	0	0.0	2	15.1	1	3.7
ELLIOTT	1	14.8	1	14.8	3	44.5	0	0.0	2	57.8	0	0.0	2	60.8	0	0.0
GREENUP	5	13.6	3	8.2	38	103.4	1	2.7	4	21.0	0	0.0	4	22.6	5	13.6
LAWRENCE	2	12.7	1	6.3	17	107.7	1	6.3	1	12.6	0	0.0	1	12.8	0	0.0

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2002**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>988</b>	<b>24.1</b>	<b>433</b>	<b>10.6</b>	<b>3,327</b>	<b>81.3</b>	<b>130</b>	<b>3.2</b>	<b>652</b>	<b>31.2</b>	<b>54</b>	<b>2.6</b>	<b>407</b>	<b>20.3</b>	<b>317</b>	<b>7.7</b>
<b>DISTRICT 11</b>	<b>42</b>	<b>26.4</b>	<b>16</b>	<b>10.0</b>	<b>175</b>	<b>109.9</b>	<b>7</b>	<b>4.4</b>	<b>40</b>	<b>49.2</b>	<b>5</b>	<b>6.2</b>	<b>16</b>	<b>20.5</b>	<b>10</b>	<b>6.3</b>
FLOYD	11	26.1	5	11.8	55	130.3	3	7.1	13	60.6	0	0.0	4	19.3	2	4.7
JOHNSON	6	25.7	2	8.6	28	119.9	1	4.3	7	58.1	4	33.2	3	26.5	1	4.3
MAGOFFIN	3	22.5	2	15.0	9	67.4	0	0.0	2	29.5	0	0.0	1	15.2	0	0.0
MARTIN	2	16.0	2	16.0	8	63.9	1	8.0	1	15.8	0	0.0	0	0.0	1	8.0
PIKE	20	29.5	5	7.4	75	110.6	2	2.9	17	49.0	1	2.9	8	24.2	6	8.8
<b>DISTRICT 12</b>	<b>35</b>	<b>29.2</b>	<b>9</b>	<b>7.5</b>	<b>148</b>	<b>123.5</b>	<b>6</b>	<b>5.0</b>	<b>15</b>	<b>24.6</b>	<b>2</b>	<b>3.3</b>	<b>12</b>	<b>20.3</b>	<b>7</b>	<b>5.8</b>
BREATHITT	8	50.4	2	12.6	15	94.4	0	0.0	1	12.4	0	0.0	2	25.6	1	6.3
KNOTT	4	22.5	1	5.6	18	101.5	2	11.3	1	11.1	1	11.1	1	11.4	0	0.0
LEE	2	25.2	0	0.0	17	213.9	0	0.0	1	26.3	1	26.3	0	0.0	0	0.0
LESLIE	0	0.0	3	24.4	13	105.9	1	8.1	1	15.9	0	0.0	0	0.0	1	8.1
LETCHER	7	28.1	1	4.0	34	136.3	0	0.0	6	47.1	0	0.0	1	8.2	3	12.0
OWSLEY	1	21.0	0	0.0	7	146.9	0	0.0	1	42.4	0	0.0	1	41.6	0	0.0
PERRY	10	34.0	1	3.4	35	119.1	2	6.8	4	26.4	0	0.0	5	35.1	1	3.4
WOLFE	3	43.3	1	14.4	9	129.8	1	14.4	0	0.0	0	0.0	2	58.0	1	14.4
<b>DISTRICT 13</b>	<b>56</b>	<b>23.3</b>	<b>22</b>	<b>9.2</b>	<b>199</b>	<b>82.8</b>	<b>10</b>	<b>4.2</b>	<b>41</b>	<b>33.4</b>	<b>6</b>	<b>4.9</b>	<b>27</b>	<b>22.9</b>	<b>16</b>	<b>6.7</b>
BELL	7	23.2	3	10.0	21	69.7	1	3.3	7	44.7	0	0.0	4	27.6	1	3.3
CLAY	3	12.4	2	8.2	24	98.9	0	0.0	5	43.7	1	8.7	2	15.6	3	12.4
HARLAN	12	36.8	4	12.3	37	113.5	2	6.1	5	29.5	2	11.8	4	25.6	3	9.2
JACKSON	3	21.8	3	21.8	8	58.0	2	14.5	1	14.4	0	0.0	0	0.0	0	0.0
KNOX	9	28.3	4	12.6	27	84.8	2	6.3	9	54.6	1	6.1	4	26.1	3	9.4
LAUREL	9	16.6	5	9.2	42	77.3	1	1.8	4	14.4	2	7.2	7	26.4	4	7.4
ROCKCASTLE	7	41.7	0	0.0	9	53.6	1	6.0	4	47.1	0	0.0	5	60.3	1	6.0
WHITLEY	6	16.4	1	2.7	31	84.6	1	2.7	6	31.7	0	0.0	1	5.6	1	2.7

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2002**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>988</b>	<b>24.1</b>	<b>433</b>	<b>10.6</b>	<b>3,327</b>	<b>81.3</b>	<b>130</b>	<b>3.2</b>	<b>652</b>	<b>31.2</b>	<b>54</b>	<b>2.6</b>	<b>407</b>	<b>20.3</b>	<b>317</b>	<b>7.7</b>
<b>DISTRICT 14</b>	<b>48</b>	<b>24.5</b>	<b>24</b>	<b>12.3</b>	<b>182</b>	<b>92.9</b>	<b>5</b>	<b>2.6</b>	<b>34</b>	<b>33.9</b>	<b>2</b>	<b>2.0</b>	<b>23</b>	<b>24.1</b>	<b>22</b>	<b>11.2</b>
ADAIR	5	28.8	0	0.0	19	109.5	0	0.0	3	33.6	0	0.0	2	23.8	2	11.5
CASEY	6	38.0	1	6.3	13	82.4	0	0.0	2	24.8	0	0.0	4	52.0	4	25.4
CLINTON	0	0.0	0	0.0	6	62.1	0	0.0	4	79.4	0	0.0	2	43.2	0	0.0
CUMBERLAND	3	41.7	1	13.9	8	111.3	0	0.0	0	0.0	0	0.0	0	0.0	2	27.8
GREEN	5	42.5	0	0.0	10	85.1	0	0.0	1	16.8	0	0.0	1	17.3	1	8.5
MCCREARY	5	29.4	2	11.8	17	100.0	0	0.0	2	23.2	0	0.0	1	11.9	1	5.9
PULASKI	14	24.5	11	19.2	49	85.7	2	3.5	14	47.9	1	3.4	6	21.5	6	10.5
RUSSELL	3	18.0	4	24.0	25	150.3	0	0.0	0	0.0	1	11.6	4	49.7	2	12.0
TAYLOR	6	25.8	2	8.6	19	81.9	3	12.9	4	33.2	0	0.0	3	26.9	2	8.6
WAYNE	1	5.0	3	14.9	16	79.6	0	0.0	4	39.4	0	0.0	0	0.0	2	10.0
<b>DISTRICT 15</b>	<b>130</b>	<b>18.6</b>	<b>79</b>	<b>11.3</b>	<b>548</b>	<b>78.3</b>	<b>26</b>	<b>3.7</b>	<b>100</b>	<b>28.0</b>	<b>5</b>	<b>1.4</b>	<b>72</b>	<b>21.0</b>	<b>47</b>	<b>6.7</b>
ANDERSON	5	25.6	4	20.4	12	61.3	1	5.1	4	40.0	0	0.0	4	41.8	0	0.0
BOURBON	4	20.4	0	0.0	17	86.8	1	5.1	5	49.6	0	0.0	1	10.5	1	5.1
BOYLE	5	17.9	1	3.6	33	118.4	2	7.2	4	28.5	0	0.0	2	14.4	2	7.2
CLARK	9	26.7	6	17.8	33	97.8	0	0.0	5	28.7	1	5.7	4	24.5	3	8.9
ESTILL	3	19.6	1	6.5	16	104.3	0	0.0	5	63.5	0	0.0	1	13.4	0	0.0
FAYETTE	41	15.6	30	11.4	179	67.9	12	4.6	37	27.6	1	0.7	29	22.4	14	5.3
FRANKLIN	15	31.1	14	29.1	42	87.2	1	2.1	8	32.2	1	4.0	4	17.1	3	6.2
GARRARD	3	19.2	2	12.8	9	57.6	0	0.0	0	0.0	0	0.0	2	26.0	0	0.0
HARRISON	3	16.6	3	16.6	11	60.9	1	5.5	3	32.5	0	0.0	1	11.3	3	16.6
JESSAMINE	10	24.5	4	9.8	21	51.5	2	4.9	1	4.8	0	0.0	3	15.0	6	14.7
LINCOLN	9	37.4	2	8.3	35	145.5	0	0.0	2	16.3	0	0.0	3	25.4	0	0.0
MADISON	8	10.9	6	8.2	72	98.2	2	2.7	10	26.4	1	2.6	6	16.9	11	15.0
MERCER	8	38.0	3	14.3	16	76.0	0	0.0	3	27.8	0	0.0	2	19.5	1	4.8
NICHOLAS	2	28.8	0	0.0	6	86.4	1	14.4	2	56.2	0	0.0	1	29.5	0	0.0
POWELL	3	22.7	1	7.6	14	106.1	0	0.0	0	0.0	0	0.0	1	15.3	1	7.6
SCOTT	0	0.0	1	2.8	18	51.0	0	0.0	7	38.9	1	5.6	4	23.1	0	0.0
WOODFORD	2	8.5	1	4.3	14	59.8	3	12.8	4	33.0	0	0.0	4	35.5	2	8.5

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2002**

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2002**

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2002**

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population



**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2002**

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2002**

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population