

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate \*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>949</b>	<b>23.0</b>	<b>461</b>	<b>11.2</b>	<b>3,330</b>	<b>80.9</b>	<b>138</b>	<b>3.4</b>	<b>599</b>	<b>28.5</b>	<b>88</b>	<b>4.2</b>	<b>395</b>	<b>19.6</b>	<b>313</b>	<b>7.6</b>
<b>DISTRICT 01</b>	<b>45</b>	<b>23.3</b>	<b>27</b>	<b>14.0</b>	<b>172</b>	<b>88.9</b>	<b>3</b>	<b>1.6</b>	<b>25</b>	<b>25.0</b>	<b>3</b>	<b>3.0</b>	<b>24</b>	<b>25.7</b>	<b>14</b>	<b>7.2</b>
BALLARD	2	24.2	2	24.2	7	84.8	0	0.0	0	0.0	0	0.0	1	24.3	2	24.2
CALLOWAY	4	11.6	5	14.5	21	60.8	1	2.9	3	16.9	1	5.6	5	29.9	1	2.9
CARLISLE	2	37.4	1	18.7	3	56.1	1	18.7	0	0.0	0	0.0	0	0.0	0	0.0
FULTON	1	13.4	2	26.8	8	107.1	0	0.0	1	25.0	0	0.0	0	0.0	1	13.4
GRAVES	15	40.1	5	13.4	45	120.4	1	2.7	9	46.8	0	0.0	8	44.0	3	8.0
HICKMAN	2	38.5	0	0.0	8	154.0	0	0.0	1	37.0	0	0.0	1	40.1	1	19.2
MCCRACKEN	15	23.2	8	12.4	57	88.0	0	0.0	9	26.5	1	2.9	6	19.5	4	6.2
MARSHALL	4	13.1	4	13.1	23	75.1	0	0.0	2	12.8	1	6.4	3	20.0	2	6.5
<b>DISTRICT 02</b>	<b>56</b>	<b>26.1</b>	<b>24</b>	<b>11.2</b>	<b>189</b>	<b>88.2</b>	<b>5</b>	<b>2.3</b>	<b>36</b>	<b>33.6</b>	<b>5</b>	<b>4.7</b>	<b>20</b>	<b>18.7</b>	<b>24</b>	<b>11.2</b>
CALDWELL	2	15.5	3	23.3	16	124.1	0	0.0	2	29.8	0	0.0	1	16.1	2	15.5
CHRISTIAN	15	21.1	5	7.0	42	59.1	1	1.4	10	29.1	2	5.8	5	13.6	5	7.0
CRITTENDEN	4	43.9	2	22.0	11	120.8	0	0.0	2	42.8	0	0.0	1	22.6	1	11.0
HOPKINS	11	23.5	6	12.8	51	109.0	3	6.4	10	41.0	1	4.1	4	17.9	8	17.1
LIVINGSTON	6	61.6	1	10.3	5	51.3	0	0.0	1	20.4	1	20.4	2	41.3	0	0.0
LYON	2	24.6	3	36.9	6	73.8	0	0.0	1	28.9	0	0.0	0	0.0	1	12.3
MUHLENBERG	9	28.4	2	6.3	36	113.4	0	0.0	5	31.3	1	6.3	5	31.7	4	12.6
TODD	6	50.4	2	16.8	11	92.4	0	0.0	1	16.5	0	0.0	0	0.0	2	16.8
TRIGG	1	7.8	0	0.0	11	85.4	1	7.8	4	60.9	0	0.0	2	31.7	1	7.8
<b>DISTRICT 03</b>	<b>53</b>	<b>25.3</b>	<b>21</b>	<b>10.0</b>	<b>167</b>	<b>79.9</b>	<b>2</b>	<b>1.0</b>	<b>36</b>	<b>33.5</b>	<b>4</b>	<b>3.7</b>	<b>23</b>	<b>22.6</b>	<b>17</b>	<b>8.1</b>
DAVIESS	20	21.6	7	7.6	78	84.4	0	0.0	17	35.4	0	0.0	7	15.7	6	6.5
HANCOCK	3	35.5	0	0.0	7	82.9	0	0.0	1	23.4	0	0.0	2	48.0	1	11.8
HENDERSON	11	24.3	7	15.5	24	53.1	1	2.2	6	25.8	2	8.6	3	13.6	2	4.4
MCLEAN	3	30.2	2	20.2	11	110.9	0	0.0	0	0.0	1	19.8	4	82.2	1	10.1
OHIO	8	34.4	2	8.6	20	85.9	0	0.0	6	50.7	0	0.0	5	43.7	3	12.9
UNION	4	25.5	2	12.8	11	70.2	1	6.4	2	25.6	0	0.0	2	25.4	2	12.8
WEBSTER	4	28.4	1	7.1	16	113.6	0	0.0	4	55.4	1	13.8	0	0.0	2	14.2

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate \*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>949</b>	<b>23.0</b>	<b>461</b>	<b>11.2</b>	<b>3,330</b>	<b>80.9</b>	<b>138</b>	<b>3.4</b>	<b>599</b>	<b>28.5</b>	<b>88</b>	<b>4.2</b>	<b>395</b>	<b>19.6</b>	<b>313</b>	<b>7.6</b>
<b>DISTRICT 04</b>	<b>59</b>	<b>22.6</b>	<b>23</b>	<b>8.8</b>	<b>219</b>	<b>83.8</b>	<b>11</b>	<b>4.2</b>	<b>29</b>	<b>21.7</b>	<b>13</b>	<b>9.7</b>	<b>16</b>	<b>12.5</b>	<b>16</b>	<b>6.1</b>
ALLEN	5	27.3	4	21.9	17	92.9	1	5.5	1	10.7	2	21.4	4	44.7	1	5.5
BARREN	7	17.9	2	5.1	47	120.2	1	2.6	5	24.7	2	9.9	0	0.0	3	7.7
BUTLER	3	22.7	0	0.0	11	83.3	1	7.6	0	0.0	0	0.0	1	15.2	0	0.0
EDMONSON	3	25.2	2	16.8	12	100.7	0	0.0	1	16.5	1	16.5	0	0.0	1	8.4
HART	3	16.7	1	5.6	16	89.2	0	0.0	3	32.9	1	11.0	0	0.0	0	0.0
LOGAN	10	37.2	1	3.7	23	85.6	0	0.0	3	21.7	1	7.2	6	46.0	1	3.7
METCALFE	3	29.9	2	19.9	11	109.6	0	0.0	2	39.2	0	0.0	0	0.0	0	0.0
MONROE	4	34.1	0	0.0	9	76.7	2	17.0	3	49.8	1	16.6	2	35.0	2	17.0
SIMPSON	3	17.9	3	17.9	16	95.7	0	0.0	2	23.2	2	23.2	0	0.0	1	6.0
WARREN	18	18.8	8	8.4	57	59.6	6	6.3	9	18.5	3	6.2	3	6.4	7	7.3
<b>DISTRICT 05</b>	<b>61</b>	<b>24.4</b>	<b>16</b>	<b>6.4</b>	<b>155</b>	<b>62.0</b>	<b>12</b>	<b>4.8</b>	<b>25</b>	<b>20.0</b>	<b>6</b>	<b>4.8</b>	<b>36</b>	<b>28.9</b>	<b>21</b>	<b>8.4</b>
BRECKINRIDGE	8	42.0	1	5.2	14	73.4	2	10.5	5	52.1	1	10.4	3	31.7	4	21.0
GRAYSON	3	12.2	3	12.2	13	52.7	0	0.0	1	8.0	1	8.0	5	40.8	3	12.2
HARDIN	20	20.9	4	4.2	66	69.0	4	4.2	7	14.8	2	4.2	6	12.5	4	4.2
LARUE	5	37.3	1	7.5	12	89.5	2	14.9	3	43.5	1	14.5	6	92.1	0	0.0
MARION	7	37.8	1	5.4	9	48.6	1	5.4	5	54.6	0	0.0	5	53.3	4	21.6
MEADE	6	21.8	0	0.0	14	50.8	1	3.6	1	7.3	0	0.0	3	21.7	0	0.0
NELSON	11	27.7	5	12.6	20	50.4	2	5.0	2	9.9	1	5.0	6	30.8	5	12.6
WASHINGTON	1	8.9	1	8.9	7	62.1	0	0.0	1	17.5	0	0.0	2	36.0	1	8.9
<b>DISTRICT 06</b>	<b>220</b>	<b>24.8</b>	<b>98</b>	<b>11.0</b>	<b>687</b>	<b>77.3</b>	<b>30</b>	<b>3.4</b>	<b>139</b>	<b>30.4</b>	<b>18</b>	<b>3.9</b>	<b>79</b>	<b>18.3</b>	<b>64</b>	<b>7.2</b>
BULLITT	11	16.9	4	6.2	38	58.4	4	6.2	4	12.2	1	3.1	2	6.2	4	6.2
HENRY	5	32.2	2	12.9	10	64.4	0	0.0	2	25.6	0	0.0	1	13.0	0	0.0
JEFFERSON	191	27.3	84	12.0	577	82.6	22	3.2	118	32.5	15	4.1	70	20.9	50	7.2
OLDHAM	5	9.9	4	7.9	23	45.4	2	4.0	7	29.6	1	4.2	2	7.4	3	5.9
SHELBY	6	16.7	2	5.6	29	80.6	2	5.6	7	37.9	0	0.0	2	11.4	2	5.6
SPENCER	1	7.0	2	13.9	5	34.9	0	0.0	0	0.0	1	14.2	2	27.5	0	0.0
TRIMBLE	1	11.4	0	0.0	5	56.8	0	0.0	1	22.4	0	0.0	0	0.0	5	56.8

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate \*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>949</b>	<b>23.0</b>	<b>461</b>	<b>11.2</b>	<b>3,330</b>	<b>80.9</b>	<b>138</b>	<b>3.4</b>	<b>599</b>	<b>28.5</b>	<b>88</b>	<b>4.2</b>	<b>395</b>	<b>19.6</b>	<b>313</b>	<b>7.6</b>
<b>DISTRICT 07</b>	<b>81</b>	<b>20.0</b>	<b>36</b>	<b>8.9</b>	<b>276</b>	<b>68.0</b>	<b>12</b>	<b>3.0</b>	<b>63</b>	<b>30.6</b>	<b>7</b>	<b>3.4</b>	<b>34</b>	<b>17.0</b>	<b>33</b>	<b>8.1</b>
BOONE	16	16.5	8	8.2	53	54.5	4	4.1	12	24.5	1	2.0	4	8.3	3	3.1
CAMPBELL	21	23.9	11	12.5	70	79.7	2	2.3	9	19.8	1	2.2	6	14.1	8	9.1
CARROLL	1	9.7	0	0.0	7	68.2	1	9.7	1	19.7	1	19.7	1	19.3	2	19.5
GALLATIN	1	12.5	0	0.0	12	149.5	1	12.5	2	49.7	0	0.0	2	50.0	1	12.5
GRANT	3	12.5	2	8.3	12	49.9	0	0.0	4	33.0	0	0.0	3	25.2	0	0.0
KENTON	33	21.7	15	9.8	106	69.5	4	2.6	29	37.5	3	3.9	13	17.3	15	9.8
OWEN	3	27.0	0	0.0	8	72.1	0	0.0	4	72.0	0	0.0	2	36.0	3	27.0
PENDLETON	3	19.9	0	0.0	8	53.2	0	0.0	2	26.6	1	13.3	3	39.9	1	6.6
<b>DISTRICT 08</b>	<b>16</b>	<b>28.7</b>	<b>10</b>	<b>17.9</b>	<b>54</b>	<b>96.8</b>	<b>3</b>	<b>5.4</b>	<b>13</b>	<b>45.6</b>	<b>1</b>	<b>3.5</b>	<b>5</b>	<b>18.3</b>	<b>4</b>	<b>7.2</b>
BRACKEN	3	35.2	1	11.7	3	35.2	0	0.0	1	23.3	0	0.0	0	0.0	0	0.0
FLEMING	4	27.8	3	20.8	16	111.2	1	6.9	6	81.6	0	0.0	0	0.0	2	13.9
LEWIS	4	29.1	2	14.5	15	109.1	1	7.3	2	28.7	0	0.0	1	14.7	0	0.0
MASON	5	29.7	3	17.8	18	107.0	1	5.9	3	34.5	1	11.5	4	49.2	2	11.9
ROBERTSON	0	0.0	1	43.2	2	86.4	0	0.0	1	84.1	0	0.0	0	0.0	0	0.0
<b>DISTRICT 09</b>	<b>18</b>	<b>23.0</b>	<b>1</b>	<b>1.3</b>	<b>64</b>	<b>81.8</b>	<b>4</b>	<b>5.1</b>	<b>5</b>	<b>12.8</b>	<b>2</b>	<b>5.1</b>	<b>10</b>	<b>25.5</b>	<b>1</b>	<b>1.3</b>
BATH	5	43.7	0	0.0	12	104.8	0	0.0	2	34.5	1	17.3	1	17.7	0	0.0
MENIFEE	3	44.9	0	0.0	5	74.8	1	15.0	1	30.0	0	0.0	1	29.8	0	0.0
MONTGOMERY	5	21.3	0	0.0	20	85.1	1	4.3	1	8.3	1	8.3	5	43.7	1	4.3
MORGAN	2	14.0	0	0.0	13	91.0	2	14.0	1	15.6	0	0.0	1	12.7	0	0.0
ROWAN	3	13.5	1	4.5	14	62.9	0	0.0	0	0.0	0	0.0	2	18.5	0	0.0
<b>DISTRICT 10</b>	<b>39</b>	<b>28.5</b>	<b>21</b>	<b>15.3</b>	<b>132</b>	<b>96.3</b>	<b>7</b>	<b>5.1</b>	<b>21</b>	<b>29.9</b>	<b>4</b>	<b>5.7</b>	<b>15</b>	<b>22.5</b>	<b>10</b>	<b>7.3</b>
BOYD	14	28.1	7	14.0	51	102.3	3	6.0	11	43.3	2	7.9	8	32.7	2	4.0
CARTER	10	36.6	6	22.0	20	73.2	1	3.7	4	28.6	0	0.0	5	37.5	2	7.3
ELLIOTT	2	29.0	0	0.0	10	145.2	0	0.0	0	0.0	0	0.0	1	29.6	0	0.0
GREENUP	8	21.6	5	13.5	36	97.1	3	8.1	4	20.7	2	10.4	1	5.6	4	10.8
LAWRENCE	5	31.5	3	18.9	15	94.4	0	0.0	2	24.7	0	0.0	0	0.0	2	12.6

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate \*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>949</b>	<b>23.0</b>	<b>461</b>	<b>11.2</b>	<b>3,330</b>	<b>80.9</b>	<b>138</b>	<b>3.4</b>	<b>599</b>	<b>28.5</b>	<b>88</b>	<b>4.2</b>	<b>395</b>	<b>19.6</b>	<b>313</b>	<b>7.6</b>
<b>DISTRICT 11</b>	<b>31</b>	<b>19.5</b>	<b>24</b>	<b>15.1</b>	<b>169</b>	<b>106.1</b>	<b>5</b>	<b>3.1</b>	<b>23</b>	<b>28.3</b>	<b>4</b>	<b>4.9</b>	<b>16</b>	<b>20.5</b>	<b>8</b>	<b>5.0</b>
FLOYD	5	11.8	11	26.0	53	125.4	2	4.7	4	18.7	1	4.7	3	14.4	0	0.0
JOHNSON	5	21.2	3	12.7	21	89.1	0	0.0	4	32.8	1	8.2	2	17.5	2	8.5
MAGOFFIN	2	15.0	0	0.0	11	82.4	1	7.5	4	59.2	0	0.0	2	30.3	1	7.5
MARTIN	1	8.0	1	8.0	14	111.9	1	8.0	2	31.6	0	0.0	1	16.2	0	0.0
PIKE	18	26.7	9	13.3	70	103.7	1	1.5	9	26.0	2	5.8	8	24.3	5	7.4
<b>DISTRICT 12</b>	<b>37</b>	<b>30.9</b>	<b>22</b>	<b>18.4</b>	<b>136</b>	<b>113.5</b>	<b>2</b>	<b>1.7</b>	<b>17</b>	<b>27.9</b>	<b>1</b>	<b>1.6</b>	<b>17</b>	<b>28.9</b>	<b>8</b>	<b>6.7</b>
BREATHITT	4	25.3	4	25.3	10	63.2	0	0.0	3	37.2	0	0.0	2	25.8	2	12.6
KNOTT	6	33.9	2	11.3	26	146.9	0	0.0	2	22.3	0	0.0	1	11.4	4	22.6
LEE	4	50.7	2	25.3	12	152.1	1	12.7	2	53.2	0	0.0	1	24.2	0	0.0
LESLIE	5	41.1	3	24.7	13	106.8	0	0.0	2	31.9	0	0.0	3	50.8	0	0.0
LETCHER	5	20.1	3	12.1	23	92.6	1	4.0	2	15.7	1	7.9	4	33.0	0	0.0
OWSLEY	1	21.2	1	21.2	6	127.0	0	0.0	1	41.8	0	0.0	1	42.9	0	0.0
PERRY	9	30.3	5	16.8	38	128.0	0	0.0	4	26.2	0	0.0	2	13.8	2	6.7
WOLFE	3	43.0	2	28.7	8	114.8	0	0.0	1	28.4	0	0.0	3	87.1	0	0.0
<b>DISTRICT 13</b>	<b>59</b>	<b>24.5</b>	<b>39</b>	<b>16.2</b>	<b>232</b>	<b>96.3</b>	<b>8</b>	<b>3.3</b>	<b>42</b>	<b>34.2</b>	<b>5</b>	<b>4.1</b>	<b>19</b>	<b>16.1</b>	<b>17</b>	<b>7.1</b>
BELL	8	26.8	4	13.4	23	77.0	1	3.3	5	32.2	0	0.0	5	34.9	3	10.0
CLAY	3	12.4	1	4.1	26	107.2	0	0.0	1	8.8	0	0.0	2	15.5	4	16.5
HARLAN	11	34.2	7	21.7	36	111.8	4	12.4	7	41.7	1	6.0	1	6.5	3	9.3
JACKSON	4	29.4	2	14.7	17	124.8	0	0.0	2	29.1	0	0.0	0	0.0	1	7.3
KNOX	7	22.0	4	12.6	38	119.7	0	0.0	6	36.5	0	0.0	1	6.5	1	3.1
LAUREL	10	18.0	8	14.4	41	74.0	1	1.8	12	42.3	1	3.5	4	14.8	2	3.6
ROCKCASTLE	4	23.9	3	18.0	13	77.8	1	6.0	3	35.5	1	11.8	3	36.3	2	12.0
WHITLEY	12	32.3	10	26.9	38	102.2	1	2.7	6	31.3	2	10.4	3	16.7	1	2.7

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate \*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>949</b>	<b>23.0</b>	<b>461</b>	<b>11.2</b>	<b>3,330</b>	<b>80.9</b>	<b>138</b>	<b>3.4</b>	<b>599</b>	<b>28.5</b>	<b>88</b>	<b>4.2</b>	<b>395</b>	<b>19.6</b>	<b>313</b>	<b>7.6</b>
<b>DISTRICT 14</b>	<b>50</b>	<b>25.3</b>	<b>27</b>	<b>13.7</b>	<b>207</b>	<b>104.8</b>	<b>6</b>	<b>3.0</b>	<b>31</b>	<b>30.6</b>	<b>3</b>	<b>3.0</b>	<b>19</b>	<b>19.8</b>	<b>22</b>	<b>11.1</b>
ADAIR	5	28.6	5	28.6	16	91.5	1	5.7	3	33.2	0	0.0	4	47.3	0	0.0
CASEY	9	56.4	3	18.8	11	68.9	1	6.3	4	49.1	0	0.0	0	0.0	1	6.3
CLINTON	3	31.2	3	31.2	7	72.8	0	0.0	1	20.1	0	0.0	0	0.0	1	10.4
CUMBERLAND	1	13.9	2	27.8	3	41.7	0	0.0	2	54.0	1	27.0	3	86.0	2	27.8
GREEN	3	25.4	1	8.5	17	144.0	0	0.0	2	33.2	0	0.0	3	51.9	1	8.5
MCCREARY	1	5.8	1	5.8	20	116.8	0	0.0	2	23.0	0	0.0	0	0.0	2	11.7
PULASKI	16	27.6	7	12.1	75	129.3	2	3.4	12	40.3	2	6.7	4	14.2	9	15.5
RUSSELL	3	18.0	2	12.0	22	132.3	1	6.0	2	23.3	0	0.0	2	24.8	1	6.0
TAYLOR	3	12.8	1	4.3	20	85.4	0	0.0	2	16.4	0	0.0	1	8.9	1	4.3
WAYNE	6	29.6	2	9.9	16	78.9	1	4.9	1	9.7	0	0.0	2	20.0	4	19.7
<b>DISTRICT 15</b>	<b>124</b>	<b>17.5</b>	<b>72</b>	<b>10.2</b>	<b>471</b>	<b>66.7</b>	<b>28</b>	<b>4.0</b>	<b>94</b>	<b>26.1</b>	<b>12</b>	<b>3.3</b>	<b>62</b>	<b>17.9</b>	<b>54</b>	<b>7.6</b>
ANDERSON	5	25.3	2	10.1	9	45.5	1	5.1	5	49.4	0	0.0	1	10.3	2	10.1
BOURBON	11	56.3	3	15.4	24	122.8	2	10.2	2	19.8	0	0.0	1	10.6	1	5.1
BOYLE	4	14.3	3	10.8	24	86.1	1	3.6	5	35.7	0	0.0	2	14.4	2	7.2
CLARK	7	20.6	3	8.8	23	67.8	2	5.9	4	22.8	0	0.0	3	18.3	4	11.8
ESTILL	5	32.8	2	13.1	13	85.2	1	6.6	4	51.5	0	0.0	1	13.4	1	6.6
FAYETTE	36	13.6	25	9.4	144	54.2	8	3.0	29	21.6	4	3.0	21	16.0	16	6.0
FRANKLIN	9	18.8	10	20.8	42	87.6	3	6.3	8	32.3	2	8.1	1	4.3	8	16.7
GARRARD	2	12.6	0	0.0	11	69.1	1	6.3	1	12.4	0	0.0	2	25.4	4	25.1
HARRISON	5	27.4	1	5.5	7	38.4	0	0.0	2	21.5	2	21.5	4	44.8	3	16.4
JESSAMINE	4	9.6	3	7.2	28	67.5	0	0.0	4	19.0	0	0.0	3	14.7	2	4.8
LINCOLN	4	16.3	5	20.4	27	110.0	0	0.0	4	31.8	0	0.0	3	25.1	1	4.1
MADISON	14	18.8	3	4.0	40	53.7	2	2.7	10	26.0	2	5.2	8	22.2	5	6.7
MERCER	4	18.8	4	18.8	17	79.9	4	18.8	3	27.6	1	9.2	3	28.9	2	9.4
NICHOLAS	3	42.9	1	14.3	9	128.8	1	14.3	0	0.0	0	0.0	2	59.1	1	14.3
POWELL	3	22.4	0	0.0	10	74.7	1	7.5	2	29.5	0	0.0	1	15.1	1	7.5
SCOTT	4	10.9	1	2.7	20	54.4	1	2.7	5	26.6	0	0.0	1	5.6	1	2.7
WOODFORD	4	16.9	6	25.4	23	97.3	0	0.0	6	49.2	1	8.2	5	43.7	0	0.0

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population