

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,797	959.9	980.9	12,083	299.0	307.5	9,127	225.8	226.7	2,548	63.0	65.5
DISTRICT 01	2,307	1192.3	940.0	821	424.3	323.2	463	239.3	194.0	169	87.3	66.1
BALLARD	119	1436.2	1149.2	55	663.8	515.9	23	277.6	223.2	6	72.4	56.3
CALLOWAY	360	1053.3	874.8	122	357.0	292.6	76	222.4	196.4	22	64.4	50.4
CARLISLE	76	1420.3	1005.8	22	411.1	262.1	14	261.6	207.6	14	261.6	171.7
FULTON	102	1315.8	1004.7	34	438.6	302.6	14	180.6	142.5	6	77.4	51.1
GRAVES	453	1223.4	961.3	144	388.9	296.3	91	245.8	199.6	33	89.1	67.2
HICKMAN	55	1045.2	742.5	17	323.1	220.8	10	190.0	137.9	2	38.0	19.4
MCCRACKEN	791	1207.4	979.7	299	456.4	357.1	155	236.6	195.4	47	71.7	56.3
MARSHALL	351	1165.1	870.2	128	424.9	306.5	80	265.6	201.3	39	129.5	94.9
DISTRICT 02	2,283	1059.3	1001.5	755	350.3	330.0	512	237.6	225.4	159	73.8	69.2
CALDWELL	151	1156.2	878.3	52	398.2	289.6	35	268.0	206.0	11	84.2	59.7
CHRISTIAN	593	820.6	1042.3	184	254.6	331.5	130	179.9	236.7	39	54.0	70.6
CRITTENDEN	133	1417.3	1117.1	63	671.4	519.7	26	277.1	214.2	5	53.3	39.7
HOPKINS	544	1169.4	1007.5	150	322.4	274.4	139	298.8	259.0	41	88.1	75.0
LIVINGSTON	100	1020.0	888.0	43	438.6	379.9	21	214.2	182.9	6	61.2	54.8
LYON	117	1448.0	1139.2	40	495.0	371.6	21	259.9	196.6	8	99.0	74.2
MUHLENBERG	387	1215.5	1019.3	136	427.1	352.3	81	254.4	212.2	36	113.1	92.5
TODD	109	910.5	879.3	39	325.8	312.9	20	167.1	156.8	6	50.1	46.1
TRIGG	149	1182.8	1005.9	48	381.0	319.4	39	309.6	254.3	7	55.6	44.0
DISTRICT 03	2,155	1039.2	980.0	658	317.3	298.2	520	250.8	234.3	139	67.0	63.2
DAVISS	939	1025.7	961.0	254	277.5	258.0	240	262.2	244.7	56	61.2	56.9
HANCOCK	61	726.9	819.0	20	238.3	273.3	14	166.8	167.8	6	71.5	88.5
HENDERSON	461	1028.4	1035.9	162	361.4	366.6	102	227.5	221.4	32	71.4	74.6
MCLEAN	108	1086.7	954.9	36	362.2	321.1	21	211.3	180.9	10	100.6	89.0
OHIO	269	1173.9	1031.2	84	366.6	316.8	64	279.3	244.4	9	39.3	33.9
UNION	159	1016.8	1001.0	55	351.7	343.6	38	243.0	242.1	16	102.3	98.5
WEBSTER	158	1119.0	964.0	47	332.9	280.8	41	290.4	250.4	10	70.8	59.1

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,797	959.9	980.9	12,083	299.0	307.5	9,127	225.8	226.7	2,548	63.0	65.5
DISTRICT 04	2,382	933.3	925.6	836	327.6	325.2	550	215.5	211.4	166	65.0	64.8
ALLEN	177	994.4	959.4	63	353.9	344.9	40	224.7	210.3	18	101.1	97.5
BARREN	416	1093.8	924.4	145	381.2	312.4	91	239.3	204.2	24	63.1	51.0
BUTLER	133	1022.3	1014.7	45	345.9	344.2	32	246.0	237.8	7	53.8	53.8
EDMONSON	97	833.0	783.7	32	274.8	256.1	26	223.3	206.0	6	51.5	50.1
HART	200	1146.5	1098.2	68	389.8	377.8	44	252.2	228.8	17	97.4	94.6
LOGAN	247	929.5	850.5	89	334.9	303.8	61	229.6	209.5	17	64.0	57.3
METCALFE	95	946.5	854.7	30	298.9	268.4	21	209.2	186.7	7	69.7	66.9
MONROE	128	1088.8	942.7	53	450.8	383.8	26	221.2	187.7	6	51.0	44.8
SIMPSON	163	993.6	939.7	75	457.2	431.2	31	189.0	181.5	12	73.1	69.0
WARREN	726	784.7	922.8	236	255.1	303.9	178	192.4	225.1	52	56.2	67.9
DISTRICT 05	2,141	880.3	1005.1	607	249.6	289.2	534	219.6	243.0	141	58.0	69.3
BRECKINRIDGE	195	1045.7	978.2	58	311.0	292.6	51	273.5	243.4	18	96.5	89.6
GRAYSON	279	1159.9	1110.4	93	386.6	368.9	63	261.9	234.4	17	70.7	69.6
HARDIN	696	739.1	967.1	187	198.6	268.8	181	192.2	238.6	38	40.4	56.5
LARUE	148	1106.7	966.2	45	336.5	294.8	30	224.3	190.6	13	97.2	83.7
MARION	181	993.9	960.1	42	230.6	223.6	54	296.5	291.0	10	54.9	52.4
MEADE	160	607.2	979.7	44	167.0	294.8	48	182.2	284.5	7	26.6	51.0
NELSON	336	896.5	1058.6	99	264.2	317.1	73	194.8	223.9	28	74.7	96.2
WASHINGTON	146	1337.5	1141.2	39	357.3	298.3	34	311.5	270.9	10	91.6	75.0
DISTRICT 06	8,380	964.0	981.1	2,582	297.0	304.7	2,010	231.2	231.6	558	64.2	66.4
BULLITT	348	568.3	927.5	122	199.2	351.2	91	148.6	209.0	21	34.3	68.0
HENRY	166	1102.3	1159.5	59	391.8	417.6	34	225.8	226.8	8	53.1	55.8
JEFFERSON	7,129	1027.8	986.9	2,184	314.9	302.4	1,709	246.4	234.7	457	65.9	63.3
OLDHAM	265	573.9	976.8	76	164.6	298.6	70	151.6	241.0	20	43.3	85.1
SHELBY	283	848.9	955.1	89	267.0	304.9	70	210.0	229.4	36	108.0	126.9
SPENCER	103	875.4	1111.6	33	280.5	362.2	19	161.5	189.9	9	76.5	101.4
TRIMBLE	86	1058.5	1130.4	19	233.8	256.6	17	209.2	217.0	7	86.2	90.7

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,797	959.9	980.9	12,083	299.0	307.5	9,127	225.8	226.7	2,548	63.0	65.5
DISTRICT 07	2,982	761.8	895.3	864	220.7	264.5	739	188.8	216.5	185	47.3	57.3
BOONE	474	551.2	856.0	129	150.0	238.0	121	140.7	206.3	31	36.1	63.4
CAMPBELL	777	876.8	904.1	212	239.2	249.0	206	232.5	236.9	54	60.9	64.0
CARROLL	138	1358.9	1428.7	42	413.6	441.7	28	275.7	278.8	11	108.3	112.2
GALLATIN	82	1041.9	1205.6	26	330.4	393.7	23	292.2	324.3	4	50.8	55.4
GRANT	174	777.3	973.2	50	223.4	286.5	42	187.6	221.7	7	31.3	40.0
KENTON	1,119	738.8	842.8	319	210.6	244.9	274	180.9	203.4	68	44.9	52.1
OWEN	103	976.6	890.1	34	322.4	293.6	28	265.5	238.6	5	47.4	44.4
PENDLETON	115	799.2	955.8	52	361.4	422.7	17	118.1	136.8	5	34.7	45.1
DISTRICT 08	600	1086.4	1018.8	177	320.5	298.0	128	231.8	212.5	46	83.3	78.6
BRACKEN	87	1050.9	1043.6	18	217.4	207.8	22	265.7	248.5	5	60.4	62.3
FLEMING	148	1073.1	1045.0	39	282.8	274.4	27	195.8	184.9	11	79.8	77.5
LEWIS	127	901.2	913.4	41	290.9	296.5	26	184.5	181.7	7	49.7	53.4
MASON	213	1267.9	1085.6	70	416.7	351.2	49	291.7	247.7	20	119.0	100.7
ROBERTSON	25	1103.3	790.7	9	397.2	285.5	4	176.5	126.1	3	132.4	91.9
DISTRICT 09	683	895.9	940.2	198	259.7	274.7	171	224.3	230.2	41	53.8	57.0
BATH	134	1208.8	1045.8	37	333.8	290.7	36	324.8	285.4	7	63.1	48.1
MENIFEE	51	777.9	830.8	14	213.5	218.4	10	152.5	147.9	3	45.8	47.4
MONTGOMERY	217	962.1	951.3	62	274.9	273.8	53	235.0	230.5	13	57.6	57.2
MORGAN	125	896.2	952.9	39	279.6	298.6	24	172.1	177.8	6	43.0	45.0
ROWAN	156	706.1	881.9	46	208.2	269.2	48	217.3	251.2	12	54.3	72.1
DISTRICT 10	1,501	1104.9	1043.9	475	349.7	334.6	402	295.9	267.8	91	67.0	65.0
BOYD	600	1206.0	1071.9	184	369.8	335.5	151	303.5	255.5	39	78.4	70.1
CARTER	293	1089.7	1114.8	100	371.9	382.9	66	245.5	243.5	20	74.4	77.9
ELLIOTT	68	1007.7	946.2	18	266.7	243.0	24	355.7	332.4	4	59.3	54.5
GREENUP	376	1019.2	960.7	122	330.7	317.9	112	303.6	271.0	22	59.6	60.3
LAWRENCE	164	1053.4	1075.1	51	327.6	334.7	49	314.7	310.7	6	38.5	43.0

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,797	959.9	980.9	12,083	299.0	307.5	9,127	225.8	226.7	2,548	63.0	65.5
DISTRICT 11	1,740	1083.9	1160.3	576	358.8	388.4	426	265.4	273.1	86	53.6	60.6
FLOYD	480	1131.0	1174.6	131	308.7	319.5	126	296.9	304.1	26	61.3	66.5
JOHNSON	263	1121.8	1112.7	84	358.3	352.6	67	285.8	275.8	12	51.2	54.5
MAGOFFIN	142	1065.1	1251.8	42	315.0	384.0	37	277.5	311.7	8	60.0	70.8
MARTIN	107	850.7	1056.1	46	365.7	481.4	30	238.5	270.6	2	15.9	22.8
PIKE	748	1088.2	1170.9	273	397.2	433.3	166	241.5	244.4	38	55.3	62.9
DISTRICT 12	1,275	1056.7	1099.1	439	363.8	382.3	276	228.7	229.9	62	51.4	54.0
BREATHITT	165	1024.8	1091.4	72	447.2	490.1	37	229.8	233.8	7	43.5	46.9
KNOTT	162	917.9	985.1	61	345.6	377.9	35	198.3	203.6	12	68.0	73.2
LEE	73	922.2	839.6	19	240.0	212.4	22	277.9	251.1	6	75.8	67.0
LESLIE	133	1072.5	1169.0	38	306.4	340.2	24	193.5	205.2	4	32.3	35.1
LETCHER	291	1151.2	1166.9	88	348.1	353.6	62	245.3	239.8	10	39.6	40.3
OWSLEY	64	1317.4	1152.2	21	432.3	368.1	13	267.6	233.6	4	82.3	64.7
PERRY	290	986.7	1085.9	110	374.3	416.4	64	217.8	229.9	12	40.8	47.7
WOLFE	97	1373.0	1330.5	30	424.6	403.3	19	268.9	259.3	7	99.1	95.5
DISTRICT 13	2,504	1050.9	1066.8	793	332.8	339.6	577	242.2	240.6	149	62.5	64.0
BELL	340	1131.1	1067.6	129	429.1	402.8	73	242.8	225.5	21	69.9	65.5
CLAY	233	948.9	1120.7	77	313.6	379.9	47	191.4	228.7	12	48.9	58.8
HARLAN	409	1231.9	1142.1	103	310.2	286.2	97	292.2	265.9	21	63.2	59.0
JACKSON	137	1015.2	1067.7	45	333.5	351.3	31	229.7	241.9	8	59.3	63.4
KNOX	331	1041.0	1007.8	101	317.7	306.3	78	245.3	237.4	23	72.3	70.0
LAUREL	517	980.7	1103.6	158	299.7	347.2	142	269.4	287.8	30	56.9	67.6
ROCKCASTLE	154	928.7	900.5	46	277.4	268.6	36	217.1	206.0	11	66.3	63.5
WHITLEY	383	1067.9	1053.3	134	373.6	371.9	73	203.5	195.7	23	64.1	64.4

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,797	959.9	980.9	12,083	299.0	307.5	9,127	225.8	226.7	2,548	63.0	65.5
DISTRICT 14	2,097	1084.0	973.3	623	322.0	287.7	512	264.7	229.7	127	65.6	58.9
ADAIR	177	1026.4	918.2	48	278.4	246.1	49	284.2	251.4	12	69.6	62.7
CASEY	166	1074.6	932.5	54	349.6	304.4	35	226.6	192.9	6	38.8	31.9
CLINTON	99	1027.6	890.3	29	301.0	255.7	29	301.0	248.2	7	72.7	64.2
CUMBERLAND	102	1427.2	1080.5	36	503.7	354.6	27	377.8	279.6	9	125.9	91.8
GREEN	114	989.8	768.8	38	329.9	247.4	20	173.6	135.8	5	43.4	31.3
MCCREARY	155	907.5	1057.9	30	175.6	211.6	36	210.8	241.0	12	70.3	85.4
PULASKI	616	1095.8	980.7	184	327.3	292.6	159	282.8	243.3	39	69.4	62.0
RUSSELL	204	1250.4	1044.8	66	404.5	335.2	47	288.1	228.8	11	67.4	55.4
TAYLOR	265	1155.8	1023.6	82	357.7	314.9	61	266.1	230.2	20	87.2	76.5
WAYNE	199	998.8	981.5	56	281.1	274.1	49	245.9	231.1	6	30.1	31.3
DISTRICT 15	5,767	840.7	944.7	1,679	244.8	279.3	1,307	190.5	211.1	429	62.5	72.2
ANDERSON	154	805.8	896.4	44	230.2	256.9	35	183.1	197.8	8	41.9	49.0
BOURBON	201	1038.2	963.7	56	289.3	266.8	55	284.1	262.5	11	56.8	53.3
BOYLE	284	1025.4	936.4	80	288.8	262.1	65	234.7	214.0	22	79.4	72.4
CLARK	309	932.3	971.3	92	277.6	288.3	78	235.3	238.1	23	69.4	76.2
ESTILL	164	1071.4	1018.5	64	418.1	396.7	30	196.0	183.0	14	91.5	83.7
FAYETTE	1,964	753.9	911.0	541	207.7	257.0	440	168.9	202.8	131	50.3	63.2
FRANKLIN	449	941.6	960.8	127	266.3	271.1	104	218.1	216.3	39	81.8	85.4
GARRARD	129	872.1	857.1	40	270.4	266.7	36	243.4	231.3	7	47.3	46.2
HARRISON	185	1028.7	957.7	68	378.1	351.0	36	200.2	187.1	17	94.5	88.2
JESSAMINE	289	740.2	939.3	84	215.2	281.3	63	161.4	203.1	25	64.0	86.1
LINCOLN	216	924.6	950.9	67	286.8	302.5	55	235.4	231.7	9	38.5	40.6
MADISON	507	715.4	903.5	164	231.4	300.7	99	139.7	175.3	53	74.8	96.7
MERCER	255	1225.0	1092.9	76	365.1	325.0	59	283.4	245.5	22	105.7	93.7
NICHOLAS	80	1174.2	943.2	19	278.9	218.2	20	293.6	245.8	7	102.7	75.4
POWELL	119	899.0	1050.0	40	302.2	371.9	24	181.3	202.9	3	22.7	28.4
SCOTT	250	756.2	1005.0	62	187.5	263.4	68	205.7	273.2	17	51.4	72.8
WOODFORD	212	913.5	1097.3	55	237.0	288.2	40	172.4	201.5	21	90.5	116.7

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Influenza and Pneumonia		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,118	52.4	53.5	1,765	43.7	43.8	1,054	26.1	26.5	834	20.6	21.6
DISTRICT 01	124	64.1	49.8	102	52.7	50.2	56	28.9	22.7	59	30.5	22.7
BALLARD	6	72.4	56.6	9	108.6	105.5	3	36.2	28.3	1	12.1	9.5
CALLOWAY	17	49.7	42.7	18	52.7	42.1	12	35.1	28.1	17	49.7	38.6
CARLISLE	6	112.1	74.3	1	18.7	21.1	2	37.4	23.2	2	37.4	20.7
FULTON	6	77.4	55.9	9	116.1	113.9	4	51.6	35.6	2	25.8	19.0
GRAVES	40	108.0	82.2	13	35.1	36.7	9	24.3	20.2	8	21.6	16.6
HICKMAN	2	38.0	26.4	3	57.0	54.9	4	76.0	55.3	2	38.0	22.4
MCCRACKEN	33	50.4	41.3	36	55.0	54.0	18	27.5	21.8	21	32.1	24.5
MARSHALL	14	46.5	33.6	13	43.2	41.5	4	13.3	9.9	6	19.9	14.5
DISTRICT 02	132	61.2	57.2	107	49.6	48.2	47	21.8	20.8	54	25.1	23.5
CALDWELL	8	61.3	42.8	10	76.6	82.2	5	38.3	31.9	6	45.9	32.1
CHRISTIAN	31	42.9	55.8	27	37.4	39.8	16	22.1	29.1	8	11.1	14.7
CRITTENDEN	6	63.9	49.1	2	21.3	23.6	2	21.3	14.9	3	32.0	29.0
HOPKINS	47	101.0	85.7	25	53.7	51.6	11	23.6	19.9	14	30.1	25.0
LIVINGSTON	2	20.4	18.3	5	51.0	51.0	1	10.2	7.4	4	40.8	35.6
LYON	4	49.5	40.8	4	49.5	50.6	1	12.4	10.7	2	24.8	19.3
MUHLENBERG	19	59.7	48.9	19	59.7	56.7	6	18.8	15.6	12	37.7	31.0
TODD	6	50.1	46.0	11	91.9	93.3	2	16.7	18.0	3	25.1	25.3
TRIGG	9	71.4	57.1	4	31.8	27.6	3	23.8	19.9	2	15.9	14.5
DISTRICT 03	102	49.2	45.8	77	37.1	36.4	89	42.9	40.4	49	23.6	22.4
DAVISS	53	57.9	53.6	28	30.6	30.0	47	51.3	48.2	21	22.9	21.4
HANCOCK	2	23.8	25.9	1	11.9	14.5	1	11.9	12.9	1	11.9	10.2
HENDERSON	20	44.6	43.6	18	40.2	40.3	14	31.2	31.1	13	29.0	31.8
MCLEAN	2	20.1	17.5	4	40.2	37.6	7	70.4	59.6	2	20.1	17.9
OHIO	12	52.4	45.5	16	69.8	65.8	7	30.5	26.5	8	34.9	31.0
UNION	8	51.2	50.7	5	32.0	34.9	5	32.0	32.3	2	12.8	11.8
WEBSTER	5	35.4	29.8	5	35.4	34.2	8	56.7	48.9	2	14.2	11.6

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Influenza and Pneumonia		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,118	52.4	53.5	1,765	43.7	43.8	1,054	26.1	26.5	834	20.6	21.6
DISTRICT 04	98	38.4	38.0	114	44.7	44.6	62	24.3	24.0	47	18.4	18.4
ALLEN	6	33.7	32.1	7	39.3	40.3	7	39.3	36.1	1	5.6	5.5
BARREN	24	63.1	54.2	16	42.1	42.3	9	23.7	20.6	15	39.4	32.5
BUTLER	6	46.1	46.4	8	61.5	61.7	6	46.1	46.3	3	23.1	23.6
EDMONSON	4	34.4	32.7	5	42.9	41.4	3	25.8	23.6	0	0.0	0.0
HART	3	17.2	15.7	16	91.7	91.2	2	11.5	11.5	2	11.5	11.5
LOGAN	16	60.2	55.2	9	33.9	34.1	8	30.1	27.7	3	11.3	9.8
METCALFE	4	39.9	33.6	5	49.8	45.5	2	19.9	17.0	3	29.9	26.1
MONROE	4	34.0	26.9	10	85.1	83.4	2	17.0	15.2	4	34.0	28.0
SIMPSON	7	42.7	40.1	3	18.3	18.3	0	0.0	0.0	2	12.2	11.1
WARREN	24	25.9	31.1	35	37.8	39.4	23	24.9	29.1	14	15.1	18.3
DISTRICT 05	106	43.6	51.0	122	50.2	52.5	52	21.4	24.7	53	21.8	26.6
BRECKINRIDGE	11	59.0	54.7	9	48.3	48.0	7	37.5	36.1	1	5.4	5.3
GRAYSON	13	54.0	50.9	11	45.7	48.9	5	20.8	20.4	12	49.9	50.9
HARDIN	33	35.0	46.5	36	38.2	42.0	11	11.7	15.8	11	11.7	16.4
LARUE	9	67.3	58.0	4	29.9	29.5	7	52.3	44.2	3	22.4	19.1
MARION	12	65.9	66.7	6	32.9	33.0	3	16.5	16.0	11	60.4	56.4
MEADE	6	22.8	43.9	16	60.7	68.3	3	11.4	15.4	2	7.6	9.1
NELSON	16	42.7	51.6	30	80.0	84.7	10	26.7	32.3	6	16.0	19.8
WASHINGTON	6	55.0	46.3	10	91.6	86.8	6	55.0	47.1	7	64.1	51.0
DISTRICT 06	473	54.4	55.1	323	37.2	37.4	208	23.9	24.1	173	19.9	20.7
BULLITT	19	31.0	52.8	18	29.4	37.2	8	13.1	26.4	7	11.4	19.6
HENRY	10	66.4	69.5	8	53.1	58.0	4	26.6	27.7	4	26.6	29.5
JEFFERSON	408	58.8	55.8	264	38.1	37.3	185	26.7	25.5	142	20.5	19.9
OLDHAM	10	21.7	38.1	12	26.0	40.9	3	6.5	11.0	6	13.0	22.4
SHELBY	16	48.0	56.8	9	27.0	28.1	4	12.0	12.8	9	27.0	32.1
SPENCER	5	42.5	57.9	5	42.5	43.0	3	25.5	34.4	1	8.5	13.2
TRIMBLE	5	61.5	66.4	7	86.2	86.8	1	12.3	13.6	4	49.2	54.5

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Influenza and Pneumonia		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,118	52.4	53.5	1,765	43.7	43.8	1,054	26.1	26.5	834	20.6	21.6
DISTRICT 07	181	46.2	54.6	90	23.0	24.1	117	29.9	35.0	49	12.5	15.4
BOONE	30	34.9	56.9	12	14.0	15.6	19	22.1	35.2	9	10.5	18.1
CAMPBELL	41	46.3	47.1	21	23.7	24.0	35	39.5	40.3	8	9.0	9.4
CARROLL	9	88.6	92.5	7	68.9	70.6	2	19.7	20.6	5	49.2	52.7
GALLATIN	6	76.2	91.4	1	12.7	14.2	4	50.8	62.2	1	12.7	14.2
GRANT	11	49.1	64.1	10	44.7	48.0	15	67.0	86.7	4	17.9	24.4
KENTON	72	47.5	54.5	31	20.5	21.5	33	21.8	24.8	20	13.2	15.6
OWEN	4	37.9	34.5	1	9.5	10.5	3	28.4	24.9	2	19.0	17.4
PENDLETON	8	55.6	67.4	7	48.6	54.5	6	41.7	50.3	0	0.0	0.0
DISTRICT 08	34	61.6	56.6	39	70.6	70.0	17	30.8	28.8	18	32.6	31.0
BRACKEN	11	132.9	134.2	6	72.5	72.4	3	36.2	36.8	2	24.2	25.3
FLEMING	5	36.3	34.0	11	79.8	81.4	5	36.3	33.9	8	58.0	58.6
LEWIS	7	49.7	49.4	12	85.2	85.8	4	28.4	25.7	3	21.3	21.6
MASON	10	59.5	48.3	10	59.5	58.0	4	23.8	20.6	4	23.8	20.6
ROBERTSON	1	44.1	32.3	0	0.0	0.0	1	44.1	29.8	1	44.1	34.2
DISTRICT 09	37	48.5	51.2	36	47.2	48.5	15	19.7	20.8	14	18.4	19.9
BATH	9	81.2	69.4	5	45.1	48.1	3	27.1	24.9	3	27.1	19.8
MENIFEE	5	76.3	84.8	4	61.0	72.9	2	30.5	32.7	2	30.5	33.2
MONTGOMERY	9	39.9	39.3	13	57.6	57.2	5	22.2	22.1	6	26.6	26.6
MORGAN	6	43.0	49.2	8	57.4	58.1	2	14.3	14.3	2	14.3	15.2
ROWAN	8	36.2	45.3	6	27.2	29.8	3	13.6	18.4	1	4.5	5.8
DISTRICT 10	82	60.4	55.6	56	41.2	40.3	46	33.9	31.2	15	11.0	10.5
BOYD	32	64.3	54.7	20	40.2	39.0	20	40.2	33.3	7	14.1	12.4
CARTER	14	52.1	52.9	14	52.1	51.2	9	33.5	35.8	2	7.4	8.3
ELLIOTT	5	74.1	72.8	3	44.5	43.0	2	29.6	27.3	0	0.0	0.0
GREENUP	18	48.8	44.0	7	19.0	17.4	14	37.9	35.8	6	16.3	16.0
LAWRENCE	13	83.5	86.4	12	77.1	73.7	1	6.4	7.0	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Influenza and Pneumonia		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,118	52.4	53.5	1,765	43.7	43.8	1,054	26.1	26.5	834	20.6	21.6
DISTRICT 11	109	67.9	76.6	104	64.8	64.4	49	30.5	32.5	37	23.0	27.0
FLOYD	26	61.3	66.3	33	77.8	78.6	14	33.0	33.9	10	23.6	26.6
JOHNSON	17	72.5	73.8	11	46.9	45.6	3	12.8	12.7	12	51.2	51.4
MAGOFFIN	8	60.0	74.0	9	67.5	66.0	3	22.5	26.4	6	45.0	57.7
MARTIN	4	31.8	35.1	4	31.8	32.1	3	23.9	30.9	2	15.9	24.3
PIKE	54	78.6	91.1	47	68.4	67.1	26	37.8	40.7	7	10.2	11.4
DISTRICT 12	73	60.5	63.7	91	75.4	76.2	41	34.0	35.8	29	24.0	26.3
BREATHITT	9	55.9	58.5	13	80.7	82.1	2	12.4	14.1	5	31.1	32.7
KNOTT	7	39.7	41.8	9	51.0	52.5	4	22.7	23.1	4	22.7	24.9
LEE	5	63.2	54.5	6	75.8	71.3	1	12.6	10.5	2	25.3	23.0
LESLIE	14	112.9	122.4	14	112.9	113.9	4	32.3	35.6	4	32.3	38.1
LETCHER	11	43.5	47.2	18	71.2	71.5	18	71.2	72.9	9	35.6	39.3
OWSLEY	4	82.3	68.9	2	41.2	43.7	4	82.3	79.1	1	20.6	16.0
PERRY	15	51.0	59.0	23	78.3	79.3	6	20.4	21.5	4	13.6	17.4
WOLFE	8	113.2	111.2	6	84.9	87.3	2	28.3	27.8	0	0.0	0.0
DISTRICT 13	152	63.8	64.5	127	53.3	53.7	58	24.3	24.6	59	24.8	25.9
BELL	22	73.2	68.5	15	49.9	50.6	11	36.6	33.9	6	20.0	18.7
CLAY	9	36.7	44.6	11	44.8	45.4	3	12.2	14.6	7	28.5	36.4
HARLAN	35	105.4	95.2	24	72.3	74.3	21	63.2	58.0	4	12.0	11.3
JACKSON	8	59.3	65.0	8	59.3	58.5	0	0.0	0.0	5	37.1	41.0
KNOX	19	59.8	57.6	16	50.3	49.4	10	31.5	31.2	7	22.0	20.9
LAUREL	25	47.4	51.5	27	51.2	52.3	4	7.6	9.6	11	20.9	25.7
ROCKCASTLE	9	54.3	54.3	5	30.2	30.7	2	12.1	11.8	4	24.1	24.3
WHITLEY	25	69.7	67.2	21	58.6	56.4	7	19.5	19.3	15	41.8	42.2

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Influenza and Pneumonia		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,118	52.4	53.5	1,765	43.7	43.8	1,054	26.1	26.5	834	20.6	21.6
DISTRICT 14	104	53.8	46.9	118	61.0	60.0	48	24.8	21.9	59	30.5	27.9
ADAIR	10	58.0	52.3	6	34.8	33.8	3	17.4	15.4	13	75.4	68.4
CASEY	11	71.2	60.6	12	77.7	73.9	5	32.4	26.0	4	25.9	22.6
CLINTON	6	62.3	53.4	4	41.5	39.8	1	10.4	8.3	1	10.4	9.1
CUMBERLAND	2	28.0	20.2	5	70.0	66.7	1	14.0	10.7	3	42.0	29.3
GREEN	9	78.1	57.5	9	78.1	75.9	5	43.4	37.2	1	8.7	6.2
MCCREARY	12	70.3	88.7	14	82.0	84.8	5	29.3	32.3	2	11.7	16.2
PULASKI	28	49.8	42.6	31	55.1	55.6	13	23.1	20.2	13	23.1	21.5
RUSSELL	8	49.0	37.2	11	67.4	63.2	4	24.5	21.9	9	55.2	45.9
TAYLOR	8	34.9	30.0	9	39.3	37.5	5	21.8	19.0	7	30.5	26.0
WAYNE	10	50.2	48.2	17	85.3	83.8	6	30.1	29.7	6	30.1	30.4
DISTRICT 15	311	45.3	51.7	259	37.8	37.9	149	21.7	24.3	119	17.3	20.2
ANDERSON	15	78.5	91.9	6	31.4	32.1	5	26.2	29.3	3	15.7	18.0
BOURBON	6	31.0	28.7	12	62.0	59.8	11	56.8	53.8	2	10.3	9.6
BOYLE	20	72.2	65.4	12	43.3	40.5	4	14.4	13.1	12	43.3	39.2
CLARK	19	57.3	58.1	13	39.2	38.9	8	24.1	25.7	4	12.1	13.1
ESTILL	3	19.6	19.4	7	45.7	46.5	5	32.7	30.8	2	13.1	12.7
FAYETTE	119	45.7	56.7	78	29.9	30.2	60	23.0	27.9	37	14.2	17.7
FRANKLIN	26	54.5	55.4	20	41.9	42.4	11	23.1	23.9	10	21.0	22.8
GARRARD	4	27.0	26.0	5	33.8	36.4	3	20.3	20.9	5	33.8	34.6
HARRISON	15	83.4	79.1	7	38.9	37.0	3	16.7	15.4	1	5.6	5.4
JESSAMINE	10	25.6	34.1	15	38.4	41.0	8	20.5	22.9	9	23.1	29.2
LINCOLN	11	47.1	46.4	12	51.4	53.2	1	4.3	4.2	6	25.7	28.6
MADISON	21	29.6	37.8	26	36.7	36.1	7	9.9	12.8	11	15.5	20.1
MERCER	9	43.2	38.3	10	48.0	51.9	7	33.6	29.7	7	33.6	29.5
NICHOLAS	6	88.1	71.7	1	14.7	16.1	3	44.0	30.2	2	29.4	20.1
POWELL	8	60.4	70.4	8	60.4	58.4	1	7.6	7.9	1	7.6	7.9
SCOTT	10	30.2	41.8	15	45.4	43.6	5	15.1	19.2	4	12.1	16.2
WOODFORD	9	38.8	47.5	12	51.7	58.2	7	30.2	34.9	3	12.9	17.5

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Alzheimer's Disease			Nephritis, Nephrotic Syndrome and Nephrosis			Septicemia			Intentional Self - Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	833	20.6	21.8	788	19.5	20.1	700	17.3	17.8	508	12.6	12.5
DISTRICT 01	61	31.5	23.4	38	19.6	15.1	32	16.5	13.1	35	18.1	17.2
BALLARD	1	12.1	9.4	1	12.1	9.2	3	36.2	28.1	2	24.1	18.7
CALLOWAY	8	23.4	17.4	8	23.4	19.4	1	2.9	2.4	4	11.7	11.2
CARLISLE	0	0.0	0.0	5	93.4	59.4	0	0.0	0.0	1	18.7	20.1
FULTON	1	12.9	7.8	2	25.8	20.8	4	51.6	43.4	3	38.7	43.4
GRAVES	16	43.2	31.5	7	18.9	14.0	8	21.6	17.4	5	13.5	13.9
HICKMAN	3	57.0	35.1	1	19.0	14.4	1	19.0	25.8	1	19.0	9.7
MCCRACKEN	21	32.1	24.9	9	13.7	11.4	10	15.3	12.0	14	21.4	21.9
MARSHALL	11	36.5	26.7	5	16.6	12.0	5	16.6	12.0	5	16.6	13.7
DISTRICT 02	39	18.1	16.9	51	23.7	22.2	33	15.3	14.3	27	12.5	12.8
CALDWELL	4	30.6	21.4	4	30.6	21.6	0	0.0	0.0	3	23.0	21.2
CHRISTIAN	4	5.5	7.1	15	20.8	27.0	10	13.8	17.8	5	6.9	7.8
CRITTENDEN	0	0.0	0.0	4	42.6	34.1	1	10.7	7.8	1	10.7	10.3
HOPKINS	12	25.8	21.4	10	21.5	18.4	10	21.5	18.4	4	8.6	8.3
LIVINGSTON	1	10.2	9.1	1	10.2	9.1	0	0.0	0.0	1	10.2	7.4
LYON	3	37.1	28.0	7	86.6	69.9	5	61.9	45.5	1	12.4	11.3
MUHLENBERG	6	18.8	15.3	7	22.0	17.7	5	15.7	12.8	5	15.7	16.6
TODD	1	8.4	9.0	1	8.4	7.4	0	0.0	0.0	3	25.1	27.0
TRIGG	8	63.5	58.0	2	15.9	13.3	2	15.9	13.3	4	31.8	30.7
DISTRICT 03	82	39.5	37.4	40	19.3	18.1	21	10.1	9.6	11	5.3	5.3
DAVIESS	33	36.0	33.4	17	18.6	17.4	9	9.8	9.2	3	3.3	3.3
HANCOCK	2	23.8	30.4	1	11.9	12.9	0	0.0	0.0	0	0.0	0.0
HENDERSON	15	33.5	36.6	9	20.1	19.5	6	13.4	13.2	3	6.7	7.2
MCLEAN	4	40.2	35.2	2	20.1	16.5	0	0.0	0.0	1	10.1	10.5
OHIO	10	43.6	37.0	6	26.2	22.6	3	13.1	11.3	2	8.7	9.7
UNION	10	64.0	62.2	4	25.6	24.6	2	12.8	12.5	1	6.4	6.2
WEBSTER	8	56.7	46.3	1	7.1	5.6	1	7.1	8.1	1	7.1	7.3

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Alzheimer's Disease			Nephritis, Nephrotic Syndrome and Nephrosis			Septicemia			Intentional Self - Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	833	20.6	21.8	788	19.5	20.1	700	17.3	17.8	508	12.6	12.5
DISTRICT 04	40	15.7	15.7	45	17.6	17.5	30	11.8	11.7	24	9.4	9.4
ALLEN	5	28.1	28.7	0	0.0	0.0	4	22.5	22.2	3	16.9	17.5
BARREN	7	18.4	14.7	14	36.8	30.8	6	15.8	12.6	3	7.9	8.2
BUTLER	0	0.0	0.0	1	7.7	7.5	5	38.4	39.5	0	0.0	0.0
EDMONSON	2	17.2	13.7	1	8.6	8.4	0	0.0	0.0	1	8.6	9.4
HART	4	22.9	22.4	6	34.4	32.1	0	0.0	0.0	3	17.2	18.2
LOGAN	5	18.8	16.9	3	11.3	10.3	5	18.8	17.4	3	11.3	10.6
METCALFE	0	0.0	0.0	1	10.0	9.1	1	10.0	9.2	0	0.0	0.0
MONROE	0	0.0	0.0	4	34.0	27.8	2	17.0	14.4	4	34.0	32.5
SIMPSON	3	18.3	16.7	1	6.1	5.6	1	6.1	5.6	0	0.0	0.0
WARREN	14	15.1	18.6	14	15.1	18.3	6	6.5	8.0	7	7.6	7.5
DISTRICT 05	40	16.4	20.3	50	20.6	24.5	35	14.4	17.0	32	13.2	13.2
BRECKINRIDGE	2	10.7	10.7	6	32.2	30.7	1	5.4	5.4	7	37.5	38.6
GRAYSON	3	12.5	12.6	4	16.6	15.7	4	16.6	15.7	5	20.8	19.9
HARDIN	13	13.8	20.9	16	17.0	23.9	20	21.2	30.2	9	9.6	9.1
LARUE	6	44.9	38.0	6	44.9	38.6	1	7.5	6.3	1	7.5	7.8
MARION	3	16.5	14.9	8	43.9	40.4	1	5.5	4.5	2	11.0	11.3
MEADE	4	15.2	32.7	1	3.8	9.2	3	11.4	19.1	1	3.8	3.8
NELSON	6	16.0	19.9	3	8.0	8.9	4	10.7	13.3	6	16.0	16.3
WASHINGTON	3	27.5	21.4	6	55.0	45.7	1	9.2	9.3	1	9.2	9.3
DISTRICT 06	159	18.3	19.2	169	19.4	19.9	176	20.2	20.6	116	13.3	13.2
BULLITT	3	4.9	12.1	8	13.1	21.1	2	3.3	5.9	6	9.8	11.6
HENRY	3	19.9	20.0	1	6.6	7.6	4	26.6	29.6	3	19.9	19.9
JEFFERSON	134	19.3	18.6	152	21.9	21.1	156	22.5	21.6	93	13.4	13.2
OLDHAM	9	19.5	38.8	5	10.8	21.8	5	10.8	20.6	6	13.0	12.1
SHELBY	4	12.0	13.9	1	3.0	3.4	6	18.0	19.2	5	15.0	13.9
SPENCER	2	17.0	25.4	2	17.0	19.4	3	25.5	29.9	1	8.5	7.6
TRIMBLE	4	49.2	54.8	0	0.0	0.0	0	0.0	0.0	2	24.6	27.5

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Alzheimer's Disease			Nephritis, Nephrotic Syndrome and Nephrosis			Septicemia			Intentional Self - Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	833	20.6	21.8	788	19.5	20.1	700	17.3	17.8	508	12.6	12.5
DISTRICT 07	90	23.0	28.7	52	13.3	16.1	56	14.3	17.0	46	11.8	11.9
BOONE	19	22.1	41.1	9	10.5	17.8	10	11.6	21.5	8	9.3	11.4
CAMPBELL	16	18.1	19.0	16	18.1	18.4	15	16.9	17.7	7	7.9	8.0
CARROLL	2	19.7	20.1	1	9.8	11.3	2	19.7	19.2	3	29.5	31.0
GALLATIN	2	25.4	30.4	1	12.7	16.2	2	25.4	31.1	1	12.7	14.6
GRANT	6	26.8	36.6	3	13.4	18.7	1	4.5	5.7	2	8.9	8.4
KENTON	41	27.1	32.2	13	8.6	10.1	23	15.2	17.6	23	15.2	14.6
OWEN	0	0.0	0.0	6	56.9	52.8	3	28.4	25.9	2	19.0	18.3
PENDLETON	4	27.8	36.5	3	20.8	26.3	0	0.0	0.0	0	0.0	0.0
DISTRICT 08	14	25.3	24.5	25	45.3	43.1	10	18.1	16.8	9	16.3	15.7
BRACKEN	3	36.2	38.1	4	48.3	48.8	1	12.1	10.7	1	12.1	10.7
FLEMING	5	36.3	36.1	9	65.3	64.8	3	21.8	20.9	4	29.0	27.2
LEWIS	2	14.2	15.4	5	35.5	38.7	1	7.1	7.5	3	21.3	22.5
MASON	3	17.9	15.4	6	35.7	30.2	4	23.8	19.6	0	0.0	0.0
ROBERTSON	1	44.1	29.8	1	44.1	29.8	1	44.1	32.3	1	44.1	34.2
DISTRICT 09	13	17.1	18.7	20	26.2	27.5	18	23.6	25.4	7	9.2	9.4
BATH	2	18.0	13.2	3	27.1	21.2	7	63.1	57.1	1	9.0	9.5
MENIFEE	0	0.0	0.0	1	15.3	20.1	2	30.5	34.3	0	0.0	0.0
MONTGOMERY	5	22.2	22.3	8	35.5	34.8	3	13.3	13.4	4	17.7	17.0
MORGAN	2	14.3	15.2	4	28.7	32.0	3	21.5	23.8	2	14.3	13.0
ROWAN	4	18.1	24.2	4	18.1	22.9	3	13.6	16.2	0	0.0	0.0
DISTRICT 10	40	29.4	29.7	25	18.4	18.5	33	24.3	22.5	17	12.5	11.9
BOYD	24	48.2	45.3	11	22.1	20.4	12	24.1	21.0	7	14.1	12.8
CARTER	6	22.3	24.8	6	22.3	22.4	6	22.3	23.7	4	14.9	14.7
ELLIOTT	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	14.8	13.8
GREENUP	9	24.4	26.2	5	13.6	14.9	11	29.8	26.4	3	8.1	7.0
LAWRENCE	1	6.4	7.0	3	19.3	21.9	4	25.7	26.7	2	12.8	13.0

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Alzheimer's Disease			Nephritis, Nephrotic Syndrome and Nephrosis			Septicemia			Intentional Self - Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	833	20.6	21.8	788	19.5	20.1	700	17.3	17.8	508	12.6	12.5
DISTRICT 11	14	8.7	10.6	19	11.8	13.5	37	23.0	24.6	20	12.5	11.9
FLOYD	6	14.1	15.6	6	14.1	15.0	10	23.6	23.7	8	18.8	18.0
JOHNSON	2	8.5	9.4	3	12.8	14.1	5	21.3	22.1	6	25.6	24.9
MAGOFFIN	2	15.0	20.1	2	15.0	18.5	5	37.5	46.0	1	7.5	7.5
MARTIN	0	0.0	0.0	2	15.9	22.8	2	15.9	17.2	0	0.0	0.0
PIKE	4	5.8	7.9	6	8.7	10.8	15	21.8	24.1	5	7.3	6.7
DISTRICT 12	13	10.8	12.0	18	14.9	16.4	26	21.5	22.9	24	19.9	19.7
BREATHITT	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	3	18.6	17.7
KNOTT	0	0.0	0.0	4	22.7	25.9	7	39.7	44.3	1	5.7	5.9
LEE	0	0.0	0.0	2	25.3	22.9	3	37.9	33.4	2	25.3	24.0
LESLIE	5	40.3	47.5	3	24.2	30.0	2	16.1	18.1	1	8.1	7.5
LETCHER	0	0.0	0.0	4	15.8	16.9	4	15.8	14.8	6	23.7	23.6
OWSLEY	0	0.0	0.0	1	20.6	18.8	1	20.6	18.8	2	41.2	42.8
PERRY	2	6.8	8.3	3	10.2	13.4	4	13.6	15.8	5	17.0	17.5
WOLFE	6	84.9	79.8	1	14.2	12.1	5	70.8	70.9	4	56.6	57.1
DISTRICT 13	37	15.5	16.5	59	24.8	25.3	51	21.4	22.1	36	15.1	15.3
BELL	3	10.0	9.6	7	23.3	22.1	4	13.3	12.6	4	13.3	13.8
CLAY	1	4.1	5.4	9	36.7	46.9	8	32.6	39.5	4	16.3	15.6
HARLAN	6	18.1	16.3	8	24.1	22.3	6	18.1	16.4	6	18.1	17.8
JACKSON	3	22.2	24.4	4	29.6	28.1	4	29.6	30.3	3	22.2	23.5
KNOX	2	6.3	6.1	7	22.0	21.5	10	31.5	30.2	2	6.3	6.3
LAUREL	10	19.0	23.7	10	19.0	21.5	9	17.1	21.8	12	22.8	22.4
ROCKCASTLE	6	36.2	36.5	4	24.1	22.2	1	6.0	5.5	1	6.0	5.6
WHITLEY	6	16.7	16.8	10	27.9	27.5	9	25.1	25.3	4	11.2	11.3

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Alzheimer's Disease			Nephritis, Nephrotic Syndrome and Nephrosis			Septicemia			Intentional Self - Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	833	20.6	21.8	788	19.5	20.1	700	17.3	17.8	508	12.6	12.5
DISTRICT 14	35	18.1	16.7	64	33.1	29.7	49	25.3	22.7	30	15.5	15.0
ADAIR	1	5.8	5.2	2	11.6	10.1	6	34.8	31.4	1	5.8	4.9
CASEY	1	6.5	5.4	6	38.8	32.7	4	25.9	22.2	1	6.5	6.8
CLINTON	1	10.4	9.1	6	62.3	54.8	1	10.4	8.3	1	10.4	11.1
CUMBERLAND	0	0.0	0.0	3	42.0	29.5	1	14.0	9.3	2	28.0	30.2
GREEN	2	17.4	12.6	4	34.7	27.3	2	17.4	13.1	1	8.7	6.7
MCCREARY	1	5.9	7.5	2	11.7	13.8	4	23.4	27.7	5	29.3	29.6
PULASKI	19	33.8	31.4	20	35.6	31.4	17	30.2	26.9	6	10.7	9.8
RUSSELL	2	12.3	10.4	7	42.9	36.0	1	6.1	4.9	6	36.8	36.3
TAYLOR	2	8.7	8.0	7	30.5	27.3	9	39.3	34.9	5	21.8	21.3
WAYNE	6	30.1	31.9	7	35.1	38.1	4	20.1	21.1	2	10.0	11.2
DISTRICT 15	156	22.7	27.0	113	16.5	18.8	93	13.6	15.4	74	10.8	10.7
ANDERSON	6	31.4	35.6	1	5.2	5.8	2	10.5	12.3	3	15.7	16.2
BOURBON	3	15.5	14.5	5	25.8	24.1	4	20.7	18.9	2	10.3	9.8
BOYLE	12	43.3	39.2	6	21.7	20.0	4	14.4	13.1	4	14.4	13.5
CLARK	14	42.2	47.9	4	12.1	12.7	5	15.1	15.4	3	9.1	9.7
ESTILL	2	13.1	13.3	7	45.7	43.7	2	13.1	11.8	4	26.1	24.9
FAYETTE	60	23.0	29.5	35	13.4	16.6	27	10.4	12.7	25	9.6	9.6
FRANKLIN	8	16.8	18.1	12	25.2	26.6	4	8.4	8.7	4	8.4	8.0
GARRARD	1	6.8	7.4	1	6.8	6.1	1	6.8	6.6	1	6.8	7.4
HARRISON	5	27.8	24.9	1	5.6	5.2	1	5.6	5.2	3	16.7	16.9
JESSAMINE	4	10.2	14.3	6	15.4	20.5	5	12.8	15.8	3	7.7	7.7
LINCOLN	7	30.0	33.9	5	21.4	20.1	2	8.6	8.4	2	8.6	8.6
MADISON	10	14.1	19.6	10	14.1	18.6	12	16.9	22.2	9	12.7	13.6
MERCER	6	28.8	25.7	4	19.2	17.2	9	43.2	37.8	2	9.6	9.8
NICHOLAS	1	14.7	10.1	1	14.7	10.1	1	14.7	15.8	1	14.7	15.1
POWELL	3	22.7	31.6	5	37.8	46.2	2	15.1	15.1	0	0.0	0.0
SCOTT	7	21.2	30.3	6	18.1	24.9	8	24.2	34.2	5	15.1	15.5
WOODFORD	7	30.2	39.1	4	17.2	22.3	4	17.2	21.6	3	12.9	12.1

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Aortic Aneurysm and Dissection			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Essential Hypertension & Renal Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	349	8.6	8.6	252	6.2	6.3	246	6.1	6.4	228	5.6	5.9	214	5.3	5.5
DISTRICT 01	22	11.4	10.3	21	10.9	8.8	9	4.7	3.5	13	6.7	5.0	8	4.1	3.1
BALLARD	2	24.1	20.8	0	0.0	0.0	0	0.0	0.0	1	12.1	9.5	0	0.0	0.0
CALLOWAY	4	11.7	11.9	4	11.7	10.4	3	8.8	7.1	3	8.8	6.9	0	0.0	0.0
CARLISLE	2	37.4	30.9	1	18.7	12.9	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
FULTON	1	12.9	8.9	1	12.9	11.3	0	0.0	0.0	1	12.9	8.9	0	0.0	0.0
GRAVES	3	8.1	7.6	4	10.8	8.6	2	5.4	3.9	5	13.5	9.8	4	10.8	7.8
HICKMAN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	19.0	14.4	0	0.0	0.0
MCCRACKEN	4	6.1	5.7	7	10.7	8.9	3	4.6	3.5	2	3.1	2.3	4	6.1	4.8
MARSHALL	6	19.9	16.8	4	13.3	10.0	1	3.3	2.5	0	0.0	0.0	0	0.0	0.0
DISTRICT 02	18	8.4	8.2	16	7.4	6.9	17	7.9	7.5	8	3.7	3.5	16	7.4	7.0
CALDWELL	1	7.7	5.3	2	15.3	10.9	2	15.3	10.7	1	7.7	5.4	0	0.0	0.0
CHRISTIAN	4	5.5	7.2	6	8.3	10.8	4	5.5	7.5	3	4.2	5.6	6	8.3	10.9
CRITTENDEN	1	10.7	10.3	1	10.7	8.5	4	42.6	32.5	0	0.0	0.0	0	0.0	0.0
HOPKINS	6	12.9	12.9	1	2.1	1.9	1	2.1	1.7	1	2.1	1.8	7	15.0	12.7
LIVINGSTON	1	10.2	8.2	0	0.0	0.0	2	20.4	17.4	0	0.0	0.0	0	0.0	0.0
LYON	2	24.8	21.4	0	0.0	0.0	1	12.4	11.1	1	12.4	10.7	1	12.4	8.7
MUHLENBERG	2	6.3	5.6	1	3.1	2.6	1	3.1	2.6	1	3.1	2.6	1	3.1	2.6
TODD	0	0.0	0.0	2	16.7	14.8	1	8.4	9.0	0	0.0	0.0	1	8.4	9.0
TRIGG	1	7.9	7.9	3	23.8	22.4	1	7.9	6.6	1	7.9	6.6	0	0.0	0.0
DISTRICT 03	31	14.9	14.2	8	3.9	3.6	10	4.8	4.6	16	7.7	7.3	11	5.3	4.9
DAVIESS	15	16.4	15.7	5	5.5	5.0	3	3.3	3.1	7	7.6	7.1	7	7.6	7.2
HANCOCK	1	11.9	12.5	1	11.9	14.5	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
HENDERSON	8	17.8	16.9	1	2.2	2.2	4	8.9	9.5	5	11.2	12.4	1	2.2	2.0
MCLEAN	1	10.1	8.9	1	10.1	9.0	0	0.0	0.0	0	0.0	0.0	1	10.1	7.8
OHIO	3	13.1	12.0	0	0.0	0.0	3	13.1	10.9	2	8.7	7.4	2	8.7	7.0
UNION	2	12.8	12.8	0	0.0	0.0	0	0.0	0.0	1	6.4	6.6	0	0.0	0.0
WEBSTER	1	7.1	6.0	0	0.0	0.0	0	0.0	0.0	1	7.1	6.0	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Aortic Aneurysm and Dissection			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Essential Hypertension & Renal Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	349	8.6	8.6	252	6.2	6.3	246	6.1	6.4	228	5.6	5.9	214	5.3	5.5
DISTRICT 04	18	7.1	7.1	12	4.7	4.6	24	9.4	9.4	16	6.3	6.3	11	4.3	4.3
ALLEN	1	5.6	4.9	1	5.6	4.9	1	5.6	4.9	0	0.0	0.0	1	5.6	5.5
BARREN	5	13.1	11.9	1	2.6	2.0	5	13.1	11.2	2	5.3	4.3	3	7.9	7.4
BUTLER	1	7.7	7.7	0	0.0	0.0	3	23.1	23.9	0	0.0	0.0	0	0.0	0.0
EDMONSON	1	8.6	9.4	0	0.0	0.0	0	0.0	0.0	1	8.6	8.7	1	8.6	8.7
HART	1	5.7	4.8	2	11.5	10.9	2	11.5	11.5	2	11.5	11.5	1	5.7	5.4
LOGAN	0	0.0	0.0	2	7.5	6.7	5	18.8	16.6	1	3.8	3.5	1	3.8	3.2
METCALFE	0	0.0	0.0	0	0.0	0.0	1	10.0	9.1	2	19.9	17.0	0	0.0	0.0
MONROE	1	8.5	8.7	0	0.0	0.0	1	8.5	6.8	0	0.0	0.0	0	0.0	0.0
SIMPSON	1	6.1	6.1	1	6.1	5.6	0	0.0	0.0	4	24.4	22.9	1	6.1	5.6
WARREN	7	7.6	8.6	5	5.4	6.6	6	6.5	7.8	4	4.3	5.2	3	3.2	3.9
DISTRICT 05	5	2.1	2.2	16	6.6	7.7	13	5.3	6.4	19	7.8	9.7	9	3.7	4.3
BRECKINRIDGE	1	5.4	4.2	2	10.7	8.6	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
GRAYSON	1	4.2	4.0	1	4.2	4.1	5	20.8	19.8	2	8.3	7.9	2	8.3	7.8
HARDIN	1	1.1	1.6	7	7.4	10.1	3	3.2	4.8	11	11.7	17.6	4	4.2	5.9
LARUE	0	0.0	0.0	0	0.0	0.0	1	7.5	6.3	0	0.0	0.0	0	0.0	0.0
MARION	1	5.5	6.0	2	11.0	11.3	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
MEADE	0	0.0	0.0	0	0.0	0.0	1	3.8	4.2	1	3.8	7.1	0	0.0	0.0
NELSON	1	2.7	2.6	2	5.3	7.0	1	2.7	3.6	5	13.3	17.5	2	5.3	6.3
WASHINGTON	0	0.0	0.0	2	18.3	14.3	2	18.3	14.8	0	0.0	0.0	1	9.2	7.7
DISTRICT 06	64	7.4	7.2	51	5.9	6.0	55	6.3	6.6	52	6.0	6.2	57	6.6	6.8
BULLITT	4	6.5	9.6	1	1.6	2.1	2	3.3	5.5	0	0.0	0.0	2	3.3	5.5
HENRY	0	0.0	0.0	1	6.6	6.7	1	6.6	6.7	2	13.3	16.2	0	0.0	0.0
JEFFERSON	56	8.1	7.7	43	6.2	5.9	47	6.8	6.5	49	7.1	6.8	50	7.2	6.9
OLDHAM	4	8.7	14.8	3	6.5	11.3	4	8.7	17.1	1	2.2	4.6	1	2.2	4.6
SHELBY	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	3	9.0	10.9
SPENCER	0	0.0	0.0	2	17.0	24.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
TRIMBLE	0	0.0	0.0	1	12.3	13.1	1	12.3	13.1	0	0.0	0.0	1	12.3	13.1

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Aortic Aneurysm and Dissection			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Essential Hypertension & Renal Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	349	8.6	8.6	252	6.2	6.3	246	6.1	6.4	228	5.6	5.9	214	5.3	5.5
DISTRICT 07	35	8.9	9.7	18	4.6	5.4	24	6.1	7.6	11	2.8	3.3	15	3.8	4.8
BOONE	5	5.8	7.0	4	4.7	8.2	1	1.2	2.4	0	0.0	0.0	3	3.5	5.3
CAMPBELL	13	14.7	14.9	3	3.4	3.5	8	9.0	9.3	3	3.4	3.5	1	1.1	1.1
CARROLL	2	19.7	22.6	2	19.7	20.5	2	19.7	20.1	0	0.0	0.0	0	0.0	0.0
GALLATIN	0	0.0	0.0	1	12.7	16.2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
GRANT	0	0.0	0.0	3	13.4	16.4	1	4.5	6.1	1	4.5	6.1	0	0.0	0.0
KENTON	13	8.6	9.1	5	3.3	3.7	10	6.6	8.0	7	4.6	5.4	8	5.3	6.5
OWEN	1	9.5	8.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	9.5	8.6
PENDLETON	1	6.9	9.4	0	0.0	0.0	2	13.9	18.6	0	0.0	0.0	2	13.9	16.8
DISTRICT 08	4	7.2	6.8	6	10.9	9.8	2	3.6	3.5	3	5.4	5.2	5	9.1	8.6
BRACKEN	0	0.0	0.0	1	12.1	11.6	0	0.0	0.0	1	12.1	13.7	1	12.1	13.7
FLEMING	0	0.0	0.0	1	7.3	6.4	2	14.5	14.5	1	7.3	7.3	1	7.3	7.2
LEWIS	3	21.3	20.6	1	7.1	7.5	0	0.0	0.0	0	0.0	0.0	1	7.1	6.2
MASON	1	6.0	4.7	3	17.9	15.1	0	0.0	0.0	1	6.0	5.3	2	11.9	10.9
ROBERTSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
DISTRICT 09	6	7.9	8.0	9	11.8	12.0	7	9.2	10.0	2	2.6	2.9	6	7.9	8.4
BATH	3	27.1	24.2	1	9.0	6.6	1	9.0	8.5	1	9.0	8.5	0	0.0	0.0
MENIFEE	1	15.3	20.1	2	30.5	34.3	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
MONTGOMERY	1	4.4	4.3	4	17.7	17.3	1	4.4	4.5	1	4.4	4.5	2	8.9	8.9
MORGAN	0	0.0	0.0	1	7.2	7.1	5	35.8	39.6	0	0.0	0.0	1	7.2	7.6
ROWAN	1	4.5	4.8	1	4.5	4.6	0	0.0	0.0	0	0.0	0.0	3	13.6	18.4
DISTRICT 10	17	12.5	11.1	10	7.4	6.8	5	3.7	3.6	11	8.1	8.0	5	3.7	3.3
BOYD	11	22.1	18.6	4	8.0	6.7	0	0.0	0.0	3	6.0	5.7	2	4.0	3.6
CARTER	1	3.7	3.5	1	3.7	4.1	1	3.7	4.1	5	18.6	20.6	2	7.4	6.6
ELLIOTT	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	14.8	15.5
GREENUP	3	8.1	6.7	3	8.1	7.6	3	8.1	8.3	3	8.1	7.9	0	0.0	0.0
LAWRENCE	2	12.8	14.0	2	12.8	13.1	1	6.4	7.0	0	0.0	0.0	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Aortic Aneurysm and Dissection			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Essential Hypertension & Renal Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	349	8.6	8.6	252	6.2	6.3	246	6.1	6.4	228	5.6	5.9	214	5.3	5.5
DISTRICT 11	21	13.1	13.0	8	5.0	5.1	5	3.1	3.8	14	8.7	9.9	11	6.9	7.6
FLOYD	10	23.6	22.8	2	4.7	4.3	1	2.4	2.8	7	16.5	17.9	3	7.1	8.2
JOHNSON	4	17.1	16.8	3	12.8	12.1	1	4.3	4.7	1	4.3	4.7	0	0.0	0.0
MAGOFFIN	1	7.5	7.6	0	0.0	0.0	0	0.0	0.0	1	7.5	9.5	2	15.0	17.0
MARTIN	0	0.0	0.0	1	8.0	9.1	1	8.0	11.4	1	8.0	11.4	0	0.0	0.0
PIKE	6	8.7	8.6	2	2.9	3.7	2	2.9	3.7	4	5.8	6.4	6	8.7	9.3
DISTRICT 12	15	12.4	11.9	8	6.6	7.1	15	12.4	13.4	1	0.8	0.9	6	5.0	5.3
BREATHITT	1	6.2	5.8	2	12.4	11.7	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
KNOTT	1	5.7	5.2	0	0.0	0.0	1	5.7	5.2	1	5.7	6.6	0	0.0	0.0
LEE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
LESLIE	1	8.1	7.5	0	0.0	0.0	2	16.1	20.1	0	0.0	0.0	1	8.1	10.0
LETCHER	7	27.7	26.3	3	11.9	12.2	5	19.8	20.7	0	0.0	0.0	5	19.8	20.5
OWSLEY	1	20.6	16.7	0	0.0	0.0	2	41.2	34.7	0	0.0	0.0	0	0.0	0.0
PERRY	3	10.2	10.3	2	6.8	9.2	4	13.6	17.5	0	0.0	0.0	0	0.0	0.0
WOLFE	1	14.2	12.4	1	14.2	15.7	1	14.2	12.4	0	0.0	0.0	0	0.0	0.0
DISTRICT 13	15	6.3	6.3	18	7.6	7.6	10	4.2	4.5	8	3.4	3.5	17	7.1	7.3
BELL	1	3.3	2.8	3	10.0	9.4	1	3.3	3.3	2	6.7	6.2	2	6.7	6.1
CLAY	3	12.2	13.0	1	4.1	4.6	2	8.1	11.0	0	0.0	0.0	0	0.0	0.0
HARLAN	2	6.0	5.6	3	9.0	8.1	1	3.0	2.7	1	3.0	2.7	3	9.0	8.3
JACKSON	0	0.0	0.0	0	0.0	0.0	1	7.4	8.0	0	0.0	0.0	1	7.4	8.0
KNOX	2	6.3	6.7	2	6.3	6.2	1	3.1	3.0	0	0.0	0.0	3	9.4	8.8
LAUREL	3	5.7	5.7	3	5.7	6.9	0	0.0	0.0	1	1.9	2.5	4	7.6	8.3
ROCKCASTLE	1	6.0	5.5	1	6.0	5.3	4	24.1	23.2	1	6.0	5.5	0	0.0	0.0
WHITLEY	3	8.4	8.5	5	13.9	13.4	0	0.0	0.0	3	8.4	8.6	4	11.2	11.4

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Aortic Aneurysm and Dissection			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Essential Hypertension & Renal Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	349	8.6	8.6	252	6.2	6.3	246	6.1	6.4	228	5.6	5.9	214	5.3	5.5
DISTRICT 14	17	8.8	7.8	11	5.7	5.2	18	9.3	8.7	15	7.8	6.8	11	5.7	5.2
ADAIR	0	0.0	0.0	1	5.8	5.9	4	23.2	20.5	1	5.8	5.3	0	0.0	0.0
CASEY	0	0.0	0.0	2	12.9	11.0	3	19.4	16.3	2	12.9	10.5	1	6.5	5.9
CLINTON	1	10.4	11.3	1	10.4	9.1	1	10.4	9.7	0	0.0	0.0	0	0.0	0.0
CUMBERLAND	2	28.0	20.9	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
GREEN	2	17.4	13.4	0	0.0	0.0	0	0.0	0.0	2	17.4	13.0	1	8.7	6.2
MCCREARY	1	5.9	5.1	3	17.6	22.6	1	5.9	7.5	1	5.9	6.4	1	5.9	7.5
PULASKI	4	7.1	6.3	3	5.3	5.2	6	10.7	10.1	4	7.1	6.4	4	7.1	6.4
RUSSELL	2	12.3	10.4	1	6.1	4.9	1	6.1	4.9	1	6.1	4.9	3	18.4	15.3
TAYLOR	1	4.4	4.3	0	0.0	0.0	1	4.4	4.0	3	13.1	11.6	1	4.4	4.0
WAYNE	4	20.1	19.3	0	0.0	0.0	1	5.0	5.6	1	5.0	5.0	0	0.0	0.0
DISTRICT 15	61	8.9	9.6	40	5.8	6.7	32	4.7	5.5	39	5.7	6.7	26	3.8	4.2
ANDERSON	0	0.0	0.0	2	10.5	12.4		0.0	0.0	3	15.7	16.8	2	10.5	11.6
BOURBON	0	0.0	0.0	2	10.3	9.2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
BOYLE	1	3.6	3.3	2	7.2	6.5	0	0.0	0.0	1	3.6	3.3	1	3.6	3.2
CLARK	2	6.0	6.0	1	3.0	3.8	0	0.0	0.0	0	0.0	0.0	2	6.0	6.3
ESTILL	2	13.1	12.9	0	0.0	0.0	2	13.1	11.8	2	13.1	12.0	1	6.5	6.7
FAYETTE	24	9.2	10.6	21	8.1	10.1	12	4.6	5.9	20	7.7	9.8	12	4.6	5.5
FRANKLIN	6	12.6	12.4	3	6.3	6.4	1	2.1	2.1	2	4.2	4.3	4	8.4	8.5
GARRARD	1	6.8	6.1	1	6.8	6.1	1	6.8	7.4	1	6.8	6.6	0	0.0	0.0
HARRISON	4	22.2	20.8	2	11.1	10.5	3	16.7	15.1	1	5.6	5.2	0	0.0	0.0
JESSAMINE	1	2.6	3.2	1	2.6	3.6	4	10.2	14.3	1	2.6	3.6	1	2.6	3.6
LINCOLN	2	8.6	8.1	1	4.3	4.2	3	12.8	14.8	2	8.6	9.5	1	4.3	3.7
MADISON	6	8.5	10.8	1	1.4	1.5	1	1.4	2.0	0	0.0	0.0	0	0.0	0.0
MERCER	2	9.6	9.2	0	0.0	0.0	0	0.0	0.0	4	19.2	17.0	0	0.0	0.0
NICHOLAS	2	29.4	26.4	1	14.7	12.3	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
POWELL	1	7.6	7.4	1	7.6	10.8	1	7.6	10.4	0	0.0	0.0	1	7.6	6.9
SCOTT	1	3.0	3.5	0	0.0	0.0	3	9.1	11.3	1	3.0	4.1	1	3.0	4.2
WOODFORD	6	25.9	24.8	1	4.3	5.9	1	4.3	4.9	1	4.3	5.6	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Assault (Homicide)			Certain Conditions Orig. In Perinatal			Atherosclerosis			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	200	4.9	4.9	187	4.6	4.9	174	4.3	4.5	147	3.6	3.8	4,442	109.9	113.0
DISTRICT 01	4	2.1	2.2	7	3.6	4.3	36	18.6	13.5	4	2.1	2.2	223	115.2	89.6
BALLARD	0	0.0	0.0	0	0.0	0.0	2	24.1	18.7	0	0.0	0.0	4	48.3	39.6
CALLOWAY	0	0.0	0.0	1	2.9	4.2	0	0.0	0.0	0	0.0	0.0	40	117.0	93.0
CARLISLE	0	0.0	0.0	0	0.0	0.0	1	18.7	16.2	0	0.0	0.0	5	93.4	85.6
FULTON	0	0.0	0.0	1	12.9	14.7	1	12.9	7.8	0	0.0	0.0	12	154.8	117.3
GRAVES	2	5.4	6.0	0	0.0	0.0	1	2.7	2.0	1	2.7	2.9	57	153.9	117.4
HICKMAN	0	0.0	0.0	0	0.0	0.0	1	19.0	12.7	1	19.0	18.5	6	114.0	74.7
MCCRACKEN	2	3.1	3.4	4	6.1	6.9	24	36.6	27.0	2	3.1	3.1	76	116.0	93.5
MARSHALL	0	0.0	0.0	1	3.3	4.3	6	19.9	14.0	0	0.0	0.0	23	76.3	56.0
DISTRICT 02	10	4.6	4.5	9	4.2	3.9	8	3.7	3.5	7	3.2	3.1	258	119.7	113.0
CALDWELL	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	7	53.6	37.5
CHRISTIAN	8	11.1	8.6	5	6.9	4.4	0	0.0	0.0	6	8.3	6.0	82	113.5	143.4
CRITTENDEN	0	0.0	0.0	0	0.0	0.0	1	10.7	7.8	0	0.0	0.0	13	138.5	115.4
HOPKINS	0	0.0	0.0	0	0.0	0.0	2	4.3	3.7	0	0.0	0.0	63	135.4	115.4
LIVINGSTON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	12	122.4	107.0
LYON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	16	198.0	168.7
MUHLENBERG	1	3.1	3.4	1	3.1	3.5	1	3.1	2.6	1	3.1	3.5	45	141.3	118.8
TODD	1	8.4	8.1	1	8.4	8.1	3	25.1	27.0	0	0.0	0.0	8	66.8	61.4
TRIGG	0	0.0	0.0	2	15.9	20.2	1	7.9	7.9	0	0.0	0.0	12	95.3	82.2
DISTRICT 03	1	0.5	0.5	13	6.3	6.6	10	4.8	4.6	9	4.3	4.4	258	124.4	118.3
DAVIESS	0	0.0	0.0	3	3.3	3.4	5	5.5	5.1	8	8.7	8.9	125	136.5	129.4
HANCOCK	0	0.0	0.0	1	11.9	12.7	1	11.9	15.2	0	0.0	0.0	9	107.2	127.7
HENDERSON	0	0.0	0.0	2	4.5	4.6	0	0.0	0.0	0	0.0	0.0	46	102.6	102.4
MCLEAN	0	0.0	0.0	0	0.0	0.0	2	20.1	18.5	0	0.0	0.0	14	140.9	125.0
OHIO	1	4.4	4.3	4	17.5	18.7	1	4.4	3.5	0	0.0	0.0	32	139.6	122.8
UNION	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	6.4	6.4	9	57.6	55.7
WEBSTER	0	0.0	0.0	3	21.2	24.7	1	7.1	5.6	0	0.0	0.0	23	162.9	139.8

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Assault (Homicide)			Certain Conditions Orig. In Perinatal			Atherosclerosis			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	200	4.9	4.9	187	4.6	4.9	174	4.3	4.5	147	3.6	3.8	4,442	109.9	113.0
DISTRICT 04	15	5.9	6.0	11	4.3	4.5	13	5.1	5.1	3	1.2	1.2	247	96.8	96.4
ALLEN	0	0.0	0.0	0	0.0	0.0	1	5.6	5.5	0	0.0	0.0	18	101.1	98.7
BARREN	2	5.3	5.5	1	2.6	3.0	3	7.9	6.2	1	2.6	2.8	39	102.5	86.7
BUTLER	1	7.7	7.9	1	7.7	7.8	0	0.0	0.0	0	0.0	0.0	14	107.6	106.5
EDMONSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	14	120.2	115.4
HART	0	0.0	0.0	2	11.5	12.4	1	5.7	5.4	0	0.0	0.0	24	137.6	132.3
LOGAN	4	15.1	15.9	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	15	56.4	51.9
METCALFE	1	10.0	10.5	0	0.0	0.0	1	10.0	9.2	0	0.0	0.0	16	159.4	146.4
MONROE	0	0.0	0.0	1	8.5	9.0	0	0.0	0.0	0	0.0	0.0	10	85.1	73.6
SIMPSON	1	6.1	6.4	1	6.1	5.4	1	6.1	5.6	0	0.0	0.0	18	109.7	102.9
WARREN	6	6.5	7.0	5	5.4	5.8	6	6.5	8.0	2	2.2	2.3	79	85.4	100.1
DISTRICT 05	13	5.3	5.3	8	3.3	3.1	11	4.5	5.6	14	5.8	5.5	261	107.3	124.0
BRECKINRIDGE	0	0.0	0.0	1	5.4	5.9	1	5.4	5.3	1	5.4	5.8	18	96.5	93.3
GRAYSON	1	4.2	4.8	0	0.0	0.0	0	0.0	0.0	1	4.2	4.8	36	149.7	149.1
HARDIN	3	3.2	3.2	4	4.2	4.0	3	3.2	4.6	4	4.2	4.0	101	107.2	142.4
LARUE	1	7.5	7.6	0	0.0	0.0	3	22.4	19.1	1	7.5	7.1	17	127.1	115.6
MARION	2	11.0	10.6	2	11.0	10.3	0	0.0	0.0	1	5.5	5.1	21	115.3	106.8
MEADE	3	11.4	11.0	0	0.0	0.0	2	7.6	18.5	2	7.6	5.5	16	60.7	101.6
NELSON	3	8.0	8.2	1	2.7	2.5	2	5.3	7.0	2	5.3	5.0	36	96.1	114.9
WASHINGTON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	18.3	19.3	16	146.6	124.0
DISTRICT 06	67	7.7	7.8	47	5.4	5.6	31	3.6	3.8	28	3.2	3.3	981	112.8	115.0
BULLITT	1	1.6	1.5	4	6.5	6.4	1	1.6	2.1	0	0.0	0.0	28	45.7	80.0
HENRY	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	24	159.4	167.9
JEFFERSON	64	9.2	9.3	36	5.2	5.3	27	3.9	3.8	25	3.6	3.7	848	122.3	117.8
OLDHAM	0	0.0	0.0	3	6.5	7.6	1	2.2	4.5	2	4.3	5.9	24	52.0	76.3
SHELBY	1	3.0	3.1	4	12.0	13.0	2	6.0	7.3	1	3.0	3.2	23	69.0	75.9
SPENCER	1	8.5	7.5	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	17	144.5	195.9
TRIMBLE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	17	209.2	223.1

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Assault (Homicide)			Certain Conditions Orig. In Perinatal			Atherosclerosis			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	200	4.9	4.9	187	4.6	4.9	174	4.3	4.5	147	3.6	3.8	4,442	109.9	113.0
DISTRICT 07	12	3.1	3.2	7	1.8	1.7	11	2.8	3.4	12	3.1	3.0	368	94.0	111.8
BOONE	3	3.5	3.5	0	0.0	0.0	2	2.3	2.9	0	0.0	0.0	59	68.6	101.3
CAMPBELL	3	3.4	3.4	4	4.5	4.5	2	2.3	2.4	4	4.5	4.4	105	118.5	123.3
CARROLL	0	0.0	0.0	1	9.8	10.5	3	29.5	34.0	0	0.0	0.0	16	157.6	170.2
GALLATIN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	12.7	12.1	9	114.4	129.6
GRANT	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	18	80.4	103.8
KENTON	6	4.0	4.1	2	1.3	1.2	4	2.6	3.1	7	4.6	4.4	140	92.4	106.1
OWEN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	13	123.3	111.7
PENDLETON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	8	55.6	71.3
DISTRICT 08	2	3.6	3.7	4	7.2	7.7	1	1.8	1.8	1	1.8	1.9	55	99.6	94.3
BRACKEN	0	0.0	0.0	1	12.1	14.9	0	0.0	0.0	1	12.1	14.9	6	72.5	79.3
FLEMING	1	7.3	7.9	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	15	108.8	108.1
LEWIS	1	7.1	6.9	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	10	71.0	74.0
MASON	0	0.0	0.0	3	17.9	17.6	1	6.0	5.3	0	0.0	0.0	22	131.0	114.3
ROBERTSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	88.3	64.7
DISTRICT 09	3	3.9	3.5	3	3.9	4.3	3	3.9	4.3	3	3.9	4.2	71	93.1	99.2
BATH	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	9.0	8.7	14	126.3	101.7
MENIFEE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	5	76.3	84.8
MONTGOMERY	2	8.9	8.8	3	13.3	12.2	1	4.4	4.5	1	4.4	4.2	20	88.7	87.8
MORGAN	1	7.2	6.6	0	0.0	0.0	1	7.2	7.6	1	7.2	9.2	17	121.9	133.0
ROWAN	0	0.0	0.0	0	0.0	0.0	1	4.5	6.9	0	0.0	0.0	15	67.9	92.1
DISTRICT 10	4	2.9	3.0	6	4.4	5.2	3	2.2	2.3	5	3.7	4.1	153	112.6	108.8
BOYD	0	0.0	0.0	4	8.0	11.0	2	4.0	4.2	2	4.0	4.8	65	130.6	117.2
CARTER	2	7.4	7.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	34	126.4	130.0
ELLIOTT	2	29.6	32.6	1	14.8	15.4	1	14.8	15.5	0	0.0	0.0	6	88.9	80.4
GREENUP	0	0.0	0.0	1	2.7	2.6	0	0.0	0.0	2	5.4	6.2	32	86.7	84.5
LAWRENCE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	6.4	7.3	16	102.8	109.4

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Assault (Homicide)			Certain Conditions Orig. In Perinatal			Atherosclerosis			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	200	4.9	4.9	187	4.6	4.9	174	4.3	4.5	147	3.6	3.8	4,442	109.9	113.0
DISTRICT 11	7	4.4	4.1	7	4.4	5.0	7	4.4	4.9	8	5.0	5.3	175	109.0	118.3
FLOYD	3	7.1	6.6	2	4.7	5.6	5	11.8	12.7	0	0.0	0.0	51	120.2	125.8
JOHNSON	3	12.8	11.3	0	0.0	0.0	0	0.0	0.0	2	8.5	9.1	27	115.2	117.0
MAGOFFIN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	15	112.5	135.0
MARTIN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	15.9	14.7	7	55.7	72.5
PIKE	1	1.5	1.4	5	7.3	9.3	2	2.9	3.4	4	5.8	6.1	75	109.1	118.6
DISTRICT 12	7	5.8	5.8	11	9.1	11.2	0	0.0	0.0	4	3.3	3.7	116	96.1	100.5
BREATHITT	2	12.4	12.8	1	6.2	8.7	0	0.0	0.0	1	6.2	8.7	10	62.1	67.5
KNOTT	0	0.0	0.0	1	5.7	6.3	0	0.0	0.0	0	0.0	0.0	14	79.3	88.5
LEE	0	0.0	0.0	2	25.3	32.1	0	0.0	0.0	0	0.0	0.0	3	37.9	37.3
LESLIE	3	24.2	25.4	1	8.1	9.4	0	0.0	0.0	2	16.1	15.6	10	80.6	87.3
LETCHER	2	7.9	7.5	3	11.9	15.2	0	0.0	0.0	1	4.0	5.1	35	138.5	139.7
OWSLEY	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	8	164.7	146.4
PERRY	0	0.0	0.0	2	6.8	8.2	0	0.0	0.0	0	0.0	0.0	31	105.5	114.6
WOLFE	0	0.0	0.0	1	14.2	15.9	0	0.0	0.0	0	0.0	0.0	5	70.8	69.7
DISTRICT 13	21	8.8	8.9	15	6.3	6.9	12	5.0	5.2	12	5.0	5.3	277	116.3	118.7
BELL	2	6.7	6.7	2	6.7	8.0	1	3.3	2.8	1	3.3	3.5	30	99.8	95.2
CLAY	6	24.4	22.2	0	0.0	0.0	1	4.1	5.4	2	8.1	9.5	30	122.2	139.2
HARLAN	2	6.0	6.5	2	6.0	7.1	1	3.0	2.9	0	0.0	0.0	63	189.7	175.4
JACKSON	2	14.8	14.2	0	0.0	0.0	0	0.0	0.0	1	7.4	8.0	13	96.3	102.3
KNOX	0	0.0	0.0	3	9.4	9.2	3	9.4	8.9	3	9.4	9.7	39	122.7	118.6
LAUREL	5	9.5	10.0	5	9.5	9.5	2	3.8	4.4	3	5.7	5.6	53	100.5	119.7
ROCKCASTLE	1	6.0	5.6	2	12.1	14.5	1	6.0	5.5	1	6.0	6.4	17	102.5	99.9
WHITLEY	3	8.4	8.1	1	2.8	3.0	3	8.4	8.3	1	2.8	3.1	33	92.0	91.1

*Age-adjusted and crude rates per 100,000 2000 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2000

DISTRICTS AND COUNTIES	Assault (Homicide)			Certain Conditions Orig. In Perinatal			Atherosclerosis			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	200	4.9	4.9	187	4.6	4.9	174	4.3	4.5	147	3.6	3.8	4,442	109.9	113.0
DISTRICT 14	11	5.7	5.7	5	2.6	3.0	6	3.1	2.7	5	2.6	2.6	229	118.4	108.5
ADAIR	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	5.8	6.7	19	110.2	98.3
CASEY	3	19.4	20.3	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	16	103.6	89.2
CLINTON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	10	103.8	98.2
CUMBERLAND	1	14.0	14.4	1	14.0	18.4	0	0.0	0.0	0	0.0	0.0	9	125.9	104.8
GREEN	0	0.0	0.0	0	0.0	0.0	1	8.7	6.6	0	0.0	0.0	12	104.2	78.6
MCCREARY	2	11.7	13.0	0	0.0	0.0	1	5.9	6.4	0	0.0	0.0	22	128.8	150.6
PULASKI	4	7.1	7.1	2	3.6	4.2	2	3.6	3.0	1	1.8	1.4	57	101.4	93.2
RUSSELL	0	0.0	0.0	2	12.3	16.7	1	6.1	5.6	0	0.0	0.0	21	128.7	107.1
TAYLOR	1	4.4	4.1	0	0.0	0.0	0	0.0	0.0	2	8.7	8.9	41	178.8	161.1
WAYNE	0	0.0	0.0	0	0.0	0.0	1	5.0	5.6	1	5.0	5.0	22	110.4	110.1
DISTRICT 15	23	3.4	3.3	34	5.0	5.3	22	3.2	3.7	32	4.7	5.1	770	112.2	126.3
ANDERSON	2	10.5	11.9	0	0.0	0.0	2	10.5	10.5	0	0.0	0.0	15	78.5	88.3
BOURBON	0	0.0	0.0	1	5.2	5.9	6	31.0	27.6	0	0.0	0.0	25	129.1	119.2
BOYLE	0	0.0	0.0	0	0.0	0.0	1	3.6	3.3	1	3.6	5.0	36	130.0	119.5
CLARK	2	6.0	5.9	2	6.0	6.6	0	0.0	0.0	2	6.0	7.5	35	105.6	111.1
ESTILL	1	6.5	6.7	0	0.0	0.0	0	0.0	0.0	1	6.5	8.1	15	98.0	93.5
FAYETTE	10	3.8	3.3	23	8.8	9.7	4	1.5	1.9	16	6.1	6.7	269	103.3	123.6
FRANKLIN	1	2.1	2.1	2	4.2	4.9	2	4.2	4.4	1	2.1	2.4	62	130.0	134.6
GARRARD	1	6.8	7.7	1	6.8	7.9	0	0.0	0.0	1	6.8	6.1	18	121.7	119.9
HARRISON	0	0.0	0.0	0	0.0	0.0	3	16.7	15.5	0	0.0	0.0	15	83.4	75.2
JESSAMINE	2	5.1	4.6	1	2.6	2.4	0	0.0	0.0	1	2.6	3.2	45	115.3	144.7
LINCOLN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	30	128.4	132.4
MADISON	3	4.2	4.9	3	4.2	4.3	1	1.4	2.0	2	2.8	2.9	68	95.9	121.8
MERCER	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	4.8	5.4	37	177.7	157.0
NICHOLAS	0	0.0	0.0	0	0.0	0.0	1	14.7	12.3	0	0.0	0.0	14	205.5	163.6
POWELL	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	7.6	10.8	19	143.5	163.2
SCOTT	1	3.0	3.0	1	3.0	2.8	2	6.0	9.3	1	3.0	2.8	32	96.8	129.1
WOODFORD	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	4	17.2	19.6	34	146.5	176.7

*Age-adjusted and crude rates per 100,000 2000 population