

**Table 2-N**  
**Resident Birth-Related Deaths by Race of Mother**  
**Number and Crude Rate\*: Kentucky, Districts and Counties, 2004**

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>227</b>	<b>4.1</b>	<b>173</b>	<b>3.1</b>	<b>520</b>	<b>9.3</b>	<b>179</b>	<b>3.7</b>	<b>134</b>	<b>2.7</b>	<b>419</b>	<b>8.5</b>	<b>44</b>	<b>9.5</b>	<b>36</b>	<b>7.8</b>	<b>83</b>	<b>17.8</b>
<b>DISTRICT 01</b>	<b>9</b>	<b>4.0</b>	<b>6</b>	<b>2.6</b>	<b>14</b>	<b>6.2</b>	<b>7</b>	<b>3.5</b>	<b>4</b>	<b>2.0</b>	<b>10</b>	<b>5.0</b>	<b>2</b>	<b>10.8</b>	<b>2</b>	<b>10.8</b>	<b>3</b>	<b>16.1</b>
Ballard	2	20.0	2	20.0	2	20.0	2	20.2	2	20.2	2	20.2	0	0.0	0	0.0	0	0.0
Calloway	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Carlisle	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Fulton	1	11.1	0	0.0	0	0.0	1	16.1	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Graves	2	4.2	2	4.2	6	12.4	2	4.8	2	4.8	5	11.8	0	0.0	0	0.0	0	0.0
Hickman	0	0.0	0	0.0	1	19.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	200.0
McCracken	3	3.6	2	2.4	3	3.6	3	1.4	1	0.0	1	1.4	2	16.1	2	16.1	2	16.1
Marshall	1	3.0	0	0.0	2	6.0	1	3.1	1	0.0	2	6.1	0	0.0	0	0.0	0	0.0
<b>DISTRICT 02</b>	<b>11</b>	<b>3.6</b>	<b>9</b>	<b>3.0</b>	<b>28</b>	<b>9.2</b>	<b>7</b>	<b>2.6</b>	<b>6</b>	<b>2.3</b>	<b>21</b>	<b>7.9</b>	<b>4</b>	<b>13.2</b>	<b>3</b>	<b>9.9</b>	<b>7</b>	<b>22.9</b>
Caldwell	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Christian	4	3.0	4	3.0	12	8.9	4	1.8	2	1.8	7	6.3	2	9.7	2	9.7	5	23.8
Crittenden	0	0.0	0	0.0	1	10.4	0	0.0	0	0.0	1	10.4	0	0.0	0	0.0	0	0.0
Hopkins	5	8.4	4	6.7	7	11.6	5	5.5	3	5.5	6	11.0	2	44.4	1	22.2	1	22.2
Livingston	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Lyon	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Muhlenberg	1	2.6	1	2.6	4	10.4	1	2.7	1	2.7	3	8.1	0	0.0	0	0.0	1	90.9
Todd	0	0.0	0	0.0	2	10.0	0	0.0	0	0.0	2	11.7	0	0.0	0	0.0	0	0.0
Trigg	1	6.8	0	0.0	2	13.5	1	7.9	1	0.0	2	15.5	0	0.0	0	0.0	0	0.0
<b>DISTRICT 03</b>	<b>14</b>	<b>4.8</b>	<b>11</b>	<b>3.8</b>	<b>20</b>	<b>6.8</b>	<b>14</b>	<b>5.2</b>	<b>11</b>	<b>4.1</b>	<b>18</b>	<b>6.7</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>
Daviess	7	5.2	5	3.7	10	7.5	7	5.7	7	4.1	10	8.1	0	0.0	0	0.0	0	0.0
Hancock	1	8.3	1	8.3	1	8.3	1	8.7	1	8.7	1	8.7	0	0.0	0	0.0	0	0.0
Henderson	4	6.3	3	4.7	3	4.7	4	6.9	4	5.2	3	5.2	0	0.0	0	0.0	0	0.0
McLean	1	8.3	1	8.3	3	24.4	1	8.3	1	8.3	3	24.4	0	0.0	0	0.0	0	0.0
Ohio	0	0.0	0	0.0	1	2.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Union	0	0.0	0	0.0	1	6.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Webster	1	5.1	1	5.1	1	5.1	1	5.7	1	5.7	1	5.7	0	0.0	0	0.0	0	0.0

\*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone, Daviess, Hardin, Henderson, Jefferson (2), Kenton (2)

**Table 2-N**  
**Resident Birth-Related Deaths by Race of Mother**  
**Number and Crude Rate\*: Kentucky, Districts and Counties, 2004**

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>227</b>	<b>4.1</b>	<b>173</b>	<b>3.1</b>	<b>520</b>	<b>9.3</b>	<b>179</b>	<b>3.7</b>	<b>134</b>	<b>2.7</b>	<b>419</b>	<b>8.5</b>	<b>44</b>	<b>9.5</b>	<b>36</b>	<b>7.8</b>	<b>83</b>	<b>17.8</b>
<b>DISTRICT 04</b>	<b>13</b>	<b>3.7</b>	<b>9</b>	<b>2.6</b>	<b>39</b>	<b>11.0</b>	<b>9</b>	<b>2.9</b>	<b>6</b>	<b>1.9</b>	<b>34</b>	<b>10.7</b>	<b>4</b>	<b>20.5</b>	<b>3</b>	<b>15.4</b>	<b>5</b>	<b>25.4</b>
Allen	0	0.0	0	0.0	2	9.8	0	0.0	0	0.0	2	9.9	0	0.0	0	0.0	0	0.0
Barren	0	0.0	0	0.0	4	7.1	0	0.0	0	0.0	4	7.5	0	0.0	0	0.0	0	0.0
Butler	2	11.5	1	5.7	3	17.0	2	12.0	2	6.0	3	17.8	0	0.0	0	0.0	0	0.0
Edmonson	1	8.1	1	8.1	1	8.1	1	8.1	1	8.1	1	8.1	0	0.0	0	0.0	0	0.0
Hart	0	0.0	0	0.0	1	4.1	0	0.0	0	0.0	1	4.3	0	0.0	0	0.0	0	0.0
Logan	0	0.0	0	0.0	5	13.3	0	0.0	0	0.0	5	14.6	0	0.0	0	0.0	0	0.0
Metcalfe	2	15.7	1	7.9	2	15.6	2	16.1	2	8.1	2	16.0	0	0.0	0	0.0	0	0.0
Monroe	0	0.0	0	0.0	1	6.2	0	0.0	0	0.0	1	6.5	0	0.0	0	0.0	0	0.0
Simpson	2	9.7	2	9.7	5	23.9	2	5.4	1	5.4	4	21.2	1	52.6	1	52.6	1	52.6
Warren	6	4.4	4	3.0	15	11.0	6	2.7	3	1.8	11	10.0	3	25.4	2	16.9	4	33.3
<b>DISTRICT 05</b>	<b>14</b>	<b>4.1</b>	<b>12</b>	<b>3.5</b>	<b>40</b>	<b>11.6</b>	<b>12</b>	<b>3.9</b>	<b>11</b>	<b>3.6</b>	<b>36</b>	<b>11.7</b>	<b>1</b>	<b>4.3</b>	<b>1</b>	<b>4.3</b>	<b>3</b>	<b>12.8</b>
Breckinridge	1	4.0	1	4.0	3	11.9	1	4.2	1	4.2	3	12.4	0	0.0	0	0.0	0	0.0
Grayson	2	6.0	1	3.0	4	11.8	2	6.0	2	3.0	4	11.9	0	0.0	0	0.0	0	0.0
Hardin	8	5.3	8	5.3	21	13.9	8	5.7	7	5.7	17	13.7	1	6.3	1	6.3	3	18.6
Larue	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Marion	0	0.0	0	0.0	4	15.7	0	0.0	0	0.0	4	17.5	0	0.0	0	0.0	0	0.0
Meade	1	4.4	1	4.4	3	13.2	1	4.5	1	4.5	3	13.4	0	0.0	0	0.0	0	0.0
Nelson	2	3.4	1	1.7	4	6.8	2	1.8	1	1.8	4	7.2	0	0.0	0	0.0	0	0.0
Washington	0	0.0	0	0.0	1	7.0	0	0.0	0	0.0	1	8.1	0	0.0	0	0.0	0	0.0
<b>DISTRICT 06</b>	<b>53</b>	<b>4.4</b>	<b>46</b>	<b>3.8</b>	<b>135</b>	<b>11.0</b>	<b>29</b>	<b>3.3</b>	<b>26</b>	<b>2.9</b>	<b>84</b>	<b>9.4</b>	<b>22</b>	<b>8.9</b>	<b>18</b>	<b>7.3</b>	<b>46</b>	<b>18.3</b>
Bullitt	4	5.7	2	2.8	3	4.2	4	5.8	4	2.9	3	4.3	0	0.0	0	0.0	0	0.0
Henry	1	4.9	1	4.9	2	9.8	1	5.3	1	5.3	2	10.6	0	0.0	0	0.0	0	0.0
Jefferson	39	4.0	34	3.5	113	11.4	39	2.6	18	2.5	66	9.6	20	8.3	16	6.6	43	17.6
Oldham	2	3.6	2	3.6	4	7.2	2	3.9	2	3.9	4	7.7	0	0.0	0	0.0	0	0.0
Shelby	5	9.3	5	9.3	9	16.7	5	7.7	3	7.7	6	15.3	2	54.1	2	54.1	3	78.9
Spencer	1	5.0	1	5.0	3	14.7	1	5.0	1	5.0	3	14.9	0	0.0	0	0.0	0	0.0
Trimble	1	8.5	1	8.5	1	8.5	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

\*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone, Daviess, Hardin, Henderson, Jefferson (2), Kenton (2) 112

**Table 2-N**  
**Resident Birth-Related Deaths by Race of Mother**  
**Number and Crude Rate\*: Kentucky, Districts and Counties, 2004**

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>227</b>	<b>4.1</b>	<b>173</b>	<b>3.1</b>	<b>520</b>	<b>9.3</b>	<b>179</b>	<b>3.7</b>	<b>134</b>	<b>2.7</b>	<b>419</b>	<b>8.5</b>	<b>44</b>	<b>9.5</b>	<b>36</b>	<b>7.8</b>	<b>83</b>	<b>17.8</b>
<b>DISTRICT 07</b>	<b>35</b>	<b>5.6</b>	<b>21</b>	<b>3.4</b>	<b>50</b>	<b>8.0</b>	<b>30</b>	<b>5.2</b>	<b>16</b>	<b>2.8</b>	<b>40</b>	<b>7.0</b>	<b>4</b>	<b>19.7</b>	<b>4</b>	<b>19.7</b>	<b>5</b>	<b>24.5</b>
Boone	11	6.6	8	4.8	16	9.6	11	4.6	7	2.6	10	6.5	3	96.8	3	96.8	3	96.8
Campbell	9	7.8	5	4.3	12	10.3	9	8.2	9	4.5	11	9.9	0	0.0	0	0.0	0	0.0
Carroll	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Gallatin	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Grant	1	2.6	0	0.0	4	10.2	1	2.6	1	0.0	4	10.4	0	0.0	0	0.0	0	0.0
Kenton	14	6.0	8	3.4	18	7.6	14	6.2	13	3.4	15	7.2	1	7.0	1	7.0	2	13.9
Owen	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pendleton	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>DISTRICT 08</b>	<b>1</b>	<b>1.4</b>	<b>0</b>	<b>0.0</b>	<b>2</b>	<b>2.8</b>	<b>1</b>	<b>1.4</b>	<b>0</b>	<b>0.0</b>	<b>2</b>	<b>2.9</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>
Bracken	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Fleming	1	5.3	0	0.0	1	5.3	1	5.5	1	0.0	1	5.4	0	0.0	0	0.0	0	0.0
Lewis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Mason	0	0.0	0	0.0	1	4.9	0	0.0	0	0.0	1	5.3	0	0.0	0	0.0	0	0.0
Robertson	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>DISTRICT 09</b>	<b>4</b>	<b>4.2</b>	<b>3</b>	<b>3.1</b>	<b>11</b>	<b>11.3</b>	<b>4</b>	<b>4.3</b>	<b>3</b>	<b>3.2</b>	<b>11</b>	<b>11.7</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>
Bath	0	0.0	0	0.0	3	19.1	0	0.0	0	0.0	3	19.4	0	0.0	0	0.0	0	0.0
Menifee	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Montgomery	2	5.7	2	5.7	4	11.4	2	5.9	2	5.9	4	11.8	0	0.0	0	0.0	0	0.0
Morgan	1	6.0	1	6.0	2	11.8	1	6.0	1	6.0	2	11.8	0	0.0	0	0.0	0	0.0
Rowan	1	4.6	0	0.0	2	9.2	1	4.9	1	0.0	2	9.7	0	0.0	0	0.0	0	0.0
<b>DISTRICT 10</b>	<b>10</b>	<b>6.1</b>	<b>8</b>	<b>4.8</b>	<b>20</b>	<b>12.0</b>	<b>10</b>	<b>6.2</b>	<b>8</b>	<b>4.9</b>	<b>20</b>	<b>12.2</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>
Boyd	4	6.8	4	6.8	8	13.5	4	7.0	4	7.0	8	13.9	0	0.0	0	0.0	0	0.0
Carter	3	8.6	3	8.6	7	19.9	3	8.8	3	8.8	7	20.4	0	0.0	0	0.0	0	0.0
Elliott	1	13.0	1	13.0	1	13.0	1	13.2	1	13.2	1	13.2	0	0.0	0	0.0	0	0.0
Greenup	2	4.6	0	0.0	2	4.6	2	4.7	2	0.0	2	4.6	0	0.0	0	0.0	0	0.0
Lawrence	0	0.0	0	0.0	2	9.6	0	0.0	0	0.0	2	9.7	0	0.0	0	0.0	0	0.0

\*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone, Daviess, Hardin, Henderson, Jefferson (2), Kenton (2)

**Table 2-N  
Resident Birth-Related Deaths by Race of Mother  
Number and Crude Rate\*: Kentucky, Districts and Counties, 2004**

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>227</b>	<b>4.1</b>	<b>173</b>	<b>3.1</b>	<b>520</b>	<b>9.3</b>	<b>179</b>	<b>3.7</b>	<b>134</b>	<b>2.7</b>	<b>419</b>	<b>8.5</b>	<b>44</b>	<b>9.5</b>	<b>36</b>	<b>7.8</b>	<b>83</b>	<b>17.8</b>
<b>DISTRICT 11</b>	<b>3</b>	<b>1.5</b>	<b>2</b>	<b>1.0</b>	<b>13</b>	<b>6.6</b>	<b>3</b>	<b>1.5</b>	<b>2</b>	<b>1.0</b>	<b>13</b>	<b>6.6</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>
Floyd	0	0.0	0	0.0	3	5.3	0	0.0	0	0.0	3	5.3	0	0.0	0	0.0	0	0.0
Johnson	0	0.0	0	0.0	1	3.5	0	0.0	0	0.0	1	3.5	0	0.0	0	0.0	0	0.0
Magoffin	0	0.0	0	0.0	1	5.5	0	0.0	0	0.0	1	5.5	0	0.0	0	0.0	0	0.0
Martin	1	6.0	1	6.0	2	12.0	1	6.0	1	6.0	2	12.0	0	0.0	0	0.0	0	0.0
Pike	2	2.6	1	1.3	6	7.8	2	2.6	2	1.3	6	7.8	0	0.0	0	0.0	0	0.0
<b>DISTRICT 12</b>	<b>6</b>	<b>4.0</b>	<b>6</b>	<b>4.0</b>	<b>17</b>	<b>11.1</b>	<b>5</b>	<b>3.3</b>	<b>5</b>	<b>3.3</b>	<b>16</b>	<b>10.6</b>	<b>1</b>	<b>166.7</b>	<b>1</b>	<b>166.7</b>	<b>1</b>	<b>166.7</b>
Breathitt	0	0.0	0	0.0	1	5.9	0	0.0	0	0.0	1	6.0	0	0.0	0	0.0	0	0.0
Knott	2	11.2	2	11.2	2	11.2	2	5.6	1	5.6	1	5.6	1	0.0	1	0.0	1	0.0
Lee	1	13.0	1	13.0	2	25.6	1	13.2	1	13.2	2	26.0	0	0.0	0	0.0	0	0.0
Leslie	1	6.6	1	6.6	1	6.6	1	6.6	1	6.6	1	6.6	0	0.0	0	0.0	0	0.0
Letcher	1	3.0	1	3.0	5	14.7	1	3.0	1	3.0	5	14.8	0	0.0	0	0.0	0	0.0
Owsley	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perry	1	2.4	1	2.4	5	11.9	1	2.5	1	2.5	5	12.3	0	0.0	0	0.0	0	0.0
Wolfe	0	0.0	0	0.0	1	8.2	0	0.0	0	0.0	1	8.2	0	0.0	0	0.0	0	0.0
<b>DISTRICT 13</b>	<b>12</b>	<b>3.8</b>	<b>7</b>	<b>2.2</b>	<b>27</b>	<b>8.6</b>	<b>12</b>	<b>3.9</b>	<b>7</b>	<b>2.3</b>	<b>24</b>	<b>7.8</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>2</b>	<b>66.7</b>
Bell	1	2.6	1	2.6	8	20.7	1	2.7	1	2.7	6	16.2	0	0.0	0	0.0	2	250.0
Clay	2	7.2	0	0.0	2	7.2	2	7.3	2	0.0	2	7.2	0	0.0	0	0.0	0	0.0
Harlan	0	0.0	0	0.0	2	5.3	0	0.0	0	0.0	2	5.4	0	0.0	0	0.0	0	0.0
Jackson	0	0.0	0	0.0	1	5.2	0	0.0	0	0.0	1	5.2	0	0.0	0	0.0	0	0.0
Knox	1	1.9	0	0.0	2	3.7	1	1.9	1	0.0	1	1.9	0	0.0	0	0.0	0	0.0
Laurel	3	4.1	2	2.7	2	2.7	3	4.1	3	2.8	2	2.8	0	0.0	0	0.0	0	0.0
Rockcastle	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Whitley	5	12.4	4	9.9	10	24.4	5	12.5	5	10.0	10	24.7	0	0.0	0	0.0	0	0.0

\*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone, Daviess, Hardin, Henderson, Jefferson (2), Kenton (2)

**Table 2-N**  
**Resident Birth-Related Deaths by Race of Mother**  
**Number and Crude Rate\*: Kentucky, Districts and Counties, 2004**

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>227</b>	<b>4.1</b>	<b>173</b>	<b>3.1</b>	<b>520</b>	<b>9.3</b>	<b>179</b>	<b>3.7</b>	<b>134</b>	<b>2.7</b>	<b>419</b>	<b>8.5</b>	<b>44</b>	<b>9.5</b>	<b>36</b>	<b>7.8</b>	<b>83</b>	<b>17.8</b>
<b>DISTRICT 14</b>	<b>9</b>	<b>3.6</b>	<b>9</b>	<b>3.6</b>	<b>34</b>	<b>13.5</b>	<b>9</b>	<b>3.7</b>	<b>9</b>	<b>3.7</b>	<b>31</b>	<b>12.8</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>1</b>	<b>35.7</b>
Adair	0	0.0	0	0.0	6	29.4	0	0.0	0	0.0	6	30.2	0	0.0	0	0.0	0	0.0
Casey	2	10.1	2	10.1	4	19.9	2	10.6	2	10.6	4	20.9	0	0.0	0	0.0	0	0.0
Clinton	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Cumberland	1	14.1	1	14.1	1	14.1	1	14.3	1	14.3	1	14.3	0	0.0	0	0.0	0	0.0
Green	2	16.1	2	16.1	3	24.0	2	16.7	2	16.7	3	24.8	0	0.0	0	0.0	0	0.0
McCreary	1	3.9	1	3.9	3	11.5	1	3.9	1	3.9	3	11.6	0	0.0	0	0.0	0	0.0
Pulaski	2	2.6	2	2.6	8	10.5	2	2.7	2	2.7	5	6.8	0	0.0	0	0.0	1	200.0
Russell	0	0.0	0	0.0	1	4.6	0	0.0	0	0.0	1	4.7	0	0.0	0	0.0	0	0.0
Taylor	1	3.6	1	3.6	5	18.0	1	4.0	1	4.0	5	19.5	0	0.0	0	0.0	0	0.0
Wayne	0	0.0	0	0.0	3	11.0	0	0.0	0	0.0	3	11.5	0	0.0	0	0.0	0	0.0
<b>DISTRICT 15</b>	<b>33</b>	<b>3.4</b>	<b>24</b>	<b>2.4</b>	<b>70</b>	<b>7.1</b>	<b>27</b>	<b>3.1</b>	<b>20</b>	<b>2.3</b>	<b>59</b>	<b>6.8</b>	<b>6</b>	<b>7.5</b>	<b>4</b>	<b>5.0</b>	<b>10</b>	<b>12.5</b>
Anderson	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Bourbon	1	3.9	1	3.9	2	7.8	1	4.4	1	4.4	2	8.8	0	0.0	0	0.0	0	0.0
Boyle	1	3.3	1	3.3	1	3.3	1	3.8	1	3.8	1	3.8	0	0.0	0	0.0	0	0.0
Clark	4	9.0	3	6.7	8	17.7	4	9.6	4	7.2	6	14.4	0	0.0	0	0.0	2	95.2
Estill	1	4.9	1	4.9	2	9.8	1	4.9	1	4.9	2	9.8	0	0.0	0	0.0	0	0.0
Fayette	12	3.1	8	2.1	29	7.4	12	1.9	6	1.3	22	6.9	6	10.5	4	7.0	6	10.5
Franklin	1	1.6	1	1.6	5	8.0	1	1.9	1	1.9	5	9.5	0	0.0	0	0.0	0	0.0
Garrard	1	6.0	1	6.0	2	11.9	1	6.2	1	6.2	1	6.2	0	0.0	0	0.0	1	500.0
Harrison	2	8.9	1	4.4	4	17.5	2	9.3	2	4.7	4	18.4	0	0.0	0	0.0	0	0.0
Jessamine	2	3.4	1	1.7	2	3.4	2	3.6	2	1.8	2	3.6	0	0.0	0	0.0	0	0.0
Lincoln	2	5.6	2	5.6	3	8.4	2	5.7	2	5.7	3	8.6	0	0.0	0	0.0	0	0.0
Madison	1	1.0	1	1.0	6	5.9	1	1.1	1	1.1	5	5.3	0	0.0	0	0.0	1	26.3
Mercer	1	3.5	1	3.5	1	3.5	1	3.8	1	3.8	1	3.8	0	0.0	0	0.0	0	0.0
Nicholas	1	9.5	0	0.0	0	0.0	1	9.6	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Powell	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Scott	3	4.7	2	3.2	4	6.3	3	5.2	3	3.5	4	7.0	0	0.0	0	0.0	0	0.0
Woodford	0	0.0	0	0.0	1	3.6	0	0.0	0	0.0	1	4.1	0	0.0	0	0.0	0	0.0

\*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone, Daviess, Hardin, Henderson, Jefferson (2), Kenton (2)