

2016 HEDIS Comparison

	Anthem BCBS Medicaid		Aetna Better Health		Humana CareSource		Passport Health Plan		WellCare of Kentucky	
	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016
Effectiveness of Care										
Prevention and Screening										
Adult BMI Assessment (ABA)										
ABA: Rate	NA	86.25%	86.13%	86.79%	66.91%	71.05%	89.35%	90.28%	91.32%	84.55%
Weight Assessment & Counseling for Nutrition & Physical Activity for Children/Adolescents (WCC)										
WCC: BMI Percentile Ages 12-17 years	NA	57.19%	47.27%	47.00%	56.88%	49.48%	88.27%	83.65%	46.38%	45.99%
WCC: BMI Percentile Ages 3-11 years	NA	50.65%	42.58%	43.57%	56.34%	23.50%	85.22%	87.07%	42.49%	48.47%
WCC: BMI Percentile Total	NA	54.86%	45.50%	45.86%	56.69%	44.53%	86.31%	85.87%	43.80%	47.69%
WCC: Counseling for Nutrition Ages 12-17 years	NA	41.56%	45.16%	44.29%	46.48%	23.33%	75.31%	59.12%	37.68%	40.15%
WCC: Counseling for Nutrition Ages 3-11 years	NA	52.16%	55.08%	43.11%	51.30%	43.99%	71.48%	71.43%	43.22%	45.08%
WCC: Counseling for Nutrition Total	NA	48.38%	51.34%	43.50%	49.64%	37.96%	72.85%	67.11%	41.36%	43.52%
WCC: Counseling for Physical Activity Ages 12-17 years	NA	43.51%	41.29%	40.71%	46.48%	21.67%	68.52%	62.26%	42.03%	44.53%
WCC: Counseling for Physical Activity Ages 3-11 years	NA	46.40%	40.63%	33.22%	47.58%	36.43%	60.82%	61.22%	39.56%	41.36%
WCC: Counseling for Physical Activity Ages Total	NA	45.37%	40.88%	35.70%	47.20%	32.12%	63.58%	61.59%	40.39%	42.36%
Childhood Immunization Status (CIS)										
CIS: DtaP/DT	NA	58.80%	78.83%	75.71%	64.23%	60.10%	87.47%	85.61%	72.99%	77.21%
CIS: IPV	NA	76.06%	89.29%	88.92%	77.86%	73.24%	94.43%	95.59%	86.86%	86.76%
CIS: MMR	NA	72.89%	87.83%	86.08%	86.62%	79.08%	94.66%	95.36%	87.35%	85.78%
CIS: HiB	NA	73.24%	87.35%	88.92%	82.00%	74.94%	96.29%	95.13%	85.89%	87.75%
CIS: Hepatitis B	NA	70.42%	90.27%	85.38%	69.83%	71.05%	93.74%	96.29%	79.32%	86.27%
CIS: VZV	NA	71.83%	89.54%	88.68%	86.37%	80.78%	95.36%	95.59%	90.02%	87.25%
CIS: Pneumococcal Conjugate	NA	58.10%	80.29%	79.72%	64.48%	61.56%	86.77%	85.38%	75.67%	77.70%
CIS: Hepatitis A	NA	64.44%	74.45%	72.88%	73.24%	72.02%	84.45%	81.44%	68.13%	69.85%
CIS: Rotavirus	NA	51.06%	62.53%	59.67%	55.72%	54.99%	71.00%	73.55%	54.26%	63.97%
CIS: Influenza	NA	16.20%	36.98%	27.59%	35.28%	29.20%	56.38%	46.64%	29.93%	32.11%
CIS: Combination 2	NA	50.70%	75.18%	70.52%	54.26%	54.74%	83.53%	83.06%	64.96%	69.85%
CIS: Combination 3	NA	47.54%	71.05%	67.69%	51.09%	52.31%	80.05%	79.81%	62.04%	67.40%
CIS: Combination 4	NA	41.20%	61.56%	58.49%	44.04%	45.99%	71.69%	68.45%	49.64%	54.41%
CIS: Combination 5	NA	35.21%	52.55%	48.58%	37.96%	41.85%	63.57%	64.27%	41.61%	53.19%
CIS: Combination 6	NA	11.62%	31.63%	23.82%	23.84%	21.41%	50.35%	40.60%	25.06%	26.23%
CIS: Combination 7	NA	30.99%	48.18%	43.87%	33.82%	37.71%	58.93%	56.84%	36.01%	44.85%
CIS: Combination 8	NA	10.21%	30.41%	21.70%	21.90%	20.44%	47.80%	38.05%	21.90%	23.28%
CIS: Combination 9	NA	10.56%	25.79%	19.81%	19.71%	18.98%	43.39%	35.27%	18.98%	22.79%
CIS: Combination 10	NA	9.15%	25.06%	17.69%	18.49%	18.00%	41.53%	33.64%	17.52%	20.10%
Immunizations for Adolescents (IMA)										
IMA: Meningococcal	NA	50.88%	83.07%	81.01%	69.83%	62.53%	88.89%	89.04%	80.77%	75.09%
IMA: Tdap/Td	NA	54.39%	90.10%	86.43%	71.78%	63.99%	93.52%	91.61%	88.08%	81.23%
IMA: Combination #1	NA	49.71%	82.11%	80.62%	67.15%	59.37%	88.43%	87.41%	79.23%	74.40%
Lead Screening in Children (LSC)										
LSC: Rate	NA	41.55%	60.58%	63.21%	65.45%	56.93%	77.26%	77.26%	61.11%	67.23%
Breast Cancer Screening (BCS)										
BCS: Rate	NA	NA	51.58%	45.92%	NA	31.28%	56.95%	55.23%	51.47%	50.64%
Cervical Cancer Screening (CCS)										
CCS: Rate	25.29%	42.92%	49.15%	51.44%	35.52%	45.01%	55.53%	55.90%	48.18%	51.06%
Chlamydia Screening in Women (CHL)										
CHL: Ages 16 - 20 years	44.62%	45.80%	46.04%	46.58%	55.93%	52.10%	62.43%	62.86%	44.49%	46.02%
CHL: Ages 21 - 24 years	53.00%	50.55%	56.98%	55.22%	54.51%	57.02%	65.16%	65.29%	54.68%	54.64%

2016 HEDIS Comparison

CHL: Total Rate	51.27%	49.05%	50.43%	50.19%	55.02%	55.16%	63.49%	64.01%	48.69%	49.83%
Human Papillomavirus Vaccine for Female Adolescents (HPV)										
HPV: Rate	NA	13.33%	15.82%	16.51%	13.25%	12.43%	30.63%	25.29%	20.44%	16.20%
Respiratory Conditions										
Appropriate Testing for Children with Pharyngitis (CWP)										
CWP: Rate	NA	70.79%	65.23%	67.13%	78.39%	76.45%	84.46%	84.56%	67.27%	70.15%
Appropriate Treatment for Children with Upper Respiratory Infection (URI)										
URI: Rate	NA	68.21%	61.64%	64.29%	80.35%	70.87%	81.16%	81.31%	60.24%	62.48%
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)										
AAB: Rate	27.56%	21.29%	19.38%	14.58%	22.49%	19.61%	19.38%	19.24%	17.59%	17.27%
Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)										
SPR: Rate	NA	NA	23.09%	21.63%	NA	15.38%	33.81%	33.64%	23.27%	30.49%
Pharmacotherapy Management of COPD Exacerbation (PCE)										
PCE: Systemic Corticosteroid	63.73%	68.23%	64.20%	77.89%	57.78%	68.15%	72.04%	73.42%	65.07%	68.99%
PCE: Bronchodilator	71.48%	77.86%	76.11%	89.85%	69.05%	79.78%	86.02%	83.72%	79.61%	82.82%
Use of Appropriate Medications for People with Asthma (ASM)										
ASM: Ages 5 - 11 years	NA	Retired	93.83%	Retired	92.98%	Retired	94.36%	Retired	95.12%	Retired
ASM: Ages 12 - 18 years	NA	Retired	88.96%	Retired	92.54%	Retired	88.96%	Retired	89.60%	Retired
ASM: Ages 19 - 50 years	NA	Retired	63.83%	Retired	82.35%	Retired	73.11%	Retired	66.88%	Retired
ASM: Ages 51 - 64 years	NA	Retired	53.46%	Retired	NA	Retired	65.05%	Retired	59.71%	Retired
ASM: Total Rate	NA	Retired	85.82%	Retired	90.35%	Retired	88.48%	Retired	85.67%	Retired
Cardiovascular Conditions										
Cholesterol Management for Patients with Cardiovascular Conditions (CMC)										
CMC: LDL-C Screening	Retired									
CMC: LDL-C Level <100 mg/dL	Retired									
Controlling High Blood Pressure (CBP)										
CBP: Total Rate	52.79%	58.18%	57.70%	57.21%	50.61%	42.82%	51.66%	53.76%	55.99%	51.34%
Persistence of Beta Blocker Treatment After a Heart Attack (PBH)										
PBH: Rate	71.43%	64.04%	83.13%	83.04%	79.73%	82.01%	86.00%	85.31%	82.95%	84.67%
Diabetes										
Comprehensive Diabetes Care (CDC)										
CDC: HbA1c Testing	90.89%	86.71%	87.04%	85.23%	88.87%	87.30%	90.78%	83.19%	88.78%	87.25%
CDC: HbA1c Poor Control (>9.0%)	51.14%	47.73%	39.78%	37.28%	66.97%	61.71%	38.43%	45.42%	40.61%	42.46%
CDC: HbA1c Control (<8.0%)	38.70%	40.73%	50.18%	53.65%	32.85%	37.75%	50.61%	45.42%	50.49%	46.45%
CDC: HbA1c Control (<7.0%)	26.20%	27.01%	36.08%	40.44%	21.67%	27.01%	34.72%	31.94%	39.47%	34.87%
CDC: Eye Exam	34.68%	36.89%	40.51%	44.30%	39.96%	43.19%	40.70%	44.93%	43.66%	47.56%
CDC: LDL-C Screening	Retired									
CDC: LDL-C Level (<100 mg/dL)	Retired									
CDC: Medical Attention for Nephropathy	84.06%	88.99%	80.84%	88.60%	84.49%	90.56%	81.74%	90.68%	82.68%	92.24%
CDC: Blood Pressure Control (<140/80 mm Hg)	Retired									
CDC: Blood Pressure Control (<140/90 mm Hg)	58.14%	62.24%	57.85%	63.01%	49.09%	52.09%	66.43%	58.07%	60.00%	59.09%
Musculoskeletal										
Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis (ART)										
ART: Rate	63.64%	63.69%	69.19%	71.91%	60.91%	69.10%	61.14%	66.56%	61.25%	61.82%
Use of Imaging Studies for Low Back Pain (LBP)										
LBP: Rate	55.18%	60.35%	64.34%	62.60%	56.97%	60.14%	60.20%	62.71%	61.48%	61.76%
Behavioral Health										
Follow-up Care for Children Prescribed ADHD Medication (ADD)										
ADD: Initiation Phase	NA	26.32%	44.59%	44.97%	42.28%	53.48%	44.84%	51.13%	61.49%	60.75%
ADD: Continuation and Maintenance Phase	NA	22.22%	52.35%	51.93%	54.55%	62.50%	58.26%	52.60%	69.62%	67.49%
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)										

lower is better

2016 HEDIS Comparison

SSD: Rate	82.93%	81.48%	79.35%	78.33%	80.79%	80.90%	89.30%	82.25%	82.24%	82.46%
Diabetes Monitoring for People With Diabetes And Schizophrenia (SMD)										
SMD: Rate	NA	70.83%	68.89%	66.67%	58.70%	71.15%	58.33%	75.61%	70.08%	71.13%
Cardiovascular Monitoring For People With Cardiovascular Disease and Schizophrenia (SMC)										
SMC: Rate	NA	100%	NA	72.73%	NA	77.78%	NA	76.47%	82.14%	78.89%
Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)										
SAA: Rate	57.14%	53.10%	63.50%	59.79%	45.91%	52.80%	56.09%	53.11%	66.58%	63.90%
Medication Management										
Annual Monitoring for Patients on Persistent Medications (MPM)										
MPM: ACE inhibitors or ARBs	90.15%	87.11%	89.34%	87.63%	90.02%	88.69%	92.00%	90.43%	91.21%	90.33%
MPM: Digoxin	NA	48.28%	47.93%	52.33%	50.00%	59.32%	61.46%	50.93%	53.66%	48.46%
MPM: Diuretics	90.62%	86.51%	89.54%	88.57%	90.36%	89.59%	92.68%	90.71%	92.09%	91.39%
MPM: Anticonvulsants	Retired									
MPM: Total Rate	90.10%	86.73%	89.07%	87.70%	89.93%	88.93%	92.04%	90.33%	91.24%	90.47%
Medication Management for People With Asthma (MMA)										
MMA: 50% Ages 5 - 11 years	NA	NA	73.71%	64.27%	68.87%	60.00%	64.47%	60.66%	61.92%	58.55%
MMA: 50% Ages 12 - 18 years	NA	NA	64.78%	60.37%	64.52%	44.83%	61.13%	54.13%	56.72%	57.84%
MMA: 50% Ages 19 - 50 years	NA	71.26%	69.44%	63.41%	NA	67.97%	65.29%	65.59%	67.12%	67.06%
MMA: 50% Ages 51 - 64 years	NA	72.00%	78.82%	77.86%	NA	81.65%	68.66%	77.94%	77.71%	79.18%
MMA: 50% Total	NA	71.53%	70.39%	63.39%	67.48%	66.61%	63.51%	60.52%	61.65%	61.78%
MMA: 75% Ages 5 - 11 years	NA	NA	50.52%	39.74%	43.40%	34.78%	38.08%	33.83%	34.16%	34.76%
MMA: 75% Ages 12 - 18 years	NA	NA	42.28%	37.21%	30.65%	29.31%	32.35%	28.59%	29.35%	31.67%
MMA: 75% Ages 19 - 50 years	NA	48.28%	46.29%	37.96%	NA	46.26%	39.67%	38.66%	43.13%	43.61%
MMA: 75% Ages 51 - 64 years	NA	44.00%	49.41%	57.14%	NA	61.47%	52.24%	58.82%	59.64%	61.64%
MMA: 75% Total	NA	46.72%	47.25%	39.27%	38.35%	45.12%	36.67%	34.48%	35.03%	37.80%
Asthma Medication Ratio (AMR)										
AMR: 5-11 years	NA	NA	85.85%	84.16%	75.45%	78.33%	81.19%	85.50%	85.26%	85.63%
AMR: 12-18 years	NA	NA	66.94%	69.65%	56.72%	66.15%	68.19%	72.31%	72.87%	73.63%
AMR: 19-50 years	NA	37.86%	39.43%	45.92%	57.58%	53.87%	54.24%	59.81%	48.12%	48.48%
AMR: 51-64 years	NA	50.68%	38.36%	42.50%	NA	57.34%	49.51%	63.64%	45.68%	49.74%
AMR: Total Rate	NA	42.25%	70.43%	69.74%	66.37%	60.00%	71.77%	74.53%	71.61%	68.39%
Access/Availability of Care										
Adults' Access to Preventive/Ambulatory Health Services (AAP)										
AAP: Ages 20 - 44 years	74.61%	73.56%	81.16%	77.45%	72.68%	74.65%	82.58%	77.32%	84.36%	81.63%
AAP: Ages 45 - 64 years	84.17%	83.32%	87.23%	85.17%	83.52%	84.51%	89.39%	85.81%	91.05%	89.80%
AAP: Ages 65 years and older	NA	88.37%	82.47%	80.75%	78.36%	83.70%	94.00%	94.01%	88.94%	90.33%
AAP: Total Rate	78.49%	77.06%	83.21%	79.79%	77.16%	78.39%	85.17%	80.20%	86.91%	84.59%
Children and Adolescents' Access to Primary Care Practitioners (CAP)										
CAP: Ages 12 - 24 months	NA	92.03%	97.20%	97.28%	92.39%	95.14%	98.35%	97.84%	97.49%	97.67%
CAP: Ages 25 months - 6 years	NA	78.91%	90.63%	89.96%	82.52%	82.96%	90.25%	88.51%	92.02%	91.84%
CAP: Ages 7 - 11 years	NA	100%	96.32%	94.53%	88.32%	86.72%	94.19%	92.47%	96.30%	95.47%
CAP: Ages 12 - 19 years	NA	66.67%	95.05%	92.77%	85.11%	85.93%	92.92%	91.40%	95.22%	94.05%
Annual Dental Visits (ADV)										
ADV: Ages 2 - 3 years	NA	20.18%	37.97%	37.21%	38.65%	34.50%	48.63%	28.36%	42.32%	43.20%
ADV: Ages 4 - 6 years	NA	44.66%	67.74%	68.31%	59.80%	55.90%	72.94%	47.63%	69.99%	70.95%
ADV: Ages 7 - 10 years	NA	41.68%	66.48%	66.68%	54.91%	53.83%	70.46%	48.54%	69.13%	69.89%
ADV: Ages 11 - 14 years	NA	36.83%	59.61%	60.93%	51.39%	48.20%	66.23%	45.62%	63.74%	64.29%
ADV: Ages 15 - 18 years	NA	29.55%	51.55%	51.42%	42.99%	39.91%	58.80%	40.17%	55.38%	55.26%
ADV: Ages 19 - 21 years **	21.68%	18.90%	34.57%	33.51%	24.71%	25.48%	40.66%	25.25%	38.20%	37.15%
ADV: Total Rate**	21.49%	33.37%	57.34%	57.51%	46.40%	45.60%	63.64%	42.23%	60.36%	60.74%
Prenatal and Postpartum Care (PPC)										

*** HEDIS 2016 changed ADV measure age limit from 21 to 20

2016 HEDIS Comparison

PPC: Timeliness of Prenatal Care	64.29%	79.44%	84.91%	79.86%	69.34%	78.35%	86.89%	86.83%	87.29%	86.08%
PPC: Postpartum Care	48.70%	55.61%	59.12%	49.29%	51.58%	55.47%	68.67%	66.29%	51.41%	49.88%
Call Answer Timeliness (CAT)										
CAT: Rate	87.75%	87.56%	78.20%	79.85%	90.82%	86.95%	77.62%	80.41%	80.43%	84.41%
Use of Services										
Frequency of Ongoing Prenatal Care (FPC)										
FPC: <21 percent	17.53%	7.94%	5.84%	6.16%	13.63%	4.87%	5.81%	3.71%	4.52%	3.71%
FPC: 21 - 40 percent	3.90%	3.04%	2.68%	4.50%	8.03%	5.11%	2.33%	2.09%	1.98%	4.64%
FPC: 41 - 60 percent	4.55%	7.24%	6.57%	9.00%	9.98%	9.98%	4.65%	6.26%	5.93%	4.87%
FPC: 61 - 80 percent	14.29%	11.92%	12.90%	18.72%	20.68%	18.73%	12.09%	13.46%	15.25%	13.69%
FPC: >= 81 percent	59.74%	69.86%	72.02%	61.61%	47.45%	61.31%	75.12%	74.48%	72.32%	73.09%
Well-Child Visits in the First 15 Months of Life (W15)										
W15: 0 Visits	NA	8.70%	2.43%	2.59%	2.72%	2.19%	0.76%	0.44%	3.32%	2.78%
W15: 1 Visit	NA	6.96%	3.13%	3.77%	2.42%	3.89%	1.27%	1.14%	5.61%	2.78%
W15: 2 Visits	NA	8.70%	4.91%	3.77%	5.44%	3.41%	1.69%	2.25%	5.36%	4.17%
W15: 3 Visits	NA	5.80%	7.14%	6.84%	7.25%	9.00%	4.13%	4.38%	6.89%	8.80%
W15: 4 Visits	NA	11.30%	12.06%	9.67%	13.29%	12.41%	8.30%	8.90%	8.67%	9.95%
W15: 5 Visits	NA	13.04%	20.09%	17.69%	22.36%	18.00%	17.62%	16.57%	22.96%	15.51%
W15: >= 6 Visits	NA	45.51%	50.24%	55.66%	46.53%	51.09%	66.24%	66.32%	47.19%	56.02%
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (W34)										
W34: Rate	NA	49.31%	57.73%	58.17%	62.29%	61.56%	74.77%	71.57%	59.75%	62.20%
Adolescent Well-Care Visits (AWC)										
AWC: Rate	24.19%	29.30%	43.07%	38.92%	32.60%	29.93%	51.37%	45.18%	41.85%	45.37%
Frequency of Selected Procedures (FSP)*										
FSP: Bariatric Weight Loss Surgery F Ages 0-19 Procs/1000 MM	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
FSP: Bariatric Weight Loss Surgery F Ages 20-44 Procs/1000 MM	0.0606	0.0484	0.0484	0.0735	0.0133	0.0470	0.1214	0.1802	0.1019	0.1122
FSP: Bariatric Weight Loss Surgery F Ages 45-64 Procs/1000 MM	0.0760	0.0559	0.0299	0.0635	0.0220	0.0690	0.1416	0.1417	0.1140	0.0797
FSP: Bariatric Weight Loss Surgery M Ages 0-19 Procs/1000 MM	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
FSP: Bariatric Weight Loss Surgery M Ages 20-44 Procs/1000 MM	0.0068	0.0133	0.0062	0.0198	0.0101	0.0145	0.0202	0.0126	0.0218	0.0168
FSP: Bariatric Weight Loss Surgery M Ages 45-64 Procs/1000 MM	0.00	0.0176	0.0165	0.00	0.0087	0.0065	0.0139	0.0333	0.0032	0.0158
FSP: Tonsillectomy MF Ages 0-9 Procs/1000 MM	0.3529	0.4465	0.8471	0.9924	0.5569	0.6770	0.7830	0.7124	0.9962	1.0631
FSP: Tonsillectomy MF Ages 10-19 Procs/1000 MM	0.1478	0.3240	0.3645	0.4452	0.2378	0.3098	0.2974	0.4180	0.4114	0.4519
FSP: Hysterectomy Abdominal F Ages 15-44 Procs/1000 MM	0.3040	0.0974	0.2398	0.1983	0.2534	0.1691	0.2639	0.1735	0.2438	0.2049
FSP: Hysterectomy Abdominal F Ages 45-64 Procs/1000 MM	0.4015	0.2633	0.3967	0.3265	0.4325	0.2530	0.4142	0.2951	0.3542	0.2781
FSP: Hysterectomy Vaginal F Ages 15-44 Procs/1000 MM	0.2660	0.2670	0.2095	0.1910	0.2336	0.1885	0.3876	0.2359	0.3054	0.2931
FSP: Hysterectomy Vaginal F Ages 45-64 Procs/1000 MM	0.2062	0.2713	0.2005	0.2086	0.2932	0.1897	0.4299	0.2086	0.3202	0.2678
FSP: Cholecystectomy, Open M Ages 30-64 Procs/1000 MM	0.0568	0.0336	0.0488	0.0240	0.0402	0.0420	0.0843	0.0530	0.0264	0.0265
FSP: Cholecystectomy, Open F Ages 15-44 Procs/1000 MM	0.0443	0.0072	0.0182	0.0122	0.0396	0.0111	0.0277	0.0122	0.0138	0.0175
FSP: Cholecystectomy Open F Ages 45-64 Procs/1000 MM	0.0326	0.0239	0.0597	0.0408	0.0513	0.0115	0.0682	0.0472	0.0485	0.0327
FSP: Cholecystectomy Closed M Ages 30-64 Procs/1000 MM	0.6205	0.5708	0.7343	0.6487	0.6396	0.4813	0.6396	0.4813	0.5979	0.5331
FSP: Cholecystectomy Closed F Ages 15-44 Procs/1000 MM	1.1834	1.1632	1.4674	1.3551	1.0557	0.9748	1.0557	0.9748	1.2117	1.0922
FSP: Cholecystectomy Closed F Ages 45-64 Procs/1000 MM	1.1303	0.8842	1.1984	1.0734	1.0539	0.9838	1.0539	0.9838	1.1949	1.0292
FSP: Back Surgery M Ages 20-44 Procs/1000 MM	0.2795	0.2962	0.3512	0.3133	0.4911	0.3977	0.4639	0.4419	0.3289	0.3252
FSP: Back Surgery F Ages 20-44 Procs/1000 MM	0.2560	0.2055	0.2178	0.1438	0.2346	0.2569	0.3618	0.3539	0.2736	0.2745
FSP: Back Surgery M Ages 45-64 Procs/1000 MM	0.4736	0.5633	0.5814	0.4447	0.7566	0.8850	0.8518	0.9622	0.5764	0.6479
FSP: Back Surgery F Ages 45-64 Procs/1000 MM	0.4991	0.6304	0.4350	0.3854	0.5718	0.7934	0.8441	0.8027	0.5555	0.6706
FSP: Mastectomy F Ages 15-44 Procs/1000 MM	0.0127	0.0397	0.0206	0.0183	0.0198	0.0333	0.0369	0.0285	0.0580	0.0397
FSP: Mastectomy F Ages 45-64 Procs/1000 MM	0.1845	0.1037	0.1237	0.1360	0.1026	0.0747	0.2255	0.2086	0.1868	0.1656
FSP: Lumpectomy F Ages 15-44 Procs/1000 MM	0.2154	0.1335	0.1429	0.1436	0.1703	0.1442	0.1809	0.1776	0.1638	0.1390
FSP: Lumpectomy F Ages 45-64 Procs/1000 MM	0.4232	0.3032	0.2516	0.3491	0.4105	0.4025	0.4666	0.3778	0.3687	0.3742
Inpatient Utilization - General Hospital/Acute Care: Total (IPUA)*										

lower is better

2016 HEDIS Comparison

IPIUA: Total Discharges/1000 MM	8.3900	8.5145	9.1357	6.4017	9.5692	9.0153	10.2268	9.3783	10.3083	8.7509
IPIUA: Medicine Discharges/1000 MM	4.2807	3.2495	4.0825	2.9654	5.7227	5.4256	4.2401	4.1846	4.8379	4.1962
IPIUA: Surgery Discharges/1000 MM	3.2043	2.5127	1.3915	1.4332	2.2729	1.9785	2.9884	2.6832	2.5643	2.4882
IPIUA: Maternity Discharges/1000 MM	0.9543	3.2144	5.5974	2.9608	0.0795	0.7413	4.3682	3.4672	4.2072	2.8505
Antibiotic Utilization: Total (ABXA)*										
ABXA: Total # of Antibiotic Prescriptions M&F	57,282	91,285	581,787	522,693	103,836	161,342	246,773	306,015	619,303	698,331
ABXA: Average # of Antibiotic Prescriptions PMPY M&F	1.3237	1.1464	1.9956	1.8937	1.3616	1.4687	1.3410	1.3071	1.6401	1.6733
ABXA: Total Days Supplied for all Antibiotic Prescriptions M&F	194,431	316,979	2,100,422	1,874,976	343,612	544,103	844,213	1,039,303	2,174,511	2,413,170
ABXA: Average # Days Supplied per Antibiotic Prescription M&F	8.9840	9.0146	9.2431	9.2073	8.9377	8.9963	9.1313	9.1458	9.1620	9.0892
ABXA: Total # of Prescriptions for Antibiotics of Concern M&F	135	161	383	389	186	260	530	687	1,257	1,590
ABXA: Average # of Prescriptions for Antibiotics of Concern M&F	0.6674	0.5834	0.9504	0.9234	0.6460	0.7182	0.5537	0.5605	0.8100	0.8359
ABXA: Percent Antibiotics of Concern of all Antibiotic Prescriptions	50.42%	50.89%	47.62%	48.76%	47.44%	48.90%	41.29%	42.88%	49.38%	49.95%
Health Plan Descriptive Information										
Board Certification (BCR)*										
BCR: % of Family Medicine Board Certified	NA	68.56%	67.70%	67.96%	41.18%	40.46%	24.86%	22.67%	45.11%	47.12%
BCR: % of Internal Medicine Board Certified	NA	81.46%	77.23%	74.32%	65.28%	61.85%	39.86%	36.22%	47.87%	48.64%
BCR: % of OB/GYNs Board Certified	NA	81.84%	67.95%	87.50%	72.22%	70.13%	30.38%	16.61%	45.77%	47.91%
BCR: % of Pediatricians Board Certified	NA	81.72%	73.57%	86.21%	78.55%	79.16%	43.29%	39.66%	36.06%	34.11%
BCR: % of Geriatricians Board Certified	NA	76.32%	58.06%	50.00%	20.00%	25.00%	47.37%	42.11%	63.16%	61.29%
BCR: % of Other Physician Specialists Board Certified	NA	81.78%	81.84%	80.54%	68.44%	67.59%	16.69%	13.52%	38.37%	38.18%
Follow-Up after Hospitalization (FUH)										
FUH Follow-up Hosp Men Illness-7 Day	20.52%	23.54%	31.98%	41.62%	20.99%	29.03%	25.00%	62.05%	33.82%	35.12%
FUH Follow-up Hosp Men Illness-30 Day	37.02%	42.98%	55.82%	61.40%	39.35%	47.73%	49.55%	70.45%	57.18%	58.78%
Mental Health Utilization (MPT)										
MPT:MH Svs Any Tot F Pct	6.14%	6.15%	7.76%	8.51%	10.91%	11.09%	1.94%	11.27%	9.35%	10.28%
MPT:MH Svs Any Tot M Pct	5.32%	5.56%	8.33%	8.81%	9.99%	9.84%	4.15%	12.14%	9.47%	9.83%
MPT:MH Svs Any Tot Pct	5.74%	5.86%	8.02%	8.65%	10.47%	10.49%	2.95%	11.67%	9.41%	10.07%
MPT:MH Svs Intensive Tot F Pct	0.17%	0.20%	0.20%	0.35%	6.77%	6.60%	0.00%	0.73%	0.57%	0.48%
MPT:MH Svs Intensive Tot M Pct	0.16%	0.24%	0.23%	0.27%	6.37%	6.00%	0.00%	0.83%	0.64%	0.45%
MPT:MH Svs Intensive Tot Pct	0.16%	0.22%	0.21%	0.31%	6.58%	6.31%	0.00%	0.78%	0.60%	0.46%
MPT:MH Svs Inpat Tot F Pct	1.01%	1.02%	0.87%	0.95%	1.09%	1.07%	0.12%	0.17%	1.23%	1.21%
MPT:MH Svs Inpat Tot M Pct	1.33%	1.18%	0.90%	0.90%	1.48%	1.23%	0.15%	0.15%	1.27%	1.20%
MPT:MH Svs Inpat Tot Pct	1.16%	1.10%	0.88%	0.93%	1.28%	1.15%	0.13%	0.16%	1.25%	1.21%
MPT:MH Svs Outpat Tot F Pct	5.40%	5.45%	7.38%	8.10%	10.42%	10.63%	1.83%	11.16%	8.74%	9.71%
MPT:MH Svs Outpat Tot M Pct	4.36%	4.67%	7.98%	8.43%	9.23%	9.25%	4.01%	12.03%	8.77%	9.21%
MPT:MH Svs Outpat Tot Pct	4.90%	5.07%	7.65%	8.25%	9.85%	9.97%	2.82%	11.56%	8.76%	9.48%
Weeks of Pregnancy (WOP)										
WOP:Wks of Preg <0 week Pct	23.25%	33.10%	24.67%	66.49%	20.78%	43.84%	19.43%	45.68%	25.79%	62.96%
WOP:Wks of Preg 1-12 weeks Pct	20.30%	34.26%	43.65%	16.27%	30.75%	28.37%	32.55%	20.57%	41.74%	16.79%
WOP:Wks of Preg 13-27 weeks Pct	18.08%	15.74%	18.14%	9.08%	22.04%	15.50%	29.05%	18.57%	18.99%	11.61%
WOP:Wks of Preg 28+ weeks Pct	37.64%	14.12%	7.36%	5.38%	20.63%	8.57%	11.55%	10.53%	7.43%	5.70%
WOP:Wks of Preg Tot all Pregs Pct	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
WOP:Wks of Preg Unknown Pct	0.74%	2.78%	6.19%	2.79%	5.80%	3.72%	7.43%	4.65%	6.06%	2.95%
Antidepressant Medication Management (AMM)										
AMM:Rate - Effect.Acute Phase Treatment	69.55%	58.17%	62.35%	61.69%	68.35%	67.65%	62.67%	58.00%	52.29%	55.00%
AMM:Rate - Effect.Continuation Phase Treat.	62.05%	42.99%	46.78%	46.19%	59.71%	54.30%	46.83%	42.56%	37.61%	40.12%
Initiation and Engagement of Alcohol and other Drug (IET)										
IET:Rate - Engagement - 13-17 Years	NA	12.96%	12.69%	17.42%	15.00%	23.76%	2.56%	17.59%	16.76%	15.34%
IET:Rate - Engagement - 18+ Years	9.89%	11.34%	7.09%	9.64%	7.15%	10.28%	2.91%	8.03%	5.73%	11.13%
IET:Rate - Engagement - Total	9.87%	11.36%	7.43%	10.15%	7.27%	10.51%	2.89%	8.47%	6.16%	11.29%
IET:Rate - Initiation - 13-17 Years	NA	48.15%	37.86%	38.83%	47.50%	54.46%	13.92%	29.18%	41.26%	39.18%

2016 HEDIS Comparison

IET:Rate - Initiation - 18+ Years	34.29%	38.28%	32.77%	32.35%	25.59%	27.91%	25.92%	38.41%	30.36%	35.61%
IET:Rate - Initiation - Total	34.32%	38.41%	32.99%	32.77%	25.91%	38.68%	25.18%	27.97%	30.79%	35.74%
Identification of Alcohol and other Drug Services (IAD)										
IAD:ID Svs Outpat Tot Pct	7.11%	6.11%	3.52%	3.54%	6.91%	7.75%	3.89%	5.99%	5.24%	6.00%
IAD:D Svs Any Tot Pct	8.49%	7.26%	3.94%	3.93%	8.36%	9.03%	4.61%	6.77%	6.16%	6.96%
IAD:ID Svs Intensive Tot Pct	0.17%	0.35%	0.07%	0.19%	1.34%	2.16%	0.00%	0.61%	0.10%	0.17%
IAD:ID Svs Inpat Tot Pct	2.44%	2.03%	0.82%	0.79%	2.47%	2.32%	1.30%	1.46%	1.73%	1.94%
Ambulatory Care:(AMBA)										
AMB ER <1 Visit/1000	96.5873	91.0124	108.5707	113.6200	130.3760	100.6032	125.4888	125.6227	108.6537	114.9909
AMB ER 1-9 Visit/1000	73.9888	51.3617	59.7157	57.0900	64.9853	56.4813	61.8902	63.9475	62.3958	60.9427
AMB ER 10-19 Visit/1000	77.3950	54.0100	54.2953	52.8900	61.1736	52.8642	54.9351	56.4880	56.3890	56.1995
AMBA: TOTAL Outpatient Visits/1000 MM	348.44	368.80	571.16	494.58	415.84	463.53	367.69	381.60	546.89	557.24
AMBA: TOTAL Emergency Department Visits/1000 MM	87.05	75.36	79.32	74.39	92.71	80.89	84.33	84.20	85.15	83.17
Non Recommended Cervical Cancer Screening (NCS)										
NCS: Rate	13.13%	5.58%	7.86%	5.34%	6.37%	5.47%	6.00%	4.31%	7.57%	5.81%

lower is better