

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/03/2011
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 185170	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED C 07/28/2011
NAME OF PROVIDER OR SUPPLIER BRADFORD SQUARE CARE AND REHABILITATION CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1040 US 127 SOUTH FRANKFORT, KY 40601		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	<p>INITIAL COMMENTS</p> <p>CFR: 42 CFR 483.70(a)</p> <p>BUILDING: 01</p> <p>PLAN APPROVAL: 1976</p> <p>SURVEY UNDER: 2000 Existing</p> <p>FACILITY TYPE: S/NF</p> <p>TYPE OF STRUCTURE: One (1) story, Type III Unprotected</p> <p>FIRE ALARM: Complete fire alarm system with heat and smoke detectors.</p> <p>SPRINKLER SYSTEM: Complete automatic sprinkler system.</p> <p>GENERATOR: Type II</p> <p>A Life Safety Code abbreviated survey was conducted on 07/28/11 for Complaint KY16719. The complaint was found to be substantiated with no deficiencies cited. Bradford Square Care and Rehabilitation Center was found to meet the minimal requirements with 42 Title, Code of the Federal Regulations, 483.70(a) et seq. (Life Safety from Fire).</p>	K 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.