

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/02/2014  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>185103</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>04/17/2014</b>
--	---	--	---

NAME OF PROVIDER OR SUPPLIER  <b>THE TERRACE NURSING &amp; REHABILITATION CENTER</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>1043 BROOKLYN BOULEVARD BEREA, KY 40403</b>
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

F 000	<p>INITIAL COMMENTS</p> <p>A standard health survey was conducted on 04/15-17/14. No deficient practice was identified.</p>	F 000		
-------	---	-------	--	--

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/02/2014  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>185103</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING <b>01 - MAIN BUILDING 01</b>  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>04/15/2014</b>
NAME OF PROVIDER OR SUPPLIER  <b>THE TERRACE NURSING &amp; REHABILITATION CENTER</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>1043 BROOKLYN BOULEVARD BEREA, KY 40403</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	<p>INITIAL COMMENTS</p> <p>CFR: 42 CFR §483.70 (a)</p> <p>BUILDING: 01</p> <p>PLAN APPROVAL: 2003</p> <p>SURVEY UNDER: 2000 Existing (Short Form)</p> <p>FACILITY TYPE: SNF/NF</p> <p>TYPE OF STRUCTURE: One story, Type V (111)</p> <p>SMOKE COMPARTMENTS: 3</p> <p>COMPLETE SUPERVISED AUTOMATIC FIRE ALARM SYSTEM</p> <p>FULLY SPRINKLERED, SUPERVISED (DRY SYSTEM)</p> <p>EMERGENCY POWER: Type II Natural Gas generator</p> <p>A life safety code survey was initiated and concluded on 04/15/14, for compliance with Title 42, Code of Federal Regulations, §483.70 (a). The facility was found to be in compliance with NFPA 101 Life Safety Code, 2000 Edition.</p> <p>No deficiencies were identified during this survey.</p>	K 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.