

# Kentucky Department for Public Health Weekly Influenza Surveillance Report Morbidity and Mortality Weekly Report (MMWR) Week 48 November 26– December 2, 2017




## Current Influenza Activity Level: †Regional

**†Regional:** Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in at least two but less than half the regions of the state with recent laboratory evidence of influenza in those regions.

**\*Confirmed:** Influenza laboratory Confirmed Cases are defined by positive molecular virus (RT-PCR) or Virus Culture test results. Those positive test results are reportable in Kentucky. (Positive results for Rapid Influenza Diagnostic Tests are not included in this report)


Activity Level Range: Sporadic Local Regional Widespread

Update for week 48:		Update Total for weeks 36-48:	
<b>Lab Confirmed Influenza:</b>	<b>24 Cases</b>	<b>Lab Confirmed Total:</b>	<b>104 Cases</b>
<b>Number of Regions with Long Term Care Facility Outbreaks:</b>	<b>0 of 17 Regions</b>	<b>Total Number of Long Term Care Facility Outbreaks:</b>	<b>0 Outbreaks</b>
<b>Number of Regions with Confirmed Flu Cases:</b>	<b>6 of 17 Regions</b>	<b>Total Number of Regions with Confirmed Flu Cases:</b>	<b>12 of 17 Regions</b>
<b>Deaths Reported:</b>	<b>0 (under 18 years) 0 (18 years &amp; older)</b>	<b>Total Deaths Reported:</b>	<b>0 (under 18 years) 0 (18 years &amp; older)</b>
<b>Number of Regions with Increased ILI Activity:</b>	<b>10 of 17 Regions</b>		
<b>Number of Regions with Increased Influenza Activity (see page 3):</b>	<b>2 of 17 Regions</b>		




Kentucky Department for Public Health  
 Weekly Influenza Surveillance Report  
 MMWR Week 48: November 26– December 2, 2017


**Fig 1: Laboratory Confirmed Cases by Age**



**Fig 2: Laboratory Confirmed Cases by Influenza Virus Types**



**Fig 3: 2017-2018 Total Laboratory Confirmed Influenza Cases in Kentucky, by Reporting Week**



\*Confirmed: Influenza laboratory Confirmed Cases are defined by positive RT-PCR or Virus Culture test results

Kentucky Department for Public Health  
 Weekly Influenza Surveillance Report  
 MMWR Week 48: November 26 – December 2, 2017

Influenza Activity Determination Table					
		Category 1	Category 2	Category 3	Combined 1 or 2 plus 3
Regions	Number ILI Net Surveillance Sites Reporting / Total Enrolled Sites	Influenza Outbreaks Reported	Increased ILI Activity Reported	Laboratory Confirmed Influenza Reported	Include Region in Weekly Report for Increased Influenza Activity
Barren River	1/6		X		
Big Sandy	0/1			3	
Bluegrass Region	2/8			2	
Buffalo Trace / Gateway	0/3				
Capital Region	6/13		X		
Cumberland Valley	0/5		X		
FIVCO	1/3			1	
Green River	0/4		X		
Kentucky River	0/1		X		
Lake Cumberland	0/1				
Lexington - Fayette	4/7		X	3	X
Lincoln Trail	1/6				
Louisville-Metro	4/20		X	13	X
North Central	1/2			2	
Northern KY	4/11		X		
Pennyrile	0/2		X		
Purchase	1/3		X		
<b>**Total:</b>	25/94	0/17 regions	10/17 regions	6/17 regions	2/17 regions

\*\*Total number of regions reporting category of activity not total number of influenza cases

Kentucky National Electronic Disease Surveillance System (NEDSS) and U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet) Data. Department for Public Health, Cabinet for Health and Family Services, Frankfort, Kentucky, [November 26 – December 2, 2017].



National Data  
2017-2018 Influenza Season  
Week 47 ending November 25, 2017

*All data are preliminary and may change as more reports are received.*

*\*Week 48 will be available December 14th and will be attached on the next report.*

**Synopsis:**

During week 47 (November 19-25, 2017), influenza activity increased in the United States.

- **Viral Surveillance:** The most frequently identified influenza virus type reported by public health laboratories during week 47 was influenza A. The percentage of respiratory specimens testing positive for influenza in clinical laboratories is increasing.
- **Pneumonia and Influenza Mortality:** The proportion of deaths attributed to pneumonia and influenza (P&I) was below the system-specific epidemic threshold in the National Center for Health Statistics (NCHS) Mortality Surveillance System.
- **Influenza-associated Pediatric Deaths:** No influenza-associated pediatric deaths were reported.
- **Influenza-associated Hospitalizations:** A cumulative rate of 2.0 laboratory-confirmed influenza-associated hospitalizations per 100,000 population was reported.
- **Outpatient Illness Surveillance:** The proportion of outpatient visits for influenza-like illness (ILI) was 2.3%, which is above the national baseline of 2.2%. Regions 1, 4, 6 and 7 reported ILI at or above region-specific baseline levels. Three states experienced high ILI activity; one state experienced moderate ILI activity; 10 states experienced low ILI activity; the District of Columbia, New York City and 36 states experienced minimal ILI activity; and Puerto Rico had insufficient data.
- **Geographic Spread of Influenza:** The geographic spread of influenza in four states was reported as widespread; Guam and 10 states reported regional activity; Puerto Rico and 24 states reported local activity; and the District of Columbia, the U.S. Virgin Islands and 12 states reported sporadic activity.

Weekly U.S. Influenza Surveillance Report. Centers for Disease Control and Prevention.

<https://www.cdc.gov/flu/weekly/index.htm>, Retrieved: 12/5/2017.