

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/18/2013
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 185222	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 04/25/2013
NAME OF PROVIDER OR SUPPLIER GOOD SHEPHERD COMMUNITY NURSING CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 60 PHILLIPS BRANCH ROAD PHELPS, KY 41553		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS A standard survey was conducted on 04/23-25/13. No deficient practice was identified.	F 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/18/2013
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 185222	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 04/25/2013
NAME OF PROVIDER OR SUPPLIER GOOD SHEPHERD COMMUNITY NURSING CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 60 PHILLIPS BRANCH ROAD PHELPS, KY 41553		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	<p>INITIAL COMMENTS</p> <p>CFR: 42 CFR §483.70 (a)</p> <p>BUILDING: 01</p> <p>PLAN APPROVAL: 1977</p> <p>SURVEY UNDER: 2000 Existing</p> <p>FACILITY TYPE: SNF/NF</p> <p>TYPE OF STRUCTURE: One story, Type 111 (000)</p> <p>SMOKE COMPARTMENTS: Five</p> <p>COMPLETE SUPERVISED AUTOMATIC FIRE ALARM SYSTEM</p> <p>FULLY SPRINKLERED, SUPERVISED (DRY SYSTEM)</p> <p>EMERGENCY POWER: Type II Propane generator</p> <p>A life safety code survey was initiated on 04/24/13 and concluded on 04/25/13, for compliance with Title 42, Code of Federal Regulations, §483.70 (a). The facility was found to be in compliance with NFPA 101 Life Safety Code, 2000 Edition.</p> <p>No deficiencies were identified during this survey.</p>	K 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.