

Kentucky Department for Medicaid Services

Drug Review Options

The following chart lists the agenda items scheduled and the options submitted for review at the November 18, 2010 meeting of the Pharmacy and Therapeutics Advisory Committee

Item	Options for Consideration																		
<u>Suboxone® / Subutex®</u> <u>Clinical Criteria</u>	<p>Length of Authorization: Initially: 2 months at a 10 days supply per fill (10 days supply with 2 refills for 2 months) After the initial 2 months of therapy: 6 months</p> <p>All of the following must be met:</p> <ol style="list-style-type: none"> 1. Diagnosis of active opiate dependency or opiate dependency on buprenorphine via an ICD-9 submitted with the claim or seen in medical history. 																		
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #e0e0e0;"> <th style="width: 20%;">ICD-9</th> <th>Diagnosis</th> </tr> </thead> <tbody> <tr> <td>304.00</td> <td>Opioid Type Dependence, Unspecified Use Heroin; Meperidine; Methadone; Morphine; Opium; Opium alkaloids and their derivatives; Synthetics with morphine-like effects</td> </tr> <tr> <td>304.01</td> <td>Opioid Type Dependence, Continuous Use Heroin; Meperidine; Methadone; Morphine; Opium; Opium alkaloids and their derivatives; Synthetics with morphine-like effects</td> </tr> <tr> <td>304.02</td> <td>Opioid Type Dependence, Episodic Use Heroin; Meperidine; Methadone; Morphine; Opium; Opium alkaloids and their derivatives; Synthetics with morphine-like effects</td> </tr> <tr> <td>304.03</td> <td>Opioid Type Dependence, In Remission Heroin; Meperidine; Methadone; Morphine; Opium; Opium alkaloids and their derivatives; Synthetics with morphine-like effects</td> </tr> <tr> <td>304.70</td> <td>Combinations Of Opioid Type Drug With Any Other Drug Dependence, Unspecified Use</td> </tr> <tr> <td>304.71</td> <td>Combinations Of Opioid Type Drug With Any Other Drug Dependence, Continuous Use</td> </tr> <tr> <td>304.72</td> <td>Combinations Of Opioid Type Drug With Any Other Drug Dependence, Episodic Use</td> </tr> <tr> <td>304.73</td> <td>Combinations Of Opioid Type Drug With Any Other Drug Dependence, In Remission</td> </tr> </tbody> </table>	ICD-9	Diagnosis	304.00	Opioid Type Dependence, Unspecified Use Heroin; Meperidine; Methadone; Morphine; Opium; Opium alkaloids and their derivatives; Synthetics with morphine-like effects	304.01	Opioid Type Dependence, Continuous Use Heroin; Meperidine; Methadone; Morphine; Opium; Opium alkaloids and their derivatives; Synthetics with morphine-like effects	304.02	Opioid Type Dependence, Episodic Use Heroin; Meperidine; Methadone; Morphine; Opium; Opium alkaloids and their derivatives; Synthetics with morphine-like effects	304.03	Opioid Type Dependence, In Remission Heroin; Meperidine; Methadone; Morphine; Opium; Opium alkaloids and their derivatives; Synthetics with morphine-like effects	304.70	Combinations Of Opioid Type Drug With Any Other Drug Dependence, Unspecified Use	304.71	Combinations Of Opioid Type Drug With Any Other Drug Dependence, Continuous Use	304.72	Combinations Of Opioid Type Drug With Any Other Drug Dependence, Episodic Use	304.73	Combinations Of Opioid Type Drug With Any Other Drug Dependence, In Remission
	ICD-9	Diagnosis																	
	304.00	Opioid Type Dependence, Unspecified Use Heroin; Meperidine; Methadone; Morphine; Opium; Opium alkaloids and their derivatives; Synthetics with morphine-like effects																	
	304.01	Opioid Type Dependence, Continuous Use Heroin; Meperidine; Methadone; Morphine; Opium; Opium alkaloids and their derivatives; Synthetics with morphine-like effects																	
	304.02	Opioid Type Dependence, Episodic Use Heroin; Meperidine; Methadone; Morphine; Opium; Opium alkaloids and their derivatives; Synthetics with morphine-like effects																	
	304.03	Opioid Type Dependence, In Remission Heroin; Meperidine; Methadone; Morphine; Opium; Opium alkaloids and their derivatives; Synthetics with morphine-like effects																	
	304.70	Combinations Of Opioid Type Drug With Any Other Drug Dependence, Unspecified Use																	
	304.71	Combinations Of Opioid Type Drug With Any Other Drug Dependence, Continuous Use																	
	304.72	Combinations Of Opioid Type Drug With Any Other Drug Dependence, Episodic Use																	
304.73	Combinations Of Opioid Type Drug With Any Other Drug Dependence, In Remission																		
<ol style="list-style-type: none"> 2. Patient must be 16 years of age or older. 3. The prescriber's UIN number must be written on the PA form. 4. There must be evidence of active substance abuse counseling. 5. After 8 months of therapy, patient shows no evidence of drug dependence on alcohol or illicit drugs. 6. Prescriber must perform monthly KASPER report. 7. Prescriber must perform monthly drug screens and must submit that report with each PA request. 8. Request must come from prescriber. 																			

	<p>Additionally any claim for Suboxone[®]/Subutex[®] will require prior approval if there is a claim for any opioid in the past 30 days of history. Prescribers will be made aware of the narcotic in history and overrides will be granted if:</p> <ul style="list-style-type: none"> • Prescriber verifies knowledge of patient’s relapse, and agrees to increase psychosocial counseling; OR • Narcotic analgesic is being used short-term (30 days or less) for an acute injury leading to acute pain. <p style="text-align: center;">Proposed Quantity Limits:</p> <ul style="list-style-type: none"> • Subutex[®] <ul style="list-style-type: none"> ○ 2 mg: 3 tablets/day ○ 8 mg: 3 tablets/day • Suboxone[®] <ul style="list-style-type: none"> ○ 2 mg/0.5 mg: 3 tablets/day ○ 8 mg/2 mg: 3 tablets/day <p style="text-align: center;">Tapering Criteria:</p> <p>After the initial 8 months of therapy, recipients will be required to taper therapy to a level that holds the patient in treatment and suppresses opioid withdrawal effects.</p>
<u>Branded Products with Generic Components</u>	<p>Require prior authorization for the following products:</p> <ul style="list-style-type: none"> • Clobeta + Plus[®] • Ketocon + Plus[®] • Cocet Plus[®] • Atuss DS[®]
<u>New Products to Market: Xeomin[®]</u>	<p>Allow this product to pay if one of the following is true:</p> <ul style="list-style-type: none"> ▪ Diagnosis of cervical dystonia; OR ▪ Diagnosis of blepharospasm after trial and failure of onabotulinumtoxinA (Botox[®]).
<u>New Products to Market: Gilenya[®]</u>	<p>Prior to approval of fingolimod, require trial and failure of one of the following:</p> <ul style="list-style-type: none"> • Interferon beta-1a; OR • Interferon beta-1b; OR • Glatiramer acetate.
<u>New Products to Market: Xerese[®]</u>	<p>Place this product non preferred in the PDL class titled Dermatologics: Anti-virals.</p>
<u>New Products to Market: Tribenzor[®]</u>	<p>Place this product non preferred with similar approval criteria in the PDL class titled Angiotensin Receptor Blockers + CCB (DHP).</p>
<u>New Products to Market: Tekamlo[®]</u>	<p>Place this product non preferred with similar approval criteria in the PDL class titled Direct Renin Inhibitors.</p>

Item	Options for Consideration																								
<p align="center"><u>Typical Antipsychotics</u></p>	<ol style="list-style-type: none"> 1. DMS to select preferred agent(s) based on economic evaluation; however, at least four unique chemical entities, at least one representing an agent from each of the potency groups, should be preferred. 2. Agents not selected as preferred will be considered non preferred and require prior authorization 3. Allow continuation of therapy for non preferred single source branded products via a 90 day look back. 4. For any new chemical entity in the Antipsychotics: Typical class, require a PA until reviewed by the P&T Advisory Committee. 																								
<p align="center"><u>Atypical Antipsychotics</u></p>	<ol style="list-style-type: none"> 1. DMS to select preferred agent(s) based on economic evaluation; however, at least five unique chemical entities should be preferred. 2. Require appropriate ICD-9 on all prescriptions for agents within this class. 3. Place quantity limits on all agents in the class. 4. Allow only two agents at a time unless switching agents due to therapeutic failure or the patient is refractory to dual therapy. 5. Allow continuation of therapy for non preferred single source branded products via a 90 day look back. 6. All products in the category should have a tier 1 copay regardless of preferred or non preferred status. 7. For any new chemical entity in the Antipsychotics: Atypical class, require a PA until reviewed by the P&T Advisory Committee. 																								
<p align="center"><u>Atypical Antipsychotics Clinical Criteria</u></p>	<p>Preferred Atypical Antipsychotics will be allowed for the following diagnoses only.</p> <table border="1" data-bbox="415 1041 1539 1890"> <thead> <tr> <th data-bbox="415 1041 711 1077">Approvable ICD-9</th> <th data-bbox="717 1041 1539 1077">Approvable Diagnosis Description</th> </tr> </thead> <tbody> <tr> <td colspan="2" data-bbox="415 1085 1539 1115" style="text-align: center;">Schizophrenic disorders</td> </tr> <tr> <td data-bbox="415 1123 711 1173">295.00</td> <td data-bbox="717 1123 1539 1173">Simple Type Schizophrenia, Unspecified State Schizophrenia simplex</td> </tr> <tr> <td data-bbox="415 1182 711 1232">295.01</td> <td data-bbox="717 1182 1539 1232">Simple Type Schizophrenia, Subchronic State Schizophrenia simplex</td> </tr> <tr> <td data-bbox="415 1241 711 1291">295.02</td> <td data-bbox="717 1241 1539 1291">Simple Type Schizophrenia, Chronic State Schizophrenia simplex</td> </tr> <tr> <td data-bbox="415 1299 711 1409">295.03</td> <td data-bbox="717 1299 1539 1409">Simple Type Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia simplex</td> </tr> <tr> <td data-bbox="415 1417 711 1526">295.04</td> <td data-bbox="717 1417 1539 1526">Simple Type Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia simplex</td> </tr> <tr> <td data-bbox="415 1535 711 1585">295.05</td> <td data-bbox="717 1535 1539 1585">Simple Type Schizophrenia, In Remission Schizophrenia simplex</td> </tr> <tr> <td data-bbox="415 1593 711 1644">295.10</td> <td data-bbox="717 1593 1539 1644">Disorganized Type Schizophrenia, Unspecified State Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="415 1652 711 1703">295.11</td> <td data-bbox="717 1652 1539 1703">Disorganized Type Schizophrenia, Subchronic State Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="415 1711 711 1761">295.12</td> <td data-bbox="717 1711 1539 1761">Disorganized Type Schizophrenia, Chronic State Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="415 1770 711 1890">295.13</td> <td data-bbox="717 1770 1539 1890">Disorganized Type Schizophrenia, Subchronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia</td> </tr> </tbody> </table>	Approvable ICD-9	Approvable Diagnosis Description	Schizophrenic disorders		295.00	Simple Type Schizophrenia, Unspecified State Schizophrenia simplex	295.01	Simple Type Schizophrenia, Subchronic State Schizophrenia simplex	295.02	Simple Type Schizophrenia, Chronic State Schizophrenia simplex	295.03	Simple Type Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia simplex	295.04	Simple Type Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia simplex	295.05	Simple Type Schizophrenia, In Remission Schizophrenia simplex	295.10	Disorganized Type Schizophrenia, Unspecified State Hebephrenia; Hebephrenic type schizophrenia	295.11	Disorganized Type Schizophrenia, Subchronic State Hebephrenia; Hebephrenic type schizophrenia	295.12	Disorganized Type Schizophrenia, Chronic State Hebephrenia; Hebephrenic type schizophrenia	295.13	Disorganized Type Schizophrenia, Subchronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia
Approvable ICD-9	Approvable Diagnosis Description																								
Schizophrenic disorders																									
295.00	Simple Type Schizophrenia, Unspecified State Schizophrenia simplex																								
295.01	Simple Type Schizophrenia, Subchronic State Schizophrenia simplex																								
295.02	Simple Type Schizophrenia, Chronic State Schizophrenia simplex																								
295.03	Simple Type Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia simplex																								
295.04	Simple Type Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia simplex																								
295.05	Simple Type Schizophrenia, In Remission Schizophrenia simplex																								
295.10	Disorganized Type Schizophrenia, Unspecified State Hebephrenia; Hebephrenic type schizophrenia																								
295.11	Disorganized Type Schizophrenia, Subchronic State Hebephrenia; Hebephrenic type schizophrenia																								
295.12	Disorganized Type Schizophrenia, Chronic State Hebephrenia; Hebephrenic type schizophrenia																								
295.13	Disorganized Type Schizophrenia, Subchronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia																								

295.14	Disorganized Type Schizophrenia, Chronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia
295.15	Disorganized Type Schizophrenia, In Remission Hebephrenia; Hebephrenic type schizophrenia
295.20	Catatonic Type Schizophrenia, Unspecified State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.21	Catatonic Type Schizophrenia, Subchronic State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.22	Catatonic Type Schizophrenia, Chronic State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.23	Catatonic Type Schizophrenia, Subchronic State With Acute Exacerbation Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.24	Catatonic Type Schizophrenia, Chronic State With Acute Exacerbation Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.25	Catatonic Type Schizophrenia, In Remission Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.30	Paranoid Type Schizophrenia, Unspecified State Paraphrenic schizophrenia
295.31	Paranoid Type Schizophrenia, Subchronic State Paraphrenic schizophrenia
295.32	Paranoid Type Schizophrenia, Chronic State Paraphrenic schizophrenia
295.33	Paranoid Type Schizophrenia, Subchronic State With Acute Exacerbation Paraphrenic schizophrenia
295.34	Paranoid Type Schizophrenia, Chronic State With Acute Exacerbation Paraphrenic schizophrenia
295.35	Paranoid Type Schizophrenia, In Remission Paraphrenic schizophrenia
295.40	Schizophreniform Disorder, Unspecified State Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type

295.41	Schizophreniform Disorder, Subchronic State Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.42	Schizophreniform Disorder, Chronic State Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.43	Schizophreniform Disorder, Subchronic State With Acute Exacerbation Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.44	Schizophreniform Disorder, Chronic State With Acute Exacerbation Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.45	Schizophreniform Disorder, In Remission Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.50	Latent Schizophrenia, Unspecified State Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.51	Latent Schizophrenia, Subchronic State Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.52	Latent Schizophrenia, Chronic State Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.53	Latent Schizophrenia, Subchronic State With Acute Exacerbation Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.54	Latent Schizophrenia, Chronic State With Acute Exacerbation Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.55	Latent Schizophrenia, In Remission Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.60	Residual Schizophrenia, Unspecified State Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.61	Residual Schizophrenia, Subchronic State Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state

295.62	Residual Schizophrenia, Chronic State Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.63	Residual Schizophrenia, Subchronic State With Acute Exacerbation Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.64	Residual Schizophrenia, Chronic State With Acute Exacerbation Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.65	Residual Schizophrenia, In Remission Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.70	Schizoaffective Disorder, Unspecified State Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.71	Schizoaffective Disorder, Subchronic State Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.72	Schizoaffective Disorder, Chronic State Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.73	Schizoaffective Disorder, Subchronic State With Acute Exacerbation Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.74	Schizoaffective Disorder, Chronic State With Acute Exacerbation Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.75	Schizoaffective Disorder, In Remission Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.80	Other Specified Types Of Schizophrenia, Unspecified State Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia
295.81	Other Specified Types Of Schizophrenia, Subchronic State Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia
295.82	Other Specified Types Of Schizophrenia, Chronic State Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia

295.83	Other Specified Types Of Schizophrenia, Subchronic State With Acute Exacerbation Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia
295.84	Other Specified Types Of Schizophrenia, Chronic State With Acute Exacerbation Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia
295.85	Other Specified Types Of Schizophrenia, In Remission Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia
295.90	Unspecified Schizophrenia, Unspecified State Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.91	Unspecified Schizophrenia, Subchronic State Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.92	Unspecified Schizophrenia, Chronic State Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.93	Unspecified Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.94	Unspecified Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.95	Unspecified Schizophrenia, In Remission Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
Episodic Mood Disorders	
296.00	Bipolar I Disorder, Single Manic Episode, Unspecified Degree {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified
296.01	Bipolar I Disorder, Single Manic Episode, Mild Degree {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified
296.02	Bipolar I Disorder, Single Manic Episode, Moderate Degree {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified

296.03	Bipolar I Disorder, Single Manic Episode Severe Degree, Without Mention Of Psychotic Behavior {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified
296.04	Bipolar I Disorder, Single Manic Episode, Severe Degree, Specified As With Psychotic Behavior {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified
296.05	Bipolar I Disorder, Single Manic Episode, In Partial Or Unspecified Remission {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified
296.06	Bipolar I Disorder, Single Manic Episode, In Full Remission {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified
296.10	Manic Disorder, Recurrent Episode, Unspecified Degree Any condition classifiable to 296.0, stated to be recurrent
296.11	Manic Disorder, Recurrent Episode, Mild Degree Any condition classifiable to 296.0, stated to be recurrent
296.12	Manic Disorder, Recurrent Episode, Moderate Degree Any condition classifiable to 296.0, stated to be recurrent
296.13	Manic Disorder, Recurrent Episode, Severe Degree, Without Mention Of Psychotic Behavior Any condition classifiable to 296.0, stated to be recurrent
296.14	Manic Disorder, Recurrent Episode, Severe Degree, Specified As With Psychotic Behavior Any condition classifiable to 296.0, stated to be recurrent
296.15	Manic Disorder, Recurrent Episode, In Partial Or Unspecified Remission Any condition classifiable to 296.0, stated to be recurrent
296.16	Manic Disorder, Recurrent Episode, In Full Remission Any condition classifiable to 296.0, stated to be recurrent
296.40	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Unspecified Degree Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.41	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Mild Degree Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.42	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Moderate Degree Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic

296.43	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Severe Degree, Without Mention Of Psychotic Behavior Bipolar disorder, now manic Manic-depressive psychosis, circular type but currently manic
296.44	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Severe Degree, Specified As With Psychotic Behavior Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.45	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, In Partial Or Unspecified Remission Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.46	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, In Full Remission Bipolar disorder, now manic Manic-depressive psychosis, circular type but currently manic
296.50	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Unspecified Degree Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.51	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Mild Degree Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.52	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Moderate Degree Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.53	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Severe Degree, Without Mention Of Psychotic Behavior Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.54	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Severe Degree, Specified As With Psychotic Behavior Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.55	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, In Partial Or Unspecified Remission Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.56	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, In Remission Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.60	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Unspecified Degree Manic-depressive psychosis, circular type, mixed

296.61	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Mild Degree Manic-depressive psychosis, circular type, mixed
296.62	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Moderate Degree Manic-depressive psychosis, circular type, mixed
296.63	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Severe Degree, Without Mention Of Psychotic Behavior Manic-depressive psychosis, circular type, mixed
296.64	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Severe Degree, Specified As With Psychotic Behavior Manic-depressive psychosis, circular type, mixed
296.65	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, In Partial Or Unspecified Remission Manic-depressive psychosis, circular type, mixed
296.66	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, In Full Remission Manic-depressive psychosis, circular type, mixed
296.7	Bipolar I disorder, most recent episode 9or current0 unspecified
296.80	Bipolar Disorder, Unspecified Bipolar disorder NOS; Manic-depressive: reaction NOS, syndrome NOS
296.81	Atypical Manic Disorder
296.82	Atypical Depressive Disorder
296.89	Other Manic-depressive Psychosis Bipolar II Disorder; Manic-depressive psychosis, mixed type
296.90	Unspecified Episodic Mood Disorder Affective psychosis NOS; Melancholia NOS; Mood disorder NOS
296.99	Other Specified Episodic Mood Disorder Mood swings: brief compensatory, rebound
Delusional disorders	
297.0	Paranoid State, Simple
297.1	Delusional Disorder Chronic paranoid psychosis; Sander's disease; Systematized delusions
297.2	Paraphrenia Involutional paranoid state; Late paraphrenia; Paraphrenia (involutional)
297.3	Shared Psychotic Disorder Folie a deux; Induced psychosis or paranoid disorder
297.8	Other Specified Paranoid States Paranoia querulans; Sensitiver Beziehungswahn
297.9	Unspecified Paranoid State Paranoid: disorder NOS, psychosis NOS, reaction NOS, state NOS
298.0	Depressive Type Psychosis Psychogenic depressive psychosis; Psychotic reactive depression; Reactive depressive psychosis

298.1	Excitative Type Psychosis Acute hysterical psychosis; Psychogenic excitation; Reactive excitation
298.2	Reactive Confusion Psychogenic confusion; Psychogenic twilight state
298.3	Acute Paranoid Reaction Acute psychogenic paranoid psychosis; Bouffee delirante
298.4	Psychogenic Paranoid Psychosis Protracted reactive paranoid psychosis
298.8	Other And Unspecified Reactive Psychosis Brief psychotic disorder; Brief reactive psychosis NOS; Hysterical psychosis; Psychogenic psychosis NOS; Psychogenic stupor
298.9	Unspecified Psychosis Atypical psychosis; Psychosis NOS; Psychotic disorder NOS
301.20	Schizoid Personality Disorder, Unspecified
301.21	Introverted Personality
301.22	Schizotypal Personality Disorder
Autism	
299.00	Autistic Disorder Childhood autism; Infantile psychosis; Kanner's syndrome
299.01	Autistic Disorder, Residual State Childhood autism; Infantile psychosis; Kanner's syndrome
299.10	Childhood Disintegrative Disorder, Current Or Active State Heller's syndrome
299.11	Childhood Disintegrative Disorder, Residual State Heller's syndrome
299.80	Other Specified Pervasive Developmental Disorders, Current Or Active State Atypical childhood psychosis; Borderline psychosis of childhood
299.81	Other Specified Pervasive Developmental Disorders, Residual State Atypical childhood psychosis; Borderline psychosis of childhood
299.90	Unspecified Pervasive developmental disorder, Current Or Active State Child psychosis NOS; Schizophrenia, childhood type NOS; Schizophrenic syndrome of childhood NOS
299.91	Unspecified Pervasive developmental disorder, Residual State Child psychosis NOS; Schizophrenia, childhood type NOS; Schizophrenic syndrome of childhood NOS
Dementias	
290.0	Senile Dementia, Uncomplicated Senile dementia: NOS, simple type
290.10	Presenile Dementia, Uncomplicated Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia: NOS, simple type

290.11	Presenile Dementia, With Delirium Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia with acute confusional state
290.12	Presenile Dementia, With Delusional Features Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia, paranoid type
290.13	Presenile Dementia, With Depressive Features Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia, depressed type
290.20	Senile Dementia With Delusional Features Senile dementia, paranoid type; Senile psychosis NOS
290.21	Senile Dementia With Depressive Features
290.3	Senile Dementia With Delirium Senile dementia with acute confusional state
290.40	Vascular Dementia, Uncomplicated Arteriosclerotic dementia: NOS, simple type; Multi-infarct dementia or psychosis
290.41	Vascular Dementia, With Delirium Arteriosclerotic dementia with acute confusional state; Multi-infarct dementia or psychosis
290.42	Vascular Dementia, With Delusions Arteriosclerotic dementia, paranoid type; Multi-infarct dementia or psychosis
290.43	Vascular Dementia, With Depressed Mood Arteriosclerotic dementia, depressed type; Multi-infarct dementia or psychosis
290.8	Other Specified Senile Psychotic Conditions Presbyophrenic psychosis
290.9	Unspecified Senile Psychotic Condition
Dissociative, Conversion And Factitious Disorders	
300.10	Hysteria, Unspecified
300.11	Conversion Disorder Astasia-abasia, hysterical; Conversion hysteria or reaction; Hysterical: blindness, deafness, paralysis
300.12	Dissociative Amnesia Hysterical amnesia
300.13	Dissociative Fugue Hysterical fugue
300.14	Dissociative Identity Disorder
300.15	Dissociative Disorder Or Reaction, Unspecified
300.16	Factitious Disorder With Predominantly Psychological Signs And Symptoms Compensation neurosis; Ganser's syndrome, hysterical

300.19	Other And Unspecified Factitious Illness Factitious Disorder (with combined psychological and physical signs and symptoms) (with predominantly physical signs and symptoms) NOS
Other	
292.11	Drug-Induced Psychotic Disorder With Delusions Paranoid state induced by drugs
292.12	Drug-Induced Psychotic Disorder With Hallucinations Hallucinatory state induced by drugs
293.81	Psychotic Disorder With Delusions In Conditions Classified Elsewhere Transient organic psychotic condition, paranoid type
293.82	Psychotic Disorder With Hallucinations In Conditions Classified Elsewhere Transient organic psychotic condition, hallucinatory type
307.20	Tic Disorder, Unspecified Tic disorder NOS
307.21	Transient Tic Disorder
307.22	Chronic Motor Or Vocal Tic Disorder
307.23	Tourette's Disorder Motor-verbal tic disorder
313.81	Oppositional Defiant Disorder Of Childhood Or Adolescence
333.4	Huntington's Chorea

*Non preferred Atypical Antipsychotics will be approved after a 2-week trial of ONE preferred Atypical Antipsychotic at an appropriate dose. If Invega® is selected as non preferred, approval will be granted if one of the following is true:

- Trial and failure of risperidone ; OR
- Patient has hepatic impairment evident by elevated liver enzymes or a diagnosis suggestive of hepatic impairment

**For a diagnosis not specifically mentioned above, an atypical may be approved if the prescriber can provide documented clinical evidence (peer reviewed literature or multiple case studies) supporting the use of the requested medication for the requested indication.

Major Depressive Disorder (MDD) Criteria:

Atypical Antipsychotics will be approved for MDD as adjunct therapy ONLY. Atypicals will be approved if any ONE of the following is true:

- An adequate trial (4 weeks) of at least one agent in two of the following classes of antidepressants (unless contraindicated or intolerant to):
 - Selective Serotonins Reuptake Inhibitor (SSRIs)
 - Serotonin-Norepinephrine Reuptake Inhibitor (SNRIs)
 - New Generation Antidepressants
 - Tricyclic antidepressants (TCAs); OR
- A diagnosis of Major Depressive Disorder (MDD) with psychotic features.

Multiple Agents Criteria:

Patients who are on more than 2 Atypical Antipsychotic agents will require PA. Approval will be granted for the following reasons:

- A maximum of 2 months to allow patients to taper to dual therapy.
- Additional agents may be added to existing dual therapy after a 2-week trial at the maximum tolerated dose of each agent.

Proposed Quantity Limits:

Drug	Strength	Per Day Count
Abilify [®]	All Strengths	1 per day (30 mg per day max)
Abilify Discmelt [®]	All Strengths	2 per day (30 mg per day max)
Abilify [®] oral solution	1mg/mL	25 mL per day (30 mg per day max)
Clozaril [®] / clozapine	12.5 mg	3 per day (900 mg per day max)
	25 mg	3 per day (900 mg per day max)
	50 mg	3 per day (900 mg per day max)
	100 mg	9 per day (900 mg per day max)
	200 mg	4 per day (900 mg per day max)
Fanapt [™]	All Strengths	2 per day (24 mg per day max)
FazaClo ODT [®]	12.5 mg	3 per day (900 mg per day max)
	25 mg	3 per day (900 mg per day max)
	50 mg	3 per day (900 mg per day max)
	100 mg	9 per day (900 mg per day max)
Geodon [®]	All Strengths	2 per day (160 mg per day max)
Invega [®]	1.5 mg	1 per day (12 mg per day max)
	3 mg	1 per day (12 mg per day max)
	6 mg	2 per day (12 mg per day max)
	9 mg	1 per day (12 mg per day max)
Risperdal [®] / risperidone	All Strengths	2 per day (8 mg per day max)
Risperdal [®] / risperidone oral solution	1 mg/mL	8 mL per day (8 mg per day max)
Saphris [®]	All Strengths	2 per day (20 mg per day max)
Seroquel [®]	25 mg	3 per day (800 mg per day max)
	50 mg	3 per day (800 mg per day max)
	100 mg	3 per day (800 mg per day max)
	200 mg	3 per day (800 mg per day max)
	300 mg	2 per day (800 mg per day max)
	400 mg	2 per day (800 mg per day max)
Seroquel XR [®]	50 mg	2 per day (800 mg per day max)
	150 mg	1 per day (800 mg per day max)
	200 mg	1 per day (800 mg per day max)
	300 mg	2 per day (800 mg per day max)
	400 mg	2 per day (800 mg per day max)
Zyprexa [®] / Zyprexa Zydys [®]	All Strengths	1 per day

Item	Options for Consideration																												
<p align="center"><u>Injectable Antipsychotics</u></p>	<ol style="list-style-type: none"> DMS to select preferred agent(s) based on economic evaluation. Generic formulations of first generation injectable antipsychotics should be preferred. Additionally, two unique second generation injectable antipsychotics, one of which should have a duration of action of 2 weeks or longer, should be preferred. Require appropriate ICD-9 on all prescriptions for agents within this class. Allow only two agents at a time unless switching agents due to therapeutic failure or the patient is refractory to dual therapy. Allow continuation of therapy for non preferred single source branded products via a 90 day look back. All products in the category should have a tier 1 copay regardless of preferred or non preferred status. For any new chemical entity in the Injectable Antipsychotics class, require a PA until reviewed by the P&T Advisory Committee. 																												
<p align="center"><u>Injectable Antipsychotics Clinical Criteria</u></p>	<p>Preferred Injectable Antipsychotics will be allowed for the following diagnoses only.</p> <table border="1" data-bbox="423 762 1550 1892"> <thead> <tr> <th data-bbox="423 762 711 800">Approvable ICD-9</th> <th data-bbox="711 762 1550 800">Approvable Diagnosis Description</th> </tr> </thead> <tbody> <tr> <td colspan="2" data-bbox="423 800 1550 833" style="text-align: center;">Schizophrenic disorders</td> </tr> <tr> <td data-bbox="423 833 711 900">295.00</td> <td data-bbox="711 833 1550 900">Simple Type Schizophrenia, Unspecified State Schizophrenia simplex</td> </tr> <tr> <td data-bbox="423 900 711 968">295.01</td> <td data-bbox="711 900 1550 968">Simple Type Schizophrenia, Subchronic State Schizophrenia simplex</td> </tr> <tr> <td data-bbox="423 968 711 1035">295.02</td> <td data-bbox="711 968 1550 1035">Simple Type Schizophrenia, Chronic State Schizophrenia simplex</td> </tr> <tr> <td data-bbox="423 1035 711 1140">295.03</td> <td data-bbox="711 1035 1550 1140">Simple Type Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia simplex</td> </tr> <tr> <td data-bbox="423 1140 711 1245">295.04</td> <td data-bbox="711 1140 1550 1245">Simple Type Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia simplex</td> </tr> <tr> <td data-bbox="423 1245 711 1312">295.05</td> <td data-bbox="711 1245 1550 1312">Simple Type Schizophrenia, In Remission Schizophrenia simplex</td> </tr> <tr> <td data-bbox="423 1312 711 1379">295.10</td> <td data-bbox="711 1312 1550 1379">Disorganized Type Schizophrenia, Unspecified State Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="423 1379 711 1484">295.11</td> <td data-bbox="711 1379 1550 1484">Disorganized Type Schizophrenia, Subchronic State Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="423 1484 711 1551">295.12</td> <td data-bbox="711 1484 1550 1551">Disorganized Type Schizophrenia, Chronic State Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="423 1551 711 1656">295.13</td> <td data-bbox="711 1551 1550 1656">Disorganized Type Schizophrenia, Subchronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="423 1656 711 1761">295.14</td> <td data-bbox="711 1656 1550 1761">Disorganized Type Schizophrenia, Chronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="423 1761 711 1892">295.15</td> <td data-bbox="711 1761 1550 1892">Disorganized Type Schizophrenia, In Remission Hebephrenia; Hebephrenic type schizophrenia</td> </tr> </tbody> </table>	Approvable ICD-9	Approvable Diagnosis Description	Schizophrenic disorders		295.00	Simple Type Schizophrenia, Unspecified State Schizophrenia simplex	295.01	Simple Type Schizophrenia, Subchronic State Schizophrenia simplex	295.02	Simple Type Schizophrenia, Chronic State Schizophrenia simplex	295.03	Simple Type Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia simplex	295.04	Simple Type Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia simplex	295.05	Simple Type Schizophrenia, In Remission Schizophrenia simplex	295.10	Disorganized Type Schizophrenia, Unspecified State Hebephrenia; Hebephrenic type schizophrenia	295.11	Disorganized Type Schizophrenia, Subchronic State Hebephrenia; Hebephrenic type schizophrenia	295.12	Disorganized Type Schizophrenia, Chronic State Hebephrenia; Hebephrenic type schizophrenia	295.13	Disorganized Type Schizophrenia, Subchronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia	295.14	Disorganized Type Schizophrenia, Chronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia	295.15	Disorganized Type Schizophrenia, In Remission Hebephrenia; Hebephrenic type schizophrenia
Approvable ICD-9	Approvable Diagnosis Description																												
Schizophrenic disorders																													
295.00	Simple Type Schizophrenia, Unspecified State Schizophrenia simplex																												
295.01	Simple Type Schizophrenia, Subchronic State Schizophrenia simplex																												
295.02	Simple Type Schizophrenia, Chronic State Schizophrenia simplex																												
295.03	Simple Type Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia simplex																												
295.04	Simple Type Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia simplex																												
295.05	Simple Type Schizophrenia, In Remission Schizophrenia simplex																												
295.10	Disorganized Type Schizophrenia, Unspecified State Hebephrenia; Hebephrenic type schizophrenia																												
295.11	Disorganized Type Schizophrenia, Subchronic State Hebephrenia; Hebephrenic type schizophrenia																												
295.12	Disorganized Type Schizophrenia, Chronic State Hebephrenia; Hebephrenic type schizophrenia																												
295.13	Disorganized Type Schizophrenia, Subchronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia																												
295.14	Disorganized Type Schizophrenia, Chronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia																												
295.15	Disorganized Type Schizophrenia, In Remission Hebephrenia; Hebephrenic type schizophrenia																												

295.20	Catatonic Type Schizophrenia, Unspecified State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilis cerea
295.21	Catatonic Type Schizophrenia, Subchronic State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilis cerea
295.22	Catatonic Type Schizophrenia, Chronic State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilis cerea
295.23	Catatonic Type Schizophrenia, Subchronic State With Acute Exacerbation Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilis cerea
295.24	Catatonic Type Schizophrenia, Chronic State With Acute Exacerbation Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilis cerea
295.25	Catatonic Type Schizophrenia, In Remission Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilis cerea
295.30	Paranoid Type Schizophrenia, Unspecified State Paraphrenic schizophrenia
295.31	Paranoid Type Schizophrenia, Subchronic State Paraphrenic schizophrenia
295.32	Paranoid Type Schizophrenia, Chronic State Paraphrenic schizophrenia
295.33	Paranoid Type Schizophrenia, Subchronic State With Acute Exacerbation Paraphrenic schizophrenia
295.34	Paranoid Type Schizophrenia, Chronic State With Acute Exacerbation Paraphrenic schizophrenia
295.35	Paranoid Type Schizophrenia, In Remission Paraphrenic schizophrenia
295.40	Schizophreniform Disorder, Unspecified State Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.41	Schizophreniform Disorder, Subchronic State Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.42	Schizophreniform Disorder, Chronic State Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type

295.43	Schizophreniform Disorder, Subchronic State With Acute Exacerbation Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.44	Schizophreniform Disorder, Chronic State With Acute Exacerbation Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.45	Schizophreniform Disorder, In Remission Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.50	Latent Schizophrenia, Unspecified State Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.51	Latent Schizophrenia, Subchronic State Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.52	Latent Schizophrenia, Chronic State Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.53	Latent Schizophrenia, Subchronic State With Acute Exacerbation Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.54	Latent Schizophrenia, Chronic State With Acute Exacerbation Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.55	Latent Schizophrenia, In Remission Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.60	Residual Schizophrenia, Unspecified State Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.61	Residual Schizophrenia, Subchronic State Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.62	Residual Schizophrenia, Chronic State Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.63	Residual Schizophrenia, Subchronic State With Acute Exacerbation Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state

295.64	Residual Schizophrenia, Chronic State With Acute Exacerbation Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.65	Residual Schizophrenia, In Remission Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.70	Schizoaffective Disorder, Unspecified State Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.71	Schizoaffective Disorder, Subchronic State Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.72	Schizoaffective Disorder, Chronic State Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.73	Schizoaffective Disorder, Subchronic State With Acute Exacerbation Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.74	Schizoaffective Disorder, Chronic State With Acute Exacerbation Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.75	Schizoaffective Disorder, In Remission Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.80	Other Specified Types Of Schizophrenia, Unspecified State Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia
295.81	Other Specified Types Of Schizophrenia, Subchronic State Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia
295.82	Other Specified Types Of Schizophrenia, Chronic State Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia
295.83	Other Specified Types Of Schizophrenia, Subchronic State With Acute Exacerbation Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia
295.84	Other Specified Types Of Schizophrenia, Chronic State With Acute Exacerbation Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia

295.85	Other Specified Types Of Schizophrenia, In Remission Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia
295.90	Unspecified Schizophrenia, Unspecified State Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.91	Unspecified Schizophrenia, Subchronic State Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.92	Unspecified Schizophrenia, Chronic State Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.93	Unspecified Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.94	Unspecified Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.95	Unspecified Schizophrenia, In Remission Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
Episodic Mood Disorders	
296.00	Bipolar I Disorder, Single Manic Episode, Unspecified Degree {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified
296.01	Bipolar I Disorder, Single Manic Episode, Mild Degree {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified
296.02	Bipolar I Disorder, Single Manic Episode, Moderate Degree {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified
296.03	Bipolar I Disorder, Single Manic Episode Severe Degree, Without Mention Of Psychotic Behavior {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified

296.04	Bipolar I Disorder, Single Manic Episode, Severe Degree, Specified As With Psychotic Behavior {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified
296.05	Bipolar I Disorder, Single Manic Episode, In Partial Or Unspecified Remission {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified
296.06	Bipolar I Disorder, Single Manic Episode, In Full Remission {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified
296.10	Manic Disorder, Recurrent Episode, Unspecified Degree Any condition classifiable to 296.0, stated to be recurrent
296.11	Manic Disorder, Recurrent Episode, Mild Degree Any condition classifiable to 296.0, stated to be recurrent
296.12	Manic Disorder, Recurrent Episode, Moderate Degree Any condition classifiable to 296.0, stated to be recurrent
296.13	Manic Disorder, Recurrent Episode, Severe Degree, Without Mention Of Psychotic Behavior Any condition classifiable to 296.0, stated to be recurrent
296.14	Manic Disorder, Recurrent Episode, Severe Degree, Specified As With Psychotic Behavior Any condition classifiable to 296.0, stated to be recurrent
296.15	Manic Disorder, Recurrent Episode, In Partial Or Unspecified Remission Any condition classifiable to 296.0, stated to be recurrent
296.16	Manic Disorder, Recurrent Episode, In Full Remission Any condition classifiable to 296.0, stated to be recurrent
296.40	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Unspecified Degree Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.41	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Mild Degree Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.42	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Moderate Degree Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.43	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Severe Degree, Without Mention Of Psychotic Behavior Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic

296.44	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Severe Degree, Specified As With Psychotic Behavior Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.45	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, In Partial Or Unspecified Remission Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.46	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, In Full Remission Bipolar disorder, now manic Manic-depressive psychosis, circular type but currently manic
296.50	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Unspecified Degree Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.51	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Mild Degree Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.52	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Moderate Degree Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.53	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Severe Degree, Without Mention Of Psychotic Behavior Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.54	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Severe Degree, Specified As With Psychotic Behavior Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.55	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, In Partial Or Unspecified Remission Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.56	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, In Remission Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.60	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Unspecified Degree Manic-depressive psychosis, circular type, mixed
296.61	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Mild Degree Manic-depressive psychosis, circular type, mixed

296.62	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Moderate Degree Manic-depressive psychosis, circular type, mixed
296.63	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Severe Degree, Without Mention Of Psychotic Behavior Manic-depressive psychosis, circular type, mixed
296.64	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Severe Degree, Specified As With Psychotic Behavior Manic-depressive psychosis, circular type, mixed
296.65	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, In Partial Or Unspecified Remission Manic-depressive psychosis, circular type, mixed
296.66	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, In Full Remission Manic-depressive psychosis, circular type, mixed
296.7	Bipolar I disorder, most recent episode 9or current0 unspecified
296.80	Bipolar Disorder, Unspecified Bipolar disorder NOS; Manic-depressive: reaction NOS, syndrome NOS
296.81	Atypical Manic Disorder
296.82	Atypical Depressive Disorder
296.89	Other Manic-depressive Psychosis Bipolar II Disorder; Manic-depressive psychosis, mixed type
296.90	Unspecified Episodic Mood Disorder Affective psychosis NOS; Melancholia NOS; Mood disorder NOS
296.99	Other Specified Episodic Mood Disorder Mood swings: brief compensatory, rebound
Delusional disorders	
297.0	Paranoid State, Simple
297.1	Delusional Disorder Chronic paranoid psychosis; Sander's disease; Systematized delusions
297.2	Paraphrenia Involutional paranoid state; Late paraphrenia; Paraphrenia (involutional)
297.3	Shared Psychotic Disorder Folie a deux; Induced psychosis or paranoid disorder
297.8	Other Specified Paranoid States Paranoia querulans; Sensitiver Beziehungswahn
297.9	Unspecified Paranoid State Paranoid: disorder NOS, psychosis NOS, reaction NOS, state NOS
298.0	Depressive Type Psychosis Psychogenic depressive psychosis; Psychotic reactive depression; Reactive depressive psychosis
298.1	Excitative Type Psychosis Acute hysterical psychosis; Psychogenic excitation; Reactive excitation

298.2	Reactive Confusion Psychogenic confusion; Psychogenic twilight state
298.3	Acute Paranoid Reaction Acute psychogenic paranoid psychosis; Bouffee delirante
298.4	Psychogenic Paranoid Psychosis Protracted reactive paranoid psychosis
298.8	Other And Unspecified Reactive Psychosis Brief psychotic disorder; Brief reactive psychosis NOS; Hysterical psychosis; Psychogenic psychosis NOS; Psychogenic stupor
298.9	Unspecified Psychosis Atypical psychosis; Psychosis NOS; Psychotic disorder NOS
301.20	Schizoid Personality Disorder, Unspecified
301.21	Introverted Personality
301.22	Schizotypal Personality Disorder
Autism	
299.00	Autistic Disorder Childhood autism; Infantile psychosis; Kanner's syndrome
299.01	Autistic Disorder, Residual State Childhood autism; Infantile psychosis; Kanner's syndrome
299.10	Childhood Disintegrative Disorder, Current Or Active State Heller's syndrome
299.11	Childhood Disintegrative Disorder, Residual State Heller's syndrome
299.80	Other Specified Pervasive Developmental Disorders, Current Or Active State Atypical childhood psychosis; Borderline psychosis of childhood
299.81	Other Specified Pervasive Developmental Disorders, Residual State Atypical childhood psychosis; Borderline psychosis of childhood
299.90	Unspecified Pervasive developmental disorder, Current Or Active State Child psychosis NOS; Schizophrenia, childhood type NOS; Schizophrenic syndrome of childhood NOS
299.91	Unspecified Pervasive developmental disorder, Residual State Child psychosis NOS; Schizophrenia, childhood type NOS; Schizophrenic syndrome of childhood NOS
Dementias	
290.0	Senile Dementia, Uncomplicated Senile dementia: NOS, simple type
290.10	Presenile Dementia, Uncomplicated Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia: NOS, simple type

290.11	Presenile Dementia, With Delirium Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia with acute confusional state
290.12	Presenile Dementia, With Delusional Features Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia, paranoid type
290.13	Presenile Dementia, With Depressive Features Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia, depressed type
290.20	Senile Dementia With Delusional Features Senile dementia, paranoid type; Senile psychosis NOS
290.21	Senile Dementia With Depressive Features
290.3	Senile Dementia With Delirium Senile dementia with acute confusional state
290.40	Vascular Dementia, Uncomplicated Arteriosclerotic dementia: NOS, simple type; Multi-infarct dementia or psychosis
290.41	Vascular Dementia, With Delirium Arteriosclerotic dementia with acute confusional state; Multi-infarct dementia or psychosis
290.42	Vascular Dementia, With Delusions Arteriosclerotic dementia, paranoid type; Multi-infarct dementia or psychosis
290.43	Vascular Dementia, With Depressed Mood Arteriosclerotic dementia, depressed type; Multi-infarct dementia or psychosis
290.8	Other Specified Senile Psychotic Conditions Presbyophrenic psychosis
290.9	Unspecified Senile Psychotic Condition
Dissociative, Conversion And Factitious Disorders	
300.10	Hysteria, Unspecified
300.11	Conversion Disorder Astasia-abasia, hysterical; Conversion hysteria or reaction; Hysterical: blindness, deafness, paralysis
300.12	Dissociative Amnesia Hysterical amnesia
300.13	Dissociative Fugue Hysterical fugue
300.14	Dissociative Identity Disorder
300.15	Dissociative Disorder Or Reaction, Unspecified
300.16	Factitious Disorder With Predominantly Psychological Signs And Symptoms Compensation neurosis; Ganser's syndrome, hysterical

300.19	Other And Unspecified Factitious Illness Factitious Disorder (with combined psychological and physical signs and symptoms) (with predominantly physical signs and symptoms) NOS
Other	
292.11	Drug-Induced Psychotic Disorder With Delusions Paranoid state induced by drugs
292.12	Drug-Induced Psychotic Disorder With Hallucinations Hallucinatory state induced by drugs
293.81	Psychotic Disorder With Delusions In Conditions Classified Elsewhere Transient organic psychotic condition, paranoid type
293.82	Psychotic Disorder With Hallucinations In Conditions Classified Elsewhere Transient organic psychotic condition, hallucinatory type
307.20	Tic Disorder, Unspecified Tic disorder NOS
307.21	Transient Tic Disorder
307.22	Chronic Motor Or Vocal Tic Disorder
307.23	Tourette's Disorder Motor-verbal tic disorder
313.81	Oppositional Defiant Disorder Of Childhood Or Adolescence
333.4	Huntington's Chorea

*Non preferred Injectable Antipsychotics will be approved after a 2-week trial of ONE preferred Antipsychotic (oral or parenteral) at an appropriate dose. If Invega® Sustenna™ is selected as non preferred, approval will be granted if one of the following is true:

- Trial and failure of risperidone ; OR
- Patient has hepatic impairment evident by elevated liver enzymes or a diagnosis suggestive of hepatic impairment

**For a diagnosis not specifically mentioned above, an injectable antipsychotic may be approved if the prescriber can provide documented clinical evidence (peer reviewed literature or multiple case studies) supporting the use of the requested medication for the requested indication.

Multiple Therapy Criteria:

Patients who are on more than two Atypical Antipsychotic agents will require PA. Approval will be granted for the following reasons:

- A maximum of 2 months to allow patients to taper to dual therapy.
- Additional agents may be added to existing dual therapy after a 2-week trial at the maximum tolerated dose if each agent.

Proposed Quantity Limits:

Drug	Strength	Per Day Count
Abilify [®]	9.7 mg/1.3 mL	1.3 mL per day
fluphenazine decanoate	25 mg/mL	4 mL per month
haloperidol decanoate / Haldol [®] Decanoate	50 mg/mL	1 mL per month
	100 mg/mL	2 mL per month
Zyprexa [®]	10 mg	30 mg per RX
Zyprexa [®] Relprevv	210 mg	210 mg every 2 weeks
	300 mg	300 mg every 2 weeks
	405 mg	405 mg every 4 weeks
Invega [®] Sustenna [™]	39 mg/0.25 mL	0.25 mL per month
	78 mg/0.5 mL	0.5 mL per month
	117 mg/0.75 mL	0.75 mL per month
	156 mg/1 mL	1 mL per month
	234 mg/1.5mL	1.5 mL per month
Risperdal [®] Consta [®]	12.5 mg	12.5 mg every 2 weeks
	25 mg	25 mg every 2 weeks
	37.5 mg	37.5 mg every 2 weeks
	50 mg	50 mg every 2 weeks
Geodon [®]	20 mg	40 mg per RX

Atypical Antipsychotic and SSRI Combinations

1. DMS to select preferred agent(s) based on economic evaluation.
2. Require prior authorization and quantity limits for agents in this class.
3. Require prior authorization if this product is being used with more than one other atypical antipsychotic unless switching agents due to therapeutic failure or the patient is refractory to dual atypical antipsychotic therapy.
4. Allow continuation of therapy for non preferred single source branded products via a 90 day look back.
5. For any new chemical entity in the Atypical Antipsychotic and SSRI Combination class, require a PA until reviewed by the P&T Advisory Committee.

Item	Options for Consideration						
<p align="center"><u>Atypical Antipsychotics and SSRI Combinations Clinical Criteria</u></p>	<p>Symbyax[®] will be approved if BOTH of the following are true:</p> <ul style="list-style-type: none"> • Diagnosis of depressive episodes associated with bipolar disorder; AND, • Trial and failure of ONE of the following: <ul style="list-style-type: none"> ○ Lithium; OR ○ Lamotrigine; OR ○ Bupropion; OR ○ Paroxetine. <p>**For a diagnosis not specifically mentioned above, Symbyax[®] may be approved if the prescriber can provide documented clinical evidence (peer reviewed literature or multiple case studies) supporting the use of the requested medication for the requested indication.</p> <p>Multiple Therapy Criteria: Patients who are on more than 2 Atypical Antipsychotic agents will require PA. Approval will be granted for the following reasons:</p> <ul style="list-style-type: none"> • A maximum of 2 months to allow patients to taper to dual therapy. • Additional agents may be added to existing dual therapy after a 2-week trial at the maximum tolerated dose of each agent. <p>Proposed Quantity Limits:</p> <table border="1" data-bbox="496 1010 1552 1083"> <thead> <tr> <th data-bbox="496 1010 854 1045">Drug</th> <th data-bbox="854 1010 1101 1045">Strength</th> <th data-bbox="1101 1010 1552 1045">Per Day Count</th> </tr> </thead> <tbody> <tr> <td data-bbox="496 1045 854 1083">Symbyax[®]</td> <td data-bbox="854 1045 1101 1083">All Strengths</td> <td data-bbox="1101 1045 1552 1083">1 per day</td> </tr> </tbody> </table>	Drug	Strength	Per Day Count	Symbyax [®]	All Strengths	1 per day
Drug	Strength	Per Day Count					
Symbyax [®]	All Strengths	1 per day					
<p align="center"><u>First Generation Anticonvulsants</u></p>	<ol style="list-style-type: none"> 1. DMS to select preferred agent (s) based on economic evaluation; however, at least all generic products should be preferred. 2. Agents not selected as preferred will be considered non preferred and require prior authorization. 3. Require therapeutic failure of one preferred agent prior to approval of a non-preferred agent. 4. Non preferred products will continue to require a tier 1 co-payment for generics and a tier 2 co-payment for branded products. 5. For any agent not selected as preferred, DMS to allow continuation of therapy if there is a paid claim in the past 90 days. 6. For any new chemical entity in the Anticonvulsants: First Generation class, require a PA until reviewed by the P&T Advisory Committee. 						
<p align="center"><u>Second Generation Anticonvulsants</u></p>	<ol style="list-style-type: none"> 1. DMS to select preferred agent (s) based on economic evaluation; however, at least five unique chemical entities should be preferred. 2. Agents not selected as preferred will be considered non preferred and require prior authorization. 3. Require therapeutic failure of one preferred agent prior to approval of a non-preferred agent. 4. Non preferred products will continue to require a tier 1 co-payment for generics and a tier 2 co-payment for branded products. 5. For any agent not selected as preferred, DMS to allow continuation of therapy if there is a paid claim in the past 90 days. 6. For any new chemical entity in the Anticonvulsants: Second Generation class, require a PA until reviewed by the P&T Advisory Committee. 						

Item	Options for Consideration
<u>Banzel® Clinical Criteria</u>	Banzel® will be approved if: <ul style="list-style-type: none"> • Diagnosis of Lennox-Gastaut syndrome; OR • Trial and failure of one other anticonvulsant.
<u>Lyrica® Clinical Criteria</u>	Lyrica® will be approved if any ONE of the following are true: <ul style="list-style-type: none"> • Diabetic Peripheral Neuropathy (DPN); OR • Postherpetic Neuralgia (PHN) AFTER adequate trial and failure of OR intolerance OR contraindication to at least one of these first-line agents <ul style="list-style-type: none"> ▪ Tricyclic antidepressant (TCAs); or ▪ Anticonvulsant: gabapentin; or ▪ Topical: Lidocaine 5% patch. • Adjunct for partial onset seizure disorder; OR • Fibromyalgia.
<u>Sabril™ Clinical Criteria</u>	Sabril™ will be approved if: <ul style="list-style-type: none"> • Diagnosis of infantile spasms; OR • Trial and failure of one other anticonvulsant.
<u>Anticonvulsants, Carbamazepine Derivatives</u>	<ol style="list-style-type: none"> 1. DMS to select preferred agent (s) based on economic evaluation; however, at least two unique chemical entities should be preferred. 2. Agents not selected as preferred will be considered non preferred and require prior authorization. 3. Require therapeutic failure of one preferred agent prior to approval of a non-preferred agent. 4. Non preferred products will continue to require a tier 1 co-payment for generics and a tier 2 co-payment for branded products. 5. For any agent not selected as preferred, DMS to allow continuation of therapy if there is a paid claim in the past 90 days. 6. For any new chemical entity in the Anticonvulsants: Carbamazepine Derivatives class, require a PA until reviewed by the P&T Advisory Committee.
<u>Bisphosphonates</u>	<ol style="list-style-type: none"> 1. DMS to select preferred agent (s) based upon economic evaluation; however, at least one bisphosphonate should be preferred. 2. Agents not selected as will be considered non preferred and require PA. 3. Continue quantity limits based on maximum recommended dose. 4. Once monthly formulations will be approved for patients with poor compliance utilizing once weekly formulations only. 5. For any new chemical entity in the Bisphosphonate class, require a PA until reviewed by the PTAC.
<u>Oral Agents for Gout</u>	<ol style="list-style-type: none"> 1. DMS to select preferred agent (s) based on economic evaluation; however, at least two unique chemical entities should be preferred. 2. Agents not selected as preferred will be considered non preferred and require PA. 3. For any new chemical entity in the Oral Agents for Gout class, require a PA until reviewed by the P&T Advisory Committee.
<u>Uloric® Clinical Criteria</u>	Uloric® will be approved after adequate trial (at least 3 months) of allopurinol without achievement of serum urate level below 6mgg/dL OR intolerance OR contraindication to allopurinol.

Item	Options for Consideration
<u>Colcrys™ Clinical Criteria</u>	Colcrys™ will be approved if any one of the following is true: <ul style="list-style-type: none">• Diagnosis of Familial Mediterranean Fever; OR• Trial and failure of one of the following:<ul style="list-style-type: none">○ NSAID (i.e., indomethacin, naproxen, ibuprofen, sulindac, ketoprofen) or○ Corticosteroid.