

Table 4F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
3 Rivers	2,175	83.7	0.9	13.1	0.0	0.1	2.2	0.0
Allen	943	92.4	1.7	4.1	0.0	0.4	1.4	0.0
Anderson	639	85.6	2.3	4.9	0.0	1.7	5.5	0.0
Barren Riv	9,567	76.7	8.4	10.4	0.1	1.6	2.7	0.0
Bourbon	786	69.8	7.1	20.1	0.1	0.3	2.5	0.0
Boyd	1,836	91.7	1.6	2.1	0.1	0.0	4.5	0.0
Boyle	986	80.3	12.0	6.7	0.0	0.2	0.8	0.0
Bracken	396	94.4	1.0	3.5	0.0	0.0	1.0	0.0
Breathitt	842	99.0	0.2	0.1	0.0	0.4	0.2	0.0
Breckinrid	759	90.8	4.0	1.1	0.0	0.3	4.0	0.0
Buffalo Tr	966	83.9	7.3	4.1	0.3	0.4	3.9	0.0
Bullitt	1,928	91.9	0.8	2.8	0.1	0.8	3.7	0.0
C & Y	2,003	1.8	96.1	1.1	0.2	0.7	0.0	0.0
Christian	5,675	58.8	25.8	9.0	0.2	1.9	4.4	0.0
Clark	1,373	86.2	7.4	5.2	0.0	0.5	0.8	0.0
Cumb Val	7,154	95.9	1.3	1.4	0.0	0.1	1.3	0.0
Estill	826	98.7	0.5	0.5	0.0	0.1	0.2	0.0
Fayette	8,227	36.2	26.6	31.2	0.2	1.2	4.5	0.0
Fleming	720	96.4	0.8	1.9	0.0	0.3	0.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Floyd	2,464	97.5	1.0	1.0	0.0	0.0	0.4	0.0
Franklin	1,689	71.0	14.8	8.2	0.1	1.4	4.4	0.0
Garrard	756	89.0	2.2	5.2	0.3	0.3	3.0	0.0
Gateway	2,746	96.9	0.8	1.1	0.0	0.8	0.4	0.0
Green Riv	8,908	78.7	6.8	9.0	0.1	0.4	4.9	0.0
Greenup	1,260	96.4	0.7	0.6	0.0	0.7	1.5	0.0
Hopkins	2,182	75.7	9.4	3.9	0.0	0.5	10.5	0.0
Jefferson	18,769	47.7	35.0	11.3	0.1	1.8	4.1	0.0
Jessamine	2,091	83.4	4.5	7.6	0.0	1.0	3.5	0.0
Johnson	1,278	98.4	0.2	0.2	0.0	0.5	0.7	0.0
Knox	2,107	97.9	1.3	0.5	0.0	0.1	0.2	0.0
KY River	5,549	97.4	1.0	0.7	0.0	0.2	0.8	0.0
Lake Cumb	10,498	89.8	1.6	6.8	0.0	0.2	1.7	0.0
Laurel	2,443	97.9	0.8	0.6	0.1	0.3	0.3	0.0
Lawrence	821	98.5	0.2	0.1	0.0	0.0	1.1	0.0
Lewis	735	98.0	0.1	0.7	0.1	0.3	0.8	0.0
Lincoln	1,099	93.9	1.5	3.1	0.0	0.2	1.3	0.0
Lincoln Tr	10,169	77.9	9.4	7.4	0.1	0.6	4.6	0.0
Little San	2,152	95.4	0.4	3.5	0.0	0.2	0.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Madison	2,875	83.1	6.4	5.8	0.1	0.7	4.0	0.0
Magoffin	896	98.2	0.3	1.0	0.0	0.0	0.4	0.0
Marshall	1,194	98.3	0.7	0.8	0.0	0.1	0.2	0.0
Martin	813	98.8	0.1	0.6	0.0	0.0	0.5	0.0
Mercer	884	87.7	3.5	7.1	0.0	0.3	1.4	0.0
Monroe	510	85.7	3.9	9.2	0.0	0.0	1.2	0.0
Montgomery	1,426	92.6	0.9	5.4	0.0	0.1	0.9	0.0
Muhlenberg	1,302	90.8	3.3	1.8	0.0	0.1	4.0	0.0
N Central	2,764	67.8	5.0	22.9	0.1	2.7	1.6	0.0
N KY	11,613	81.2	7.5	9.3	0.1	0.6	1.3	0.0
Oldham	968	69.4	4.5	22.9	0.0	0.7	2.4	0.0
Park DuV	2,167	10.7	68.3	17.7	0.0	1.7	1.6	0.0
Pennyrile	3,368	86.5	5.1	4.1	0.0	1.0	3.3	0.0
Pike	2,739	98.1	0.6	0.8	0.0	0.3	0.3	0.0
Powell	772	96.4	1.3	1.6	0.3	0.5	0.0	0.0
Purchase	5,429	63.3	19.7	10.5	0.1	0.5	5.9	0.0
Todd	661	70.3	12.9	11.6	0.0	1.8	3.3	0.0
WEDCO	2,553	84.4	4.4	9.2	0.1	1.0	0.9	0.0
Whitley	3,055	97.8	0.7	1.3	0.0	0.2	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2008 Pediatric Nutrition Surveillance (1)

Kentucky
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Woodford	821	55.7	6.1	31.1	0.0	1.2	6.0	0.0
Unknown Local Ag.	30	*	*	*	*	*	*	*
Kentucky	172,357	76.4	11.8	8.2	0.1	0.8	2.7	0.0
Nation (Prior Year)	7,995,600	31.6	19.4	40.9	1.0	2.5	1.8	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
3 Rivers	2,175	43.5	19.8	36.6
Allen	943	40.0	18.7	41.4
Anderson	639	43.3	19.7	36.9
Barren Riv	9,567	44.0	19.3	36.7
Bourbon	786	46.2	20.0	33.8
Boyd	1,836	45.1	19.6	35.3
Boyle	986	44.2	21.7	34.1
Bracken	396	44.9	17.4	37.6
Breathitt	842	34.9	20.1	45.0
Breckinrid	759	41.8	15.9	42.3
Buffalo Tr	966	46.7	21.5	31.8
Bullitt	1,928	45.2	20.3	34.5
C & Y	2,003	51.8	19.7	28.5
Christian	5,675	45.6	17.4	37.0
Clark	1,373	44.4	20.6	35.0
Cumb Val	7,154	38.7	18.5	42.8
Estill	826	38.3	18.8	43.0
Fayette	8,227	43.9	19.9	36.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Fleming	720	35.1	21.1	43.8
Floyd	2,464	40.1	18.5	41.4
Franklin	1,689	44.2	20.0	35.8
Garrard	756	42.2	19.3	38.5
Gateway	2,746	39.5	18.4	42.2
Green Riv	8,908	44.1	19.2	36.7
Greenup	1,260	42.9	18.6	38.5
Hopkins	2,182	45.5	16.9	37.7
Jefferson	18,769	46.9	20.4	32.7
Jessamine	2,091	44.0	19.8	36.3
Johnson	1,278	41.2	16.4	42.4
Knox	2,107	39.6	18.1	42.3
KY River	5,549	41.6	18.1	40.3
Lake Cumb	10,498	41.0	19.6	39.4
Laurel	2,443	43.2	18.1	38.7
Lawrence	821	39.8	21.2	39.0
Lewis	735	36.3	19.2	44.5
Lincoln	1,099	40.0	19.7	40.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lincoln Tr	10,169	40.7	19.7	39.6
Little San	2,152	38.3	19.6	42.1
Madison	2,875	45.6	19.5	34.9
Magoffin	896	34.9	17.5	47.5
Marshall	1,194	40.2	20.0	39.8
Martin	813	42.6	15.7	41.7
Mercer	884	38.1	19.1	42.8
Monroe	510	37.6	21.0	41.4
Montgomery	1,426	40.7	21.3	38.0
Muhlenberg	1,302	41.2	19.2	39.6
N Central	2,764	39.0	22.2	38.8
N KY	11,613	48.6	19.8	31.7
Oldham	968	41.7	19.0	39.3
Park DuV	2,167	41.3	23.6	35.1
Pennyrile	3,368	41.4	19.8	38.8
Pike	2,739	44.5	19.2	36.2
Powell	772	38.1	19.2	42.7
Purchase	5,429	41.4	20.1	38.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Todd	661	39.2	18.9	41.9
WEDCO	2,553	43.4	19.4	37.2
Whitley	3,055	42.1	18.1	39.8
Woodford	821	40.7	19.2	40.1
Unknown Local Ag.	30	*	*	*
Kentucky	172,357	43.1	19.5	37.4
Nation (Prior Year)	7,995,600	37.6	22.1	40.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3 Rivers	565	9.0 (22)	6.0 (29)	2,099	5.4 (23)	7.6 (44)	14.2 (35)	779	20.3 (51)	21.2 (55)	1,364	14.6 (46)
Allen	245	6.9 (8)	6.9 (40)	925	5.5 (26)	7.1 (40)	9.4 (5)	400	11.8 (5)	12.8 (9)	416	17.1 (52)
Anderson	163	11.7 (45)	5.5 (19)	608	6.6 (38)	6.7 (33)	13.5 (28)	230	27.0 (57)	19.6 (48)	388	13.9 (43)
Barren Riv	2,310	10.2 (33)	5.4 (17)	9,215	4.9 (14)	7.1 (40)	12.0 (14)	3,450	17.0 (34)	17.8 (39)	5,448	14.7 (47)
Bourbon	250	6.0 (4)	6.0 (29)	742	6.2 (34)	5.3 (19)	17.5 (53)	247	23.5 (55)	20.2 (51)	460	9.3 (21)
Boyd	470	13.2 (53)	5.1 (15)	1,769	3.3 (2)	10.7 (53)	8.7 (2)	642	16.4 (28)	15.6 (20)	1,034	19.9 (55)
Boyle	242	11.2 (41)	8.3 (52)	952	5.8 (30)	5.7 (22)	13.4 (27)	332	14.5 (11)	13.0 (10)	550	13.1 (39)
Bracken	95	* *	* *	384	7.6 (45)	11.7 (55)	12.2 (17)	141	33.3 (58)	18.4 (44)	244	5.7 (6)
Breathitt	180	8.9 (20)	4.4 (8)	777	4.6 (9)	4.4 (11)	17.5 (53)	364	15.1 (13)	17.3 (38)	533	7.3 (12)
Breckinrid	187	9.1 (26)	5.9 (27)	735	5.0 (17)	2.2 (2)	11.2 (10)	317	15.5 (15)	12.6 (7)	483	7.5 (13)
Buffalo Tr	290	10.7 (37)	3.1 (3)	910	9.0 (53)	9.2 (49)	14.8 (41)	291	16.5 (29)	16.5 (31)	536	14.2 (45)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bullitt	505	8.3 (18)	6.5 (36)	1,861	5.6 (28)	4.4 (11)	13.6 (30)	667	18.7 (44)	15.7 (22)	1,046	10.5 (27)
C & Y	543	13.8 (55)	2.4 (2)	1,867	6.3 (36)	6.5 (30)	13.2 (23)	544	18.4 (43)	16.5 (31)	1,039	32.4 (58)
Christian	1,251	9.0 (22)	5.8 (24)	5,422	4.0 (5)	8.1 (46)	8.5 (1)	2,071	13.2 (7)	9.4 (1)	3,158	24.1 (56)
Clark	363	5.8 (2)	6.9 (40)	1,319	5.1 (18)	4.2 (8)	15.7 (46)	476	20.4 (52)	19.1 (47)	760	9.9 (25)
Cumb Val	1,755	11.9 (46)	7.1 (46)	6,836	5.1 (18)	6.6 (32)	14.5 (39)	2,956	18.8 (47)	19.9 (50)	4,376	5.6 (5)
Estill	186	8.6 (19)	4.8 (12)	804	4.6 (9)	4.5 (14)	11.8 (12)	342	15.8 (20)	19.0 (46)	512	9.2 (19)
Fayette	2,045	8.9 (20)	6.6 (38)	7,812	7.8 (48)	6.8 (36)	13.6 (30)	2,870	18.7 (44)	18.2 (42)	4,047	26.2 (57)
Fleming	169	6.5 (5)	9.5 (55)	691	6.8 (40)	11.0 (54)	15.1 (44)	313	11.5 (4)	18.5 (45)	463	16.8 (51)
Floyd	658	10.6 (36)	4.4 (8)	2,335	4.9 (14)	9.0 (48)	9.7 (6)	987	11.4 (3)	12.2 (5)	1,456	7.5 (13)
Franklin	389	11.3 (42)	4.4 (8)	1,615	11.3 (57)	5.4 (20)	16.2 (48)	587	20.6 (53)	20.6 (52)	979	18.7 (54)
Garrard	176	11.9 (46)	5.7 (22)	721	5.1 (18)	4.4 (11)	13.0 (22)	292	15.8 (20)	16.1 (29)	434	15.4 (50)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Gateway	624	9.6 (28)	9.6 (56)	2,639	5.3 (21)	7.5 (43)	13.3 (26)	1,109	17.2 (38)	17.2 (37)	1,709	11.8 (34)
Green Riv	2,349	7.7 (13)	6.6 (38)	8,691	7.8 (48)	5.2 (18)	12.6 (19)	3,252	16.8 (32)	15.7 (22)	5,159	7.2 (11)
Greenup	314	10.5 (35)	6.4 (34)	1,220	3.4 (3)	12.0 (56)	11.5 (11)	479	14.4 (10)	18.0 (40)	702	6.0 (7)
Hopkins	539	10.8 (38)	4.8 (12)	2,088	7.6 (45)	3.3 (4)	12.6 (19)	813	19.8 (49)	15.7 (22)	1,320	10.5 (27)
Jefferson	4,638	10.8 (38)	6.0 (29)	17,749	5.4 (23)	7.0 (38)	12.8 (21)	5,971	15.2 (14)	12.1 (4)	10,121	14.9 (48)
Jessamine	504	6.5 (5)	6.2 (32)	2,008	6.0 (32)	6.2 (25)	10.4 (8)	736	17.0 (34)	12.2 (5)	1,201	10.5 (27)
Johnson	360	11.4 (43)	5.0 (14)	1,227	7.3 (43)	5.6 (21)	17.1 (52)	519	18.7 (44)	19.8 (49)	753	10.8 (32)
Knox	446	11.0 (40)	5.4 (17)	2,017	4.3 (8)	7.1 (40)	14.3 (38)	867	15.6 (16)	20.9 (54)	1,349	8.1 (16)
KY River	1,336	13.1 (52)	5.8 (24)	5,225	8.9 (51)	4.3 (9)	19.2 (57)	2,145	16.0 (22)	18.2 (42)	3,229	8.4 (17)
Lake Cumb	2,543	9.0 (22)	5.7 (22)	10,142	4.8 (13)	6.4 (29)	11.0 (9)	4,033	16.7 (31)	16.0 (28)	6,158	7.7 (15)
Laurel	608	8.2 (16)	10.5 (57)	2,358	4.6 (9)	7.0 (38)	13.2 (23)	936	17.0 (34)	18.1 (41)	1,418	5.1 (3)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lawrence	206	23.8 (57)	3.9 (4)	781	5.4 (23)	10.2 (52)	14.0 (34)	310	19.4 (48)	20.6 (52)	487	10.5 (27)
Lewis	177	9.0 (22)	5.6 (21)	710	5.8 (30)	12.0 (56)	13.2 (23)	324	12.7 (6)	15.7 (22)	486	4.7 (2)
Lincoln	257	8.2 (16)	7.0 (43)	1,063	4.2 (6)	6.5 (30)	12.0 (14)	433	16.6 (30)	13.4 (12)	722	13.4 (41)
Lincoln Tr	2,314	9.1 (26)	7.3 (47)	9,890	7.7 (47)	4.1 (7)	14.9 (42)	3,946	16.2 (24)	14.6 (17)	6,329	9.5 (23)
Little San	468	10.0 (32)	5.3 (16)	2,075	3.4 (3)	9.6 (51)	12.1 (16)	872	17.0 (34)	16.4 (30)	1,253	11.8 (34)
Madison	805	7.8 (14)	5.5 (19)	2,804	4.7 (12)	9.2 (49)	9.1 (3)	985	16.1 (23)	14.4 (14)	1,689	9.1 (18)
Magoffin	190	7.4 (10)	5.8 (24)	841	9.9 (55)	6.3 (26)	21.5 (58)	407	24.8 (56)	23.6 (58)	516	13.0 (38)
Marshall	288	7.3 (9)	6.9 (40)	1,131	12.9 (58)	8.0 (45)	16.0 (47)	469	10.4 (1)	10.0 (2)	723	13.8 (42)
Martin	179	12.3 (50)	2.2 (1)	778	8.9 (51)	6.3 (26)	13.9 (33)	331	15.7 (18)	16.6 (34)	508	10.2 (26)
Mercer	215	12.1 (48)	7.0 (43)	840	6.8 (40)	3.7 (5)	14.2 (35)	373	15.0 (12)	16.9 (35)	579	6.9 (10)
Monroe	121	5.8 (2)	8.3 (52)	492	5.3 (21)	6.7 (33)	18.9 (56)	198	17.7 (40)	21.2 (55)	320	3.1 (1)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montgomery	326	12.3 (50)	6.4 (34)	1,361	6.5 (37)	4.6 (16)	13.5 (28)	516	15.7 (18)	14.5 (16)		899	6.6 (9)
Muhlenberg	354	5.6 (1)	9.3 (54)	1,270	5.5 (26)	6.3 (26)	11.9 (13)	501	16.2 (24)	15.4 (19)		742	6.3 (8)
N Central	679	6.5 (5)	8.2 (51)	2,598	9.0 (53)	5.9 (24)	16.7 (51)	1,038	16.3 (26)	15.7 (22)		1,697	17.1 (52)
N KY	3,141	9.6 (28)	6.5 (36)	10,950	4.9 (14)	6.9 (37)	10.0 (7)	3,598	15.6 (16)	12.7 (8)		6,043	13.2 (40)
Oldham	242	7.9 (15)	4.1 (6)	934	8.6 (50)	1.7 (1)	16.5 (50)	376	16.8 (32)	15.7 (22)		513	11.9 (36)
Park DuV	438	15.8 (56)	4.1 (6)	2,027	7.2 (42)	5.7 (22)	12.5 (18)	747	16.3 (26)	14.6 (17)		1,306	10.6 (31)
Pennyrile	894	7.6 (12)	7.3 (47)	3,238	5.7 (29)	4.3 (9)	14.7 (40)	1,276	17.9 (41)	13.6 (13)		2,047	9.5 (23)
Pike	658	12.2 (49)	4.4 (8)	2,578	2.3 (1)	13.3 (58)	9.3 (4)	918	10.8 (2)	11.2 (3)		1,470	9.2 (19)
Powell	193	13.5 (54)	6.2 (32)	743	4.2 (6)	4.0 (6)	13.6 (30)	328	17.4 (39)	16.5 (31)		504	5.4 (4)
Purchase	1,480	9.7 (30)	5.9 (27)	5,009	6.2 (34)	6.7 (33)	16.3 (49)	2,027	17.9 (41)	15.6 (20)		3,228	15.0 (49)
Todd	149	7.4 (10)	8.1 (50)	626	11.2 (56)	4.5 (14)	17.6 (55)	270	20.0 (50)	14.4 (14)		441	9.3 (21)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
WEDCO	614	9.9 (31)	7.0 (43)	2,402	6.7 (39)	4.9 (17)	15.1 (44)	917	14.2 (8)	13.2 (11)	1,459	13.9 (43)
Whitley	816	10.4 (34)	4.0 (5)	2,941	6.0 (32)	8.9 (47)	14.2 (35)	1,175	20.8 (54)	21.7 (57)	1,912	11.3 (33)
Woodford	191	11.5 (44)	7.9 (49)	796	7.4 (44)	3.1 (3)	14.9 (42)	323	14.2 (8)	17.0 (36)	533	12.8 (37)
Unknown Local Ag.	8	* *	* *	26	* *	* *	* *	16	* *	* *	22	* *
Kentucky	42,701	9.8	6.1	164,667	6.0	6.6	13.1	62,832	16.6	15.7	99,273	12.3
Nation (Prior Year)	1,953,242	9.1	6.4	7,526,585	6.2	4.5	13.9	3,058,130	16.4	14.9	4,759,588	15.0

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
3 Rivers	565	32.9 (32)	361	7.8 (31)	308	4.9 (17)	0	* *	0	* *	853	90.4 (29)	2,175	33.6 (29)
Allen	245	44.1 (8)	118	7.6 (34)	141	4.3 (23)	0	* *	0	* *	427	85.7 (44)	943	32.4 (27)
Anderson	169	39.6 (15)	98	* *	88	* *	0	* *	0	* *	257	75.5 (57)	639	23.0 (17)
Barren Riv	2,429	35.6 (25)	1,533	9.8 (20)	1,379	5.5 (15)	0	* *	0	* *	3,758	88.0 (35)	9,567	31.0 (26)
Bourbon	250	41.6 (12)	135	10.4 (16)	140	2.1 (42)	0	* *	0	* *	279	84.9 (47)	786	5.2 (8)
Boyd	467	28.1 (41)	312	9.6 (21)	270	7.4 (8)	0	* *	0	* *	704	92.3 (23)	1,836	23.3 (18)
Boyle	256	24.2 (47)	146	10.3 (17)	139	2.9 (33)	0	* *	0	* *	356	93.8 (18)	986	36.6 (35)
Bracken	94	* *	64	* *	53	* *	0	* *	0	* *	154	86.4 (41)	396	64.9 (56)
Breathitt	179	17.3 (53)	109	4.6 (42)	128	0.8 (50)	0	* *	0	* *	409	81.4 (50)	842	52.5 (49)
Breckinrid	190	30.5 (37)	82	* *	88	* *	0	* *	0	* *	339	81.4 (50)	759	1.1 (6)
Buffalo Tr	295	25.8 (46)	119	3.4 (46)	164	3.0 (31)	0	* *	0	* *	332	99.4 (8)	966	58.7 (53)
Bullitt	505	35.2 (26)	286	8.7 (25)	305	5.9 (11)	0	* *	0	* *	731	88.4 (34)	1,928	27.5 (24)
C & Y	545	33.0 (31)	380	4.5 (43)	243	2.1 (42)	0	* *	0	* *	603	100. (1)	2,003	0.0 (1)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Christian	1,287	49.8 (3)	1,021	13.9 (6)	629	7.5 (7)	0	* *	0	* *	2,201	84.9 (47)	5,675	26.3 (23)
Clark	362	39.5 (16)	257	11.7 (12)	216	6.5 (10)	0	* *	0	* *	516	92.8 (21)	1,373	1.7 (7)
Cumb Val	1,789	22.6 (48)	892	6.6 (36)	1,093	3.0 (31)	0	* *	0	* *	3,224	94.0 (16)	7,154	39.0 (40)
Estill	184	29.3 (38)	114	3.5 (45)	105	2.9 (33)	0	* *	0	* *	378	87.0 (38)	826	28.8 (25)
Fayette	2,072	63.0 (1)	1,239	27.4 (1)	1,135	14.1 (3)	0	* *	0	* *	3,173	92.2 (24)	8,227	0.2 (3)
Fleming	169	31.4 (34)	95	* *	132	1.5 (45)	0	* *	0	* *	346	80.9 (53)	720	36.4 (34)
Floyd	660	17.3 (53)	329	4.9 (41)	384	3.4 (29)	0	* *	0	* *	1,100	100. (1)	2,464	54.7 (50)
Franklin	389	41.9 (10)	236	10.6 (15)	250	3.6 (28)	0	* *	0	* *	636	89.3 (32)	1,689	64.7 (55)
Garrard	178	28.1 (41)	134	8.2 (29)	96	* *	0	* *	0	* *	317	97.8 (11)	756	38.5 (39)
Gateway	646	34.5 (27)	406	10.3 (17)	412	7.3 (9)	0	* *	0	* *	1,205	91.0 (27)	2,746	18.6 (15)
Green Riv	2,344	33.5 (29)	1,190	6.1 (39)	1,203	2.5 (38)	0	* *	0	* *	3,513	86.0 (43)	8,908	34.7 (32)
Greenup	316	33.2 (30)	200	11.0 (14)	192	4.2 (25)	0	* *	0	* *	511	96.9 (14)	1,260	23.9 (19)
Hopkins	566	37.3 (21)	296	9.1 (23)	261	5.0 (16)	0	* *	0	* *	883	79.2 (56)	2,182	45.4 (45)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Jefferson	4,718	48.4 (4)	3,340	16.2 (4)	2,718	8.7 (5)	0	* *	0	* *	6,381	87.4 (36)	18,769	0.7 (5)
Jessamine	504	39.9 (14)	351	16.2 (4)	274	9.5 (4)	0	* *	0	* *	808	93.8 (18)	2,091	22.9 (16)
Johnson	360	27.5 (43)	159	6.3 (37)	183	4.4 (22)	0	* *	0	* *	576	99.0 (9)	1,278	33.7 (30)
Knox	498	16.9 (55)	323	3.7 (44)	299	0.3 (52)	0	* *	0	* *	951	93.4 (20)	2,107	0.6 (4)
KY River	1,391	29.3 (38)	730	6.3 (37)	721	2.4 (40)	0	* *	0	* *	2,394	91.9 (25)	5,549	16.6 (12)
Lake Cumb	2,557	31.2 (36)	1,717	8.2 (29)	1,551	4.1 (27)	0	* *	0	* *	4,425	89.0 (33)	10,498	43.5 (42)
Laurel	619	38.1 (20)	385	9.9 (19)	320	4.7 (19)	0	* *	0	* *	1,018	94.0 (16)	2,443	58.0 (52)
Lawrence	206	17.5 (51)	122	3.3 (47)	136	1.5 (45)	0	* *	0	* *	346	100. (1)	821	17.9 (14)
Lewis	177	27.1 (44)	77	* *	116	0.9 (48)	0	* *	0	* *	353	86.1 (42)	735	56.1 (51)
Lincoln	257	26.5 (45)	190	5.8 (40)	199	0.5 (51)	0	* *	0	* *	472	97.5 (12)	1,099	39.6 (41)
Lincoln Tr	2,342	36.7 (23)	1,256	8.6 (26)	1,451	4.3 (23)	0	* *	0	* *	4,274	87.0 (38)	10,169	48.1 (46)
Little San	471	31.4 (34)	363	9.4 (22)	325	2.8 (36)	0	* *	0	* *	968	85.1 (46)	2,152	44.5 (44)
Madison	803	36.9 (22)	505	9.1 (23)	431	5.8 (12)	0	* *	0	* *	1,065	92.8 (21)	2,875	25.0 (20)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Magoffin	189	13.8 (56)	112	2.7 (49)	123	2.4 (40)	0	* *	0	* *	453	98.0 (10)	896	37.4 (38)
Marshall	288	44.4 (7)	198	12.6 (8)	198	5.6 (14)	0	* *	0	* *	500	74.8 (58)	1,194	33.9 (31)
Martin	242	9.9 (57)	92	* *	107	0.9 (48)	0	* *	0	* *	359	79.4 (55)	813	58.8 (54)
Mercer	215	41.9 (10)	99	* *	119	3.4 (29)	0	* *	0	* *	396	89.6 (31)	884	52.4 (48)
Monroe	121	17.4 (52)	61	* *	84	* *	0	* *	0	* *	227	100. (1)	510	36.7 (36)
Montgomery	326	33.7 (28)	217	7.8 (31)	208	2.9 (33)	0	* *	0	* *	580	85.3 (45)	1,426	43.6 (43)
Muhlenberg	355	29.0 (40)	229	8.3 (27)	193	2.1 (42)	0	* *	0	* *	549	80.7 (54)	1,302	50.3 (47)
N Central	679	53.5 (2)	352	23.3 (2)	507	18.3 (1)	0	* *	0	* *	1,144	87.2 (37)	2,764	6.0 (9)
N KY	3,327	32.0 (33)	1,938	7.8 (31)	1,641	4.6 (20)	0	* *	0	* *	3,908	91.6 (26)	11,613	33.3 (28)
Oldham	241	38.2 (19)	107	12.1 (10)	128	14.8 (2)	0	* *	0	* *	399	91.0 (27)	968	83.1 (58)
Park DuV	437	43.0 (9)	377	20.2 (3)	334	8.1 (6)	0	* *	0	* *	812	100. (1)	2,167	0.0 (1)
Pennyrile	892	45.7 (5)	520	12.3 (9)	526	5.7 (13)	0	* *	0	* *	1,392	86.8 (40)	3,368	25.8 (21)
Pike	670	18.8 (50)	459	3.1 (48)	341	0.3 (52)	0	* *	0	* *	1,074	81.2 (52)	2,739	71.2 (57)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Powell	194	38.7 (17)	112	13.4 (7)	109	2.8 (36)	0	* *	0	* *	355	83.9 (49)	772	36.7 (36)
Purchase	1,486	36.4 (24)	861	11.3 (13)	856	4.2 (25)	0	* *	0	* *	2,215	90.3 (30)	5,429	26.1 (22)
Todd	149	40.9 (13)	90	* *	103	1.0 (47)	0	* *	0	* *	304	100. (1)	661	17.1 (13)
WEDCO	614	38.6 (18)	436	8.3 (27)	366	4.9 (17)	0	* *	0	* *	1,018	96.5 (15)	2,553	35.7 (33)
Whitley	815	21.0 (49)	493	7.1 (35)	399	2.5 (38)	0	* *	0	* *	1,309	100. (1)	3,055	13.7 (11)
Woodford	190	45.3 (6)	107	12.1 (10)	109	4.6 (20)	0	* *	0	* *	351	97.2 (13)	821	8.6 (10)
Unknown Local Ag.	8	* *	3	* *	2	* *	0	* *	0	* *	19	* *	30	* *
Kentucky	43,492	36.3	26,533	10.8	24,731	5.4	0	*	0	*	68,600	89.8	172,357	28.3
Nation (Prior Year)	1,747,004	59.8	874,434	25.4	979,105	17.5	127,047	10.2	182,064	5.2	687,613	75.0	3,047,308	11.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3 Rivers	1,418	8.8 (11)	5.6 (25)	5,455	6.7 (35)	6.7 (36)	13.6 (21)	2,176	19.6 (52)	18.4 (38)	3,681	14.2 (38)
Allen	581	6.9 (1)	6.7 (44)	2,313	6.5 (32)	6.8 (40)	11.1 (7)	1,001	14.6 (9)	14.0 (8)	1,150	15.7 (51)
Anderson	408	13.0 (55)	5.1 (17)	1,552	7.2 (38)	7.1 (43)	14.2 (28)	630	22.1 (57)	17.6 (33)	1,021	13.4 (37)
Barren Riv	6,272	9.8 (29)	6.4 (36)	24,345	4.9 (8)	6.1 (28)	12.8 (13)	9,386	17.5 (31)	17.7 (35)	14,987	14.7 (42)
Bourbon	579	9.3 (17)	5.7 (26)	1,863	6.3 (30)	5.0 (18)	17.7 (51)	666	20.4 (53)	19.7 (48)	1,228	14.9 (46)
Boyd	1,309	11.8 (49)	4.5 (7)	4,775	4.4 (6)	10.4 (55)	9.8 (2)	1,797	16.5 (20)	15.4 (17)	2,969	18.4 (54)
Boyle	632	10.8 (40)	6.8 (45)	2,466	5.0 (11)	4.9 (16)	14.3 (29)	927	17.6 (36)	17.3 (30)	1,469	12.4 (33)
Bracken	260	9.2 (14)	4.6 (12)	976	7.0 (37)	11.2 (56)	15.6 (42)	359	25.6 (58)	22.3 (56)	635	5.7 (4)
Breathitt	492	9.3 (17)	4.9 (15)	2,166	5.3 (14)	4.3 (10)	18.6 (54)	1,045	16.0 (17)	18.6 (41)	1,544	6.2 (7)
Breckinrid	451	9.3 (17)	5.3 (24)	1,983	6.8 (36)	2.7 (2)	12.9 (14)	889	14.4 (7)	13.3 (7)	1,416	7.6 (10)
Buffalo Tr	697	10.5 (35)	6.6 (40)	2,386	8.8 (49)	8.1 (48)	15.1 (40)	877	16.9 (23)	15.7 (22)	1,463	14.4 (39)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bullitt	1,367	10.3 (32)	6.9 (46)	4,760	6.0 (27)	4.4 (12)	13.7 (22)	1,728	16.8 (22)	14.8 (13)	2,722	14.6 (40)
C & Y	1,465	13.9 (56)	2.8 (1)	4,668	7.5 (43)	5.9 (25)	14.7 (33)	1,562	17.7 (38)	18.8 (42)	2,515	29.5 (58)
Christian	3,610	9.6 (24)	6.6 (40)	14,858	4.2 (4)	7.8 (46)	8.8 (1)	5,857	12.0 (2)	8.7 (1)	9,240	23.2 (56)
Clark	936	9.5 (22)	6.1 (32)	3,388	5.4 (17)	4.4 (12)	15.7 (44)	1,296	20.4 (53)	20.8 (51)	2,042	12.5 (35)
Cumb Val	4,377	10.5 (35)	6.9 (46)	18,451	5.5 (19)	6.4 (31)	15.9 (45)	8,609	17.9 (43)	20.1 (49)	12,517	5.5 (3)
Estill	474	10.5 (35)	5.1 (17)	2,116	5.4 (17)	4.3 (10)	12.1 (12)	955	18.1 (44)	18.4 (38)	1,477	7.8 (11)
Fayette	5,803	10.0 (31)	6.3 (35)	20,661	7.5 (43)	6.7 (36)	13.1 (18)	7,657	19.0 (49)	18.9 (43)	10,658	25.2 (57)
Fleming	438	11.6 (46)	8.9 (56)	1,865	6.6 (34)	8.6 (51)	15.0 (39)	901	14.4 (7)	16.1 (26)	1,321	14.8 (44)
Floyd	1,607	11.8 (49)	4.2 (3)	6,202	5.2 (13)	8.0 (47)	11.6 (8)	2,795	11.9 (1)	14.3 (10)	4,190	8.6 (20)
Franklin	1,159	11.4 (44)	4.4 (5)	4,142	10.6 (56)	5.8 (24)	16.1 (46)	1,425	21.8 (56)	21.4 (54)	2,488	19.3 (55)
Garrard	474	10.5 (35)	5.1 (17)	1,938	7.2 (38)	5.1 (21)	13.9 (25)	858	14.6 (9)	17.6 (33)	1,247	15.1 (47)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Gateway	1,663	8.7 (10)	9.9 (58)	7,064	5.6 (22)	6.7 (36)	13.8 (24)	3,127	17.4 (26)	18.3 (37)	4,621	11.0 (27)
Green Riv	6,062	9.2 (14)	6.0 (29)	23,007	8.2 (48)	4.4 (12)	13.4 (20)	9,144	17.5 (31)	16.3 (27)	14,577	7.8 (11)
Greenup	864	9.7 (26)	5.0 (16)	3,358	3.8 (3)	11.9 (58)	11.7 (10)	1,398	15.4 (14)	17.7 (35)	2,039	5.9 (5)
Hopkins	1,360	10.4 (34)	6.0 (29)	5,342	9.0 (51)	2.7 (2)	14.7 (33)	2,110	19.1 (50)	17.4 (31)	3,615	9.8 (24)
Jefferson	13,194	11.0 (42)	6.0 (29)	46,400	5.7 (23)	6.4 (31)	13.0 (15)	16,045	15.3 (12)	12.6 (4)	27,419	15.1 (47)
Jessamine	1,310	7.8 (3)	6.6 (40)	4,980	5.8 (24)	6.4 (31)	9.9 (4)	1,904	15.3 (12)	11.8 (3)	3,013	14.7 (42)
Johnson	847	11.7 (48)	4.5 (7)	3,357	6.4 (31)	6.4 (31)	17.8 (52)	1,569	17.2 (25)	19.6 (47)	2,264	16.9 (53)
Knox	1,159	9.7 (26)	6.5 (38)	5,109	4.2 (4)	6.8 (40)	15.1 (40)	2,348	17.5 (31)	21.0 (53)	3,581	7.8 (11)
KY River	3,431	11.9 (51)	5.2 (21)	14,092	9.0 (51)	3.7 (6)	20.3 (57)	6,240	17.7 (38)	19.5 (46)	9,743	8.5 (17)
Lake Cumb	6,455	9.4 (20)	5.9 (27)	26,474	5.3 (14)	5.9 (25)	11.6 (8)	11,355	17.4 (26)	16.0 (24)	17,100	8.0 (15)
Laurel	1,572	9.4 (20)	9.4 (57)	6,116	4.8 (7)	7.7 (45)	14.0 (27)	2,453	18.9 (47)	18.5 (40)	3,824	6.7 (8)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lawrence	536	18.8 (58)	3.4 (2)	2,068	7.2 (38)	9.1 (53)	16.2 (47)	874	17.4 (26)	21.6 (55)	1,353	10.5 (26)
Lewis	453	9.1 (13)	4.4 (5)	1,914	5.5 (19)	10.3 (54)	13.9 (25)	864	13.5 (5)	16.4 (28)	1,211	5.9 (5)
Lincoln	699	9.6 (24)	6.9 (46)	2,832	5.1 (12)	6.3 (30)	14.5 (31)	1,168	17.4 (26)	16.0 (24)	1,942	11.5 (28)
Lincoln Tr	6,401	9.7 (26)	6.5 (38)	26,254	8.0 (47)	4.1 (9)	14.5 (31)	10,766	16.9 (23)	14.6 (11)	17,519	9.4 (22)
Little San	1,279	9.9 (30)	4.5 (7)	5,567	3.5 (2)	8.9 (52)	13.0 (15)	2,499	17.5 (31)	17.4 (31)	3,615	15.4 (49)
Madison	1,964	8.6 (8)	6.1 (32)	7,089	4.9 (8)	8.4 (50)	9.8 (2)	2,615	17.5 (31)	15.3 (15)	4,541	9.4 (22)
Magoffin	517	12.4 (53)	5.2 (21)	2,345	9.7 (54)	4.9 (16)	21.8 (58)	1,171	21.6 (55)	24.4 (57)	1,518	11.7 (29)
Marshall	728	7.6 (2)	6.9 (46)	2,916	12.2 (58)	7.2 (44)	14.7 (33)	1,286	12.1 (3)	10.0 (2)	1,854	12.4 (33)
Martin	474	12.4 (53)	4.6 (12)	2,119	7.9 (46)	6.5 (35)	16.8 (48)	969	17.6 (36)	20.9 (52)	1,517	9.2 (21)
Mercer	544	11.6 (46)	5.1 (17)	2,253	7.6 (45)	3.5 (5)	13.0 (15)	1,022	15.6 (15)	15.5 (20)	1,615	8.1 (16)
Monroe	321	7.8 (3)	7.5 (51)	1,358	5.9 (25)	6.8 (40)	19.4 (55)	591	17.4 (26)	24.9 (58)	894	4.0 (1)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montgomery	894	10.5 (35)	7.4 (50)	3,547	7.3 (42)	3.9 (8)	13.7 (22)	1,446	15.6 (15)	16.5 (29)	2,442	8.5 (17)
Muhlenberg	860	8.6 (8)	8.1 (54)	3,348	5.3 (14)	5.4 (23)	12.0 (11)	1,356	16.0 (17)	15.2 (14)	2,012	7.9 (14)
N Central	1,847	7.8 (3)	7.6 (52)	6,766	10.9 (57)	5.2 (22)	19.9 (56)	2,730	17.7 (38)	19.3 (45)	4,532	15.7 (51)
N KY	9,099	9.5 (22)	6.4 (36)	28,731	5.5 (19)	6.7 (36)	11.0 (6)	9,690	16.7 (21)	14.0 (8)	15,908	14.6 (40)
Oldham	628	8.3 (6)	4.5 (7)	2,549	9.5 (53)	1.4 (1)	17.5 (50)	1,061	17.8 (42)	15.6 (21)	1,524	9.9 (25)
Park DuV	1,350	15.6 (57)	4.3 (4)	5,416	7.2 (38)	6.2 (29)	13.1 (18)	2,159	16.0 (17)	15.4 (17)	3,659	12.2 (31)
Pennyrile	2,178	8.3 (6)	7.7 (53)	8,541	6.1 (28)	4.5 (15)	14.8 (36)	3,579	18.9 (47)	13.1 (5)	5,769	8.5 (17)
Pike	1,820	12.1 (52)	4.8 (14)	6,966	2.0 (1)	11.7 (57)	10.6 (5)	2,654	12.3 (4)	13.1 (5)	4,312	7.4 (9)
Powell	466	10.3 (32)	5.2 (21)	2,036	4.9 (8)	3.8 (7)	14.4 (30)	944	19.2 (51)	19.0 (44)	1,478	5.4 (2)
Purchase	3,534	9.2 (14)	6.1 (32)	13,348	6.1 (28)	6.0 (27)	17.1 (49)	5,777	18.7 (46)	15.8 (23)	9,104	15.5 (50)
Todd	379	11.1 (43)	4.5 (7)	1,634	9.7 (54)	5.0 (18)	17.9 (53)	742	17.7 (38)	15.4 (17)	1,191	12.3 (32)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
WEDCO	1,709	10.8 (40)	5.9 (27)	6,381	6.5 (32)	5.0 (18)	15.6 (42)	2,499	13.8 (6)	14.6 (11)	4,007	11.9 (30)
Whitley	1,918	9.0 (12)	6.6 (40)	7,549	5.9 (25)	8.3 (49)	14.9 (37)	3,272	18.6 (45)	20.7 (50)	5,307	12.5 (35)
Woodford	477	11.5 (45)	8.6 (55)	2,043	8.8 (49)	3.2 (4)	14.9 (37)	887	14.7 (11)	15.3 (15)	1,317	14.8 (44)
Unknown Local Ag.	8	* *	* *	26	* *	* *	* *	16	* *	* *	22	* *
Kentucky	113,809	10.1	6.1	434,224	6.3	6.1	13.7	173,726	16.9	16.2	273,939	12.4

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
3 Rivers	1,718	37.5 (26)	1,128	7.5 (26)	810	5.2 (16)	0	* *	0	* *	2,378	94.5 (29)	3,467	38.6 (36)
Allen	707	46.7 (8)	451	10.0 (9)	383	5.5 (12)	0	* *	0	* *	1,105	87.9 (54)	1,380	36.2 (32)
Anderson	516	47.5 (7)	342	7.3 (28)	242	4.1 (32)	0	* *	0	* *	694	84.9 (58)	976	24.7 (18)
Barren Riv	7,865	40.6 (19)	5,220	8.5 (17)	3,634	5.1 (18)	0	* *	0	* *	10,310	92.9 (41)	15,169	30.3 (24)
Bourbon	675	44.7 (13)	420	6.0 (38)	330	3.3 (41)	0	* *	0	* *	739	94.0 (33)	1,212	6.3 (8)
Boyd	1,593	34.8 (36)	1,052	8.4 (19)	721	7.5 (10)	0	* *	0	* *	1,969	96.3 (16)	3,026	22.8 (17)
Boyle	800	22.5 (52)	494	7.5 (26)	341	4.7 (24)	0	* *	0	* *	1,008	96.7 (15)	1,560	33.6 (27)
Bracken	327	27.8 (45)	212	4.2 (51)	147	1.4 (54)	0	* *	0	* *	407	85.3 (57)	644	57.3 (53)
Breathitt	589	18.8 (56)	416	3.8 (54)	327	1.2 (57)	0	* *	0	* *	1,173	91.3 (46)	1,333	55.9 (50)
Breckinrid	571	35.4 (33)	364	11.3 (8)	275	8.0 (7)	0	* *	0	* *	966	85.8 (55)	1,200	2.3 (6)
Buffalo Tr	811	29.5 (42)	467	5.4 (43)	377	3.4 (39)	0	* *	0	* *	974	99.6 (7)	1,514	53.0 (48)
Bullitt	1,680	36.1 (29)	1,063	5.9 (39)	812	3.7 (36)	0	* *	0	* *	1,875	93.2 (38)	3,071	35.1 (30)
C & Y	1,797	35.1 (34)	1,132	4.0 (52)	593	2.7 (45)	0	* *	0	* *	1,702	100. (1)	3,199	0.1 (2)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Christian	4,798	50.1 (4)	3,414	12.0 (6)	2,069	7.6 (9)	0	* *	0	* *	6,298	88.3 (52)	10,048	21.8 (15)
Clark	1,145	41.2 (17)	807	9.5 (13)	569	4.9 (21)	0	* *	0	* *	1,414	95.7 (24)	2,144	2.9 (7)
Cumb Val	5,119	24.2 (50)	3,255	4.5 (49)	2,679	2.9 (43)	0	* *	0	* *	9,453	96.3 (16)	10,765	35.7 (31)
Estill	567	28.9 (44)	376	4.8 (48)	277	3.6 (38)	0	* *	0	* *	1,050	93.0 (40)	1,222	27.3 (23)
Fayette	7,019	60.4 (1)	4,717	18.2 (2)	3,196	12.7 (2)	0	* *	0	* *	8,413	94.3 (31)	12,968	0.3 (3)
Fleming	504	32.7 (40)	335	4.5 (49)	289	2.1 (50)	0	* *	0	* *	996	88.8 (50)	1,086	36.5 (33)
Floyd	1,802	19.1 (55)	1,139	5.4 (43)	941	4.4 (30)	0	* *	0	* *	3,119	99.7 (6)	3,645	56.1 (52)
Franklin	1,456	45.7 (9)	926	8.4 (19)	640	5.5 (12)	0	* *	0	* *	1,562	93.5 (37)	2,745	64.0 (55)
Garrard	596	36.4 (28)	413	7.0 (30)	288	4.2 (31)	0	* *	0	* *	931	98.7 (11)	1,204	40.5 (39)
Gateway	2,059	35.1 (34)	1,396	9.0 (14)	1,031	5.1 (18)	0	* *	0	* *	3,429	95.4 (25)	4,234	21.9 (16)
Green Riv	7,246	35.7 (31)	4,621	5.2 (45)	3,250	3.4 (39)	0	* *	0	* *	9,937	93.7 (35)	14,462	37.1 (34)
Greenup	1,029	36.5 (27)	673	7.0 (30)	475	4.6 (28)	0	* *	0	* *	1,520	97.8 (13)	2,127	25.9 (20)
Hopkins	1,717	40.1 (20)	1,095	8.1 (22)	742	4.0 (33)	0	* *	0	* *	2,290	88.9 (49)	3,324	45.5 (45)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Jefferson	16,871	48.8 (6)	11,413	13.3 (5)	7,480	8.3 (6)	0	* *	0	* *	17,346	93.1 (39)	30,887	1.1 (5)
Jessamine	1,697	44.9 (11)	1,154	14.7 (3)	758	9.6 (4)	0	* *	0	* *	2,085	95.8 (23)	3,265	27.1 (22)
Johnson	970	31.8 (41)	590	5.6 (41)	485	4.7 (24)	0	* *	0	* *	1,710	99.6 (7)	1,981	37.4 (35)
Knox	1,522	20.0 (54)	1,023	3.0 (56)	727	1.0 (58)	0	* *	0	* *	2,578	96.1 (21)	3,277	0.9 (4)
KY River	4,100	29.2 (43)	2,690	5.5 (42)	1,891	3.3 (41)	0	* *	0	* *	6,952	96.2 (19)	8,450	18.1 (13)
Lake Cumb	7,896	35.7 (31)	5,389	6.3 (35)	3,931	3.7 (36)	0	* *	0	* *	12,477	94.2 (32)	15,948	42.7 (41)
Laurel	1,927	37.8 (25)	1,256	7.6 (24)	875	3.8 (35)	0	* *	0	* *	2,706	96.3 (16)	3,809	59.9 (54)
Lawrence	606	24.6 (49)	417	6.5 (34)	318	2.5 (46)	0	* *	0	* *	976	99.3 (9)	1,241	17.8 (12)
Lewis	521	34.0 (38)	339	5.0 (46)	303	2.0 (51)	0	* *	0	* *	973	92.7 (42)	1,134	45.8 (46)
Lincoln	850	27.3 (47)	600	4.0 (52)	477	1.3 (56)	0	* *	0	* *	1,292	98.2 (12)	1,745	41.1 (40)
Lincoln Tr	8,054	39.3 (22)	5,279	7.2 (29)	3,969	4.7 (24)	0	* *	0	* *	11,709	93.9 (34)	16,485	48.2 (47)
Little San	1,571	32.9 (39)	1,122	8.2 (21)	849	4.7 (24)	0	* *	0	* *	2,770	90.4 (47)	3,317	44.3 (42)
Madison	2,390	39.2 (23)	1,572	9.9 (10)	1,135	7.8 (8)	0	* *	0	* *	2,851	96.2 (19)	4,408	33.4 (26)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Magoffin	588	16.8 (57)	399	5.8 (40)	309	3.9 (34)	0	* *	0	* *	1,300	99.1 (10)	1,335	39.5 (37)
Marshall	893	44.8 (12)	623	9.8 (12)	476	4.6 (28)	0	* *	0	* *	1,385	88.2 (53)	1,813	34.9 (29)
Martin	601	14.6 (58)	339	2.7 (58)	278	1.4 (54)	0	* *	0	* *	1,069	88.7 (51)	1,262	70.6 (57)
Mercer	630	42.1 (15)	409	8.6 (16)	320	5.3 (14)	0	* *	0	* *	1,105	93.7 (35)	1,337	55.9 (50)
Monroe	372	26.3 (48)	239	2.9 (57)	202	2.5 (46)	0	* *	0	* *	677	100. (1)	779	32.1 (25)
Montgomery	1,110	34.8 (36)	759	7.6 (24)	552	4.9 (21)	0	* *	0	* *	1,585	92.7 (42)	2,158	45.0 (43)
Muhlenberg	1,016	27.6 (46)	684	6.3 (35)	497	2.4 (49)	0	* *	0	* *	1,481	92.5 (44)	2,013	54.4 (49)
N Central	2,219	51.4 (3)	1,470	18.6 (1)	1,199	15.6 (1)	0	* *	0	* *	3,020	94.5 (29)	4,316	9.2 (9)
N KY	10,869	35.9 (30)	6,442	6.7 (33)	4,177	4.8 (23)	0	* *	0	* *	10,573	96.0 (22)	19,705	34.4 (28)
Oldham	787	51.7 (2)	501	11.8 (7)	416	11.1 (3)	0	* *	0	* *	1,148	95.3 (26)	1,621	76.1 (58)
Park DuV	1,782	41.0 (18)	1,272	14.5 (4)	846	8.6 (5)	0	* *	0	* *	2,356	100. (1)	3,641	0.0 (1)
Pennyrile	2,644	49.5 (5)	1,750	9.9 (10)	1,436	5.6 (11)	0	* *	0	* *	3,907	92.1 (45)	5,273	25.7 (19)
Pike	2,240	23.9 (51)	1,493	3.1 (55)	966	2.5 (46)	0	* *	0	* *	3,068	89.1 (48)	4,493	69.6 (56)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Powell	571	39.2 (23)	392	6.1 (37)	292	1.7 (52)	0	* *	0	* *	1,032	85.8 (55)	1,206	45.4 (44)
Purchase	4,203	43.4 (14)	2,759	8.9 (15)	2,183	5.1 (18)	0	* *	0	* *	6,306	95.0 (27)	8,478	26.8 (21)
Todd	489	41.5 (16)	338	6.8 (32)	260	1.5 (53)	0	* *	0	* *	821	100. (1)	1,025	18.9 (14)
WEDCO	2,131	39.8 (21)	1,467	8.5 (17)	1,022	5.3 (14)	0	* *	0	* *	2,783	94.6 (28)	4,099	39.9 (38)
Whitley	2,230	21.3 (53)	1,467	5.0 (46)	1,044	2.9 (43)	0	* *	0	* *	3,633	100. (1)	4,575	14.6 (11)
Woodford	611	45.7 (9)	396	8.1 (22)	305	5.2 (16)	0	* *	0	* *	960	97.3 (14)	1,256	12.5 (10)
Unknown Local Ag.	12	* *	5	* *	4	* *	0	* *	0	* *	19	* *	16	* *
Kentucky	139,679	39.1	91,976	8.8	65,420	5.6	0	*	0	*	190,365	94.3	274,073	28.8

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

