




HIV/AIDS and Kentucky, as of December 31, 2021




HIV/AIDS and Kentucky, as of December 31, 2021



Percentage of HIV/AIDS Cases by Age Category at Time of Diagnosis, Kentucky



Percentage of HIV/AIDS Cases by Category of Transmission, Kentucky




HIV/AIDS and Bluegrass ADD, as of December 31, 2021




HIV/AIDS and Bluegrass ADD, as of December 31, 2021

Percentage of HIV/AIDS Cases by Age Category at Time of Diagnosis for Bluegrass ADD, Kentucky




Percentage of HIV/AIDS Cases by Category of Transmission for Bluegrass ADD, Kentucky




HIV/AIDS and KIPDA ADD, as of December 31, 2021

Percentage of HIV/AIDS Cases by Sex at Birth for KIPDA ADD, Kentucky




Percentage of HIV/AIDS Cases by Race/Ethnicity for KIPDA ADD, Kentucky




HIV/AIDS and KIPDA ADD, as of December 31, 2021



Percentage of HIV/AIDS Cases by Age Category at Time of Diagnosis for KIPDA ADD, Kentucky





Percentage of HIV/AIDS Cases by Category of Transmission for KIPDA ADD, Kentucky



HIV/AIDS and Northern Kentucky ADD, as of December 31, 2021



HIV/AIDS and Northern Kentucky ADD, as of December 31, 2021



Notes:

Data are from the Kentucky Department for Public Health and current as of **December 31, 2021**.

2020 and 2021 data are considered preliminary due to reporting delays and subject to change.

HIV disease refers to cases diagnosed with HIV, regardless of progression to AIDS.

Area Development District (ADD) represents residence at time of diagnosis, not current residence.

Transmission Category: Classification used to summarize the behavior or event most likely responsible for disease transmission. Each case is only included in a single transmission route.

- Men Who Have Sex With Men (MSM): Men who report having sexual contact with other men.
- Injection Drug Use (IDU): Individuals who report injecting nonprescription drugs.
- MSM/IDU: Men who report having sex with other men and also inject nonprescription drugs.
- Heterosexual Contact: A person reporting specific heterosexual contact with a person known to have, or to be at high risk for, HIV infection, such as an injection drug user, a bisexual male (females only), or a person with hemophilia/coagulation disorder.
- Female Heterosexual Contact (FHC): A female who does not fit in the heterosexual contact category above, with no reported injection drug use, but reported sexual contact with a male and no additional information about the male's HIV status or behaviors. This category was accepted by the CDC in 2010, and Kentucky's data were revised starting with the June 2012 annual report. Cases previously categorized as "undetermined" and meeting this criteria were re-classified.
- Perinatal: Individuals born to a mother with HIV or a mother with an exposure history listed in the transmission category hierarchy.
- No Risk Reported/No Identified Risk (NIR): Individuals reporting no exposure history to HIV through any of the modes listed in the transmission category hierarchy above.

Percentages may not total 100% due to rounding.