


Table 2-G
Resident Deaths from Influenza and Pneumonia
Number and Crude Rate*: Kentucky 1960 - 1999

Year	Number	Rate	Year	Number	Rate	Year	Number	Rate
1960	1,407	46.3	1975	1,031	30.7	1990	1,405	37.7
1961	946	31.0	1976	1,016	30.0	1991	1,439	39.0
1962	1,005	32.6	1977	935	27.3	1992	1,355	36.5
1963	1,630	53.2	1978	1,076	31.1	1993	1,536	40.9
1964	1,019	33.5	1979	802	22.9	1994	1,510	39.5
1965	1,135	37.0	1980	988	28.0	1995	1,476	38.2
1966	1,091	34.7	1981	1,004	27.4	1996	1,350	34.8
1967	1,080	33.9	1982	838	22.6	1997	1,346	34.4
1968	1,254	39.2	1983	964	26.1	1998	1,496	38.0
1969	1,222	38.0	1984	1,025	27.6	1999**	604	15.3
1970	1,130	35.1	1985	1,268	34.1			
1971	958	29.5	1986	1,262	33.9			
1972	1,099	33.5	1987	1,117	30.0			
1973	1,086	32.8	1988	1,340	36.0			
1974	938	28.2	1989	1,309	35.1			

*Crude Rate per 100,000 total population

Figure 2-G: Crude Deaths - Influenza & Pneumonia
Kentucky 1965 - 1999



** The decrease in 1999 is partially the result of coding differences between ICD - 9 and ICD - 10. 88