

**Table 4G**  
**2002 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by Metro Area**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution by Metro Area</b>							
<b>Metro Area</b>	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan %	Asian/Pacific Islander %	All Other / Unknown %
Lou/Jeff	1,528	13.4	78.7	3.3	0.9	3.7	0.0
Unknown	117,179	83.8	11.8	3.4	0.1	0.9	0.0
Unknown Metro Areas	1,324	83.8	12.8	2.7	0.0	0.6	0.0
<b>Kentucky</b>	<b>120,031</b>	<b>82.9</b>	<b>12.6</b>	<b>3.4</b>	<b>0.1</b>	<b>0.9</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>5,174,210</b>	<b>40.2</b>	<b>21.4</b>	<b>31.4</b>	<b>1.4</b>	<b>2.8</b>	<b>2.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5G**  
**2002 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Age Distribution by Metro Area**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution by Metro Area</b>				
<b>Metro Area</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Lou/Jeff	1,528	33.7	22.0	44.3
Unknown	117,179	31.7	24.8	43.5
Unknown Metro Are	1,324	89.7	3.2	7.1
<b>Kentucky</b>	<b>120,031</b>	<b>32.4</b>	<b>24.5</b>	<b>43.1</b>
<b>Nation (Prior Year)</b>	<b>5,174,210</b>	<b>37.3</b>	<b>21.6</b>	<b>41.1</b>

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 6G**  
**2002 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Metro Area**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Metro Area</b> (3,4)												
<b>Metro Area</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lou/Jeff	428	18.7 (2)	6.1 (1)	1,462	11.8 (2)	4.1 (1)	15.4 (1)	673	19.9 (2)	15.6 (1)	1,062	9.5 (1)
Unknown	30,939	9.9 (1)	7.6 (2)	112,317	7.7 (1)	4.5 (2)	16.9 (2)	49,520	17.7 (1)	16.9 (2)	78,090	11.6 (2)
<b>Kentucky</b>	<b>32,542</b>	<b>10.0</b>	<b>7.5</b>	<b>114,943</b>	<b>7.6</b>	<b>4.6</b>	<b>16.8</b>	<b>50,285</b>	<b>17.7</b>	<b>16.8</b>	<b>79,270</b>	<b>11.6</b>
<b>Nation (Prior Year)</b>	<b>1,260,117</b>	<b>9.0</b>	<b>7.9</b>	<b>4,846,643</b>	<b>6.4</b>	<b>5.4</b>	<b>13.1</b>	<b>2,031,241</b>	<b>15.3</b>	<b>13.4</b>	<b>3,265,122</b>	<b>13.3</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7G**  
**2002 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area</b> (4,5)						
<b>Metro Area</b>	Breastfeeding (6)					
	Number	% Ever Breastfed  (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
Lou/Jeff	429	15.6 (2)	130	1.5 (1)	205	0.0 (1)
Unknown	31,196	16.2 (1)	11,755	1.3 (2)	19,781	0.0 (1)
Unknown Metro Areas	1,175	1.9 (3)	4	* *	20	* *
<b>Kentucky</b>	<b>32,800</b>	<b>15.6</b>	<b>11,889</b>	<b>1.3</b>	<b>20,006</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>874,598</b>	<b>51.1</b>	<b>493,552</b>	<b>20.3</b>	<b>484,228</b>	<b>13.3</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6G**  
**2000 - 2002 Pediatric Nutrition Surveillance<sup>(1)</sup>**  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Metro Area**  
**Children Aged < 5 Years<sup>(2)</sup>**

<b>Comparison of Growth and Anemia Indicators by Metro Area</b> (3,4)												
<b>Metro Area</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Lou/Jeff	461	18.2 (2)	6.1 (1)	1,522	11.9 (2)	4.3 (1)	15.2 (2)	696	20.0 (2)	15.5 (2)	1,090	9.4 (1)
Unknown	95,417	9.6 (1)	8.0 (2)	336,984	5.9 (1)	5.5 (2)	14.9 (1)	145,293	16.3 (1)	15.0 (1)	231,623	11.7 (2)
<b>Kentucky</b>	<b>100,497</b>	<b>9.7</b>	<b>8.0</b>	<b>344,976</b>	<b>5.8</b>	<b>5.5</b>	<b>14.8</b>	<b>147,248</b>	<b>16.3</b>	<b>15.0</b>	<b>234,409</b>	<b>11.7</b>

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7G**  
**2000 - 2002 Pediatric Nutrition Surveillance<sup>(4)</sup>**  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area<sup>(2)</sup>**  
**Children Aged < 5 Years<sup>(3)</sup>**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area<sup>(4,5)</sup></b>						
<b>Metro Area</b>	Breastfeeding <sup>(6)</sup>					
	Number	% Ever Breastfed  (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
Lou/Jeff	909	8.0 (2)	445	0.4 (2)	383	0.0 (1)
Unknown	70,971	8.2 (1)	38,238	0.5 (1)	33,934	0.0 (1)
Unknown Metro Areas	1,242	1.6 (3)	62	* *	57	* *
<b>Kentucky</b>	<b>73,122</b>	<b>8.1</b>	<b>38,745</b>	<b>0.5</b>	<b>34,374</b>	<b>0.0</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.