

Table 4F
2003 Pediatric Nutrition Surveillance ⁽¹⁾

Kentucky
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency							
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	All Other / Unknown %
3 Rivers	1,404	87.4	1.9	10.5	0.2	0.1	0.0
Allen	707	98.2	0.6	0.7	0.0	0.6	0.0
Anderson	362	90.1	6.6	3.3	0.0	0.0	0.0
Barren Riv	6,755	82.9	9.6	5.3	0.3	2.0	0.0
Bourbon	534	77.3	9.0	12.9	0.4	0.4	0.0
Boyd	1,373	96.8	1.9	0.9	0.1	0.2	0.0
Boyle	634	93.5	6.5	0.0	0.0	0.0	0.0
Bracken	269	99.6	0.0	0.4	0.0	0.0	0.0
Breathitt	708	99.9	0.1	0.0	0.0	0.0	0.0
Breckinrid	639	95.0	3.9	1.1	0.0	0.0	0.0
Buffalo Tr	665	91.4	6.0	2.0	0.3	0.3	0.0
Bullitt	1,183	98.0	1.4	0.4	0.0	0.2	0.0
C & Y	1,327	3.5	92.6	0.0	1.2	2.6	0.0
Christian	4,806	66.0	28.3	4.6	0.3	0.9	0.0
Clark	817	91.6	5.8	1.6	0.1	1.0	0.0
Cumb Val	6,340	97.8	1.5	0.6	0.0	0.0	0.0
Estill	645	98.6	0.8	0.0	0.0	0.6	0.0
Fayette	5,371	46.1	29.4	17.9	0.6	6.0	0.0
Fleming	633	96.5	1.4	1.6	0.2	0.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2003 Pediatric Nutrition Surveillance (1)

Kentucky
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Local Agency							
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	All Other / Unknown %
Floyd	2,051	99.6	0.2	0.1	0.0	0.0	0.0
Franklin	971	75.8	14.8	7.7	0.3	1.3	0.0
Garrard	602	94.5	1.8	3.7	0.0	0.0	0.0
Gateway	2,600	98.8	0.5	0.3	0.2	0.2	0.0
Green Riv	6,556	86.1	8.8	4.0	0.1	1.0	0.0
Greenup	1,048	99.5	0.5	0.0	0.0	0.0	0.0
Hopkins	1,480	84.5	12.3	2.7	0.2	0.3	0.0
Jefferson	12,402	55.9	35.2	5.9	0.2	2.9	0.0
Jessamine	1,106	88.2	6.3	3.1	0.1	2.3	0.0
Johnson	1,186	99.9	0.1	0.0	0.0	0.0	0.0
Knox	1,606	98.9	1.1	0.0	0.0	0.0	0.0
KY River	4,905	99.0	0.9	0.0	0.0	0.1	0.0
Lake Cumb	7,926	94.8	2.0	3.0	0.0	0.1	0.0
Laurel	1,631	98.7	0.8	0.1	0.1	0.3	0.0
Lawrence	649	99.8	0.2	0.0	0.0	0.0	0.0
Lewis	598	99.7	0.0	0.0	0.0	0.3	0.0
Lincoln	906	93.3	2.9	3.8	0.0	0.1	0.0
Lincoln Tr	7,920	85.3	11.4	2.7	0.1	0.5	0.0
Little San	1,694	99.2	0.4	0.2	0.2	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2003 Pediatric Nutrition Surveillance (1)

Kentucky
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Local Agency							
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	All Other / Unknown %
Madison	1,959	88.9	7.9	1.7	0.2	1.3	0.0
Magoffin	872	99.1	0.0	0.9	0.0	0.0	0.0
Marshall	878	99.1	0.8	0.1	0.0	0.0	0.0
Martin	746	99.2	0.7	0.1	0.0	0.0	0.0
Mercer	656	87.2	4.7	8.1	0.0	0.0	0.0
Monroe	411	91.7	4.6	3.6	0.0	0.0	0.0
Montgomery	990	96.1	0.7	2.8	0.0	0.4	0.0
Muhlenberg	978	94.9	4.5	0.5	0.0	0.1	0.0
N Central	1,829	71.4	6.1	22.3	0.1	0.1	0.0
N KY	6,877	89.6	6.9	3.0	0.1	0.3	0.0
Oldham	747	79.8	4.6	15.3	0.0	0.4	0.0
Park DuV	1,406	14.3	75.7	6.0	0.8	3.2	0.0
Pennyrile	2,482	91.0	6.5	1.5	0.2	0.8	0.0
Pike	2,133	98.9	0.5	0.1	0.2	0.2	0.0
Powell	745	97.0	0.9	1.3	0.0	0.7	0.0
Purchase	4,406	70.7	22.5	5.3	0.3	1.1	0.0
Todd	489	72.2	16.0	4.9	0.2	6.7	0.0
WEDCO	1,628	90.9	3.7	4.6	0.5	0.2	0.0
Whitley	2,474	99.5	0.2	0.0	0.1	0.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2003 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency							
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	All Other / Unknown %
Unknown Local Agencies	1,168	93.1	5.8	0.8	0.1	0.3	0.0
Kentucky	126,883	83.0	11.9	3.9	0.2	1.0	0.0
Nation (Prior Year)	5,333,226	39.1	20.8	32.2	1.2	3.3	3.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
3 Rivers	1,404	22.3	28.8	48.9
Allen	707	18.1	24.0	57.9
Anderson	362	26.0	22.1	51.9
Barren Riv	6,755	27.6	25.0	47.4
Bourbon	534	22.1	27.3	50.6
Boyd	1,373	28.1	25.1	46.8
Boyle	634	26.0	29.8	44.2
Bracken	269	23.8	21.9	54.3
Breathitt	708	19.6	26.4	54.0
Breckinrid	639	24.7	22.1	53.2
Buffalo Tr	665	17.3	28.4	54.3
Bullitt	1,183	28.7	27.9	43.4
C & Y	1,327	29.5	24.2	46.3
Christian	4,806	28.7	23.1	48.1
Clark	817	28.0	27.8	44.2
Cumb Val	6,340	18.5	24.5	56.9
Estill	645	20.3	24.7	55.0
Fayette	5,371	30.6	25.4	44.0

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2003 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Fleming	633	16.1	25.6	58.3
Floyd	2,051	18.6	25.2	56.2
Franklin	971	34.0	26.0	40.1
Garrard	602	19.4	28.4	52.2
Gateway	2,600	20.6	25.0	54.5
Green Riv	6,556	26.2	24.2	49.6
Greenup	1,048	26.2	22.8	51.0
Hopkins	1,480	26.6	23.8	49.7
Jefferson	12,402	31.6	24.6	43.8
Jessamine	1,106	26.3	26.8	46.9
Johnson	1,186	18.0	24.4	57.7
Knox	1,606	20.4	22.5	57.0
KY River	4,905	21.1	24.9	54.0
Lake Cumb	7,926	22.0	26.2	51.8
Laurel	1,631	28.9	24.6	46.5
Lawrence	649	18.5	25.3	56.2
Lewis	598	15.6	25.6	58.9
Lincoln	906	24.9	23.7	51.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2003 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lincoln Tr	7,920	25.0	24.2	50.8
Little San	1,694	17.8	25.6	56.7
Madison	1,959	28.4	26.2	45.4
Magoffin	872	16.2	23.1	60.8
Marshall	878	20.4	29.8	49.8
Martin	746	16.9	27.2	55.9
Mercer	656	25.6	23.9	50.5
Monroe	411	21.7	25.3	53.0
Montgomery	990	23.5	25.1	51.4
Muhlenberg	978	21.8	22.4	55.8
N Central	1,829	28.4	26.1	45.5
N KY	6,877	29.1	25.1	45.8
Oldham	747	23.2	26.1	50.7
Park DuV	1,406	27.2	23.0	49.8
Pennyrile	2,482	21.8	28.8	49.4
Pike	2,133	25.8	25.3	48.9
Powell	745	16.5	29.0	54.5
Purchase	4,406	20.6	28.3	51.1

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Todd	489	23.1	23.5	53.4
WEDCO	1,628	24.4	27.9	47.6
Whitley	2,474	23.7	22.9	53.4
Unknown Local Agen	1,168	100.0	0.0	0.0
Kentucky	126,883	25.7	24.9	49.4
Nation (Prior Year)	5,333,226	36.6	21.7	41.7

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3 Rivers	272	9.6 (22)	5.9 (9)	1,371	8.5(41)	3.3(18)	16.9(23)	672	19.9(42)	16.7(22)	1,056	9.8 (23)
Allen	122	8.2 (8)	11.5 (51)	688	6.3(20)	2.2 (5)	17.2(24)	398	20.4(48)	17.3(25)	372	10.5 (31)
Anderson	74	* *	* *	347	7.5(32)	2.9(14)	22.2(52)	182	20.3(47)	20.3(43)	277	10.1 (27)
Barren Riv	1,488	8.5 (11)	7.5 (26)	6,540	6.2(17)	3.6(24)	17.4(26)	3,124	18.0(26)	18.3(35)	3,677	12.4 (37)
Bourbon	108	11.1 (38)	7.4 (23)	516	9.5(49)	2.3 (7)	20.5(48)	263	16.3(17)	22.8(56)	394	26.1 (55)
Boyd	343	13.7 (46)	7.9 (30)	1,318	6.7(24)	6.2(54)	14.6 (8)	626	19.3(37)	15.5(16)	757	10.0 (24)
Boyle	147	8.8 (14)	8.8 (38)	595	4.9 (9)	4.0(31)	18.5(35)	265	15.1 (8)	18.5(37)	361	8.0 (12)
Bracken	52	* *	* *	256	12.9(56)	5.9(52)	27.0(57)	139	15.1 (8)	34.5(57)	181	7.2 (9)
Breathitt	126	11.1 (38)	8.7 (36)	668	6.0(15)	4.6(39)	20.8(50)	374	19.5(39)	21.4(51)	426	10.3 (28)
Breckinrid	113	8.8 (14)	4.4 (4)	625	6.6(23)	2.6(11)	16.3(16)	334	18.9(34)	14.4(11)	492	2.8 (1)
Buffalo Tr	100	13.0 (45)	8.0 (32)	641	8.9(46)	4.2(33)	19.7(46)	354	18.6(32)	15.8(18)	457	10.9 (33)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bullitt	307	6.2 (3)	11.1 (48)	1,141	7.4(30)	4.2(33)	17.7(28)	503	15.7(13)	15.5(16)	572	20.8 (53)
C & Y	332	13.9 (48)	6.6 (16)	1,246	7.3(28)	4.4(38)	18.2(33)	598	18.4(31)	19.9(42)	257	16.3 (47)
Christian	916	8.3 (9)	7.9 (30)	4,616	5.6(12)	5.7(49)	11.3 (1)	2,253	13.2 (5)	9.9 (2)	2,617	27.0 (57)
Clark	192	11.5 (43)	3.1 (1)	784	4.8 (8)	4.2(33)	14.0 (5)	357	15.1 (8)	18.5(37)	460	12.8 (40)
Cumb Val	1,000	8.9 (16)	8.0 (32)	6,111	6.2(17)	4.6(39)	19.5(45)	3,500	17.6(25)	18.8(39)	4,206	8.0 (12)
Estill	114	5.3 (1)	8.8 (38)	626	6.1(16)	1.6 (4)	18.2(33)	345	19.1(36)	21.2(47)	520	11.5 (35)
Fayette	1,319	10.2 (31)	6.5 (15)	5,149	7.3(28)	3.5(22)	16.8(21)	2,307	19.4(38)	18.2(34)	2,812	13.6 (41)
Fleming	89	* *	* *	611	5.9(13)	3.4(20)	17.8(30)	355	12.1 (4)	16.3(20)	518	16.2 (46)
Floyd	352	11.4 (41)	7.4 (23)	1,938	5.0(10)	7.3(56)	15.9(14)	1,084	11.8 (2)	14.6(12)	1,319	10.4 (29)
Franklin	257	9.7 (23)	7.8 (29)	938	8.0(36)	6.0(53)	17.9(31)	379	19.8(40)	20.3(43)	694	19.9 (51)
Garrard	105	6.7 (5)	5.7 (6)	574	8.7(43)	2.3 (7)	12.5 (2)	298	23.8(57)	9.7 (1)	282	18.1 (49)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Gateway	459	8.7 (13)	9.8 (43)	2,516	6.2(17)	3.7(26)	19.1(42)	1,389	17.2(22)	19.1(40)	1,604	10.4 (29)
Green Riv	1,325	8.9 (16)	5.9 (9)	6,337	10.3(51)	2.8(13)	18.7(38)	3,177	18.6(32)	18.4(36)	4,023	9.0 (20)
Greenup	219	10.5 (33)	6.8 (18)	1,019	3.4 (1)	7.7(57)	14.9 (9)	526	18.3(30)	15.2(14)	584	7.9 (11)
Hopkins	289	10.0 (29)	7.3 (22)	1,424	13.3(57)	1.3 (1)	19.1(42)	713	21.3(53)	18.0(32)	1,097	10.5 (31)
Jefferson	3,223	9.8 (24)	6.6 (16)	11,835	8.2(38)	4.6(39)	16.4(18)	5,297	16.9(21)	15.3(15)	8,089	10.0 (24)
Jessamine	224	10.7 (36)	11.2 (49)	1,071	10.4(52)	3.7(26)	17.6(27)	513	17.5(24)	14.0 (9)	695	9.1 (21)
Johnson	183	9.3 (18)	5.5 (5)	1,143	3.9 (3)	5.5(47)	16.8(21)	663	16.6(18)	16.1(19)	805	24.2 (54)
Knox	270	11.9 (44)	10.4 (45)	1,544	4.2 (4)	3.2(17)	18.8(39)	891	21.4(54)	21.3(48)	1,034	12.4 (37)
KY River	846	9.5 (20)	5.8 (8)	4,680	8.5(41)	2.2 (5)	25.8(56)	2,567	18.1(27)	21.3(48)	3,759	8.8 (19)
Lake Cumb	1,431	10.6 (35)	7.4 (23)	7,657	6.8(25)	3.8(30)	16.1(15)	4,001	18.1(27)	17.0(23)	4,074	10.0 (24)
Laurel	379	11.3 (40)	6.1 (12)	1,561	7.4(30)	5.0(44)	18.1(32)	730	21.0(51)	19.6(41)	752	15.4 (45)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lawrence	107	15.9 (51)	7.5 (26)	628	6.5(22)	4.6(39)	18.5(35)	358	23.7(56)	17.3(25)	393	5.6 (4)
Lewis	85	* *	* *	581	4.5 (5)	4.0(31)	14.5 (6)	344	21.2(52)	13.4 (6)	284	4.9 (2)
Lincoln	155	11.0 (37)	9.0 (40)	873	10.0(50)	3.4(20)	22.9(53)	453	19.9(42)	20.5(46)	684	5.3 (3)
Lincoln Tr	1,525	8.3 (9)	7.1 (20)	7,674	8.8(44)	3.0(15)	17.7(28)	3,926	17.3(23)	14.1(10)	5,759	8.2 (14)
Little San	266	9.8 (24)	9.4 (42)	1,640	4.5 (5)	6.6(55)	13.4 (3)	938	15.8(14)	13.5 (7)	838	14.2 (42)
Madison	452	10.4 (32)	10.2 (44)	1,904	8.9(46)	5.6(48)	15.4(12)	874	19.9(42)	20.3(43)	1,397	8.4 (17)
Magoffin	129	9.3 (18)	10.9 (47)	837	6.8(25)	2.6(11)	25.2(54)	511	20.5(49)	21.3(48)	445	26.3 (56)
Marshall	153	6.5 (4)	10.5 (46)	842	7.7(33)	5.7(49)	16.6(19)	426	14.6 (7)	10.8 (3)	628	7.3 (10)
Martin	112	9.8 (24)	8.0 (32)	724	8.0(36)	3.3(18)	21.5(51)	407	23.6(55)	17.2(24)	618	6.8 (6)
Mercer	133	15.0 (50)	7.5 (26)	633	9.0(48)	2.5(10)	16.3(16)	322	16.8(19)	17.4(27)	478	9.6 (22)
Monroe	65	* *	* *	399	5.0(10)	4.3(36)	15.8(13)	211	16.1(16)	18.0(32)	244	20.5 (52)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montgomery	176	11.4 (41)	5.7 (6)	943	6.9(27)	2.3 (7)	13.6 (4)	493	15.6(12)	12.6 (5)	767	7.0 (8)
Muhlenberg	193	5.7 (2)	6.2 (14)	953	4.7 (7)	5.7(49)	15.3(11)	538	15.2(11)	17.5(29)	481	12.7 (39)
N Central	411	10.5 (33)	8.0 (32)	1,736	11.6(54)	3.5(22)	25.5(55)	796	19.8(40)	22.0(54)	1,159	8.5 (18)
N KY	1,615	8.5 (11)	8.7 (36)	6,595	8.2(38)	3.7(26)	18.6(37)	3,071	20.2(46)	17.4(27)	4,643	12.2 (36)
Oldham	143	14.7 (49)	3.5 (2)	718	11.7(55)	1.3 (1)	20.1(47)	368	16.0(15)	17.9(31)	412	11.4 (34)
Park DuV	319	13.8 (47)	4.1 (3)	1,360	10.8(53)	5.1(46)	14.9 (9)	689	20.9(50)	14.9(13)	1,046	8.2 (14)
Pennyryle	433	7.6 (6)	9.0 (40)	2,406	6.3(20)	3.1(16)	17.3(25)	1,208	16.8(19)	16.5(21)	1,661	14.9 (43)
Pike	433	9.9 (28)	6.9 (19)	2,041	3.4 (1)	4.9(43)	19.0(41)	998	14.2 (6)	21.4(51)	1,163	8.2 (14)
Powell	115	7.8 (7)	6.1 (12)	725	5.9(13)	1.5 (3)	19.2(44)	402	19.9(42)	22.1(55)	621	6.9 (7)
Purchase	775	9.5 (20)	7.1 (20)	4,209	7.9(35)	5.0(44)	18.9(40)	2,188	18.1(27)	17.5(29)	2,842	18.5 (50)
Todd	98	* *	* *	468	8.8(44)	4.3(36)	14.5 (6)	253	11.5 (1)	12.3 (4)	358	17.9 (48)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
WEDCO	348	9.8 (24)	6.0 (11)	1,571	7.8(34)	3.7(26)	16.6(19)	752	12.0 (3)	13.7 (8)		1,088	15.3 (44)
Whitley	464	10.1 (30)	11.4 (50)	2,394	8.3(40)	3.6(24)	20.6(49)	1,281	19.0(35)	21.9(53)		1,846	5.9 (5)
Kentucky	26,648	9.6	7.4	121,974	7.4	4.0	17.7	60,984	17.8	17.2		79,078	11.5
Nation (Prior Year)	1,208,400	8.9	7.6	4,913,316	6.3	5.4	13.5	2,069,605	15.4	14.3		3,295,974	13.1

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2003 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (4,5)						
Local Agency	Breastfeeding (6)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
		(Rank)		(Rank)		(Rank)
3 Rivers	274	31.0 (5)	127	2.4 (31)	276	4.0 (46)
Allen	122	27.9 (8)	49	* *	126	4.0 (46)
Anderson	74	* *	23	* *	49	* *
Barren Riv	1,522	22.3 (17)	654	8.7 (22)	1,113	5.4 (26)
Bourbon	109	18.3 (34)	40	* *	96	* *
Boyd	343	21.0 (23)	140	10.7 (10)	251	5.2 (31)
Boyle	151	17.2 (36)	63	* *	135	1.5 (51)
Bracken	52	* *	21	* *	41	* *
Breathitt	127	3.9 (52)	71	* *	128	7.8 (10)
Breckinrid	114	16.7 (38)	55	* *	85	* *
Buffalo Tr	100	19.0 (29)	72	* *	148	5.4 (26)
Bullitt	307	26.4 (11)	128	10.2 (11)	238	5.0 (33)
C & Y	332	15.7 (44)	125	8.8 (21)	231	4.8 (35)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2003 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (4,5)						
Local Agency	Breastfeeding (6)					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
Christian	971	27.6 (9)	462	13.6 (6)	609	5.7 (22)
Clark	192	21.4 (20)	87	* *	151	4.6 (40)
Cumb Val	1,021	16.3 (41)	552	7.4 (25)	1,084	4.4 (42)
Estill	114	16.7 (38)	57	* *	112	8.0 (9)
Fayette	1,322	42.2 (1)	556	19.2 (2)	897	11.6 (1)
Fleming	89	* *	52	* *	118	6.8 (17)
Floyd	352	10.2 (49)	168	10.1 (13)	353	5.7 (22)
Franklin	260	23.1 (15)	98	* *	153	11.1 (2)
Garrard	107	19.6 (25)	57	* *	113	5.3 (29)
Gateway	461	21.5 (19)	221	7.2 (27)	436	5.3 (29)
Green Riv	1,326	19.2 (28)	640	7.5 (24)	1,020	5.2 (31)
Greenup	222	18.9 (30)	118	15.3 (4)	158	8.9 (6)
Hopkins	296	18.6 (32)	127	10.2 (11)	192	4.2 (44)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2003 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (4,5)						
Local Agency	Breastfeeding (6)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
		(Rank)		(Rank)		(Rank)
Jefferson	3,253	26.6 (10)	1,228	14.5 (5)	1,988	8.1 (8)
Jessamine	225	20.4 (24)	117	22.2 (1)	173	11.0 (3)
Johnson	185	16.2 (42)	109	10.1 (13)	203	5.4 (26)
Knox	280	10.4 (48)	129	9.3 (18)	233	4.7 (36)
KY River	864	11.0 (47)	434	8.5 (23)	810	6.7 (18)
Lake Cumb	1,435	19.3 (26)	728	9.1 (19)	1,367	5.7 (22)
Laurel	379	17.7 (35)	175	5.7 (29)	254	4.7 (36)
Lawrence	107	11.2 (46)	56	* *	109	7.3 (14)
Lewis	85	* *	51	* *	115	4.3 (43)
Lincoln	156	24.4 (14)	81	* *	118	4.2 (44)
Lincoln Tr	1,531	19.3 (26)	757	11.1 (8)	1,262	7.8 (10)
Little San	266	21.1 (21)	158	7.0 (28)	299	5.0 (33)
Madison	453	23.0 (16)	220	10.9 (9)	340	7.6 (12)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2003 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (4,5)						
Local Agency	Breastfeeding (6)					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
Magoffin	129	7.0 (51)	57	* *	135	2.2 (49)
Marshall	153	32.7 (3)	70	* *	183	10.4 (4)
Martin	117	9.4 (50)	66	* *	128	4.7 (36)
Mercer	134	17.2 (36)	70	* *	110	4.5 (41)
Monroe	65	* *	36	* *	60	* *
Montgomery	178	18.5 (33)	99	* *	186	8.6 (7)
Muhlenberg	193	11.4 (45)	77	* *	152	2.0 (50)
N Central	411	21.9 (18)	181	9.9 (15)	311	5.5 (25)
N KY	1,653	18.8 (31)	687	9.6 (17)	1,105	7.0 (15)
Oldham	144	32.6 (4)	74	* *	130	6.9 (16)
Park DuV	324	25.6 (13)	123	12.2 (7)	217	6.5 (20)
Pennyrile	434	28.1 (7)	256	16.4 (3)	474	9.3 (5)
Pike	434	16.1 (43)	213	4.7 (30)	339	4.7 (36)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2003 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (4,5)						
Local Agency	Breastfeeding (6)					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
	Powell	115	26.1 (12)	70	* *	160
Purchase	778	33.5 (2)	459	9.8 (16)	859	6.2 (21)
Todd	98	* *	30	* *	80	* *
WEDCO	349	30.7 (6)	150	7.3 (26)	296	2.7 (48)
Whitley	465	16.6 (40)	224	8.9 (20)	333	6.6 (19)
Unknown Local Agencies	1,168	21.1 (21)	0	* *	0	* *
Kentucky	26,921	22.2	11,948	10.5	20,842	6.4
Nation (Prior Year)	969,228	52.5	527,765	20.8	555,990	12.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2001 - 2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3 Rivers	1,021	10.3 (36)	6.0 (5)	4,044	8.0(45)	4.4(28)	15.6(25)	1,837	17.8(30)	16.2(26)	2,961	10.6 (27)
Allen	396	9.3 (23)	10.6 (55)	1,871	6.0(20)	3.1 (6)	16.3(32)	962	20.2(54)	17.3(35)	1,135	9.7 (24)
Anderson	265	8.3 (10)	7.5 (23)	1,042	8.4(50)	4.4(28)	20.2(53)	493	20.1(53)	21.7(56)	806	8.6 (18)
Barren Riv	5,125	9.7 (29)	7.3 (21)	18,648	6.0(20)	4.0(20)	15.6(25)	7,920	17.9(33)	16.7(27)	11,416	12.2 (35)
Bourbon	396	11.4 (48)	9.1 (46)	1,502	7.5(39)	2.4 (2)	19.8(52)	665	19.4(49)	20.6(55)	1,094	28.9 (58)
Boyd	1,155	11.5 (51)	7.7 (29)	4,090	6.9(31)	8.6(57)	13.6 (6)	1,807	17.5(26)	14.8(18)	2,577	12.1 (34)
Boyle	505	10.1 (33)	6.9 (13)	1,681	6.0(20)	4.9(37)	16.2(31)	672	15.6(11)	17.6(37)	1,020	7.6 (11)
Bracken	176	13.1 (56)	6.8 (12)	686	9.0(54)	6.4(49)	22.3(55)	323	16.1(16)	27.9(58)	475	7.2 (7)
Breathitt	441	9.5 (27)	8.4 (38)	2,045	5.2(11)	4.3(25)	18.4(49)	1,153	14.7 (9)	17.7(38)	1,515	7.6 (11)
Breckinrid	339	8.0 (9)	8.0 (33)	1,604	6.7(30)	3.2 (8)	14.7(13)	785	18.3(37)	13.1 (8)	1,235	3.1 (1)
Buffalo Tr	464	8.4 (12)	8.2 (37)	1,974	8.9(53)	5.8(44)	16.7(36)	944	16.2(18)	13.2 (9)	1,409	11.6 (33)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2001 - 2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bullitt	1,034	7.4 (3)	8.4 (38)	3,271	7.0(32)	3.9(19)	16.0(29)	1,317	16.5(19)	14.7(17)	1,814	19.6 (55)
C & Y	751	11.7 (53)	6.0 (5)	2,450	7.8(42)	5.0(39)	17.2(38)	1,091	18.7(42)	20.2(50)	559	18.8 (53)
Christian	3,519	8.6 (15)	8.8 (43)	14,678	5.3(12)	6.8(52)	10.4 (1)	6,605	12.5 (4)	9.3 (2)	9,529	25.3 (57)
Clark	693	11.8 (54)	6.9 (13)	2,392	7.3(36)	3.6(16)	15.9(28)	1,012	18.6(40)	17.2(34)	1,523	11.4 (32)
Cumb Val	3,633	8.9 (19)	8.6 (41)	17,228	5.6(15)	5.5(42)	18.1(46)	9,050	16.5(19)	17.7(38)	12,234	8.1 (14)
Estill	413	7.0 (1)	9.4 (51)	1,799	4.2 (6)	4.3(25)	15.5(24)	907	18.4(39)	18.7(44)	1,396	8.5 (15)
Fayette	4,618	10.7 (42)	7.2 (19)	14,774	6.2(24)	4.3(25)	14.7(13)	5,858	18.6(40)	16.8(28)	8,767	15.8 (49)
Fleming	358	7.3 (2)	10.3 (54)	1,795	5.4(13)	4.7(34)	15.0(18)	928	13.9 (7)	15.2(20)	1,431	16.2 (50)
Floyd	1,230	9.1 (21)	7.9 (31)	5,471	4.3 (7)	9.3(58)	13.8 (8)	2,758	11.3 (2)	13.4(10)	3,905	8.7 (20)
Franklin	903	8.9 (19)	7.0 (16)	2,942	8.3(49)	6.2(47)	18.0(44)	1,119	19.4(49)	19.9(49)	2,068	14.5 (48)
Garrard	355	9.3 (23)	7.6 (25)	1,625	6.6(29)	3.3(11)	14.1 (9)	806	18.9(44)	14.0(11)	953	13.9 (44)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2001 - 2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Gateway	1,376	7.8 (8)	11.1 (57)	6,415	5.8(16)	4.0(20)	18.0(44)	3,227	17.6(28)	18.0(41)	4,287	13.5 (41)
Green Riv	4,779	9.7 (29)	6.0 (5)	18,680	8.7(52)	3.2 (8)	17.8(42)	8,501	18.0(35)	18.1(42)	11,996	10.3 (25)
Greenup	719	11.4 (48)	7.6 (25)	2,928	3.1 (1)	8.3(56)	12.9 (3)	1,370	16.9(22)	12.9 (7)	1,905	7.4 (9)
Hopkins	1,050	11.0 (44)	5.6 (3)	4,370	11.9(57)	1.8 (1)	20.2(53)	2,014	20.3(55)	18.7(44)	3,219	13.0 (38)
Jefferson	11,049	10.3 (36)	6.9 (13)	34,323	7.3(36)	5.3(40)	14.8(16)	13,591	16.1(16)	14.5(15)	22,402	12.3 (36)
Jessamine	797	7.4 (3)	9.8 (52)	3,106	8.6(51)	3.4(12)	16.3(32)	1,373	16.9(22)	15.4(24)	2,125	10.4 (26)
Johnson	669	7.5 (5)	8.8 (43)	3,158	4.0 (5)	6.6(51)	16.1(30)	1,628	15.3(10)	15.3(22)	2,321	19.2 (54)
Knox	964	10.6 (41)	8.5 (40)	4,509	4.9 (9)	3.7(17)	17.5(40)	2,344	19.1(48)	19.0(47)	3,290	13.4 (39)
KY River	3,057	9.2 (22)	7.2 (19)	13,542	8.1(47)	2.7 (4)	25.0(57)	6,935	17.7(29)	20.3(53)	10,686	8.6 (18)
Lake Cumb	5,138	9.4 (25)	7.9 (31)	21,616	5.9(18)	4.5(30)	14.7(13)	10,235	16.5(19)	15.3(22)	13,020	8.5 (15)
Laurel	1,382	10.9 (43)	8.0 (33)	4,787	6.0(20)	5.8(44)	15.3(22)	1,982	19.7(51)	18.1(42)	2,763	13.9 (44)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2001 - 2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lawrence	419	13.1 (56)	5.3 (1)	1,789	5.1(10)	5.7(43)	18.3(48)	875	19.9(52)	17.7(38)	1,198	7.5 (10)
Lewis	348	10.3 (36)	9.2 (48)	1,554	5.5(14)	4.7(34)	14.3(11)	774	21.2(58)	16.0(25)	932	5.6 (2)
Lincoln	607	9.9 (31)	7.7 (29)	2,527	7.7(40)	4.9(37)	19.1(51)	1,193	18.8(43)	19.4(48)	1,931	6.9 (6)
Lincoln Tr	5,397	8.8 (18)	7.1 (17)	22,757	8.1(47)	3.2 (8)	16.7(36)	10,683	18.3(37)	14.6(16)	16,821	8.5 (15)
Little San	1,027	7.5 (5)	11.8 (58)	4,738	3.9 (4)	7.1(54)	12.7 (2)	2,429	15.6(11)	12.8 (6)	2,900	10.6 (27)
Madison	1,549	9.6 (28)	10.7 (56)	5,541	7.7(40)	6.2(47)	13.6 (6)	2,334	18.9(44)	18.8(46)	3,926	10.9 (29)
Magoffin	439	10.0 (32)	9.8 (52)	2,304	7.4(38)	4.1(23)	22.9(56)	1,253	17.8(30)	20.2(50)	1,481	22.7 (56)
Marshall	599	8.3 (10)	7.5 (23)	2,477	7.8(42)	6.5(50)	15.1(19)	1,133	12.0 (3)	8.7 (1)	1,797	7.3 (8)
Martin	429	11.4 (48)	6.1 (8)	2,144	6.3(26)	4.1(23)	17.5(40)	1,153	21.0(57)	16.8(28)	1,753	6.6 (5)
Mercer	462	11.0 (44)	6.5 (10)	1,826	8.0(45)	3.5(15)	15.1(19)	851	17.9(33)	17.4(36)	1,349	8.8 (21)
Monroe	272	7.7 (7)	8.8 (43)	1,222	6.3(26)	3.4(12)	14.2(10)	552	15.6(11)	14.1(13)	819	14.0 (46)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2001 - 2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montgomery	632	10.3 (36)	9.3 (49)	2,626	6.2(24)	3.1 (6)	13.4 (5)	1,226	15.7(14)	12.6 (5)	2,021	9.6 (23)
Muhlenberg	740	8.4 (12)	8.0 (33)	2,954	3.8 (3)	6.8(52)	12.9 (3)	1,413	13.8 (6)	14.4(14)	1,768	10.9 (29)
N Central	1,364	10.1 (33)	7.6 (25)	4,919	13.2(58)	3.4(12)	25.7(58)	2,037	19.0(46)	22.3(57)	3,440	11.1 (31)
N KY	5,162	10.2 (35)	8.0 (33)	19,391	7.0(32)	4.5(30)	16.3(32)	8,493	18.2(36)	17.0(33)	13,849	12.4 (37)
Oldham	457	12.3 (55)	6.1 (8)	1,825	10.3(55)	2.4 (2)	17.9(43)	846	17.5(26)	16.8(28)	1,130	13.5 (41)
Park DuV	780	16.4 (58)	5.3 (1)	2,882	11.4(56)	4.6(32)	15.1(19)	1,385	20.4(56)	15.2(20)	2,136	8.8 (21)
Pennyrile	1,595	8.4 (12)	9.1 (46)	6,881	5.8(16)	4.6(32)	15.3(22)	3,177	15.8(15)	14.8(18)	4,827	13.5 (41)
Pike	1,579	9.4 (25)	7.1 (17)	6,214	3.1 (1)	8.0(55)	17.3(39)	2,886	17.3(24)	20.2(50)	4,021	7.7 (13)
Powell	435	8.7 (16)	7.4 (22)	2,022	4.3 (7)	2.9 (5)	15.7(27)	1,051	17.3(24)	16.9(32)	1,623	6.5 (4)
Purchase	2,931	11.0 (44)	7.6 (25)	12,050	7.0(32)	5.4(41)	18.2(47)	5,726	17.8(30)	16.8(28)	8,507	17.4 (52)
Todd	321	11.5 (51)	5.9 (4)	1,380	7.9(44)	4.0(20)	14.8(16)	665	13.7 (5)	10.1 (3)	1,056	17.2 (51)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2001 - 2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
WEDCO	1,220	10.3 (36)	6.5 (10)	4,427	6.3(26)	6.1(46)	14.3(11)	1,943	11.1 (1)	11.1 (4)		3,123	14.1 (47)
Whitley	1,585	8.7 (16)	9.3 (49)	6,722	7.2(35)	3.8(18)	18.6(50)	3,264	19.0(46)	20.3(53)		5,021	6.2 (3)
Woodford	287	11.1 (47)	8.7 (42)	1,021	5.9(18)	4.8(36)	16.5(35)	408	14.5 (8)	14.0(11)		674	13.4 (39)
Kentucky	93,533	9.7	7.7	354,077	6.7	4.8	16.2	160,602	17.1	16.2		236,889	11.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2001 - 2003 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency ⁽²⁾
Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency ^(4,5)						
Local Agency	Breastfeeding ⁽⁶⁾					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
		(Rank)		(Rank)		(Rank)
3 Rivers	1,373	15.1 (15)	837	2.0 (53)	823	1.7 (41)
Allen	543	18.8 (5)	333	2.4 (40)	342	1.5 (48)
Anderson	338	21.0 (2)	204	4.9 (4)	182	2.2 (25)
Barren Riv	6,797	13.1 (25)	3,896	3.1 (26)	3,499	1.9 (29)
Bourbon	500	12.6 (28)	329	3.6 (17)	325	3.1 (9)
Boyd	1,447	12.1 (32)	800	2.6 (37)	761	1.8 (37)
Boyle	660	8.0 (51)	359	0.8 (56)	364	0.5 (56)
Bracken	234	16.2 (11)	126	3.2 (24)	122	2.5 (18)
Breathitt	606	5.6 (56)	361	2.8 (32)	353	2.8 (14)
Breckinrid	519	10.4 (42)	312	2.6 (37)	292	2.4 (21)
Buffalo Tr	644	13.4 (22)	399	2.5 (39)	398	2.0 (27)
Bullitt	1,292	15.9 (13)	663	2.9 (29)	648	1.9 (29)
C & Y	1,364	11.6 (36)	720	2.8 (32)	657	1.8 (37)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2001 - 2003 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency ⁽²⁾
Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency ^(4,5)						
Local Agency	Breastfeeding ⁽⁶⁾					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
Christian	4,853	16.4 (10)	3,012	4.9 (4)	2,457	1.9 (29)
Clark	893	12.3 (31)	508	2.8 (32)	461	1.5 (48)
Cumb Val	5,192	10.1 (46)	3,344	2.2 (45)	3,259	1.6 (43)
Estill	563	13.1 (25)	336	3.3 (22)	324	3.1 (9)
Fayette	5,827	29.6 (1)	3,224	7.6 (1)	2,863	4.2 (2)
Fleming	502	8.2 (50)	311	3.5 (18)	313	3.2 (6)
Floyd	1,709	4.8 (57)	1,072	2.1 (48)	1,051	1.9 (29)
Franklin	1,139	19.1 (4)	647	5.3 (3)	526	4.0 (3)
Garrard	540	12.4 (30)	346	2.3 (43)	343	1.7 (41)
Gateway	2,033	10.3 (43)	1,294	2.3 (43)	1,247	1.9 (29)
Green Riv	6,340	11.9 (34)	3,773	2.8 (32)	3,327	1.8 (37)
Greenup	973	13.2 (24)	584	4.1 (12)	509	3.1 (9)
Hopkins	1,416	10.0 (47)	846	2.1 (48)	773	1.0 (53)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2001 - 2003 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency ⁽²⁾
Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency ^(4,5)						
Local Agency	Breastfeeding ⁽⁶⁾					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
Jefferson	13,680	16.9 (9)	7,240	4.4 (10)	6,426	2.8 (14)
Jessamine	1,092	14.0 (20)	662	6.6 (2)	585	4.6 (1)
Johnson	941	10.6 (40)	613	2.4 (40)	605	1.8 (37)
Knox	1,334	6.7 (55)	825	2.2 (45)	792	1.4 (52)
KY River	4,187	7.4 (53)	2,623	3.0 (28)	2,489	2.4 (21)
Lake Cumb	7,246	12.6 (28)	4,454	3.1 (26)	4,244	2.1 (26)
Laurel	1,717	10.3 (43)	975	2.4 (40)	854	1.5 (48)
Lawrence	563	8.0 (51)	358	3.4 (20)	347	2.9 (12)
Lewis	481	11.2 (37)	314	2.2 (45)	309	1.6 (43)
Lincoln	849	12.7 (27)	538	2.0 (53)	448	1.6 (43)
Lincoln Tr	7,376	14.4 (17)	4,435	3.7 (15)	3,982	2.8 (14)
Little San	1,393	13.3 (23)	917	2.7 (36)	895	1.9 (29)
Madison	1,998	15.1 (15)	1,141	4.5 (9)	1,012	2.9 (12)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2001 - 2003 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency ⁽²⁾
Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency ^(4,5)						
Local Agency	Breastfeeding ⁽⁶⁾					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
		(Rank)		(Rank)		(Rank)
Magoffin	638	3.0 (59)	420	0.7 (57)	421	0.7 (55)
Marshall	850	18.5 (6)	528	4.9 (4)	524	3.8 (4)
Martin	619	4.8 (57)	385	2.1 (48)	387	1.6 (43)
Mercer	600	11.2 (37)	358	3.9 (14)	319	1.9 (29)
Monroe	378	14.3 (19)	252	4.0 (13)	215	2.8 (14)
Montgomery	882	11.7 (35)	547	4.9 (4)	487	3.3 (5)
Muhlenberg	905	7.2 (54)	549	1.3 (55)	547	0.5 (56)
N Central	1,872	12.1 (32)	1,099	3.2 (24)	1,022	1.9 (29)
N KY	7,012	10.6 (40)	4,162	3.4 (20)	3,688	2.5 (18)
Oldham	651	21.0 (2)	388	4.4 (10)	378	2.4 (21)
Park DuV	1,427	14.4 (17)	760	3.3 (22)	697	2.0 (27)
Pennyrile	2,336	17.2 (8)	1,512	4.6 (8)	1,434	3.2 (6)
Pike	2,090	10.2 (45)	1,232	2.1 (48)	1,096	1.6 (43)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2001 - 2003 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency ⁽²⁾
Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency ^(4,5)						
Local Agency	Breastfeeding ⁽⁶⁾					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
Powell	633	9.8 (48)	401	3.7 (15)	401	3.2 (6)
Purchase	4,151	16.0 (12)	2,581	3.5 (18)	2,531	2.5 (18)
Todd	440	13.6 (21)	274	2.9 (29)	270	1.5 (48)
WEDCO	1,625	15.3 (14)	961	2.1 (48)	922	0.9 (54)
Whitley	2,132	9.7 (49)	1,325	2.9 (29)	1,179	2.4 (21)
Woodford	267	18.0 (7)	193	0.5 (58)	188	0.0 (58)
Unknown Local Agencies	2,366	11.1 (39)	53	* *	55	* *
Kentucky	123,028	13.6	71,711	3.5	65,968	2.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.