

Table 4G
2003 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Metro Area
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Metro Area							
Metro Area	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	All Other / Unknown %
Lou/Jeff	1,406	14.3	75.7	6.0	0.8	3.2	0.0
Unknown	124,309	83.7	11.2	3.9	0.2	1.0	0.0
Unknown Metro Areas	1,168	93.1	5.8	0.8	0.1	0.3	0.0
Kentucky	126,883	83.0	11.9	3.9	0.2	1.0	0.0
Nation (Prior Year)	5,333,226	39.1	20.8	32.2	1.2	3.3	3.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5G
2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Metro Area
Children Aged < 5 Years (2)

Comparison of Age Distribution by Metro Area				
Metro Area	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lou/Jeff	1,406	27.2	23.0	49.8
Unknown	124,309	25.0	25.2	49.8
Unknown Metro Areas	1,168	100.0	0.0	0.0
Kentucky	126,883	25.7	24.9	49.4
Nation (Prior Year)	5,333,226	36.6	21.7	41.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6G
2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Metro Area
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Metro Area (3,4)												
Metro Area	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lou/Jeff	319	13.8 (2)	4.1 (1)	1,360	10.8 (2)	5.1 (2)	14.9 (1)	689	20.9 (2)	14.9 (1)	1,046	8.2 (1)
Unknown	25,162	9.6 (1)	7.4 (2)	119,580	7.5 (1)	4.0 (1)	17.8 (2)	60,295	17.8 (1)	17.3 (2)	78,032	11.5 (2)
Kentucky	26,648	9.6	7.4	121,974	7.4	4.0	17.7	60,984	17.8	17.2	79,078	11.5
Nation (Prior Year)	1,208,400	8.9	7.6	4,913,316	6.3	5.4	13.5	2,069,605	15.4	14.3	3,295,974	13.1

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7G
2003 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (4,5)						
Metro Area	Breastfeeding (6)					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
Lou/Jeff	324	25.6 (1)	123	12.2 (1)	217	6.5 (1)
Unknown	25,429	22.2 (2)	11,825	10.5 (2)	20,625	6.4 (2)
Unknown Metro Areas	1,168	21.1 (3)	0	* *	0	* *
Kentucky	26,921	22.2	11,948	10.5	20,842	6.4
Nation (Prior Year)	969,228	52.5	527,765	20.8	555,990	12.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6G
2001 - 2003 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Metro Area
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Metro Area (3,4)												
Metro Area	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Lou/Jeff	780	16.4 (2)	5.3 (1)	2,882	11.4 (2)	4.6 (1)	15.1 (1)	1,385	20.4 (2)	15.2 (1)	2,136	8.8 (1)
Unknown	88,626	9.7 (1)	7.7 (2)	346,357	6.8 (1)	4.7 (2)	16.4 (2)	158,577	17.1 (1)	16.3 (2)	233,803	11.8 (2)
Kentucky	93,533	9.7	7.7	354,077	6.7	4.8	16.2	160,602	17.1	16.2	236,889	11.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7G
2001 - 2003 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (4,5)						
Metro Area	Breastfeeding (6)					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
Lou/Jeff	1,427	14.4 (1)	760	3.3 (2)	697	2.0 (2)
Unknown	119,235	13.7 (2)	70,898	3.5 (1)	65,216	2.3 (1)
Unknown Metro Areas	2,366	11.1 (3)	53	* *	55	* *
Kentucky	123,028	13.6	71,711	3.5	65,968	2.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.