

**Table 4E**  
**2004 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by Region**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by Region</b>							
<b>Region</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>All Other / Unknown %</b>
Region 01	6,545	75.6	17.6	5.5	0.2	1.1	0.0
Region 02	10,110	77.3	18.1	2.9	0.2	1.4	0.0
Region 03	7,283	86.7	8.7	3.8	0.1	0.8	0.0
Region 04	8,433	83.2	8.7	5.5	0.3	2.3	0.0
Region 05	8,865	85.6	10.6	3.0	0.2	0.6	0.0
Region 06	20,558	53.5	35.4	8.5	0.3	2.3	0.0
Region 07	8,802	88.7	5.9	5.0	0.1	0.4	0.0
Region 08	2,250	96.1	2.3	1.2	0.1	0.4	0.0
Region 09	3,189	98.0	0.6	1.1	0.1	0.3	0.0
Region 10	5,230	98.6	0.9	0.3	0.1	0.1	0.0
Region 11	7,162	99.5	0.3	0.1	0.0	0.1	0.0
Region 12	5,805	99.2	0.6	0.1	0.0	0.1	0.0
Region 13	12,931	98.8	0.9	0.1	0.1	0.1	0.0
Region 14	8,511	94.4	1.9	3.5	0.0	0.2	0.0
Region 15	19,425	74.5	13.3	10.3	0.3	1.6	0.0
Unknown Regions	998	92.4	5.1	2.0	0.0	0.5	0.0
<b>Kentucky</b>	<b>136,097</b>	<b>82.3</b>	<b>11.9</b>	<b>4.6</b>	<b>0.2</b>	<b>1.0</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>5,091,536</b>	<b>38.8</b>	<b>20.4</b>	<b>32.2</b>	<b>1.3</b>	<b>3.6</b>	<b>3.7</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5E**  
**2004 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by Region**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by Region</b>				
<b>Region</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Region 01	6,545	31.3	26.6	42.1
Region 02	10,110	34.2	22.9	42.9
Region 03	7,283	36.7	22.8	40.6
Region 04	8,433	37.6	23.3	39.1
Region 05	8,865	32.9	24.0	43.0
Region 06	20,558	36.8	24.8	38.3
Region 07	8,802	32.5	26.2	41.3
Region 08	2,250	32.6	23.4	44.0
Region 09	3,189	30.1	24.5	45.4
Region 10	5,230	31.3	25.2	43.6
Region 11	7,162	31.5	23.7	44.8
Region 12	5,805	32.0	23.3	44.7
Region 13	12,931	31.4	24.1	44.5
Region 14	8,511	32.1	24.4	43.5
Region 15	19,425	36.6	23.7	39.7
Unknown Regions	998	100.0	0.0	0.0
<b>Kentucky</b>	<b>136,097</b>	<b>34.6</b>	<b>24.0</b>	<b>41.4</b>

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5E**  
**2004 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by Region**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by Region</b>				
<b>Region</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
<b>Nation (Prior Year)</b>	<b>5,091,536</b>	<b>36.5</b>	<b>21.5</b>	<b>41.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 6E**  
**2004 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Region**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Region</b> (3,4)												
<b>Region</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Region 01	1,913	9.3 (9)	7.3 (12)	6,216	8.1(11)	4.2 (6)	18.6(14)	2,662	18.9(10)	16.2 (5)	4,181	19.8 (15)
Region 02	2,637	8.8 (6)	6.4 (6)	9,723	6.9 (7)	5.2(12)	14.5 (2)	4,250	14.8 (1)	12.6 (1)	6,681	17.4 (14)
Region 03	2,201	9.2 (8)	5.6 (1)	7,027	10.2(16)	3.0 (2)	18.5(13)	2,865	19.2(12)	20.5(13)	4,374	8.6 (3)
Region 04	2,662	8.0 (2)	8.4 (14)	8,130	6.1 (4)	3.8 (5)	16.7 (8)	3,202	19.8(15)	19.6(12)	4,928	13.1 (11)
Region 05	2,392	8.7 (4)	6.2 (2)	8,563	9.5(14)	3.4 (3)	16.5 (6)	3,703	19.1(11)	14.7 (2)	6,130	8.5 (2)
Region 06	6,423	10.2 (12)	6.2 (2)	19,502	8.4(12)	4.4 (9)	17.1(10)	7,615	17.7 (6)	15.9 (4)	12,065	13.1 (11)
Region 07	2,411	10.7 (14)	7.3 (12)	8,363	8.9(13)	4.3 (7)	17.6(11)	3,535	18.2 (9)	18.5(10)	5,689	11.7 (10)
Region 08	680	7.1 (1)	11.5 (16)	2,160	6.6 (6)	4.3 (7)	17.8(12)	971	16.9 (3)	17.5 (8)	1,406	9.1 (7)
Region 09	833	9.8 (10)	10.9 (15)	3,064	7.4 (8)	3.6 (4)	15.5 (4)	1,409	17.5 (5)	15.8 (3)	2,161	8.9 (5)
Region 10	1,477	11.8 (16)	6.5 (7)	5,050	6.0 (3)	6.1(15)	16.1 (5)	2,229	16.1 (2)	18.0 (9)	3,271	10.1 (8)
Region 11	2,024	10.5 (13)	6.5 (7)	6,817	5.9 (2)	5.3(13)	16.9 (9)	3,089	17.0 (4)	17.2 (7)	4,647	10.5 (9)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this region's rate to other regions. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6E**  
**2004 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Region**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Region</b> (3,4)												
<b>Region</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Region 12	1,584	8.7 (4)	6.8 (9)	5,490	9.7(15)	2.6 (1)	26.2(16)	2,530	19.6(14)	21.0(14)	3,964	8.7 (4)
Region 13	3,573	10.0 (11)	6.8 (9)	12,391	7.7(10)	5.6(14)	19.4(15)	5,591	19.3(13)	21.8(15)	8,370	8.4 (1)
Region 14	2,436	8.0 (2)	7.1 (11)	8,214	6.3 (5)	4.5(11)	15.0 (3)	3,600	18.1 (7)	16.5 (6)	5,170	8.9 (5)
Region 15	6,065	10.9 (15)	6.2 (2)	18,582	7.5 (9)	4.4 (9)	16.5 (6)	7,531	18.1 (7)	18.7(11)	11,972	13.4 (13)
Unknown Regions	997	8.8 (6)	6.3 (5)	873	0.7 (1)	9.7(16)	3.2 (1)	0	* *	* *	0	* *
<b>Kentucky</b>	<b>40,308</b>	<b>9.7</b>	<b>6.8</b>	<b>130,165</b>	<b>7.7</b>	<b>4.4</b>	<b>17.2</b>	<b>54,782</b>	<b>18.1</b>	<b>17.6</b>	<b>85,009</b>	<b>11.8</b>
<b>Nation (Prior Year)</b>	<b>1,172,866</b>	<b>9.1</b>	<b>7.3</b>	<b>4,838,257</b>	<b>6.2</b>	<b>5.2</b>	<b>13.6</b>	<b>2,044,705</b>	<b>15.7</b>	<b>14.7</b>	<b>3,118,041</b>	<b>12.8</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this region's rate to other regions. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7E**  
**2004 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region</b> (4,5)						
<b>Region</b>	Breastfeeding (6)					
	Number	% Ever Breastfed  (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
Region 01	1,918	20.0 (5)	603	6.6 (4)	1,194	4.8 (2)
Region 02	2,700	20.5 (4)	987	6.8 (3)	1,511	3.6 (6)
Region 03	2,202	16.3 (10)	704	3.6 (10)	1,148	2.0 (14)
Region 04	2,714	19.4 (6)	755	6.2 (6)	1,357	2.8 (9)
Region 05	2,402	17.1 (8)	847	5.7 (7)	1,472	5.2 (1)
Region 06	6,480	22.8 (3)	2,056	7.4 (2)	3,559	4.7 (3)
Region 07	2,440	17.5 (7)	867	6.5 (5)	1,576	3.9 (5)
Region 08	684	16.5 (9)	165	2.4 (14)	373	1.9 (15)
Region 09	836	13.3 (13)	315	5.4 (8)	553	3.4 (7)
Region 10	1,479	13.9 (11)	481	2.9 (13)	882	3.2 (8)
Region 11	2,030	10.7 (16)	648	3.4 (11)	1,175	2.8 (9)
Region 12	1,623	12.0 (14)	471	3.0 (12)	892	2.4 (13)
Region 13	3,616	11.9 (15)	1,145	2.4 (14)	2,151	2.5 (12)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this region's rate to other regions. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7E**  
**2004 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region</b> (4,5)						
<b>Region</b>	Breastfeeding (6)					
	Number	% Ever Breastfed  (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
	Region 14	2,450	13.4 (12)	783	4.1 (9)	1,413
Region 15	6,090	25.4 (1)	1,878	8.8 (1)	3,194	4.4 (4)
Unknown Regions	998	24.8 (2)	0	* *	0	* *
<b>Kentucky</b>	<b>40,662</b>	<b>18.5</b>	<b>12,705</b>	<b>5.8</b>	<b>22,450</b>	<b>3.6</b>
<b>Nation (Prior Year)</b>	<b>928,626</b>	<b>53.2</b>	<b>490,960</b>	<b>21.5</b>	<b>504,421</b>	<b>13.6</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this region's rate to other regions. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6E**  
**2002 - 2004 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Region**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by Region</b> <sup>(3,4)</sup>												
<b>Region</b>	Birthweight <sup>(5)</sup>			Height and Weight							Anemia Low Hb/Hct <sup>(8)</sup>	
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>			Anemia Low Hb/Hct <sup>(8)</sup>	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Region 01	4,573	9.5 (9)	8.0 (14)	17,835	8.0(11)	4.5(10)	18.3(13)	8,296	18.1 (8)	16.2 (4)	12,233	17.6 (15)
Region 02	6,644	9.1 (7)	7.0 (5)	27,595	6.9 (7)	5.2(13)	14.0 (2)	12,738	14.7 (1)	12.4 (1)	18,679	18.5 (16)
Region 03	5,208	9.5 (9)	5.8 (1)	19,400	10.1(16)	2.9 (2)	18.6(14)	8,692	18.6(11)	19.2(13)	12,298	9.3 (5)
Region 04	6,368	8.8 (3)	7.9 (12)	22,750	6.4 (4)	3.7 (5)	16.7 (6)	9,834	18.9(13)	18.3(12)	13,774	12.5 (12)
Region 05	6,065	8.8 (3)	6.6 (3)	24,675	9.1(14)	3.1 (3)	17.2 (9)	11,555	19.0(15)	14.8 (2)	18,214	8.0 (1)
Region 06	16,822	10.5 (14)	6.5 (2)	54,761	8.8(13)	4.4 (9)	17.1 (8)	22,587	17.7 (6)	16.4 (5)	34,679	12.0 (11)
Region 07	6,252	10.1 (13)	7.9 (12)	23,976	8.4(12)	4.1 (7)	17.8(12)	10,653	18.9(13)	18.2(11)	17,028	11.9 (10)
Region 08	1,521	7.7 (1)	9.7 (15)	6,169	7.2 (9)	4.5(10)	17.7(10)	3,058	17.2 (4)	17.4 (8)	4,199	10.3 (7)
Region 09	2,142	9.2 (8)	10.3 (16)	9,275	6.7 (5)	3.4 (4)	16.7 (6)	4,589	17.1 (3)	16.6 (7)	6,504	10.4 (8)
Region 10	3,594	11.4 (16)	7.6 (10)	14,021	5.3 (2)	6.8(15)	15.0 (3)	6,650	17.2 (4)	16.0 (3)	8,793	9.8 (6)
Region 11	4,756	10.0 (12)	7.2 (8)	19,623	5.3 (2)	5.9(14)	17.7(10)	9,727	16.2 (2)	17.9 (9)	13,504	11.3 (9)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this region's rate to other regions. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6E**  
**2002 - 2004 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Region**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Region</b> (3,4)												
<b>Region</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Region 12	3,755	8.9 (5)	6.8 (4)	15,745	9.1(14)	2.6 (1)	25.7(16)	7,967	18.4(10)	20.9(15)	12,028	8.7 (2)
Region 13	8,270	9.9 (11)	7.8 (11)	34,686	7.0 (8)	4.9(12)	19.0(15)	17,151	18.6(11)	20.1(14)	23,952	8.7 (2)
Region 14	5,693	8.9 (5)	7.4 (9)	22,854	6.8 (6)	4.0 (6)	15.3 (4)	10,755	18.0 (7)	16.5 (6)	13,790	8.9 (4)
Region 15	14,496	10.6 (15)	7.0 (5)	50,646	7.6(10)	4.2 (8)	16.5 (5)	21,707	18.3 (9)	17.9 (9)	33,564	12.7 (13)
Unknown Regions	3,339	8.3 (2)	7.0 (5)	3,071	0.7 (1)	9.0(16)	3.8 (1)	92	* *	* *	118	15.3 (14)
<b>Kentucky</b>	<b>99,498</b>	<b>9.7</b>	<b>7.2</b>	<b>367,082</b>	<b>7.6</b>	<b>4.3</b>	<b>17.2</b>	<b>166,051</b>	<b>17.9</b>	<b>17.2</b>	<b>243,357</b>	<b>11.6</b>

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this region's rate to other regions. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7E**  
**2002 - 2004 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region** <sup>(2)</sup>  
**Children Aged < 5 Years** <sup>(3)</sup>

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region</b> <sup>(4,5)</sup>						
<b>Region</b>	Breastfeeding <sup>(6)</sup>					
	Number	% Ever Breastfed  (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
Region 01	8,041	21.7 (2)	4,372	6.9 (3)	4,830	4.6 (1)
Region 02	12,055	17.8 (4)	6,720	6.6 (4)	6,306	3.3 (9)
Region 03	8,930	15.2 (10)	4,634	4.4 (12)	4,470	2.8 (13)
Region 04	10,768	17.8 (4)	5,435	5.1 (8)	5,417	2.9 (12)
Region 05	10,806	17.1 (6)	5,856	6.3 (5)	5,745	4.5 (2)
Region 06	27,627	20.6 (3)	13,451	7.2 (2)	13,450	4.3 (4)
Region 07	11,042	15.1 (11)	6,066	5.6 (7)	6,087	3.7 (6)
Region 08	2,634	15.6 (7)	1,387	4.2 (13)	1,532	3.0 (11)
Region 09	3,904	14.1 (13)	2,178	5.7 (6)	2,252	3.9 (5)
Region 10	6,168	14.7 (12)	3,257	4.9 (9)	3,425	3.4 (7)
Region 11	8,238	10.0 (15)	4,492	3.6 (15)	4,758	2.6 (14)
Region 12	6,679	9.9 (16)	3,644	4.6 (11)	3,766	3.4 (7)
Region 13	14,622	12.3 (14)	7,928	3.9 (14)	8,358	2.6 (14)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this region's rate to other regions. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7E**  
**2002 - 2004 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region** <sup>(2)</sup>  
**Children Aged < 5 Years** <sup>(3)</sup>

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region</b> <sup>(4,5)</sup>						
<b>Region</b>	Breastfeeding <sup>(6)</sup>					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
		(Rank)		(Rank)		(Rank)
Region 14	10,016	15.3 (8)	5,412	4.9 (9)	5,740	3.1 (10)
Region 15	24,355	23.9 (1)	12,464	8.0 (1)	12,534	4.5 (2)
Unknown Regions	3,350	15.3 (8)	9	* *	19	* *
<b>Kentucky</b>	<b>169,235</b>	<b>17.4</b>	<b>87,305</b>	<b>5.9</b>	<b>88,689</b>	<b>3.6</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this region's rate to other regions. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.