

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adair	623	93.4	4.2	1.6	0.0	0.8	0.0	0.0
Allen	706	96.0	3.0	0.0	0.1	0.8	0.0	0.0
Anderson	431	87.2	3.2	7.0	0.0	2.6	0.0	0.0
Ballard	288	93.4	3.8	1.4	0.0	1.4	0.0	0.0
Barren	1,400	90.1	5.2	3.6	0.0	1.1	0.0	0.0
Bath	490	97.6	1.2	0.8	0.0	0.4	0.0	0.0
Bell	1,759	97.3	2.0	0.4	0.1	0.2	0.0	0.0
Boone	2,335	73.2	2.7	23.4	0.1	0.6	0.0	0.0
Bourbon	546	70.3	10.3	18.5	0.0	0.9	0.0	0.0
Boyd	1,568	96.2	2.2	1.3	0.2	0.2	0.0	0.0
Boyle	764	90.6	6.4	2.7	0.0	0.3	0.0	0.0
Bracken	296	97.6	0.3	1.7	0.0	0.3	0.0	0.0
Breathitt	710	98.7	0.1	0.4	0.0	0.7	0.0	0.0
Breckinrid	632	94.8	4.7	0.3	0.0	0.2	0.0	0.0
Bullitt	1,442	97.2	0.9	1.5	0.1	0.3	0.0	0.0
Butler	564	93.4	2.0	0.9	0.2	3.5	0.0	0.0
Caldwell	471	90.4	8.7	0.8	0.0	0.0	0.0	0.0
Calloway	1,095	87.3	7.5	3.9	0.0	1.3	0.0	0.0
Campbell	1,748	91.1	5.5	3.0	0.1	0.3	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Carlisle	223	94.6	3.1	0.4	0.9	0.9	0.0	0.0
Carroll	548	84.3	2.6	13.1	0.0	0.0	0.0	0.0
Carter	1,446	97.4	0.2	1.8	0.4	0.2	0.0	0.0
Casey	602	92.4	0.2	4.0	0.2	3.3	0.0	0.0
Christian	4,939	67.0	25.1	3.9	0.2	3.9	0.0	0.0
Clark	955	86.8	7.4	4.3	0.2	1.3	0.0	0.0
Clay	1,319	96.2	0.5	3.3	0.0	0.1	0.0	0.0
Clinton	555	91.9	0.4	5.2	0.2	2.3	0.0	0.0
Crittenden	290	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Cumberland	344	95.6	3.5	0.0	0.0	0.9	0.0	0.0
Daviess	3,131	82.9	11.0	4.8	0.6	0.7	0.0	0.0
Edmonson	452	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Elliott	404	99.3	0.2	0.5	0.0	0.0	0.0	0.0
Estill	713	99.3	0.3	0.4	0.0	0.0	0.0	0.0
Fayette	5,404	42.9	27.0	25.9	0.5	3.7	0.0	0.0
Fleming	636	96.9	1.7	0.6	0.0	0.8	0.0	0.0
Floyd	2,171	99.4	0.4	0.1	0.0	0.0	0.0	0.0
Franklin	1,249	74.5	14.7	9.0	0.2	1.6	0.0	0.0
Fulton	439	60.1	38.7	0.2	0.5	0.5	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Gallatin	335	79.7	1.5	16.4	0.0	2.4	0.0	0.0
Garrard	612	95.1	2.0	2.0	0.0	1.0	0.0	0.0
Grant	1,223	94.4	1.3	3.8	0.1	0.5	0.0	0.0
Graves	1,512	70.7	10.4	17.9	0.1	0.8	0.0	0.0
Grayson	1,065	96.1	0.9	2.5	0.3	0.2	0.0	0.0
Green	445	95.7	2.9	0.9	0.0	0.4	0.0	0.0
Greenup	1,057	98.4	0.7	0.7	0.0	0.3	0.0	0.0
Hancock	322	96.6	0.3	3.1	0.0	0.0	0.0	0.0
Hardin	3,525	74.8	17.9	5.7	0.4	1.2	0.0	0.0
Harlan	1,738	95.7	2.6	1.5	0.2	0.1	0.0	0.0
Harrison	653	91.0	2.0	5.1	0.3	1.7	0.0	0.0
Hart	652	94.6	4.0	0.0	0.0	1.4	0.0	0.0
Henderson	1,453	83.6	12.5	1.4	0.1	2.4	0.0	0.0
Henry	469	88.1	4.3	6.4	0.0	1.3	0.0	0.0
Hickman	158	81.0	13.3	5.1	0.0	0.6	0.0	0.0
Hopkins	1,774	85.6	10.5	2.4	0.3	1.3	0.0	0.0
Jackson	723	99.2	0.0	0.8	0.0	0.0	0.0	0.0
Jefferson	16,689	45.9	42.8	7.3	0.2	3.7	0.0	0.0
Jessamine	1,408	89.6	4.5	3.8	0.1	2.1	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Johnson	1,177	99.5	0.2	0.2	0.0	0.2	0.0	0.0
Kenton	2,337	81.7	14.3	1.6	0.0	2.3	0.0	0.0
Knott	800	98.9	0.8	0.3	0.0	0.1	0.0	0.0
Knox	1,655	98.8	0.8	0.4	0.0	0.0	0.0	0.0
Larue	531	87.0	3.4	9.6	0.0	0.0	0.0	0.0
Laurel	1,991	98.2	0.5	0.9	0.3	0.2	0.0	0.0
Lawrence	750	99.6	0.1	0.1	0.0	0.1	0.0	0.0
Lee	376	99.2	0.3	0.0	0.0	0.5	0.0	0.0
Leslie	677	99.1	0.7	0.1	0.0	0.0	0.0	0.0
Letcher	978	99.1	0.3	0.4	0.1	0.1	0.0	0.0
Lewis	635	99.4	0.3	0.0	0.0	0.3	0.0	0.0
Lincoln	947	94.1	3.0	2.5	0.0	0.4	0.0	0.0
Livingston	314	98.4	0.0	1.3	0.0	0.3	0.0	0.0
Logan	864	81.1	13.9	3.5	0.3	1.2	0.0	0.0
Lyon	183	96.2	3.3	0.0	0.0	0.5	0.0	0.0
Madison	2,010	88.1	6.9	2.8	0.3	1.9	0.0	0.0
Magoffin	847	99.6	0.0	0.4	0.0	0.0	0.0	0.0
Marion	777	83.7	11.5	3.5	0.0	1.4	0.0	0.0
Marshall	975	98.5	0.5	0.7	0.0	0.3	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Martin	742	99.6	0.3	0.1	0.0	0.0	0.0	0.0
Mason	582	88.7	8.8	1.0	0.2	1.4	0.0	0.0
McCracken	2,129	62.0	33.4	3.0	0.0	1.6	0.0	0.0
McCreary	1,084	99.3	0.2	0.6	0.0	0.0	0.0	0.0
McLean	463	94.4	0.9	4.3	0.2	0.2	0.0	0.0
Meade	814	98.4	1.0	0.0	0.0	0.6	0.0	0.0
Menifee	335	98.5	0.0	1.5	0.0	0.0	0.0	0.0
Mercer	727	88.4	3.4	6.6	0.0	1.5	0.0	0.0
Metcalfe	431	97.0	2.3	0.5	0.0	0.2	0.0	0.0
Monroe	471	91.1	4.7	2.1	0.0	2.1	0.0	0.0
Montgomery	1,019	95.3	0.8	2.8	0.0	1.1	0.0	0.0
Morgan	623	99.2	0.0	0.2	0.0	0.6	0.0	0.0
Muhlenberg	1,080	94.4	4.1	1.2	0.1	0.2	0.0	0.0
Nelson	1,240	88.1	9.7	1.7	0.0	0.6	0.0	0.0
Nicholas	320	95.0	0.3	4.1	0.3	0.3	0.0	0.0
Ohio	1,058	90.6	0.5	7.8	0.2	0.9	0.0	0.0
Oldham	845	77.2	3.0	19.4	0.0	0.5	0.0	0.0
Owen	355	91.8	0.3	6.8	0.3	0.8	0.0	0.0
Owsley	324	97.2	0.6	2.2	0.0	0.0	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Pendleton	481	96.3	2.3	1.0	0.2	0.2	0.0	0.0
Perry	1,318	97.2	2.4	0.2	0.0	0.3	0.0	0.0
Pike	2,247	99.1	0.4	0.3	0.2	0.0	0.0	0.0
Powell	705	96.5	0.9	1.8	0.3	0.6	0.0	0.0
Pulaski	2,310	93.4	0.9	4.4	0.1	1.2	0.0	0.0
Robertson	139	91.4	0.7	7.9	0.0	0.0	0.0	0.0
Rockcastle	772	98.6	0.5	0.4	0.0	0.5	0.0	0.0
Rowan	760	98.0	1.1	0.4	0.1	0.4	0.0	0.0
Russell	778	88.9	0.8	7.5	0.1	2.7	0.0	0.0
Scott	953	80.9	6.3	8.0	0.1	4.7	0.0	0.0
Shelby	1,036	41.5	7.9	42.7	0.0	7.9	0.0	0.0
Simpson	476	85.9	11.6	1.1	0.2	1.3	0.0	0.0
Spencer	302	93.0	1.7	5.3	0.0	0.0	0.0	0.0
Taylor	831	92.7	6.0	0.4	0.1	0.8	0.0	0.0
Todd	574	69.0	13.4	6.6	0.5	10.5	0.0	0.0
Trigg	423	83.5	15.4	0.2	0.5	0.5	0.0	0.0
Trimble	289	97.2	0.0	2.8	0.0	0.0	0.0	0.0
Union	485	87.0	12.0	0.6	0.0	0.4	0.0	0.0
Warren	2,671	63.3	13.6	13.2	0.4	9.5	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Washington	376	76.9	10.6	10.4	0.0	2.1	0.0	0.0
Wayne	1,017	89.4	1.9	6.5	0.0	2.3	0.0	0.0
Webster	478	78.2	5.0	13.4	0.0	3.3	0.0	0.0
Whitley	2,583	99.2	0.4	0.2	0.0	0.2	0.0	0.0
Wolfe	560	99.8	0.2	0.0	0.0	0.0	0.0	0.0
Woodford	649	68.3	8.0	18.3	0.3	5.1	0.0	0.0
Unknown Counties	1,608	61.3	17.8	19.4	0.1	1.4	0.0	0.0
Kentucky	137,788	81.1	11.6	5.5	0.2	1.7	0.0	0.0
Nation (Prior Year)	6,948,667	35.6	20.3	37.1	1.2	2.9	0.1	2.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adair	623	34.0	23.3	42.7
Allen	706	33.7	22.5	43.8
Anderson	431	34.3	27.1	38.5
Ballard	288	30.9	23.3	45.8
Barren	1,400	40.2	21.7	38.1
Bath	490	30.0	24.1	45.9
Bell	1,759	28.4	24.0	47.5
Boone	2,335	35.9	23.1	40.9
Bourbon	546	35.2	25.1	39.7
Boyd	1,568	35.0	26.3	38.6
Boyle	764	33.5	24.9	41.6
Bracken	296	29.7	28.0	42.2
Breathitt	710	27.2	24.9	47.9
Breckinrid	632	35.9	22.2	41.9
Bullitt	1,442	37.0	24.6	38.3
Butler	564	30.1	23.2	46.6
Caldwell	471	30.1	23.8	46.1
Calloway	1,095	35.3	25.3	39.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Campbell	1,748	37.6	24.3	38.0
Carlisle	223	26.9	25.6	47.5
Carroll	548	31.4	29.4	39.2
Carter	1,446	30.4	23.2	46.5
Casey	602	23.3	25.9	50.8
Christian	4,939	37.9	19.4	42.7
Clark	955	35.7	24.4	39.9
Clay	1,319	28.7	24.9	46.4
Clinton	555	27.6	25.4	47.0
Crittenden	290	32.8	26.6	40.7
Cumberland	344	28.8	25.3	45.9
Daviess	3,131	35.9	23.9	40.2
Edmonson	452	38.1	19.9	42.0
Elliott	404	28.7	23.8	47.5
Estill	713	29.3	27.3	43.3
Fayette	5,404	35.3	25.3	39.4
Fleming	636	26.1	25.9	48.0
Floyd	2,171	30.8	24.5	44.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Franklin	1,249	43.6	22.2	34.3
Fulton	439	28.5	20.3	51.3
Gallatin	335	36.1	27.5	36.4
Garrard	612	29.6	23.7	46.7
Grant	1,223	27.8	25.5	46.7
Graves	1,512	31.5	23.3	45.2
Grayson	1,065	26.7	27.0	46.3
Green	445	29.7	22.5	47.9
Greenup	1,057	32.6	23.3	44.1
Hancock	322	30.4	28.0	41.6
Hardin	3,525	36.7	21.2	42.1
Harlan	1,738	29.5	22.3	48.2
Harrison	653	35.8	21.4	42.7
Hart	652	35.6	22.9	41.6
Henderson	1,453	37.7	22.4	39.8
Henry	469	34.5	24.7	40.7
Hickman	158	35.4	24.7	39.9
Hopkins	1,774	41.5	20.2	38.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Jackson	723	25.0	26.0	49.0
Jefferson	16,689	37.9	24.5	37.6
Jessamine	1,408	36.9	25.1	38.0
Johnson	1,177	32.4	23.0	44.6
Kenton	2,337	38.2	25.6	36.2
Knott	800	36.9	19.1	44.0
Knox	1,655	29.1	25.4	45.4
Larue	531	30.9	26.4	42.7
Laurel	1,991	38.7	21.7	39.6
Lawrence	750	31.6	26.8	41.6
Lee	376	29.8	21.5	48.7
Leslie	677	27.8	23.5	48.7
Letcher	978	43.1	19.6	37.2
Lewis	635	36.2	22.5	41.3
Lincoln	947	36.6	20.4	43.0
Livingston	314	34.4	22.9	42.7
Logan	864	37.7	23.6	38.7
Lyon	183	31.7	22.4	45.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Madison	2,010	36.9	24.3	38.8
Magoffin	847	28.9	24.6	46.5
Marion	777	34.5	22.7	42.9
Marshall	975	32.0	26.2	41.8
Martin	742	30.3	24.8	44.9
Mason	582	40.0	23.9	36.1
McCracken	2,129	35.6	25.9	38.5
McCreary	1,084	28.2	26.7	45.1
McLean	463	27.4	23.1	49.5
Meade	814	34.8	20.4	44.8
Menifee	335	23.9	28.7	47.5
Mercer	727	31.9	22.7	45.4
Metcalfe	431	31.8	21.8	46.4
Monroe	471	36.5	21.2	42.3
Montgomery	1,019	34.6	22.2	43.2
Morgan	623	31.1	22.3	46.5
Muhlenberg	1,080	33.1	25.6	41.3
Nelson	1,240	33.1	24.9	41.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Nicholas	320	33.4	25.3	41.3
Ohio	1,058	34.9	23.1	42.1
Oldham	845	30.9	25.6	43.6
Owen	355	31.5	25.6	42.8
Owsley	324	28.4	21.6	50.0
Pendleton	481	26.6	27.0	46.4
Perry	1,318	36.6	20.9	42.6
Pike	2,247	35.3	24.7	40.0
Powell	705	28.8	22.3	48.9
Pulaski	2,310	38.3	23.0	38.7
Robertson	139	29.5	23.7	46.8
Rockcastle	772	31.1	24.6	44.3
Rowan	760	35.1	21.7	43.2
Russell	778	27.9	27.2	44.9
Scott	953	38.6	25.4	36.0
Shelby	1,036	34.6	24.4	41.0
Simpson	476	35.3	27.7	37.0
Spencer	302	28.8	31.1	40.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Taylor	831	32.1	23.0	44.9
Todd	574	32.6	24.0	43.4
Trigg	423	31.4	27.0	41.6
Trimble	289	31.8	29.1	39.1
Union	485	31.3	22.5	46.2
Warren	2,671	42.6	21.6	35.7
Washington	376	24.5	26.9	48.7
Wayne	1,017	33.1	24.0	42.9
Webster	478	37.9	22.2	40.0
Whitley	2,583	33.1	23.8	43.1
Wolfe	560	27.0	23.9	49.1
Woodford	649	29.9	25.9	44.2
Unknown Counties	1,608	73.2	10.3	16.5
Kentucky	137,788	35.0	23.7	41.3
Nation (Prior Year)	6,948,667	35.4	22.2	42.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Adair	197	15.7 (101)	4.6 (23)	589	6.6 (46)	4.8 (75)	16.8 (51)	253	17.0 (36)	19.8 (84)	334	9.9 (52)
Allen	225	11.6 (79)	2.7 (3)	673	7.3 (62)	3.7 (46)	14.1 (22)	295	20.7 (87)	15.9 (34)	380	10.3 (56)
Anderson	126	11.9 (81)	5.6 (32)	415	8.0 (72)	6.0 (96)	16.9 (52)	157	22.9(107)	19.7 (82)	296	10.1 (54)
Ballard	87	* *	* *	269	8.9 (82)	7.4(113)	17.1 (56)	123	23.6(112)	6.5 (2)	197	12.2 (70)
Barren	476	12.2 (86)	5.9 (39)	1,331	5.7 (27)	4.0 (60)	17.3 (59)	515	22.1(101)	20.0 (85)	834	19.7(108)
Bath	134	11.9 (81)	8.2 (81)	476	10.5 (99)	2.5 (20)	24.4(111)	222	25.7(118)	26.1(109)	281	8.2 (35)
Bell	451	9.8 (50)	6.2 (48)	1,674	9.6 (92)	3.7 (46)	20.5 (92)	816	16.9 (33)	17.4 (51)	1,105	2.2 (3)
Boone	661	8.0 (23)	7.0 (60)	2,211	10.0 (95)	5.1 (82)	17.8 (65)	926	18.7 (53)	16.7 (46)	1,224	17.1 (103)
Bourbon	180	20.6(104)	5.0 (27)	510	8.8 (80)	3.1 (33)	20.8 (96)	210	21.0 (91)	19.5 (79)	362	24.3(119)
Boyd	508	12.4 (87)	6.1 (44)	1,506	6.6 (46)	8.4(120)	13.5 (17)	579	16.4 (29)	16.2 (40)	970	16.0 (97)
Boyle	233	8.2 (27)	8.2 (81)	732	6.0 (35)	3.0 (31)	17.2 (57)	306	19.3 (63)	17.6 (53)	438	10.3 (56)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Bracken	78	* *	* *	285	4.9 (17)	6.7(105)	21.4(100)	116	19.8 (74)	28.4(113)	203	2.0 (2)
Breathitt	181	6.1 (4)	11.0 (99)	675	6.2 (38)	2.8 (26)	22.1(105)	325	15.4 (19)	23.7(101)	480	6.0 (17)
Breckinrid	173	8.7 (35)	12.1 (103)	610	6.6 (46)	2.5 (20)	15.4 (35)	260	15.8 (23)	14.2 (24)	438	8.7 (42)
Bullitt	495	8.1 (26)	8.5 (86)	1,393	6.4 (40)	4.6 (70)	14.8 (33)	545	15.0 (16)	15.4 (30)	808	20.4 (109)
Butler	151	7.9 (21)	3.3 (8)	547	6.8 (52)	2.4 (19)	18.6 (72)	254	23.2(108)	18.1 (58)	372	12.1 (69)
Caldwell	126	10.3 (60)	7.9 (75)	453	9.5 (91)	5.7 (90)	21.6(101)	210	20.5 (85)	22.9 (98)	327	11.3 (65)
Calloway	351	8.3 (29)	10.5 (97)	1,051	4.9 (17)	2.9 (28)	14.4 (26)	413	17.2 (37)	16.0 (35)	663	12.8 (78)
Campbell	539	14.3 (97)	4.3 (17)	1,637	6.4 (40)	6.2(100)	14.4 (26)	645	13.2 (9)	11.8 (7)	1,055	16.5 (99)
Carlisle	48	* *	* *	221	14.9(119)	1.8 (7)	23.1(110)	101	21.8 (98)	26.7(110)	148	12.8 (78)
Carroll	153	8.5 (31)	4.6 (23)	533	15.6(120)	3.2 (34)	26.3(117)	215	23.3(110)	33.0(118)	370	13.8 (85)
Carter	412	8.5 (31)	3.9 (13)	1,392	4.5 (14)	8.0(117)	14.1 (22)	651	17.7 (41)	17.8 (55)	905	12.2 (70)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾	≥ 2 Yrs Over- weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Casey	123	13.0 (92)	8.1 (80)	584	11.0(102)	3.9 (56)	14.6 (28)	304	19.4 (65)	14.8 (27)	423	11.1 (64)
Christian	1,392	10.3 (60)	6.7 (55)	4,752	4.1 (9)	7.1(109)	9.6 (2)	2,064	11.7 (5)	8.3 (3)	3,071	23.2(117)
Clark	290	7.2 (13)	4.5 (21)	928	7.9 (68)	2.7 (25)	17.6 (64)	371	21.3 (94)	20.2 (88)	616	15.4 (96)
Clay	363	11.0 (69)	3.3 (8)	1,265	4.9 (17)	6.9(108)	18.5 (71)	579	19.5 (67)	23.7(101)	914	8.0 (33)
Clinton	140	10.0 (54)	7.9 (75)	534	6.6 (46)	3.4 (37)	18.7 (74)	255	22.7(106)	15.7 (33)	351	4.6 (9)
Crittenden	87	* *	* *	280	3.2 (3)	10.4(121)	14.6 (28)	120	19.2 (61)	12.5 (10)	189	8.5 (39)
Cumberland	93	* *	* *	333	4.2 (10)	4.5 (69)	13.2 (16)	156	13.5 (10)	12.8 (11)	196	18.4(106)
Daviess	912	10.0 (54)	6.4 (52)	3,002	10.2 (98)	2.2 (15)	19.9 (85)	1,244	19.1 (57)	18.1 (58)	1,983	11.4 (66)
Edmonson	126	6.3 (6)	7.9 (75)	442	3.2 (3)	5.4 (86)	11.3 (7)	186	17.7 (41)	13.4 (18)	280	8.2 (35)
Elliott	106	8.5 (31)	6.6 (54)	390	5.1 (21)	3.6 (42)	15.9 (40)	184	25.5(116)	19.0 (73)	258	22.9(116)
Estill	184	6.5 (8)	8.2 (81)	691	9.1 (86)	1.4 (4)	19.1 (76)	309	19.7 (71)	24.3(103)	500	7.2 (27)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct ⁽⁸⁾	
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Fayette	1,602	10.3 (60)	7.1 (62)	5,142	8.2 (74)	3.7 (46)	17.9 (68)	2,080	20.7 (87)	21.6 (93)	2,938	21.5 (111)
Fleming	156	12.8 (90)	5.8 (37)	612	5.9 (32)	5.7 (90)	16.3 (46)	292	14.7 (13)	18.8 (72)	463	15.1 (93)
Floyd	606	10.4 (65)	5.6 (32)	2,078	6.4 (40)	6.0 (96)	11.6 (8)	928	13.6 (11)	13.8 (21)	1,444	7.3 (28)
Franklin	427	10.1 (56)	8.9 (90)	1,204	6.3 (39)	5.7 (90)	16.5 (48)	419	22.4 (104)	18.6 (67)	795	22.8 (115)
Fulton	114	7.9 (21)	8.8 (89)	415	7.5 (63)	3.6 (42)	20.5 (92)	215	16.7 (32)	20.0 (85)	277	17.3 (104)
Gallatin	104	11.5 (77)	2.9 (5)	316	8.5 (77)	4.1 (61)	14.6 (28)	115	19.1 (57)	16.5 (41)	218	10.6 (59)
Garrard	158	12.7 (88)	7.6 (71)	587	9.0 (84)	3.7 (46)	17.5 (61)	284	22.2 (103)	16.5 (41)	375	22.1 (113)
Grant	314	8.0 (23)	6.1 (44)	1,177	5.3 (23)	5.9 (95)	12.2 (10)	561	11.2 (3)	10.2 (5)	898	10.6 (59)
Graves	447	9.8 (50)	2.9 (5)	1,454	5.8 (30)	4.1 (61)	17.5 (61)	657	18.4 (51)	19.0 (73)	934	16.2 (98)
Grayson	263	12.9 (91)	4.6 (23)	1,027	10.0 (95)	3.4 (37)	16.9 (52)	480	22.1 (101)	17.3 (50)	785	5.4 (14)
Green	126	11.1 (70)	11.9 (102)	440	13.9 (117)	3.4 (37)	22.3 (107)	213	20.7 (87)	18.3 (61)	277	8.7 (42)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Greenup	305	11.1 (70)	5.6 (32)	1,027	3.9 (7)	6.4(102)	14.0 (20)	454	21.4 (95)	15.6 (31)	632	6.3 (19)
Hancock	78	* *	* *	315	5.7 (27)	1.9 (9)	19.4 (78)	130	24.6(114)	17.7 (54)	237	5.5 (15)
Hardin	1,030	7.3 (14)	6.7 (55)	3,413	7.8 (66)	2.3 (16)	13.9 (19)	1,445	18.3 (48)	13.6 (19)	2,386	8.2 (35)
Harlan	456	9.4 (43)	11.6(100)	1,667	7.0 (57)	7.4(113)	16.6 (49)	814	18.3 (48)	21.1 (91)	1,020	6.4 (22)
Harrison	208	15.9(102)	4.3 (17)	609	5.9 (32)	5.1 (82)	11.8 (9)	262	13.0 (8)	12.2 (9)	377	15.1 (93)
Hart	201	7.5 (18)	8.0 (78)	638	4.2 (10)	4.2 (64)	15.8 (37)	265	19.6 (69)	16.6 (44)	415	6.7 (25)
Henderson	447	11.6 (79)	3.1 (7)	1,409	7.7 (64)	5.5 (87)	15.8 (37)	560	23.8(113)	28.4(113)	640	4.8 (10)
Henry	137	5.8 (3)	5.8 (37)	444	9.9 (94)	4.7 (73)	21.6(101)	186	15.6 (22)	18.3 (61)	306	8.5 (39)
Hickman	51	* *	* *	154	5.8 (30)	2.6 (23)	22.7(109)	59	* *	* *	90	* *
Hopkins	576	10.1 (56)	6.8 (58)	1,684	11.2(104)	2.9 (28)	17.3 (59)	661	19.8 (74)	18.0 (57)	1,128	9.0 (45)
Jackson	166	9.0 (37)	6.0 (41)	701	8.6 (79)	3.7 (46)	18.7 (74)	345	19.7 (71)	16.5 (41)	544	2.9 (5)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jefferson	5,299	11.5 (77)	6.2 (48)	15,837	6.9 (54)	4.7 (73)	16.7 (50)	6,102	16.0 (25)	16.1 (38)	9,918	12.3 (72)
Jessamine	426	13.1 (93)	8.0 (78)	1,343	5.7 (27)	4.8 (75)	10.6 (3)	526	14.4 (12)	12.9 (13)	881	16.8 (102)
Johnson	357	10.9 (68)	4.5 (21)	1,118	4.8 (16)	6.1 (98)	15.7 (36)	504	16.9 (33)	13.3 (16)	750	22.1 (113)
Kenton	761	10.2 (58)	7.2 (63)	2,231	7.9 (68)	3.9 (56)	19.8 (83)	843	25.5(116)	28.9(115)	1,403	10.3 (56)
Knott	248	14.9 (99)	7.3 (66)	732	10.7(101)	1.6 (5)	28.8(119)	336	19.9 (77)	22.6 (96)	539	6.3 (19)
Knox	427	8.0 (23)	8.4 (85)	1,578	5.3 (23)	3.4 (37)	20.0 (87)	736	19.2 (61)	24.3(103)	1,058	13.4 (82)
Larue	148	6.1 (4)	5.4 (30)	509	7.1 (59)	2.9 (28)	19.6 (81)	219	18.3 (48)	16.0 (35)	377	15.1 (93)
Laurel	632	8.5 (31)	8.2 (81)	1,903	8.1 (73)	6.1 (98)	21.7(103)	756	19.6 (69)	26.9(111)	1,172	8.6 (41)
Lawrence	215	16.3 (103)	1.4 (1)	704	11.4(106)	6.4(102)	18.6 (72)	302	21.2 (93)	19.5 (79)	462	9.1 (47)
Lee	86	* *	* *	360	6.4 (40)	4.2 (64)	17.8 (65)	173	20.2 (83)	17.9 (56)	275	12.0 (68)
Leslie	165	13.9 (96)	9.1 (92)	650	3.2 (3)	3.8 (53)	20.6 (94)	321	17.4 (39)	25.9(108)	508	12.6 (76)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Letcher	331	9.4 (43)	2.7 (3)	941	9.6 (92)	1.6 (5)	20.8 (96)	355	21.4 (95)	19.7 (82)	630	2.2 (3)
Lewis	212	9.0 (37)	7.5 (70)	607	6.4 (40)	5.3 (85)	14.0 (20)	251	19.5 (67)	18.3 (61)	326	17.8 (105)
Lincoln	266	5.6 (2)	10.2 (96)	913	7.2 (60)	5.0 (81)	20.0 (87)	407	20.1 (81)	22.4 (95)	660	7.0 (26)
Livingston	92	* *	* *	294	9.2 (87)	3.4 (37)	16.0 (41)	131	17.6 (40)	14.5 (25)	216	7.4 (29)
Logan	287	9.8 (50)	3.8 (11)	833	7.8 (66)	4.8 (75)	16.2 (44)	328	20.1 (81)	18.6 (67)	498	20.9 (110)
Lyon	50	* *	* *	180	11.1 (103)	7.2 (110)	26.1 (116)	87	* *	* *	122	7.4 (29)
Madison	638	9.6 (47)	6.3 (50)	1,954	6.0 (35)	7.3 (112)	12.6 (12)	760	19.9 (77)	17.1 (48)	1,319	8.7 (42)
Magoffin	224	15.6 (100)	6.7 (55)	796	9.3 (89)	3.8 (53)	25.3 (114)	381	21.8 (98)	27.6 (112)	496	12.7 (77)
Marion	222	9.5 (45)	5.4 (30)	753	13.1 (116)	2.3 (16)	22.2 (106)	325	19.7 (71)	20.6 (89)	506	9.9 (52)
Marshall	276	9.8 (50)	9.1 (92)	907	12.7 (114)	6.3 (101)	16.0 (41)	387	11.1 (2)	12.1 (8)	593	13.8 (85)
Martin	208	6.3 (6)	3.8 (11)	704	7.7 (64)	3.7 (46)	24.4 (111)	319	19.4 (65)	22.3 (94)	520	7.5 (31)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Mason	213	7.5 (18)	7.0 (60)	562	10.1 (97)	8.0(117)	16.9 (52)	200	20.0 (79)	15.0 (28)	308	16.6(100)
McCracken	698	10.7 (67)	5.7 (36)	1,969	6.4 (40)	5.5 (87)	21.7(103)	817	20.2 (83)	17.1 (48)	1,358	13.8 (85)
McCreary	275	7.3 (14)	3.3 (8)	1,049	9.3 (89)	4.6 (70)	13.5 (17)	471	18.7 (53)	18.7 (70)	716	6.3 (19)
McLean	114	11.4 (74)	2.6 (2)	450	8.9 (82)	3.6 (42)	20.0 (87)	229	16.2 (28)	25.8(107)	318	1.9 (1)
Meade	224	7.1 (12)	11.6(100)	784	10.5 (99)	3.2 (34)	19.1 (76)	344	14.8 (14)	16.0 (35)	561	9.4 (48)
Menifee	74	* *	* *	323	4.6 (15)	4.3 (67)	10.8 (4)	158	19.0 (56)	10.1 (4)	199	6.0 (17)
Mercer	182	9.3 (42)	7.7 (73)	701	8.4 (76)	2.6 (23)	14.6 (28)	321	18.1 (46)	14.0 (22)	510	6.5 (24)
Metcalfe	118	14.4 (98)	8.5 (86)	419	5.5 (26)	7.2(110)	12.9 (14)	196	15.8 (23)	13.3 (16)	270	10.7 (61)
Monroe	132	7.6 (20)	6.1 (44)	459	5.0 (20)	4.6 (70)	17.0 (55)	197	19.8 (74)	19.3 (77)	288	9.0 (45)
Montgomery	309	11.3 (73)	7.8 (74)	975	8.3 (75)	2.8 (26)	16.3 (46)	434	15.4 (19)	14.5 (25)	688	12.8 (78)
Morgan	163	5.5 (1)	6.1 (44)	585	7.0 (57)	5.5 (87)	17.8 (65)	284	15.5 (21)	24.6(105)	392	13.5 (83)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Muhlenberg	343	13.1 (93)	10.8 (98)	1,044	3.5 (6)	4.2 (64)	12.9 (14)	441	20.0 (79)	14.1 (23)	628	9.7 (49)
Nelson	323	13.3 (95)	4.0 (14)	1,207	11.3(105)	4.8 (75)	17.5 (61)	507	16.6 (30)	15.6 (31)	818	14.7 (91)
Nicholas	100	12.0 (84)	4.0 (14)	308	4.2 (10)	8.1(119)	12.7 (13)	133	12.8 (7)	5.3 (1)	187	10.2 (55)
Ohio	317	11.4 (74)	7.6 (71)	1,032	9.0 (84)	1.9 (9)	14.7 (32)	424	16.0 (25)	18.6 (67)	705	5.2 (12)
Oldham	215	7.4 (16)	9.3 (95)	815	14.6(118)	1.3 (3)	19.8 (83)	364	14.8 (14)	18.4 (64)	521	10.9 (63)
Owen	97	* *	* *	352	5.1 (21)	6.8(107)	14.2 (24)	155	11.0 (1)	17.4 (51)	245	8.2 (35)
Owsley	82	* *	* *	308	11.4(106)	1.0 (1)	27.3(118)	154	16.9 (33)	19.5 (79)	240	11.7 (67)
Pendleton	121	9.1 (40)	5.0 (27)	469	6.6 (46)	4.3 (67)	12.2 (10)	217	18.9 (55)	11.1 (6)	330	9.7 (49)
Perry	388	10.3 (60)	5.2 (29)	1,229	12.3(111)	2.0 (11)	31.1(120)	527	22.4(104)	30.6(116)	799	14.9 (92)
Pike	671	9.5 (45)	6.9 (59)	2,154	2.6 (1)	6.6(104)	15.8 (37)	849	18.1 (46)	20.0 (85)	1,406	5.6 (16)
Powell	196	9.2 (41)	5.6 (32)	680	6.8 (52)	2.1 (13)	16.0 (41)	337	21.1 (92)	19.3 (77)	505	4.8 (10)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Pulaski	752	10.6 (66)	7.2 (63)	2,207	4.0 (8)	4.8 (75)	11.1 (5)	874	17.3 (38)	12.8 (11)	1,351	6.4 (22)
Robertson	39	* *	* *	135	6.7 (51)	6.7(105)	20.7 (95)	65	* *	* *	99	* *
Rockcastle	206	10.2 (58)	4.4 (19)	750	12.1(110)	3.6 (42)	25.6(115)	330	19.1 (57)	21.5 (92)	548	12.4 (73)
Rowan	227	8.8 (36)	13.2(104)	737	3.1 (2)	3.9 (56)	11.1 (5)	317	15.1 (18)	13.2 (15)	494	9.7 (49)
Russell	202	6.9 (10)	5.9 (39)	758	9.2 (87)	3.0 (31)	16.2 (44)	348	17.8 (43)	23.0 (99)	484	5.2 (12)
Scott	333	11.4 (74)	4.8 (26)	896	6.9 (54)	3.7 (46)	21.2 (99)	341	12.6 (6)	18.5 (65)	590	13.6 (84)
Shelby	318	11.9 (81)	6.3 (50)	967	21.9(121)	1.2 (2)	33.2(121)	397	21.9(100)	32.0(117)	674	12.9 (81)
Simpson	148	7.4 (16)	7.4 (68)	461	5.9 (32)	3.9 (56)	14.3 (25)	181	23.2(108)	16.6 (44)	298	14.1 (88)
Spencer	77	* *	* *	291	7.9 (68)	4.1 (61)	19.9 (85)	118	17.8 (43)	13.6 (19)	192	12.5 (74)
Taylor	233	9.0 (37)	9.0 (91)	810	5.3 (23)	2.3 (16)	17.9 (68)	361	18.6 (52)	19.1 (75)	472	4.4 (8)
Todd	166	9.6 (47)	4.2 (16)	534	11.8(109)	5.2 (84)	21.0 (98)	233	11.2 (3)	16.7 (46)	386	18.9(107)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾	≥ 2 Yrs Over- weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Trigg	108	11.1 (70)	6.5 (53)	397	12.3(111)	2.0 (11)	17.9 (68)	171	20.5 (85)	12.9 (13)	292	7.5 (31)
Trimble	88	* *	* *	277	11.6(108)	7.9(115)	22.4(108)	112	16.1 (27)	16.1 (38)	195	21.5(111)
Union	136	10.3 (60)	4.4 (19)	472	12.7(114)	2.1 (13)	20.3 (91)	215	19.1 (57)	19.1 (75)	344	3.2 (6)
Warren	884	9.6 (47)	9.2 (94)	2,569	6.0 (35)	3.8 (53)	17.2 (57)	909	21.5 (97)	18.7 (70)	1,556	16.6(100)
Washington	83	* *	* *	365	12.3(111)	2.5 (20)	19.7 (82)	188	23.4(111)	18.1 (58)	261	14.6 (89)
Wayne	296	8.4 (30)	7.4 (68)	984	6.9 (54)	3.3 (36)	19.5 (80)	428	16.6 (30)	20.8 (90)	638	12.5 (74)
Webster	139	6.5 (8)	8.6 (88)	468	8.8 (80)	5.8 (94)	19.4 (78)	184	17.9 (45)	18.5 (65)	322	3.7 (7)
Whitley	712	7.0 (11)	7.2 (63)	2,489	8.5 (77)	5.7 (90)	20.1 (90)	1,081	20.8 (90)	22.8 (97)	1,814	8.0 (33)
Wolfe	134	12.7 (88)	6.0 (41)	542	7.9 (68)	1.8 (7)	24.5(113)	269	19.3 (63)	25.7(106)	415	10.8 (62)
Woodford	167	12.0 (84)	6.0 (41)	622	7.2 (60)	4.8 (75)	14.8 (33)	280	15.0 (16)	15.0 (28)	383	14.6 (89)
Unknown Counties	1,121	8.2 (27)	7.3 (66)	1,343	4.3 (13)	7.9(115)	9.0 (1)	183	25.1(115)	23.0 (99)	264	23.9(118)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Kentucky	41,267	10.2	6.6	131,692	7.5	4.5	17.1	55,227	18.2	18.1	85,443	12.0
Nation (Prior Year)	1,633,363	9.3	6.8	6,600,078	6.4	4.7	14.1	2,822,660	16.1	14.8	4,020,684	13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Adair	201	11.9 (71)	39 * *	91 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Allen	225	19.6 (22)	51 * *	102 2.9 (12)	0 * *	0 * *	0 * *	0 * *	0 * *	
Anderson	126	23.8 (9)	45 * *	90 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Ballard	87	* *	18 * *	52 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Barren	479	20.3 (20)	132 2.3 (24)	222 0.9 (53)	0 * *	0 * *	0 * *	0 * *	0 * *	
Bath	134	8.2 (92)	32 * *	76 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Bell	473	8.2 (92)	129 1.6 (28)	275 0.7 (65)	0 * *	0 * *	0 * *	0 * *	0 * *	
Boone	676	16.1 (42)	218 6.0 (9)	359 1.9 (24)	0 * *	0 * *	0 * *	0 * *	0 * *	
Bourbon	180	11.7 (76)	47 * *	110 0.9 (53)	0 * *	0 * *	0 * *	0 * *	0 * *	
Boyd	508	14.8 (52)	136 2.2 (25)	274 1.5 (34)	0 * *	0 * *	0 * *	0 * *	0 * *	
Boyle	239	6.3 (98)	55 * *	133 0.8 (63)	0 * *	0 * *	0 * *	0 * *	0 * *	
Bracken	78	* *	30 * *	61 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Breathitt	181	5.0(102)	63 * *	114 1.8 (27)	0 * *	0 * *	0 * *	0 * *	0 * *	
Breckinrid	173	21.4 (16)	73 * *	100 1.0 (45)	0 * *	0 * *	0 * *	0 * *	0 * *	

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Bullitt	497	18.7 (26)	114 5.3 (10)	242 2.1 (19)	0 * *	0 * *	0 * *	0 * *	0 * *	
Butler	151	17.2 (35)	50 * *	98 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Caldwell	126	15.1 (51)	42 * *	77 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Calloway	355	22.5 (11)	89 * *	197 4.6 (2)	0 * *	0 * *	0 * *	0 * *	0 * *	
Campbell	556	12.6 (64)	158 2.5 (22)	277 0.0 (70)	0 * *	0 * *	0 * *	0 * *	0 * *	
Carlisle	48	* *	26 * *	47 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Carroll	153	15.7 (46)	57 * *	105 1.0 (45)	0 * *	0 * *	0 * *	0 * *	0 * *	
Carter	414	18.6 (28)	128 4.7 (11)	226 2.2 (17)	0 * *	0 * *	0 * *	0 * *	0 * *	
Casey	123	12.2 (66)	66 * *	122 1.6 (32)	0 * *	0 * *	0 * *	0 * *	0 * *	
Christian	1,441	21.2 (17)	464 7.5 (7)	497 2.0 (22)	0 * *	0 * *	0 * *	0 * *	0 * *	
Clark	291	16.8 (38)	89 * *	173 3.5 (8)	0 * *	0 * *	0 * *	0 * *	0 * *	
Clay	368	6.5 (96)	116 1.7 (27)	232 0.9 (53)	0 * *	0 * *	0 * *	0 * *	0 * *	
Clinton	140	6.4 (97)	50 * *	107 0.0 (70)	0 * *	0 * *	0 * *	0 * *	0 * *	
Crittenden	87	* *	27 * *	47 * *	0 * *	0 * *	0 * *	0 * *	0 * *	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Cumberland	93	* *	22	* *	56	* *	0	* *	0	* *
Daviess	912	11.8 (73)	326	2.8 (20)	476	1.1 (42)	0	* *	0	* *
Edmonson	127	13.4 (60)	38	* *	52	* *	0	* *	0	* *
Elliott	106	16.0 (44)	35	* *	68	* *	0	* *	0	* *
Estill	185	10.3 (82)	61	* *	124	0.0 (70)	0	* *	0	* *
Fayette	1,604	35.2 (1)	497	9.7 (3)	937	4.6 (2)	0	* *	0	* *
Fleming	156	12.2 (66)	52	* *	124	5.6 (1)	0	* *	0	* *
Floyd	607	10.7 (79)	176	1.1 (31)	379	0.3 (69)	0	* *	0	* *
Franklin	427	21.8 (15)	124	2.4 (23)	180	2.2 (17)	0	* *	0	* *
Fulton	114	10.5 (81)	42	* *	64	* *	0	* *	0	* *
Gallatin	104	10.6 (80)	40	* *	62	* *	0	* *	0	* *
Garrard	158	12.0 (68)	50	* *	90	* *	0	* *	0	* *
Grant	315	19.0 (24)	109	11.0 (2)	214	3.3 (10)	0	* *	0	* *
Graves	448	25.7 (7)	120	8.3 (5)	234	3.0 (11)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Grayson	265	17.0 (36)	87 * *	216 1.9 (24)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Green	127	19.7 (21)	34 * *	68 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Greenup	305	16.1 (42)	84 * *	162 0.6 (67)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Hancock	78	* *	39 * *	62 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Hardin	1,039	17.6 (31)	301 4.0 (14)	466 1.3 (37)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Harlan	456	9.0 (87)	153 3.3 (16)	282 1.8 (27)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Harrison	209	25.4 (8)	56 * *	101 4.0 (5)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Hart	201	11.9 (71)	53 * *	115 0.0 (70)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Henderson	447	14.3 (53)	141 1.4 (29)	227 0.9 (53)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Henry	139	18.7 (26)	43 * *	68 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Hickman	51	* *	12 * *	23 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Hopkins	585	16.4 (40)	161 4.3 (12)	241 0.8 (63)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Jackson	166	8.4 (91)	71 * *	147 2.0 (22)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Jefferson	5,343	23.8 (9)	1,644 8.5 (4)	2,740 2.6 (14)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	%	Number	% (Rank)
Jessamine	426	28.6 (4)	121	12.4 (1)	228	3.9 (6)	0	* *	0	* *
Johnson	357	11.8 (73)	87	* *	178	1.7 (29)	0	* *	0	* *
Kenton	797	13.8 (57)	243	0.4 (32)	424	0.9 (53)	0	* *	0	* *
Knott	248	5.6(100)	63	* *	105	1.0 (45)	0	* *	0	* *
Knox	449	6.0 (99)	139	0.0 (33)	276	0.0 (70)	0	* *	0	* *
Larue	148	17.6 (31)	38	* *	103	1.9 (24)	0	* *	0	* *
Laurel	634	16.2 (41)	189	3.2 (18)	284	1.4 (36)	0	* *	0	* *
Lawrence	215	7.9 (94)	71	* *	132	3.8 (7)	0	* *	0	* *
Lee	95	* *	34	* *	47	* *	0	* *	0	* *
Leslie	165	18.8 (25)	74	* *	113	2.7 (13)	0	* *	0	* *
Letcher	331	10.3 (82)	98	* *	125	1.6 (32)	0	* *	0	* *
Lewis	212	15.6 (47)	48	* *	112	0.9 (53)	0	* *	0	* *
Lincoln	267	12.0 (68)	99	* *	135	1.5 (34)	0	* *	0	* *
Livingston	92	* *	30	* *	62	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Logan	293	13.0 (62)	85 * *	153 0.0 (70)	0 * *	0 * *	0 * *	* *	0 * *	* *
Lyon	50	* *	13 * *	28 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Madison	640	17.8 (30)	212 7.1 (8)	341 4.4 (4)	0 * *	0 * *	0 * *	* *	0 * *	* *
Magoffin	224	8.9 (88)	70 * *	138 0.7 (65)	0 * *	0 * *	0 * *	* *	0 * *	* *
Marion	224	15.6 (47)	65 * *	119 1.7 (29)	0 * *	0 * *	0 * *	* *	0 * *	* *
Marshall	280	14.3 (53)	80 * *	176 0.6 (67)	0 * *	0 * *	0 * *	* *	0 * *	* *
Martin	212	3.8(103)	54 * *	128 0.0 (70)	0 * *	0 * *	0 * *	* *	0 * *	* *
Mason	214	12.6 (64)	50 * *	106 0.9 (53)	0 * *	0 * *	0 * *	* *	0 * *	* *
McCracken	698	16.5 (39)	196 2.6 (21)	383 1.0 (45)	0 * *	0 * *	0 * *	* *	0 * *	* *
McCreary	276	5.4(101)	86 * *	190 0.0 (70)	0 * *	0 * *	0 * *	* *	0 * *	* *
McLean	114	18.4 (29)	31 * *	71 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Meade	225	11.1 (77)	77 * *	113 0.9 (53)	0 * *	0 * *	0 * *	* *	0 * *	* *
Menifee	74	* *	29 * *	64 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Mercer	182	9.9 (86)	64 * *	110 0.9 (53)	0 * *	0 * *	0 * *	* *	0 * *	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Metcalfe	118	16.9 (37)	42 * *	68 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Monroe	132	15.2 (50)	47 * *	66 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Montgomery	309	21.0 (18)	78 * *	157 1.3 (37)	0 * *	0 * *	0 * *	* *	0 * *	* *
Morgan	177	7.3 (95)	46 * *	89 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Muhlenberg	343	14.3 (53)	104 1.9 (26)	186 1.1 (42)	0 * *	0 * *	0 * *	* *	0 * *	* *
Nelson	324	12.0 (68)	121 3.3 (16)	207 1.0 (45)	0 * *	0 * *	0 * *	* *	0 * *	* *
Nicholas	100	11.0 (78)	26 * *	59 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Ohio	317	15.8 (45)	89 * *	171 3.5 (8)	0 * *	0 * *	0 * *	* *	0 * *	* *
Oldham	224	33.9 (2)	77 * *	140 2.1 (19)	0 * *	0 * *	0 * *	* *	0 * *	* *
Owen	97	* *	29 * *	61 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Owsley	82	* *	30 * *	58 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Pendleton	121	14.0 (56)	45 * *	101 1.0 (45)	0 * *	0 * *	0 * *	* *	0 * *	* *
Perry	417	10.3 (82)	115 3.5 (15)	199 2.5 (15)	0 * *	0 * *	0 * *	* *	0 * *	* *
Pike	671	8.8 (90)	222 1.4 (29)	389 1.0 (45)	0 * *	0 * *	0 * *	* *	0 * *	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Powell	196	13.3 (61)	63 * *	122 2.5 (15)	0 * *	0 * *	0 * *	0 * *	0 * *	
Pulaski	755	15.6 (47)	217 4.1 (13)	360 1.7 (29)	0 * *	0 * *	0 * *	0 * *	0 * *	
Robertson	39	* *	14 * *	22 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Rockcastle	206	17.5 (33)	72 * *	140 2.1 (19)	0 * *	0 * *	0 * *	0 * *	0 * *	
Rowan	228	13.6 (59)	74 * *	114 0.9 (53)	0 * *	0 * *	0 * *	0 * *	0 * *	
Russell	205	10.2 (85)	82 * *	151 1.3 (37)	0 * *	0 * *	0 * *	0 * *	0 * *	
Scott	333	27.9 (5)	85 * *	168 1.2 (40)	0 * *	0 * *	0 * *	0 * *	0 * *	
Shelby	318	2.2(104)	93 * *	175 0.0 (70)	0 * *	0 * *	0 * *	0 * *	0 * *	
Simpson	149	17.4 (34)	44 * *	82 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Spencer	77	* *	36 * *	70 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Taylor	233	22.3 (12)	63 * *	129 0.0 (70)	0 * *	0 * *	0 * *	0 * *	0 * *	
Todd	167	21.0 (18)	55 * *	103 0.0 (70)	0 * *	0 * *	0 * *	0 * *	0 * *	
Trigg	108	19.4 (23)	36 * *	69 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Trimble	88	* *	34 * *	62 * *	0 * *	0 * *	0 * *	0 * *	0 * *	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Union	136	11.8 (73)	27 * *	73 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Warren	908	22.0 (14)	295 8.1 (6)	378 1.1 (42)	0 * *	0 * *	0 * *	0 * *	0 * *	
Washington	83	* *	26 * *	60 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Wayne	297	13.8 (57)	86 * *	173 1.2 (40)	0 * *	0 * *	0 * *	0 * *	0 * *	
Webster	139	22.3 (12)	50 * *	73 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Whitley	713	13.0 (62)	232 3.0 (19)	397 1.0 (45)	0 * *	0 * *	0 * *	0 * *	0 * *	
Wolfe	135	8.9 (88)	53 * *	99 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Woodford	167	26.9 (6)	46 * *	98 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Unknown Counties	1,126	29.1 (3)	72 * *	97 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Kentucky	41,657	17.4	12,487 4.8	22,094 1.8	0 *	0 *	0 *	0 *	0 *	
Nation (Prior Year)	1,469,572	56.1	718,598 23.4	792,792 17.6	37,398 9.8	39,388 6.7	64,128 40.5	389,446 20.1		

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Adair	450	11.8 (104)	6.4 (43)	1,615	6.3 (37)	3.8 (53)	15.1 (29)	721	19.0 (71)	16.1 (42)	894	7.5 (27)
Allen	523	9.4 (61)	5.7 (24)	2,034	6.7 (47)	3.1 (32)	15.9 (40)	1,016	21.3(106)	16.6 (47)	1,131	9.6 (50)
Anderson	345	13.0 (113)	5.8 (26)	1,169	7.8 (68)	4.4 (71)	19.1 (81)	502	21.7(111)	20.7 (92)	845	10.5 (59)
Ballard	225	8.4 (34)	6.7 (51)	819	8.4 (81)	7.9(119)	17.9 (61)	389	16.2 (26)	12.6 (7)	617	7.5 (27)
Barren	1,203	11.1 (95)	7.7 (82)	3,825	6.6 (44)	4.5 (74)	17.5 (55)	1,608	19.3 (75)	18.3 (67)	2,294	15.7 (99)
Bath	392	12.8 (111)	10.5 (116)	1,765	9.4 (94)	2.4 (13)	21.7(102)	915	21.9(113)	21.5 (96)	952	8.3 (39)
Bell	1,196	9.8 (71)	5.5 (21)	5,282	9.1 (90)	4.1 (57)	19.7 (86)	2,765	16.9 (36)	16.7 (49)	3,381	4.3 (6)
Boone	1,783	8.2 (30)	8.2 (94)	6,489	9.8 (99)	4.4 (71)	19.4 (84)	2,794	19.9 (87)	17.5 (59)	4,001	16.0 (102)
Bourbon	447	14.8 (118)	6.7 (51)	1,530	8.9 (86)	2.9 (27)	20.4 (91)	687	18.3 (61)	21.5 (96)	1,118	25.8 (121)
Boyd	1,364	12.7 (110)	6.5 (46)	4,365	6.5 (41)	7.4(118)	14.4 (20)	1,787	17.1 (39)	15.9 (38)	2,694	14.0 (92)
Boyle	605	9.4 (61)	7.3 (72)	1,995	5.3 (20)	4.3 (65)	17.9 (61)	831	18.2 (59)	17.6 (60)	1,218	8.9 (46)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Number % (Rank)	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)		
Bracken	226	7.5 (15)	7.5 (77)	826	7.4 (58)	5.9(105)	23.2(111)	364	17.3 (45)	31.6(120)	570	5.1 (8)
Breathitt	463	6.9 (7)	9.3(108)	2,006	6.8 (48)	3.3 (37)	21.7(102)	1,028	17.9 (53)	21.7 (98)	1,399	8.0 (35)
Breckinrid	480	8.8 (46)	7.9 (88)	1,885	7.3 (56)	2.4 (13)	15.5 (35)	867	17.9 (53)	14.4 (21)	1,386	5.4 (10)
Bullitt	1,256	8.9 (50)	8.6(101)	3,829	7.4 (58)	3.8 (53)	15.7 (39)	1,509	15.6 (21)	14.8 (25)	2,148	18.8(110)
Butler	451	7.1 (10)	6.7 (51)	1,650	4.8 (14)	2.8 (24)	19.6 (85)	802	21.4(108)	23.9(112)	1,012	11.3 (65)
Caldwell	312	10.3 (84)	7.1 (67)	1,322	8.2 (75)	5.1 (90)	20.6 (92)	623	18.9 (70)	20.2 (87)	1,011	11.1 (64)
Calloway	803	10.6 (89)	9.2(106)	2,965	6.3 (37)	2.5 (15)	15.5 (35)	1,299	19.9 (87)	16.2 (45)	1,918	21.0(117)
Campbell	1,335	11.8(104)	6.7 (51)	4,538	7.5 (61)	4.5 (74)	15.4 (32)	1,893	14.8 (13)	13.0 (9)	2,973	15.7 (99)
Carlisle	138	15.2(119)	5.1 (15)	668	9.7 (98)	2.5 (15)	23.5(113)	343	21.9(113)	25.1(115)	409	19.3(113)
Carroll	422	7.3 (13)	4.7 (11)	1,431	12.2(114)	3.8 (53)	20.9 (96)	580	23.6(117)	25.0(113)	998	11.8 (71)
Carter	971	9.9 (75)	5.1 (15)	4,051	4.7 (12)	6.7(116)	13.6 (14)	2,052	16.2 (26)	15.3 (29)	2,457	10.4 (57)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Casey	391	9.5 (65)	5.9 (30)	1,728	10.5(103)	2.7 (21)	15.3 (31)	856	18.3 (61)	15.5 (31)	1,062	12.5 (77)
Christian	3,457	9.0 (52)	6.9 (62)	14,335	4.8 (14)	6.4(111)	10.7 (2)	6,539	12.3 (5)	8.7 (1)	9,222	24.1 (120)
Clark	841	9.6 (69)	5.1 (15)	2,677	5.6 (28)	3.4 (40)	14.5 (23)	1,084	17.7 (48)	18.6 (74)	1,673	13.9 (91)
Clay	947	11.2 (98)	5.8 (26)	3,751	5.4 (22)	7.0(117)	19.1 (81)	1,871	20.1 (90)	22.3(104)	2,774	8.3 (39)
Clinton	352	8.0 (25)	7.1 (67)	1,605	5.9 (33)	5.0 (88)	18.1 (66)	805	19.9 (87)	15.9 (38)	951	6.7 (18)
Crittenden	217	6.9 (7)	4.6 (10)	855	3.4 (3)	6.4(111)	14.0 (18)	382	15.4 (16)	13.1 (11)	566	11.5 (66)
Cumberland	222	9.5 (65)	7.7 (82)	993	3.9 (5)	4.6 (77)	13.2 (9)	516	14.0 (10)	14.7 (24)	531	18.6(109)
Daviess	2,432	8.8 (46)	5.8 (26)	8,604	10.7(105)	2.0 (6)	20.1 (89)	3,702	18.5 (64)	18.1 (63)	5,747	10.4 (57)
Edmonson	317	6.6 (5)	8.5 (99)	1,307	4.4 (7)	5.0 (88)	11.5 (3)	573	15.2 (15)	13.6 (15)	813	8.0 (35)
Elliott	276	7.2 (11)	10.5 (116)	1,133	4.6 (11)	5.4 (95)	16.4 (46)	568	18.5 (64)	18.7 (75)	704	19.9(114)
Estill	481	8.1 (27)	6.9 (62)	1,990	8.6 (84)	2.2 (9)	18.6 (73)	942	19.6 (81)	21.8(101)	1,508	10.2 (55)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)													
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾			
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Fayette	4,824	10.4 (86)	6.8 (57)	15,982	7.9 (71)	3.7 (48)	17.2 (53)	6,635	20.3 (93)	19.9 (83)		9,164	17.2 (104)
Fleming	415	8.4 (34)	8.2 (94)	1,838	6.0 (35)	4.2 (59)	17.5 (55)	944	15.4 (16)	16.4 (46)		1,422	15.9 (101)
Floyd	1,546	12.0 (107)	5.7 (24)	6,023	5.7 (30)	6.5 (114)	13.3 (11)	2,940	13.3 (9)	13.7 (17)		4,181	8.4 (41)
Franklin	1,147	9.5 (65)	6.6 (49)	3,322	6.9 (49)	5.6 (100)	17.7 (58)	1,213	19.5 (78)	20.3 (88)		2,212	20.3 (115)
Fulton	263	8.7 (43)	6.8 (57)	1,184	8.2 (75)	3.0 (30)	20.6 (92)	622	19.1 (74)	18.2 (64)		793	16.8 (103)
Gallatin	275	7.6 (17)	4.7 (11)	910	8.9 (86)	4.6 (77)	13.2 (9)	366	15.8 (23)	14.8 (25)		597	10.6 (60)
Garrard	399	10.8 (92)	6.3 (39)	1,736	8.2 (75)	3.3 (37)	15.2 (30)	849	20.6 (100)	13.9 (19)		1,027	19.2 (112)
Grant	778	11.1 (95)	7.5 (77)	3,279	5.5 (25)	5.4 (95)	12.2 (6)	1,662	10.9 (2)	10.0 (2)		2,573	7.9 (33)
Graves	1,088	10.3 (84)	6.6 (49)	4,067	7.2 (53)	4.1 (57)	17.7 (58)	1,924	19.0 (71)	18.2 (64)		2,590	18.1 (105)
Grayson	705	9.1 (56)	7.2 (70)	2,995	10.6 (104)	3.9 (56)	18.6 (73)	1,462	19.4 (76)	17.2 (57)		2,280	5.1 (8)
Green	315	7.3 (13)	12.4 (120)	1,248	12.4 (116)	2.1 (8)	23.7 (114)	608	20.1 (90)	20.1 (86)		761	9.2 (47)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾	≥ 2 Yrs Over- weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Greenup	805	9.9 (75)	7.1 (67)	3,113	4.2 (6)	6.6(115)	15.6 (37)	1,471	18.6 (68)	16.9 (52)	1,909	6.8 (19)
Hancock	225	5.8 (2)	4.0 (5)	913	5.4 (22)	2.6 (20)	18.5 (69)	430	20.5 (98)	16.7 (49)	692	6.6 (16)
Hardin	2,630	8.3 (33)	6.1 (32)	10,170	7.2 (53)	2.7 (21)	13.1 (8)	4,595	18.1 (57)	11.8 (6)	7,532	7.5 (27)
Harlan	1,205	10.0 (77)	9.7(111)	5,150	6.2 (36)	6.2(109)	19.1 (81)	2,648	17.8 (49)	23.3(109)	3,256	6.1 (13)
Harrison	551	14.5(117)	3.6 (1)	1,842	5.6 (28)	5.4 (95)	12.5 (7)	840	11.5 (3)	11.5 (5)	1,153	12.5 (77)
Hart	527	7.2 (11)	7.8 (85)	1,912	4.9 (17)	3.6 (45)	15.4 (32)	847	17.1 (39)	18.5 (73)	1,236	6.5 (15)
Henderson	1,199	12.9(112)	3.8 (3)	4,043	9.4 (94)	5.1 (90)	16.9 (48)	1,674	24.2(119)	25.8(117)	1,538	5.6 (11)
Henry	372	8.6 (41)	6.5 (46)	1,307	11.8(112)	3.7 (48)	22.3(106)	574	16.2 (26)	16.6 (47)	851	13.5 (86)
Hickman	130	8.5 (39)	7.7 (82)	445	5.2 (19)	4.7 (81)	16.2 (41)	175	21.7(111)	18.3 (67)	267	15.0 (97)
Hopkins	1,395	9.2 (58)	6.8 (57)	4,704	12.2(114)	2.2 (9)	18.7 (75)	2,028	20.8(102)	18.9 (76)	3,282	9.8 (51)
Jackson	489	10.0 (77)	7.4 (74)	2,124	5.7 (30)	4.3 (65)	17.9 (61)	1,096	18.5 (64)	16.1 (42)	1,660	3.1 (3)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Number % (Rank)	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)		
Jefferson	14,333	10.8 (92)	6.2 (37)	45,772	7.5 (61)	4.7 (81)	16.2 (41)	18,715	16.9 (36)	15.5 (31)	28,793	11.6 (68)
Jessamine	1,048	11.5 (101)	8.7 (102)	3,657	7.8 (68)	4.2 (59)	13.3 (11)	1,547	15.5 (19)	13.4 (13)	2,368	13.3 (85)
Johnson	863	9.2 (58)	5.2 (18)	3,402	5.1 (18)	5.4 (95)	16.3 (44)	1,702	17.0 (38)	15.5 (31)	2,341	21.8 (118)
Kenton	1,889	10.7 (90)	6.8 (57)	6,333	9.0 (89)	3.5 (43)	21.1 (100)	2,587	25.4 (121)	27.7 (119)	4,309	10.6 (60)
Knott	579	13.1 (114)	7.6 (79)	2,215	11.7 (111)	2.5 (15)	27.5 (118)	1,114	17.5 (47)	20.4 (90)	1,719	7.0 (24)
Knox	1,126	9.8 (71)	8.3 (98)	4,692	4.7 (12)	4.2 (59)	18.8 (76)	2,337	19.5 (78)	23.0 (106)	3,145	14.0 (92)
Larue	402	6.0 (3)	6.2 (37)	1,406	7.9 (71)	2.9 (27)	21.6 (101)	634	17.2 (44)	16.1 (42)	1,058	12.0 (74)
Laurel	1,630	9.4 (61)	7.4 (74)	5,365	7.5 (61)	5.5 (99)	20.1 (89)	2,245	21.2 (104)	23.5 (110)	3,107	11.8 (71)
Lawrence	542	17.5 (120)	3.7 (2)	2,012	9.3 (92)	5.6 (100)	18.8 (76)	969	21.9 (113)	19.5 (78)	1,306	7.5 (27)
Lee	207	13.5 (115)	6.3 (39)	1,122	7.0 (51)	3.4 (40)	20.0 (88)	568	20.4 (97)	20.4 (90)	895	13.7 (89)
Leslie	445	11.5 (101)	6.7 (51)	1,959	3.7 (4)	3.2 (34)	22.1 (105)	1,038	18.7 (69)	25.0 (113)	1,580	10.1 (53)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Letcher	822	10.0 (77)	4.9 (13)	2,833	8.8 (85)	2.3 (12)	21.0 (97)	1,233	18.3 (61)	17.7 (62)	2,061	2.1 (1)
Lewis	490	8.6 (41)	9.8 (112)	1,770	5.9 (33)	4.3 (65)	14.4 (20)	863	18.5 (64)	15.5 (31)	961	8.5 (42)
Lincoln	694	9.1 (56)	8.1 (92)	2,669	8.3 (78)	4.8 (84)	21.7(102)	1,251	20.3 (93)	21.7 (98)	1,974	6.8 (19)
Livingston	221	9.0 (52)	4.5 (7)	796	7.4 (58)	4.3 (65)	17.1 (51)	369	15.4 (16)	13.0 (9)	606	6.1 (13)
Logan	705	7.7 (19)	5.2 (18)	2,419	7.0 (51)	3.6 (45)	16.9 (48)	1,055	21.5(110)	17.2 (57)	1,410	20.9(116)
Lyon	111	4.5 (1)	9.9(113)	536	6.5 (41)	5.6(100)	23.3(112)	264	15.5 (19)	19.7 (81)	351	8.0 (35)
Madison	1,710	10.7 (90)	8.0 (90)	5,750	6.9 (49)	6.3(110)	13.9 (16)	2,398	19.4 (76)	18.9 (76)	3,999	9.5 (49)
Magoffin	576	11.3(100)	8.5 (99)	2,451	8.0 (73)	3.3 (37)	24.9(117)	1,298	21.3(106)	23.6(111)	1,483	18.1 (105)
Marion	549	7.8 (21)	5.3 (20)	2,161	14.3(120)	2.5 (15)	23.7(114)	1,001	20.5 (98)	19.7 (81)	1,509	9.9 (52)
Marshall	715	8.0 (25)	9.4(109)	2,671	10.1(100)	6.0(106)	15.6 (37)	1,207	12.8 (6)	11.0 (4)	1,839	12.0 (74)
Martin	538	8.7 (43)	6.1 (32)	2,179	8.0 (73)	3.2 (34)	22.6(108)	1,078	20.6(100)	19.9 (83)	1,687	7.3 (25)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)													
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾			
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Mason	491	8.4 (34)	9.2 (106)	1,648	9.3 (92)	6.0(106)	18.5 (69)	729	18.0 (55)	16.0 (40)		1,003	12.7 (80)
McCracken	1,734	8.9 (50)	6.3 (39)	5,850	7.6 (64)	5.1 (90)	21.0 (97)	2,569	19.0 (71)	17.0 (53)		4,081	19.1 (111)
McCreary	806	8.4 (34)	3.8 (3)	3,178	8.3 (78)	4.4 (71)	13.9 (16)	1,541	19.7 (85)	17.1 (55)		2,257	6.6 (16)
McLean	280	11.1 (95)	6.1 (32)	1,295	13.1(119)	2.9 (27)	22.4(107)	698	16.0 (25)	26.2(118)		927	2.3 (2)
Meade	571	7.7 (19)	10.3 (114)	2,207	9.6 (96)	3.6 (45)	18.8 (76)	1,027	16.5 (34)	15.5 (31)		1,627	10.3 (56)
Menifee	249	6.8 (6)	10.4 (115)	1,048	5.5 (25)	4.3 (65)	11.7 (4)	525	14.5 (11)	13.1 (11)		603	7.5 (27)
Mercer	519	10.2 (80)	6.4 (43)	2,028	9.2 (91)	2.8 (24)	14.9 (27)	932	16.2 (26)	16.0 (40)		1,461	7.4 (26)
Metcalfe	283	12.0 (107)	8.8 (104)	1,161	5.3 (20)	5.6(100)	13.8 (15)	553	15.7 (22)	15.0 (28)		733	10.6 (60)
Monroe	342	7.9 (23)	6.7 (51)	1,299	6.6 (44)	4.2 (59)	16.3 (44)	591	17.8 (49)	18.3 (67)		810	13.7 (89)
Montgomery	767	11.2 (98)	7.6 (79)	2,887	8.3 (78)	2.5 (15)	14.9 (27)	1,367	16.2 (26)	13.5 (14)		2,169	9.3 (48)
Morgan	400	7.5 (15)	7.8 (85)	1,827	5.5 (25)	4.3 (65)	18.9 (79)	963	17.8 (49)	21.7 (98)		1,410	11.8 (71)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)													
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾			
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Muhlenberg	874	9.8 (71)	8.2 (94)	3,052	4.4 (7)	4.6 (77)	14.4 (20)	1,442	17.1 (39)	17.0 (53)		1,737	11.7 (70)
Nelson	896	11.9 (106)	4.5 (7)	3,542	10.8 (106)	4.2 (59)	18.1 (66)	1,553	17.3 (45)	14.3 (20)		2,358	13.0 (83)
Nicholas	246	13.8 (116)	4.5 (7)	916	6.6 (44)	6.4 (111)	15.4 (32)	424	9.2 (1)	10.6 (3)		634	15.1 (98)
Ohio	796	9.2 (58)	8.0 (90)	2,860	7.6 (64)	2.7 (21)	14.5 (23)	1,292	15.9 (24)	18.3 (67)		2,002	8.6 (45)
Oldham	578	10.9 (94)	6.9 (62)	2,334	12.8 (118)	1.8 (4)	20.6 (92)	1,082	16.2 (26)	18.4 (72)		1,429	11.6 (68)
Owen	256	9.4 (61)	7.8 (85)	996	4.8 (14)	5.8 (104)	13.3 (11)	469	16.2 (26)	15.6 (37)		720	7.9 (33)
Owsley	206	7.8 (21)	5.8 (26)	873	10.2 (101)	2.2 (9)	27.5 (118)	453	20.3 (93)	21.2 (95)		703	12.5 (77)
Pendleton	310	9.0 (52)	8.1 (92)	1,279	7.3 (56)	3.5 (43)	14.7 (25)	604	19.5 (78)	13.7 (17)		960	8.5 (42)
Perry	1,101	8.8 (46)	5.5 (21)	3,781	11.2 (109)	1.7 (2)	32.7 (120)	1,747	21.2 (104)	25.3 (116)		2,518	13.5 (86)
Pike	1,776	9.8 (71)	7.0 (66)	6,295	3.3 (2)	6.0 (106)	17.1 (51)	2,715	16.2 (26)	20.0 (85)		3,921	6.9 (21)
Powell	510	10.4 (86)	4.9 (13)	2,139	7.2 (53)	1.9 (5)	18.4 (68)	1,109	21.4 (108)	21.1 (94)		1,691	5.9 (12)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Pulaski	1,855	10.2 (80)	6.8 (57)	6,395	4.4 (7)	5.1 (90)	11.9 (5)	2,706	16.6 (35)	12.7 (8)	3,702	8.2 (38)
Robertson	82	* *	* *	368	5.4 (22)	4.6 (77)	18.5 (69)	187	18.2 (59)	17.6 (60)	289	4.8 (7)
Rockcastle	567	8.1 (27)	5.6 (23)	2,190	12.4(116)	4.2 (59)	22.9(109)	1,007	19.6 (81)	18.2 (64)	1,596	13.5 (86)
Rowan	567	8.5 (39)	12.2(119)	2,092	4.4 (7)	4.8 (84)	14.2 (19)	936	15.0 (14)	14.9 (27)	1,452	10.1 (53)
Russell	526	8.2 (30)	6.5 (46)	2,072	7.7 (66)	3.1 (32)	16.8 (47)	972	17.8 (49)	22.0(102)	1,252	6.9 (21)
Scott	825	9.7 (70)	6.1 (32)	2,463	8.9 (86)	3.2 (34)	20.7 (95)	961	14.6 (12)	18.3 (67)	1,660	13.1 (84)
Shelby	778	10.2 (80)	6.3 (39)	2,685	18.8(121)	1.2 (1)	35.2(121)	1,106	23.7(118)	31.6(120)	1,911	11.5 (66)
Simpson	407	8.4 (34)	7.4 (74)	1,415	7.7 (66)	3.4 (40)	18.0 (65)	581	20.1 (90)	20.3 (88)	857	18.1 (105)
Spencer	237	6.3 (4)	10.5(116)	868	8.5 (82)	4.5 (74)	21.0 (97)	369	22.8(116)	16.8 (51)	531	12.4 (76)
Taylor	617	7.9 (23)	9.6(110)	2,466	6.3 (37)	3.7 (48)	16.9 (48)	1,191	19.8 (86)	19.5 (78)	1,370	4.2 (4)
Todd	435	11.7(103)	4.1 (6)	1,541	10.8(106)	4.9 (87)	17.9 (61)	726	12.0 (4)	13.6 (15)	1,119	18.5(108)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Trigg	301	12.6 (109)	7.6 (79)	1,105	11.1(108)	2.8 (24)	17.6 (57)	480	18.1 (57)	14.4 (21)	757	7.5 (27)
Trimble	233	9.0 (52)	6.4 (43)	767	7.8 (68)	8.1(120)	16.2 (41)	335	13.1 (8)	15.5 (31)	551	12.7 (80)
Union	359	8.1 (27)	6.1 (32)	1,411	11.5(110)	1.7 (2)	18.5 (69)	653	19.6 (81)	15.3 (29)	1,053	4.2 (4)
Warren	2,327	8.8 (46)	8.8(104)	7,107	5.8 (32)	3.7 (48)	17.3 (54)	2,635	20.3 (93)	19.6 (80)	4,116	14.2 (94)
Washington	263	7.6 (17)	8.7(102)	1,164	12.0(113)	3.0 (30)	22.9(109)	592	20.9(103)	22.1(103)	763	12.7 (80)
Wayne	770	10.5 (88)	7.9 (88)	2,859	6.5 (41)	3.7 (48)	19.0 (80)	1,348	17.1 (39)	20.7 (92)	1,706	14.7 (96)
Webster	378	6.9 (7)	6.9 (62)	1,386	10.2(101)	4.8 (84)	17.8 (60)	579	17.1 (39)	17.1 (55)	987	11.0 (63)
Whitley	1,939	8.7 (43)	8.2 (94)	7,474	8.5 (82)	4.7 (81)	19.8 (87)	3,481	19.6 (81)	22.3(104)	5,464	6.9 (21)
Wolfe	348	9.5 (65)	6.0 (31)	1,486	9.6 (96)	2.0 (6)	24.4(116)	750	18.0 (55)	23.2(108)	1,160	8.5 (42)
Woodford	332	10.2 (80)	7.2 (70)	1,258	6.3 (37)	5.2 (94)	14.8 (26)	541	12.9 (7)	14.6 (23)	762	14.6 (95)
Unknown Counties	3,285	8.2 (30)	7.3 (72)	3,250	2.1 (1)	8.8(121)	5.8 (1)	183	25.1(120)	23.0(106)	264	23.9(119)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾	≥ 2 Yrs Over- weight ⁽⁷⁾					
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g (Rank)	>4000 g (Rank)		<5th (Rank)	<5th (Rank)	>95th (Rank)		85th- (Rank)	<95th (Rank)	>95th (Rank)		(Rank)
Kentucky	108,223	9.8	6.9	383,831	7.6	4.3	17.3	170,993	18.0	17.6	249,530	11.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
 (4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Adair	628	9.2 (87)	317 1.9 (66)	367 0.5 (106)	0 * *	0 * *	0 * *	0 * *	0 * *	
Allen	734	15.5 (18)	352 1.7 (77)	423 1.2 (72)	0 * *	0 * *	0 * *	0 * *	0 * *	
Anderson	494	17.2 (11)	251 4.0 (16)	263 1.9 (31)	0 * *	0 * *	0 * *	0 * *	0 * *	
Ballard	302	12.3 (49)	168 2.4 (52)	189 1.6 (45)	0 * *	0 * *	0 * *	0 * *	0 * *	
Barren	1,554	15.2 (20)	719 2.1 (62)	760 1.3 (68)	0 * *	0 * *	0 * *	0 * *	0 * *	
Bath	487	8.4 (95)	240 1.3 (92)	290 0.3 (113)	0 * *	0 * *	0 * *	0 * *	0 * *	
Bell	1,760	6.6(109)	936 1.2 (96)	1,099 1.1 (74)	0 * *	0 * *	0 * *	0 * *	0 * *	
Boone	2,526	12.1 (50)	1,515 4.8 (8)	1,575 3.4 (4)	0 * *	0 * *	0 * *	0 * *	0 * *	
Bourbon	609	10.8 (69)	324 2.5 (48)	377 2.1 (25)	0 * *	0 * *	0 * *	0 * *	0 * *	
Boyd	1,811	10.5 (73)	968 2.1 (62)	1,078 1.7 (42)	0 * *	0 * *	0 * *	0 * *	0 * *	
Boyle	835	6.8(107)	430 1.6 (80)	497 1.0 (85)	0 * *	0 * *	0 * *	0 * *	0 * *	
Bracken	312	10.9 (66)	173 3.5 (21)	198 3.0 (6)	0 * *	0 * *	0 * *	0 * *	0 * *	
Breathitt	686	3.9(119)	403 1.5 (84)	453 1.3 (68)	0 * *	0 * *	0 * *	0 * *	0 * *	
Breckinrid	684	13.2 (41)	381 2.6 (44)	377 1.1 (74)	0 * *	0 * *	0 * *	0 * *	0 * *	

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Bullitt	1,723	14.9 (24)	864	2.8 (39)	972	1.6 (45)	0	* * *	0	* * *
Butler	590	11.0 (64)	303	1.0 (100)	325	0.0 (117)	0	* * *	0	* * *
Caldwell	459	11.1 (62)	283	3.5 (21)	320	1.9 (31)	0	* * *	0	* * *
Calloway	1,139	19.9 (6)	617	5.8 (1)	704	4.3 (3)	0	* * *	0	* * *
Campbell	1,870	8.8 (92)	1,044	2.2 (57)	1,100	1.5 (53)	0	* * *	0	* * *
Carlisle	212	13.2 (41)	121	0.0 (117)	138	0.0 (117)	0	* * *	0	* * *
Carroll	606	12.0 (53)	332	0.6 (108)	374	0.5 (106)	0	* * *	0	* * *
Carter	1,344	13.7 (36)	769	2.0 (65)	895	1.1 (74)	0	* * *	0	* * *
Casey	580	7.1(105)	340	2.1 (62)	406	2.0 (30)	0	* * *	0	* * *
Christian	4,937	15.1 (22)	3,104	4.5 (10)	3,002	2.2 (22)	0	* * *	0	* * *
Clark	1,119	13.6 (39)	576	4.3 (12)	614	1.8 (37)	0	* * *	0	* * *
Clay	1,271	5.8(113)	691	1.0 (100)	804	0.7 (99)	0	* * *	0	* * *
Clinton	551	3.6(120)	344	0.3 (116)	405	0.2 (115)	0	* * *	0	* * *
Crittenden	307	10.1 (78)	163	1.2 (96)	197	1.0 (85)	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Cumberland	332	6.6(109)	185	2.7 (40)	209	2.4 (16)	0	* * *	0	* * *
Daviess	3,432	9.1 (90)	1,884	1.9 (66)	1,928	1.5 (53)	0	* * *	0	* * *
Edmonson	467	13.7 (36)	275	2.2 (57)	276	0.7 (99)	0	* * *	0	* * *
Elliott	399	11.0 (64)	228	3.1 (30)	248	1.6 (45)	0	* * *	0	* * *
Estill	728	7.1(105)	384	1.0 (100)	442	1.1 (74)	0	* * *	0	* * *
Fayette	6,628	26.1 (1)	3,479	5.5 (4)	3,695	3.1 (5)	0	* * *	0	* * *
Fleming	614	10.1 (78)	358	3.6 (20)	429	2.8 (9)	0	* * *	0	* * *
Floyd	2,179	6.4(111)	1,151	1.9 (66)	1,314	1.4 (62)	0	* * *	0	* * *
Franklin	1,505	17.2 (11)	722	2.9 (37)	694	2.6 (14)	0	* * *	0	* * *
Fulton	369	8.7 (93)	218	0.5 (111)	252	0.8 (94)	0	* * *	0	* * *
Gallatin	388	10.6 (70)	190	1.6 (80)	217	1.4 (62)	0	* * *	0	* * *
Garrard	593	9.4 (85)	322	0.6 (108)	368	1.1 (74)	0	* * *	0	* * *
Grant	1,110	14.1 (30)	688	3.3 (25)	777	2.2 (22)	0	* * *	0	* * *
Graves	1,499	18.1 (8)	798	3.0 (33)	918	1.7 (42)	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Grayson	1,113	12.6 (48)	599	2.7 (40)	711	1.5 (53)	0	* * *	0	* * *
Green	427	15.9 (17)	234	1.7 (77)	284	1.4 (62)	0	* * *	0	* * *
Greenup	1,121	11.8 (57)	624	2.2 (57)	686	1.6 (45)	0	* * *	0	* * *
Hancock	336	15.5 (18)	189	5.3 (5)	187	1.6 (45)	0	* * *	0	* * *
Hardin	3,938	12.0 (53)	2,138	3.9 (17)	2,198	2.8 (9)	0	* * *	0	* * *
Harlan	1,680	8.0 (98)	974	1.6 (80)	1,126	1.0 (85)	0	* * *	0	* * *
Harrison	746	20.6 (5)	374	4.3 (12)	415	2.4 (16)	0	* * *	0	* * *
Hart	717	9.3 (86)	416	2.4 (52)	471	1.3 (68)	0	* * *	0	* * *
Henderson	1,664	12.1 (50)	873	1.0 (100)	874	0.6 (104)	0	* * *	0	* * *
Henry	543	15.1 (22)	293	5.1 (6)	305	2.3 (21)	0	* * *	0	* * *
Hickman	178	21.9 (3)	94	* * *	106	0.9 (90)	0	* * *	0	* * *
Hopkins	1,985	12.1 (50)	916	2.6 (44)	909	1.0 (85)	0	* * *	0	* * *
Jackson	697	7.6(101)	397	1.5 (84)	442	1.4 (62)	0	* * *	0	* * *
Jefferson	20,227	17.1 (14)	10,264	4.5 (10)	10,723	2.4 (16)	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Jessamine	1,524	17.2 (11)	822 5.6 (3)	831 2.8 (9)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Johnson	1,173	10.5 (73)	596 2.5 (48)	680 1.8 (37)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Kenton	2,565	9.8 (81)	1,419 1.8 (73)	1,487 0.9 (90)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Knott	787	4.8(117)	401 0.7 (106)	419 0.7 (99)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Knox	1,595	5.1(116)	920 1.0 (100)	1,030 0.9 (90)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Larue	577	13.9 (33)	279 2.5 (48)	314 1.3 (68)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Laurel	2,202	11.9 (56)	1,134 1.4 (89)	1,134 1.1 (74)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Lawrence	771	6.2(112)	418 1.7 (77)	468 1.9 (31)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Lee	371	4.0(118)	218 2.3 (54)	243 2.9 (7)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Leslie	616	10.2 (76)	357 2.5 (48)	380 2.4 (16)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Letcher	1,163	9.2 (87)	576 3.0 (33)	543 2.4 (16)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Lewis	644	10.6 (70)	315 1.3 (92)	375 0.8 (94)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Lincoln	949	9.8 (81)	521 1.2 (96)	521 0.6 (104)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Livingston	301	14.0 (31)	169 4.7 (9)	179 1.1 (74)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
 (4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Logan	953	10.9 (66)	478 1.0 (100)	548 0.4 (110)	0 * *	0 * *	0 * *	0 * *	0 * *	
Lyon	169	14.8 (27)	117 2.6 (44)	128 4.7 (2)	0 * *	0 * *	0 * *	0 * *	0 * *	
Madison	2,280	13.2 (41)	1,216 3.9 (17)	1,282 2.9 (7)	0 * *	0 * *	0 * *	0 * *	0 * *	
Magoffin	836	5.7(114)	426 0.7 (106)	496 0.8 (94)	0 * *	0 * *	0 * *	0 * *	0 * *	
Marion	814	13.8 (34)	432 4.2 (14)	454 2.2 (22)	0 * *	0 * *	0 * *	0 * *	0 * *	
Marshall	987	11.8 (57)	519 3.3 (25)	622 1.9 (31)	0 * *	0 * *	0 * *	0 * *	0 * *	
Martin	719	3.5(121)	379 0.0 (117)	437 0.2 (115)	0 * *	0 * *	0 * *	0 * *	0 * *	
Mason	652	10.9 (66)	312 1.3 (92)	369 0.5 (106)	0 * *	0 * *	0 * *	0 * *	0 * *	
McCracken	2,231	14.6 (28)	1,183 3.0 (33)	1,361 2.1 (25)	0 * *	0 * *	0 * *	0 * *	0 * *	
McCreary	1,110	5.2(115)	598 1.3 (92)	674 0.7 (99)	0 * *	0 * *	0 * *	0 * *	0 * *	
McLean	417	9.1 (90)	232 3.0 (33)	281 2.1 (25)	0 * *	0 * *	0 * *	0 * *	0 * *	
Meade	820	9.5 (84)	452 2.2 (57)	468 0.9 (90)	0 * *	0 * *	0 * *	0 * *	0 * *	
Menifee	351	13.7 (36)	204 0.5 (111)	238 0.4 (110)	0 * *	0 * *	0 * *	0 * *	0 * *	
Mercer	738	7.3(102)	442 1.8 (73)	460 1.1 (74)	0 * *	0 * *	0 * *	0 * *	0 * *	

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
 (4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Metcalfe	395	12.7 (46)	241 3.3 (25)	263 2.7 (12)	0 * *	0 * *	0	* *	0	* *
Monroe	477	11.1 (62)	254 1.6 (80)	258 0.8 (94)	0 * *	0 * *	0	* *	0	* *
Montgomery	1,063	13.1 (44)	550 3.5 (21)	616 1.9 (31)	0 * *	0 * *	0	* *	0	* *
Morgan	592	7.9 (99)	325 1.5 (84)	375 1.1 (74)	0 * *	0 * *	0	* *	0	* *
Muhlenberg	1,171	9.9 (80)	578 1.9 (66)	666 0.5 (106)	0 * *	0 * *	0	* *	0	* *
Nelson	1,350	10.6 (70)	768 2.7 (40)	814 1.5 (53)	0 * *	0 * *	0	* *	0	* *
Nicholas	344	7.3(102)	181 2.2 (57)	214 1.4 (62)	0 * *	0 * *	0	* *	0	* *
Ohio	1,103	15.2 (20)	560 2.9 (37)	619 2.1 (25)	0 * *	0 * *	0	* *	0	* *
Oldham	867	23.1 (2)	513 5.8 (1)	557 2.7 (12)	0 * *	0 * *	0	* *	0	* *
Owen	363	14.0 (31)	200 1.5 (84)	249 1.6 (45)	0 * *	0 * *	0	* *	0	* *
Owsley	285	8.1 (96)	150 0.0 (117)	165 0.0 (117)	0 * *	0 * *	0	* *	0	* *
Pendleton	456	14.9 (24)	261 0.4 (113)	309 1.0 (85)	0 * *	0 * *	0	* *	0	* *
Perry	1,457	8.1 (96)	725 1.4 (89)	817 1.5 (53)	0 * *	0 * *	0	* *	0	* *
Pike	2,542	7.7(100)	1,340 1.1 (99)	1,384 0.8 (94)	0 * *	0 * *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Powell	693	12.0 (53)	386 1.8 (73)	463 1.5 (53)	0 * *	0 * *	0	* *	0	* *
Pulaski	2,509	12.7 (46)	1,351 2.3 (54)	1,433 1.6 (45)	0 * *	0 * *	0	* *	0	* *
Robertson	117	16.2 (16)	66 * *	74 * *	0 * *	0 * *	0	* *	0	* *
Rockcastle	782	14.3 (29)	451 3.1 (30)	503 1.8 (37)	0 * *	0 * *	0	* *	0	* *
Rowan	813	9.2 (87)	448 1.8 (73)	468 1.5 (53)	0 * *	0 * *	0	* *	0	* *
Russell	735	8.6 (94)	431 2.6 (44)	480 1.5 (53)	0 * *	0 * *	0	* *	0	* *
Scott	1,159	19.1 (7)	577 3.3 (25)	637 1.1 (74)	0 * *	0 * *	0	* *	0	* *
Shelby	1,137	7.2(104)	633 1.9 (66)	702 1.4 (62)	0 * *	0 * *	0	* *	0	* *
Simpson	595	12.8 (45)	309 1.9 (66)	329 1.2 (72)	0 * *	0 * *	0	* *	0	* *
Spencer	353	11.3 (61)	188 3.2 (29)	217 1.8 (37)	0 * *	0 * *	0	* *	0	* *
Taylor	874	13.8 (34)	467 0.6 (108)	522 0.4 (110)	0 * *	0 * *	0	* *	0	* *
Todd	625	14.9 (24)	324 1.5 (84)	362 1.7 (42)	0 * *	0 * *	0	* *	0	* *
Trigg	455	17.8 (9)	258 3.5 (21)	285 2.5 (15)	0 * *	0 * *	0	* *	0	* *
Trimble	320	11.6 (59)	161 3.1 (30)	194 2.1 (25)	0 * *	0 * *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7B
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Union	500	11.4 (60)	279 0.4 (113)	303 0.3 (113)	0 * *	0 * *	0 * *	0 * *	0 * *	
Warren	3,179	16.5 (15)	1,578 4.1 (15)	1,543 1.9 (31)	0 * *	0 * *	0 * *	0 * *	0 * *	
Washington	392	10.2 (76)	245 4.9 (7)	266 4.9 (1)	0 * *	0 * *	0 * *	0 * *	0 * *	
Wayne	1,044	9.8 (81)	528 2.3 (54)	597 1.8 (37)	0 * *	0 * *	0 * *	0 * *	0 * *	
Webster	538	13.4 (40)	296 1.4 (89)	297 0.7 (99)	0 * *	0 * *	0 * *	0 * *	0 * *	
Whitley	2,780	10.5 (73)	1,492 1.9 (66)	1,539 1.1 (74)	0 * *	0 * *	0 * *	0 * *	0 * *	
Wolfe	501	6.8(107)	266 0.4 (113)	310 0.0 (117)	0 * *	0 * *	0 * *	0 * *	0 * *	
Woodford	581	17.6 (10)	371 2.7 (40)	395 1.5 (53)	0 * *	0 * *	0 * *	0 * *	0 * *	
Unknown Counties	2,574	21.8 (4)	326 3.7 (19)	307 1.6 (45)	0 * *	0 * *	0 * *	0 * *	0 * *	
Kentucky	149,781	13.1	79,207 2.9	85,360 1.8	0 *	0 *	0 *	0 *	0 *	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

