

Table 4F
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
3 Rivers	1,719	88.3	1.8	9.1	0.1	0.7	0.0	0.0
Allen	706	96.0	3.0	0.0	0.1	0.8	0.0	0.0
Anderson	431	87.2	3.2	7.0	0.0	2.6	0.0	0.0
Barren Riv	7,510	80.9	8.8	5.9	0.2	4.2	0.0	0.0
Bourbon	546	70.3	10.3	18.5	0.0	0.9	0.0	0.0
Boyd	1,568	96.2	2.2	1.3	0.2	0.2	0.0	0.0
Boyle	764	90.6	6.4	2.7	0.0	0.3	0.0	0.0
Bracken	296	97.6	0.3	1.7	0.0	0.3	0.0	0.0
Breathitt	710	98.7	0.1	0.4	0.0	0.7	0.0	0.0
Breckinrid	632	94.8	4.7	0.3	0.0	0.2	0.0	0.0
Buffalo Tr	721	89.2	7.2	2.4	0.1	1.1	0.0	0.0
Bullitt	1,442	97.2	0.9	1.5	0.1	0.3	0.0	0.0
C & Y	1,261	3.1	93.2	0.8	0.6	2.3	0.0	0.0
Christian	4,939	67.0	25.1	3.9	0.2	3.9	0.0	0.0
Clark	955	86.8	7.4	4.3	0.2	1.3	0.0	0.0
Cumb Val	6,311	97.0	1.4	1.3	0.1	0.2	0.0	0.0
Estill	713	99.3	0.3	0.4	0.0	0.0	0.0	0.0
Fayette	5,404	42.9	27.0	25.9	0.5	3.7	0.0	0.0
Fleming	636	96.9	1.7	0.6	0.0	0.8	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Floyd	2,171	99.4	0.4	0.1	0.0	0.0	0.0	0.0
Franklin	1,249	74.5	14.7	9.0	0.2	1.6	0.0	0.0
Garrard	612	95.1	2.0	2.0	0.0	1.0	0.0	0.0
Gateway	2,208	98.3	0.6	0.6	0.0	0.4	0.0	0.0
Green Riv	7,390	85.5	8.4	4.7	0.3	1.2	0.0	0.0
Greenup	1,057	98.4	0.7	0.7	0.0	0.3	0.0	0.0
Hopkins	1,774	85.6	10.5	2.4	0.3	1.3	0.0	0.0
Jefferson	13,858	53.5	35.1	7.4	0.2	3.8	0.0	0.0
Jessamine	1,408	89.6	4.5	3.8	0.1	2.1	0.0	0.0
Johnson	1,177	99.5	0.2	0.2	0.0	0.2	0.0	0.0
Knox	1,655	98.8	0.8	0.4	0.0	0.0	0.0	0.0
KY River	5,033	98.5	1.0	0.3	0.0	0.2	0.0	0.0
Lake Cumb	8,589	93.2	1.8	3.5	0.1	1.4	0.0	0.0
Laurel	1,991	98.2	0.5	0.9	0.3	0.2	0.0	0.0
Lawrence	750	99.6	0.1	0.1	0.0	0.1	0.0	0.0
Lewis	635	99.4	0.3	0.0	0.0	0.3	0.0	0.0
Lincoln	947	94.1	3.0	2.5	0.0	0.4	0.0	0.0
Lincoln Tr	8,328	83.5	11.0	4.4	0.2	0.9	0.0	0.0
Little San	1,850	97.8	0.2	1.5	0.3	0.2	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Madison	2,010	88.1	6.9	2.8	0.3	1.9	0.0	0.0
Magoffin	847	99.6	0.0	0.4	0.0	0.0	0.0	0.0
Marshall	975	98.5	0.5	0.7	0.0	0.3	0.0	0.0
Martin	742	99.6	0.3	0.1	0.0	0.0	0.0	0.0
Mercer	727	88.4	3.4	6.6	0.0	1.5	0.0	0.0
Monroe	471	91.1	4.7	2.1	0.0	2.1	0.0	0.0
Montgomery	1,019	95.3	0.8	2.8	0.0	1.1	0.0	0.0
Muhlenberg	1,080	94.4	4.1	1.2	0.1	0.2	0.0	0.0
N Central	2,096	67.0	5.1	23.7	0.0	4.2	0.0	0.0
N KY	7,643	83.3	6.7	8.9	0.1	1.0	0.0	0.0
Oldham	845	77.2	3.0	19.4	0.0	0.5	0.0	0.0
Park DuV	1,570	13.2	70.5	11.7	0.2	4.5	0.0	0.0
Pennyrile	2,776	90.4	7.0	1.9	0.1	0.6	0.0	0.0
Pike	2,247	99.1	0.4	0.3	0.2	0.0	0.0	0.0
Powell	705	96.5	0.9	1.8	0.3	0.6	0.0	0.0
Purchase	4,749	68.7	22.7	7.3	0.1	1.2	0.0	0.0
Todd	574	69.0	13.4	6.6	0.5	10.5	0.0	0.0
WEDCO	1,926	86.7	3.8	6.3	0.2	3.0	0.0	0.0
Whitley	2,583	99.2	0.4	0.2	0.0	0.2	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Woodford	649	68.3	8.0	18.3	0.3	5.1	0.0	0.0
Unknown Local Ag.	1,608	61.3	17.8	19.4	0.1	1.4	0.0	0.0
Kentucky	137,788	81.1	11.6	5.5	0.2	1.7	0.0	0.0
Nation (Prior Year)	6,948,667	35.6	20.3	37.1	1.2	2.9	0.1	2.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
3 Rivers	1,719	31.0	27.6	41.4
Allen	706	33.7	22.5	43.8
Anderson	431	34.3	27.1	38.5
Barren Riv	7,510	38.7	22.4	38.9
Bourbon	546	35.2	25.1	39.7
Boyd	1,568	35.0	26.3	38.6
Boyle	764	33.5	24.9	41.6
Bracken	296	29.7	28.0	42.2
Breathitt	710	27.2	24.9	47.9
Breckinrid	632	35.9	22.2	41.9
Buffalo Tr	721	38.0	23.9	38.1
Bullitt	1,442	37.0	24.6	38.3
C & Y	1,261	35.8	24.7	39.4
Christian	4,939	37.9	19.4	42.7
Clark	955	35.7	24.4	39.9
Cumb Val	6,311	28.7	24.0	47.3
Estill	713	29.3	27.3	43.3
Fayette	5,404	35.3	25.3	39.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Fleming	636	26.1	25.9	48.0
Floyd	2,171	30.8	24.5	44.7
Franklin	1,249	43.6	22.2	34.3
Garrard	612	29.6	23.7	46.7
Gateway	2,208	31.2	23.5	45.4
Green Riv	7,390	35.2	23.4	41.4
Greenup	1,057	32.6	23.3	44.1
Hopkins	1,774	41.5	20.2	38.2
Jefferson	13,858	38.3	24.7	37.0
Jessamine	1,408	36.9	25.1	38.0
Johnson	1,177	32.4	23.0	44.6
Knox	1,655	29.1	25.4	45.4
KY River	5,033	34.6	21.1	44.2
Lake Cumb	8,589	32.0	24.4	43.6
Laurel	1,991	38.7	21.7	39.6
Lawrence	750	31.6	26.8	41.6
Lewis	635	36.2	22.5	41.3
Lincoln	947	36.6	20.4	43.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lincoln Tr	8,328	33.5	23.2	43.3
Little San	1,850	30.0	23.3	46.7
Madison	2,010	36.9	24.3	38.8
Magoffin	847	28.9	24.6	46.5
Marshall	975	32.0	26.2	41.8
Martin	742	30.3	24.8	44.9
Mercer	727	31.9	22.7	45.4
Monroe	471	36.5	21.2	42.3
Montgomery	1,019	34.6	22.2	43.2
Muhlenberg	1,080	33.1	25.6	41.3
N Central	2,096	33.3	26.1	40.6
N KY	7,643	35.7	24.5	39.7
Oldham	845	30.9	25.6	43.6
Park DuV	1,570	35.9	22.6	41.5
Pennyrile	2,776	33.2	25.0	41.8
Pike	2,247	35.3	24.7	40.0
Powell	705	28.8	22.3	48.9
Purchase	4,749	33.0	24.3	42.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Todd	574	32.6	24.0	43.4
WEDCO	1,926	36.8	24.0	39.1
Whitley	2,583	33.1	23.8	43.1
Woodford	649	29.9	25.9	44.2
Unknown Local Ag.	1,608	73.2	10.3	16.5
Kentucky	137,788	35.0	23.7	41.3
Nation (Prior Year)	6,948,667	35.4	22.2	42.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3 Rivers	475	8.8 (17)	5.3 (12)	1,670	9.5 (51)	4.4 (26)	17.5 (35)	702	18.5 (24)	20.1 (42)	1,163	10.8 (29)
Allen	225	11.6 (45)	2.7 (2)	673	7.3 (32)	3.7 (17)	14.1 (10)	295	20.7 (46)	15.9 (17)	380	10.3 (27)
Anderson	126	11.9 (46)	5.6 (15)	415	8.0 (37)	6.0 (45)	16.9 (30)	157	22.9 (58)	19.7 (40)	296	10.1 (25)
Barren Riv	2,391	9.8 (29)	7.2 (37)	7,240	5.8 (12)	4.2 (24)	16.3 (22)	2,834	20.9 (49)	17.8 (25)	4,523	15.3 (46)
Bourbon	180	20.6 (58)	5.0 (11)	510	8.8 (44)	3.1 (13)	20.8 (51)	210	21.0 (50)	19.5 (38)	362	24.3 (59)
Boyd	508	12.4 (49)	6.1 (22)	1,506	6.6 (24)	8.4 (59)	13.5 (7)	579	16.4 (15)	16.2 (18)	970	16.0 (48)
Boyle	233	8.2 (12)	8.2 (46)	732	6.0 (14)	3.0 (11)	17.2 (33)	306	19.3 (30)	17.6 (24)	438	10.3 (27)
Bracken	78	* *	* *	285	4.9 (8)	6.7 (53)	21.4 (53)	116	19.8 (38)	28.4 (59)	203	2.0 (1)
Breathitt	181	6.1 (2)	11.0 (57)	675	6.2 (18)	2.8 (8)	22.1 (55)	325	15.4 (11)	23.7 (52)	480	6.0 (4)
Breckinrid	173	8.7 (16)	12.1 (58)	610	6.6 (24)	2.5 (5)	15.4 (16)	260	15.8 (14)	14.2 (9)	438	8.7 (16)
Buffalo Tr	252	7.9 (9)	7.1 (35)	697	9.5 (51)	7.7 (57)	17.6 (37)	265	19.2 (28)	15.8 (16)	407	14.0 (40)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bullitt	495	8.1 (11)	8.5 (50)	1,393	6.4 (20)	4.6 (28)	14.8 (13)	545	15.0 (9)	15.4 (13)	808	20.4 (52)
C & Y	358	9.5 (25)	3.6 (3)	1,187	6.5 (23)	5.4 (40)	19.6 (45)	488	19.5 (33)	19.1 (35)	276	14.1 (41)
Christian	1,392	10.3 (36)	6.7 (29)	4,752	4.1 (4)	7.1 (54)	9.6 (2)	2,064	11.7 (3)	8.3 (1)	3,071	23.2 (57)
Clark	290	7.2 (6)	4.5 (8)	928	7.9 (36)	2.7 (7)	17.6 (37)	371	21.3 (53)	20.2 (44)	616	15.4 (47)
Cumb Val	1,642	9.9 (31)	6.8 (31)	6,057	8.1 (38)	5.4 (40)	19.4 (44)	2,884	18.4 (23)	20.1 (42)	4,131	6.0 (4)
Estill	184	6.5 (4)	8.2 (46)	691	9.1 (47)	1.4 (2)	19.1 (43)	309	19.7 (37)	24.3 (54)	500	7.2 (9)
Fayette	1,602	10.3 (36)	7.1 (35)	5,142	8.2 (40)	3.7 (17)	17.9 (40)	2,080	20.7 (46)	21.6 (47)	2,938	21.5 (53)
Fleming	156	12.8 (51)	5.8 (20)	612	5.9 (13)	5.7 (42)	16.3 (22)	292	14.7 (7)	18.8 (33)	463	15.1 (45)
Floyd	606	10.4 (39)	5.6 (15)	2,078	6.4 (20)	6.0 (45)	11.6 (4)	928	13.6 (5)	13.8 (5)	1,444	7.3 (10)
Franklin	427	10.1 (32)	8.9 (51)	1,204	6.3 (19)	5.7 (42)	16.5 (26)	419	22.4 (57)	18.6 (32)	795	22.8 (56)
Garrard	158	12.7 (50)	7.6 (41)	587	9.0 (46)	3.7 (17)	17.5 (35)	284	22.2 (56)	16.5 (20)	375	22.1 (54)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Gateway	598	9.0 (20)	9.2 (53)	2,121	6.1 (16)	4.1 (23)	15.9 (19)	981	18.2 (22)	19.0 (34)	1,366	10.0 (24)
Green Riv	2,143	10.3 (36)	5.7 (19)	7,148	9.3 (48)	3.1 (13)	18.3 (41)	2,986	19.5 (33)	20.8 (46)	4,549	7.4 (11)
Greenup	305	11.1 (42)	5.6 (15)	1,027	3.9 (3)	6.4 (50)	14.0 (8)	454	21.4 (54)	15.6 (14)	632	6.3 (6)
Hopkins	576	10.1 (32)	6.8 (31)	1,684	11.2 (54)	2.9 (10)	17.3 (34)	661	19.8 (38)	18.0 (27)	1,128	9.0 (18)
Jefferson	4,491	11.2 (43)	6.6 (28)	13,152	6.8 (26)	4.6 (28)	16.4 (25)	4,977	15.5 (13)	15.2 (12)	8,558	12.3 (32)
Jessamine	426	13.1 (53)	8.0 (45)	1,343	5.7 (11)	4.8 (33)	10.6 (3)	526	14.4 (6)	12.9 (3)	881	16.8 (49)
Johnson	357	10.9 (41)	4.5 (8)	1,118	4.8 (7)	6.1 (47)	15.7 (17)	504	16.9 (17)	13.3 (4)	750	22.1 (54)
Knox	427	8.0 (10)	8.4 (49)	1,578	5.3 (10)	3.4 (15)	20.0 (47)	736	19.2 (28)	24.3 (54)	1,058	13.4 (36)
KY River	1,434	12.0 (47)	5.4 (13)	4,762	9.3 (48)	2.2 (4)	25.3 (57)	2,135	20.1 (44)	24.4 (56)	3,406	9.9 (23)
Lake Cumb	2,437	10.1 (32)	6.9 (33)	8,288	7.0 (29)	4.0 (22)	15.3 (15)	3,663	18.1 (19)	17.3 (23)	5,242	7.9 (13)
Laurel	632	8.5 (14)	8.2 (46)	1,903	8.1 (38)	6.1 (47)	21.7 (54)	756	19.6 (36)	26.9 (57)	1,172	8.6 (15)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Over-weight	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lawrence	215	16.3 (56)	1.4 (1)	704	11.4 (55)	6.4 (50)	18.6 (42)	302	21.2 (52)	19.5 (38)	462	9.1 (20)
Lewis	212	9.0 (20)	7.5 (40)	607	6.4 (20)	5.3 (39)	14.0 (8)	251	19.5 (33)	18.3 (30)	326	17.8 (50)
Lincoln	266	5.6 (1)	10.2 (55)	913	7.2 (30)	5.0 (36)	20.0 (47)	407	20.1 (44)	22.4 (49)	660	7.0 (8)
Lincoln Tr	2,293	8.9 (19)	6.2 (24)	8,058	9.5 (51)	3.0 (11)	16.8 (29)	3,508	18.6 (25)	15.6 (14)	5,694	9.7 (21)
Little San	518	8.5 (14)	4.4 (7)	1,782	4.6 (6)	7.1 (54)	14.5 (11)	835	19.4 (31)	18.1 (28)	1,163	14.5 (42)
Madison	638	9.6 (27)	6.3 (25)	1,954	6.0 (14)	7.3 (56)	12.6 (5)	760	19.9 (42)	17.1 (22)	1,319	8.7 (16)
Magoffin	224	15.6 (55)	6.7 (29)	796	9.3 (48)	3.8 (21)	25.3 (57)	381	21.8 (55)	27.6 (58)	496	12.7 (33)
Marshall	276	9.8 (29)	9.1 (52)	907	12.7 (57)	6.3 (49)	16.0 (20)	387	11.1 (1)	12.1 (2)	593	13.8 (39)
Martin	208	6.3 (3)	3.8 (5)	704	7.7 (34)	3.7 (17)	24.4 (56)	319	19.4 (31)	22.3 (48)	520	7.5 (12)
Mercer	182	9.3 (24)	7.7 (42)	701	8.4 (42)	2.6 (6)	14.6 (12)	321	18.1 (19)	14.0 (7)	510	6.5 (7)
Monroe	132	7.6 (8)	6.1 (22)	459	5.0 (9)	4.6 (28)	17.0 (31)	197	19.8 (38)	19.3 (36)	288	9.0 (18)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montgomery	309	11.3 (44)	7.8 (44)	975	8.3 (41)	2.8 (8)	16.3 (22)	434	15.4 (11)	14.5 (10)	688	12.8 (34)
Muhlenberg	343	13.1 (53)	10.8 (56)	1,044	3.5 (2)	4.2 (24)	12.9 (6)	441	20.0 (43)	14.1 (8)	628	9.7 (21)
N Central	620	9.2 (22)	6.3 (25)	1,979	15.7 (59)	3.4 (15)	27.1 (59)	813	19.1 (27)	24.0 (53)	1,367	13.1 (35)
N KY	2,275	10.2 (35)	6.3 (25)	7,256	7.8 (35)	5.1 (37)	16.7 (28)	2,975	18.0 (18)	17.9 (26)	4,580	13.6 (38)
Oldham	215	7.4 (7)	9.3 (54)	815	14.6 (58)	1.3 (1)	19.8 (46)	364	14.8 (8)	18.4 (31)	521	10.9 (30)
Park DuV	450	17.1 (57)	3.6 (3)	1,498	8.8 (44)	4.7 (31)	17.8 (39)	637	16.6 (16)	20.7 (45)	1,084	11.3 (31)
Pennyrile	814	8.8 (17)	7.7 (42)	2,655	7.5 (33)	4.4 (26)	17.1 (32)	1,132	18.9 (26)	16.4 (19)	1,809	10.2 (26)
Pike	671	9.5 (25)	6.9 (33)	2,154	2.6 (1)	6.6 (52)	15.8 (18)	849	18.1 (19)	20.0 (41)	1,406	5.6 (3)
Powell	196	9.2 (22)	5.6 (15)	680	6.8 (26)	2.1 (3)	16.0 (20)	337	21.1 (51)	19.3 (36)	505	4.8 (2)
Purchase	1,445	10.6 (40)	5.5 (14)	4,482	6.9 (28)	4.7 (31)	20.1 (49)	1,972	19.8 (38)	18.1 (28)	3,004	14.8 (44)
Todd	166	9.6 (27)	4.2 (6)	534	11.8 (56)	5.2 (38)	21.0 (52)	233	11.2 (2)	16.7 (21)	386	18.9 (51)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
WEDCO	641	12.9 (52)	4.5 (8)	1,813	6.1 (16)	4.9 (35)	16.6 (27)	736	12.8 (4)	13.9 (6)	1,154	13.5 (37)
Whitley	712	7.0 (5)	7.2 (37)	2,489	8.5 (43)	5.7 (42)	20.1 (49)	1,081	20.8 (48)	22.8 (50)	1,814	8.0 (14)
Woodford	167	12.0 (47)	6.0 (21)	622	7.2 (30)	4.8 (33)	14.8 (13)	280	15.0 (9)	15.0 (11)	383	14.6 (43)
Unknown Local Ag.	1,121	8.2 (12)	7.3 (39)	1,343	4.3 (5)	7.9 (58)	9.0 (1)	183	25.1 (59)	23.0 (51)	264	23.9 (58)
Kentucky	41,267	10.2	6.6	131,692	7.5	4.5	17.1	55,227	18.2	18.1	85,443	12.0
Nation (Prior Year)	1,633,363	9.3	6.8	6,600,078	6.4	4.7	14.1	2,822,660	16.1	14.8	4,020,684	13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% Breastfed At Least 3 Months (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)
3 Rivers	475	14.5 (31)	171	1.8 (27)	329	0.9 (37)	0	* * *	0	* * *	0	* * *
Allen	225	19.6 (16)	51	* * *	102	2.9 (8)	0	* * *	0	* * *	0	* * *
Anderson	126	23.8 (8)	45	* * *	90	* * *	0	* * *	0	* * *	0	* * *
Barren Riv	2,426	18.5 (19)	739	5.3 (9)	1,168	0.9 (37)	0	* * *	0	* * *	0	* * *
Bourbon	180	11.7 (44)	47	* * *	110	0.9 (37)	0	* * *	0	* * *	0	* * *
Boyd	508	14.8 (30)	136	2.2 (23)	274	1.5 (23)	0	* * *	0	* * *	0	* * *
Boyle	239	6.3 (55)	55	* * *	133	0.8 (42)	0	* * *	0	* * *	0	* * *
Bracken	78	* * *	30	* * *	61	* * *	0	* * *	0	* * *	0	* * *
Breathitt	181	5.0 (57)	63	* * *	114	1.8 (18)	0	* * *	0	* * *	0	* * *
Breckinrid	173	21.4 (11)	73	* * *	100	1.0 (33)	0	* * *	0	* * *	0	* * *
Buffalo Tr	253	13.0 (38)	64	* * *	128	2.3 (12)	0	* * *	0	* * *	0	* * *
Bullitt	497	18.7 (18)	114	5.3 (9)	242	2.1 (14)	0	* * *	0	* * *	0	* * *
C & Y	360	14.2 (35)	139	2.2 (23)	210	0.5 (47)	0	* * *	0	* * *	0	* * *
Christian	1,441	21.2 (12)	464	7.5 (6)	497	2.0 (17)	0	* * *	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7F
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)
Clark	291	16.8 (22)	89	* *	173	3.5 (7)	0	* *	0	* *
Cumb Val	1,669	9.2 (50)	541	2.6 (21)	1,076	1.4 (27)	0	* *	0	* *
Estill	185	10.3 (47)	61	* *	124	0.0 (50)	0	* *	0	* *
Fayette	1,604	35.2 (1)	497	9.7 (2)	937	4.6 (2)	0	* *	0	* *
Fleming	156	12.2 (40)	52	* *	124	5.6 (1)	0	* *	0	* *
Floyd	607	10.7 (46)	176	1.1 (30)	379	0.3 (48)	0	* *	0	* *
Franklin	427	21.8 (10)	124	2.4 (22)	180	2.2 (13)	0	* *	0	* *
Garrard	158	12.0 (41)	50	* *	90	* *	0	* *	0	* *
Gateway	613	11.3 (45)	181	1.7 (28)	343	0.3 (48)	0	* *	0	* *
Green Riv	2,143	14.3 (32)	703	3.4 (17)	1,153	1.5 (23)	0	* *	0	* *
Greenup	305	16.1 (25)	84	* *	162	0.6 (45)	0	* *	0	* *
Hopkins	585	16.4 (23)	161	4.3 (14)	241	0.8 (42)	0	* *	0	* *
Jefferson	4,532	24.5 (6)	1,380	9.1 (3)	2,318	2.8 (9)	0	* *	0	* *
Jessamine	426	28.6 (4)	121	12.4 (1)	228	3.9 (5)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7F
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% Breastfed At Least 3 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Johnson	357	11.8 (43)	87	* *	178	1.7 (20)	0	* *	0	* *	0	* *
Knox	449	6.0 (56)	139	0.0 (31)	276	0.0 (50)	0	* *	0	* *	0	* *
KY River	1,473	10.2 (48)	467	2.1 (25)	746	1.6 (22)	0	* *	0	* *	0	* *
Lake Cumb	2,450	13.3 (36)	745	2.7 (20)	1,447	1.0 (33)	0	* *	0	* *	0	* *
Laurel	634	16.2 (24)	189	3.2 (18)	284	1.4 (27)	0	* *	0	* *	0	* *
Lawrence	215	7.9 (54)	71	* *	132	3.8 (6)	0	* *	0	* *	0	* *
Lewis	212	15.6 (27)	48	* *	112	0.9 (37)	0	* *	0	* *	0	* *
Lincoln	267	12.0 (41)	99	* *	135	1.5 (23)	0	* *	0	* *	0	* *
Lincoln Tr	2,308	15.9 (26)	715	4.6 (13)	1,284	1.5 (23)	0	* *	0	* *	0	* *
Little San	520	18.1 (20)	163	4.9 (12)	294	2.4 (11)	0	* *	0	* *	0	* *
Madison	640	17.8 (21)	212	7.1 (7)	341	4.4 (3)	0	* *	0	* *	0	* *
Magoffin	224	8.9 (51)	70	* *	138	0.7 (44)	0	* *	0	* *	0	* *
Marshall	280	14.3 (32)	80	* *	176	0.6 (45)	0	* *	0	* *	0	* *
Martin	212	3.8 (58)	54	* *	128	0.0 (50)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7F
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% Breastfed At Least 3 Months (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)
Mercer	182	9.9 (49)	64	* *	110	0.9 (37)	0	* *	0	* *	0	* *
Monroe	132	15.2 (28)	47	* *	66	* *	0	* *	0	* *	0	* *
Montgomery	309	21.0 (13)	78	* *	157	1.3 (31)	0	* *	0	* *	0	* *
Muhlenberg	343	14.3 (32)	104	1.9 (26)	186	1.1 (32)	0	* *	0	* *	0	* *
N Central	622	8.5 (53)	206	5.3 (9)	375	2.1 (14)	0	* *	0	* *	0	* *
N KY	2,344	14.9 (29)	728	4.1 (16)	1,274	1.4 (27)	0	* *	0	* *	0	* *
Oldham	224	33.9 (2)	77	* *	140	2.1 (14)	0	* *	0	* *	0	* *
Park DuV	451	23.7 (9)	125	8.8 (4)	212	1.4 (27)	0	* *	0	* *	0	* *
Pennyrile	818	19.9 (15)	237	5.9 (8)	480	4.0 (4)	0	* *	0	* *	0	* *
Pike	671	8.8 (52)	222	1.4 (29)	389	1.0 (33)	0	* *	0	* *	0	* *
Powell	196	13.3 (36)	63	* *	122	2.5 (10)	0	* *	0	* *	0	* *
Purchase	1,446	18.8 (17)	414	4.3 (14)	803	1.7 (20)	0	* *	0	* *	0	* *
Todd	167	21.0 (13)	55	* *	103	0.0 (50)	0	* *	0	* *	0	* *
WEDCO	642	24.5 (6)	167	8.4 (5)	328	1.8 (18)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7F
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Whitley	713	13.0 (38)	232 3.0 (19)	397 1.0 (33)	0 * *	0 * *	0 * *	0 * *	0 * *	
Woodford	167	26.9 (5)	46 * *	98 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Unknown Local Ag.	1,126	29.1 (3)	72 * *	97 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Kentucky	41,657	17.4	12,487 4.8	22,094 1.8	0 *	0 *	0 *	0 *	0 *	
Nation (Prior Year)	1,469,572	56.1	718,598 23.4	792,792 17.6	37,398 9.8	39,388 6.7	64,128 40.5	389,446 20.1		

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.



Table 6F
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)												
Local Agency	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
3 Rivers	1,263	8.2 (6)	6.2 (15)	4,616	8.6 (45)	4.3 (29)	16.0 (22)	2,019	19.3 (38)	17.6 (27)	3,275	9.8 (24)
Allen	523	9.4 (24)	5.7 (9)	2,034	6.7 (19)	3.1 (11)	15.9 (20)	1,016	21.3 (54)	16.6 (22)	1,131	9.6 (22)
Anderson	345	13.0 (56)	5.8 (12)	1,169	7.8 (35)	4.4 (33)	19.1 (46)	502	21.7 (57)	20.7 (46)	845	10.5 (28)
Barren Riv	6,220	8.8 (14)	7.8 (44)	20,796	5.9 (12)	3.9 (22)	16.8 (26)	8,654	19.4 (41)	18.7 (35)	12,471	13.9 (42)
Bourbon	447	14.8 (57)	6.7 (24)	1,530	8.9 (48)	2.9 (9)	20.4 (51)	687	18.3 (29)	21.5 (48)	1,118	25.8 (59)
Boyd	1,364	12.7 (55)	6.5 (20)	4,365	6.5 (17)	7.4 (58)	14.4 (7)	1,787	17.1 (17)	15.9 (16)	2,694	14.0 (44)
Boyle	605	9.4 (24)	7.3 (37)	1,995	5.3 (9)	4.3 (29)	17.9 (35)	831	18.2 (27)	17.6 (27)	1,218	8.9 (17)
Bracken	226	7.5 (2)	7.5 (41)	826	7.4 (29)	5.9 (50)	23.2 (56)	364	17.3 (19)	31.6 (59)	570	5.1 (1)
Breathitt	463	6.9 (1)	9.3 (55)	2,006	6.8 (21)	3.3 (15)	21.7 (53)	1,028	17.9 (23)	21.7 (49)	1,399	8.0 (12)
Breckinrid	480	8.8 (14)	7.9 (45)	1,885	7.3 (26)	2.4 (6)	15.5 (15)	867	17.9 (23)	14.4 (9)	1,386	5.4 (2)
Buffalo Tr	573	8.7 (10)	9.6 (57)	2,016	8.6 (45)	5.8 (49)	18.5 (39)	916	18.0 (25)	16.4 (20)	1,292	10.9 (29)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)												
Local Agency	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Bullitt	1,256	8.9 (16)	8.6 (53)	3,829	7.4 (29)	3.8 (20)	15.7 (19)	1,509	15.6 (9)	14.8 (11)	2,148	18.8 (53)
C & Y	1,086	12.3 (54)	4.8 (4)	3,770	7.5 (31)	5.1 (42)	18.5 (39)	1,643	19.3 (38)	19.7 (39)	743	16.3 (48)
Christian	3,457	9.0 (17)	6.9 (28)	14,335	4.8 (7)	6.4 (54)	10.7 (2)	6,539	12.3 (2)	8.7 (1)	9,222	24.1 (58)
Clark	841	9.6 (31)	5.1 (7)	2,677	5.6 (10)	3.4 (18)	14.5 (10)	1,084	17.7 (21)	18.6 (34)	1,673	13.9 (42)
Cumb Val	4,404	10.0 (37)	6.9 (28)	18,497	7.6 (33)	5.3 (44)	19.6 (47)	9,387	18.3 (29)	19.8 (40)	12,667	6.6 (4)
Estill	481	8.1 (5)	6.9 (28)	1,990	8.6 (45)	2.2 (3)	18.6 (42)	942	19.6 (45)	21.8 (51)	1,508	10.2 (27)
Fayette	4,824	10.4 (43)	6.8 (26)	15,982	7.9 (37)	3.7 (19)	17.2 (31)	6,635	20.3 (47)	19.9 (42)	9,164	17.2 (49)
Fleming	415	8.4 (8)	8.2 (48)	1,838	6.0 (14)	4.2 (25)	17.5 (33)	944	15.4 (7)	16.4 (20)	1,422	15.9 (47)
Floyd	1,546	12.0 (52)	5.7 (9)	6,023	5.7 (11)	6.5 (56)	13.3 (3)	2,940	13.3 (6)	13.7 (6)	4,181	8.4 (14)
Franklin	1,147	9.5 (28)	6.6 (23)	3,322	6.9 (22)	5.6 (47)	17.7 (34)	1,213	19.5 (43)	20.3 (45)	2,212	20.3 (55)
Garrard	399	10.8 (46)	6.3 (16)	1,736	8.2 (40)	3.3 (15)	15.2 (14)	849	20.6 (50)	13.9 (7)	1,027	19.2 (54)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)												
Local Agency	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Gateway	1,608	9.0 (17)	10.4 (59)	6,732	6.2 (15)	4.0 (23)	17.1 (29)	3,339	17.6 (20)	18.4 (32)	4,417	9.9 (26)
Green Riv	5,669	9.5 (28)	5.7 (9)	20,512	9.9 (54)	3.0 (10)	18.5 (39)	9,028	19.1 (36)	19.8 (40)	12,946	8.3 (13)
Greenup	805	9.9 (35)	7.1 (34)	3,113	4.2 (3)	6.6 (57)	15.6 (17)	1,471	18.6 (33)	16.9 (23)	1,909	6.8 (5)
Hopkins	1,395	9.2 (21)	6.8 (26)	4,704	12.2 (57)	2.2 (3)	18.7 (43)	2,028	20.8 (52)	18.9 (36)	3,282	9.8 (24)
Jefferson	12,017	10.3 (40)	6.5 (20)	37,737	7.3 (26)	4.7 (38)	16.0 (22)	15,174	16.5 (14)	14.9 (13)	24,919	11.7 (31)
Jessamine	1,048	11.5 (50)	8.7 (54)	3,657	7.8 (35)	4.2 (25)	13.3 (3)	1,547	15.5 (8)	13.4 (3)	2,368	13.3 (38)
Johnson	863	9.2 (21)	5.2 (8)	3,402	5.1 (8)	5.4 (45)	16.3 (24)	1,702	17.0 (16)	15.5 (14)	2,341	21.8 (56)
Knox	1,126	9.8 (32)	8.3 (51)	4,692	4.7 (6)	4.2 (25)	18.8 (44)	2,337	19.5 (43)	23.0 (54)	3,145	14.0 (44)
KY River	3,708	10.3 (40)	6.0 (13)	14,269	9.2 (49)	2.3 (5)	25.9 (58)	6,903	19.3 (38)	22.2 (52)	10,636	9.1 (19)
Lake Cumb	6,304	9.4 (24)	7.1 (34)	24,159	6.7 (19)	4.1 (24)	15.5 (15)	11,264	18.1 (26)	16.9 (23)	14,486	8.8 (16)
Laurel	1,630	9.4 (24)	7.4 (40)	5,365	7.5 (31)	5.5 (46)	20.1 (50)	2,245	21.2 (53)	23.5 (57)	3,107	11.8 (33)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)												
Local Agency	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾		Number % (Rank)		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Lawrence	542	17.5 (59)	3.7 (1)	2,012	9.3 (51)	5.6 (47)	18.8 (44)	969	21.9 (58)	19.5 (38)	1,306	7.5 (11)
Lewis	490	8.6 (9)	9.8 (58)	1,770	5.9 (12)	4.3 (29)	14.4 (7)	863	18.5 (32)	15.5 (14)	961	8.5 (15)
Lincoln	694	9.1 (19)	8.1 (47)	2,669	8.3 (41)	4.8 (40)	21.7 (53)	1,251	20.3 (47)	21.7 (49)	1,974	6.8 (5)
Lincoln Tr	6,016	8.7 (10)	6.4 (18)	23,645	9.3 (51)	3.1 (11)	17.0 (28)	10,864	18.3 (29)	14.8 (11)	17,127	8.9 (17)
Little San	1,247	9.3 (23)	6.3 (16)	5,184	4.6 (5)	6.4 (54)	14.2 (6)	2,620	16.7 (15)	16.0 (17)	3,161	12.5 (36)
Madison	1,710	10.7 (45)	8.0 (46)	5,750	6.9 (22)	6.3 (53)	13.9 (5)	2,398	19.4 (41)	18.9 (36)	3,999	9.5 (21)
Magoffin	576	11.3 (49)	8.5 (52)	2,451	8.0 (38)	3.3 (15)	24.9 (57)	1,298	21.3 (54)	23.6 (58)	1,483	18.1 (51)
Marshall	715	8.0 (4)	9.4 (56)	2,671	10.1 (55)	6.0 (51)	15.6 (17)	1,207	12.8 (4)	11.0 (2)	1,839	12.0 (34)
Martin	538	8.7 (10)	6.1 (14)	2,179	8.0 (38)	3.2 (13)	22.6 (55)	1,078	20.6 (50)	19.9 (42)	1,687	7.3 (9)
Mercer	519	10.2 (38)	6.4 (18)	2,028	9.2 (49)	2.8 (8)	14.9 (12)	932	16.2 (10)	16.0 (17)	1,461	7.4 (10)
Monroe	342	7.9 (3)	6.7 (24)	1,299	6.6 (18)	4.2 (25)	16.3 (24)	591	17.8 (22)	18.3 (31)	810	13.7 (41)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)												
Local Agency	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature	Under-weight	Over-weight	≥ 2 Yrs Over-weight ⁽⁷⁾					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% >95th	Number	% 85th- <95th	% ≥95th	Number	%
	(Rank)	(Rank)		(Rank)	(Rank)	(Rank)		(Rank)	(Rank)		(Rank)	
Montgomery	767	11.2 (48)	7.6 (42)	2,887	8.3 (41)	2.5 (7)	14.9 (12)	1,367	16.2 (10)	13.5 (4)	2,169	9.3 (20)
Muhlenberg	874	9.8 (32)	8.2 (48)	3,052	4.4 (4)	4.6 (35)	14.4 (7)	1,442	17.1 (17)	17.0 (25)	1,737	11.7 (31)
N Central	1,620	9.1 (19)	7.0 (32)	5,627	14.1 (59)	3.2 (13)	27.4 (59)	2,384	20.3 (47)	23.4 (56)	3,844	12.2 (35)
N KY	5,785	10.3 (40)	7.3 (37)	20,639	8.4 (43)	4.3 (29)	17.9 (35)	8,936	18.8 (35)	18.1 (30)	13,856	12.7 (37)
Oldham	578	10.9 (47)	6.9 (28)	2,334	12.8 (58)	1.8 (1)	20.6 (52)	1,082	16.2 (10)	18.4 (32)	1,429	11.6 (30)
Park DuV	1,230	14.9 (58)	3.8 (2)	4,265	9.6 (53)	4.6 (35)	15.9 (20)	1,898	18.7 (34)	17.2 (26)	3,131	9.7 (23)
Pennyrile	1,965	9.9 (35)	7.6 (42)	7,579	7.2 (24)	3.8 (20)	17.2 (31)	3,417	18.2 (27)	16.3 (19)	5,209	13.5 (40)
Pike	1,776	9.8 (32)	7.0 (32)	6,295	3.3 (2)	6.0 (51)	17.1 (29)	2,715	16.2 (10)	20.0 (44)	3,921	6.9 (7)
Powell	510	10.4 (43)	4.9 (5)	2,139	7.2 (24)	1.9 (2)	18.4 (38)	1,109	21.4 (56)	21.1 (47)	1,691	5.9 (3)
Purchase	3,578	9.5 (28)	6.5 (20)	13,033	7.6 (33)	4.6 (35)	19.7 (48)	6,022	19.1 (36)	17.7 (29)	8,757	17.6 (50)
Todd	435	11.7 (51)	4.1 (3)	1,541	10.8 (56)	4.9 (41)	17.9 (35)	726	12.0 (1)	13.6 (5)	1,119	18.5 (52)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
WEDCO	1,622	12.0 (52)	5.0 (6)	5,221	7.3 (26)	4.5 (34)	16.9 (27)	2,225	12.4 (3)	14.3 (8)	3,447	13.3 (38)
Whitley	1,939	8.7 (10)	8.2 (48)	7,474	8.5 (44)	4.7 (38)	19.8 (49)	3,481	19.6 (45)	22.3 (53)	5,464	6.9 (7)
Woodford	332	10.2 (38)	7.2 (36)	1,258	6.3 (16)	5.2 (43)	14.8 (11)	541	12.9 (5)	14.6 (10)	762	14.6 (46)
Unknown Local Ag.	3,285	8.2 (6)	7.3 (37)	3,250	2.1 (1)	8.8 (59)	5.8 (1)	183	25.1 (59)	23.0 (54)	264	23.9 (57)
Kentucky	108,223	9.8	6.9	383,831	7.6	4.3	17.3	170,993	18.0	17.6	249,530	11.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
3 Rivers	1,813	12.9 (23)	983	0.9 (56)	1,149	1.0 (48)	0	* * *	0	* * *	0	* * *
Allen	734	15.5 (12)	352	1.7 (41)	423	1.2 (38)	0	* * *	0	* * *	0	* * *
Anderson	494	17.2 (7)	251	4.0 (8)	263	1.9 (15)	0	* * *	0	* * *	0	* * *
Barren Riv	8,450	14.0 (17)	4,319	2.7 (22)	4,515	1.3 (34)	0	* * *	0	* * *	0	* * *
Bourbon	609	10.8 (35)	324	2.5 (26)	377	2.1 (12)	0	* * *	0	* * *	0	* * *
Boyd	1,811	10.5 (37)	968	2.1 (32)	1,078	1.7 (22)	0	* * *	0	* * *	0	* * *
Boyle	835	6.8 (53)	430	1.6 (44)	497	1.0 (48)	0	* * *	0	* * *	0	* * *
Bracken	312	10.9 (33)	173	3.5 (13)	198	3.0 (2)	0	* * *	0	* * *	0	* * *
Breathitt	686	3.9 (58)	403	1.5 (47)	453	1.3 (34)	0	* * *	0	* * *	0	* * *
Breckinrid	684	13.2 (19)	381	2.6 (24)	377	1.1 (40)	0	* * *	0	* * *	0	* * *
Buffalo Tr	769	11.7 (30)	378	1.9 (33)	443	1.1 (40)	0	* * *	0	* * *	0	* * *
Bullitt	1,723	14.9 (15)	864	2.8 (21)	972	1.6 (25)	0	* * *	0	* * *	0	* * *
C & Y	1,587	8.9 (47)	836	2.4 (29)	864	1.4 (32)	0	* * *	0	* * *	0	* * *
Christian	4,937	15.1 (14)	3,104	4.5 (5)	3,002	2.2 (10)	0	* * *	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) Children ages 2 years and older included in the analyses.



Table 7F
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Clark	1,119	13.6 (18)	576	4.3 (6)	614	1.8 (19)	0	* * *	0	* * *
Cumb Val	6,190	7.9 (48)	3,449	1.6 (44)	3,974	1.1 (40)	0	* * *	0	* * *
Estill	728	7.1 (52)	384	1.0 (54)	442	1.1 (40)	0	* * *	0	* * *
Fayette	6,628	26.1 (1)	3,479	5.5 (3)	3,695	3.1 (1)	0	* * *	0	* * *
Fleming	614	10.1 (41)	358	3.6 (12)	429	2.8 (5)	0	* * *	0	* * *
Floyd	2,179	6.4 (54)	1,151	1.9 (33)	1,314	1.4 (32)	0	* * *	0	* * *
Franklin	1,505	17.2 (7)	722	2.9 (20)	694	2.6 (8)	0	* * *	0	* * *
Garrard	593	9.4 (45)	322	0.6 (58)	368	1.1 (40)	0	* * *	0	* * *
Gateway	2,243	9.4 (45)	1,217	1.4 (49)	1,371	0.9 (51)	0	* * *	0	* * *
Green Riv	7,990	11.3 (31)	4,313	1.9 (33)	4,489	1.3 (34)	0	* * *	0	* * *
Greenup	1,121	11.8 (27)	624	2.2 (30)	686	1.6 (25)	0	* * *	0	* * *
Hopkins	1,985	12.1 (24)	916	2.6 (24)	909	1.0 (48)	0	* * *	0	* * *
Jefferson	16,827	18.0 (4)	8,515	4.8 (4)	8,898	2.5 (9)	0	* * *	0	* * *
Jessamine	1,524	17.2 (7)	822	5.6 (2)	831	2.8 (5)	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7F
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% Breastfed At Least 3 Months (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)
Johnson	1,173	10.5 (37)	596	2.5 (26)	680	1.8 (19)	0	* * *	0	* * *	0	* * *
Knox	1,595	5.1 (57)	920	1.0 (54)	1,030	0.9 (51)	0	* * *	0	* * *	0	* * *
KY River	5,180	7.7 (49)	2,693	1.7 (41)	2,877	1.5 (29)	0	* * *	0	* * *	0	* * *
Lake Cumb	8,790	9.9 (42)	4,795	1.8 (38)	5,377	1.3 (34)	0	* * *	0	* * *	0	* * *
Laurel	2,202	11.9 (26)	1,134	1.4 (49)	1,134	1.1 (40)	0	* * *	0	* * *	0	* * *
Lawrence	771	6.2 (55)	418	1.7 (41)	468	1.9 (15)	0	* * *	0	* * *	0	* * *
Lewis	644	10.6 (36)	315	1.3 (51)	375	0.8 (53)	0	* * *	0	* * *	0	* * *
Lincoln	949	9.8 (44)	521	1.2 (52)	521	0.6 (57)	0	* * *	0	* * *	0	* * *
Lincoln Tr	9,004	11.8 (27)	4,913	3.4 (15)	5,225	2.2 (10)	0	* * *	0	* * *	0	* * *
Little San	1,743	13.1 (21)	997	2.2 (30)	1,143	1.2 (38)	0	* * *	0	* * *	0	* * *
Madison	2,280	13.2 (19)	1,216	3.9 (9)	1,282	2.9 (3)	0	* * *	0	* * *	0	* * *
Magoffin	836	5.7 (56)	426	0.7 (57)	496	0.8 (53)	0	* * *	0	* * *	0	* * *
Marshall	987	11.8 (27)	519	3.3 (17)	622	1.9 (15)	0	* * *	0	* * *	0	* * *
Martin	719	3.5 (59)	379	0.0 (59)	437	0.2 (59)	0	* * *	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) Children ages 2 years and older included in the analyses.



Table 7F
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Mercer	738	7.3 (51)	442 1.8 (38)	460 1.1 (40)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Monroe	477	11.1 (32)	254 1.6 (44)	258 0.8 (53)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Montgomery	1,063	13.1 (21)	550 3.5 (13)	616 1.9 (15)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Muhlenberg	1,171	9.9 (42)	578 1.9 (33)	666 0.5 (58)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
N Central	2,353	10.2 (40)	1,275 3.0 (19)	1,418 1.8 (19)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
N KY	8,071	10.9 (33)	4,666 3.1 (18)	4,939 2.0 (14)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Oldham	867	23.1 (2)	513 5.8 (1)	557 2.7 (7)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Park DuV	1,813	16.1 (10)	913 3.9 (9)	961 2.1 (12)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Pennyrile	2,830	16.1 (10)	1,607 4.2 (7)	1,813 2.9 (3)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Pike	2,542	7.7 (49)	1,340 1.1 (53)	1,384 0.8 (53)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Powell	693	12.0 (25)	386 1.8 (38)	463 1.5 (29)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Purchase	4,791	15.3 (13)	2,582 2.5 (26)	2,964 1.7 (22)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Todd	625	14.9 (15)	324 1.5 (47)	362 1.7 (22)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
WEDCO	2,249	17.8 (5)	1,132 3.4 (15)	1,266 1.6 (25)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) Children ages 2 years and older included in the analyses.



Table 7F
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Whitley	2,780	10.5 (37)	1,492	1.9 (33)	1,539	1.1 (40)	0	* *	0	* *
Woodford	581	17.6 (6)	371	2.7 (22)	395	1.5 (29)	0	* *	0	* *
Unknown Local Ag.	2,574	21.8 (3)	326	3.7 (11)	307	1.6 (25)	0	* *	0	* *
Kentucky	149,781	13.1	79,207	2.9	85,360	1.8	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

