

Table 4G
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Metro Area
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Metro Area								
Metro Area	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Lou/Jeff	1,570	13.2	70.5	11.7	0.2	4.5	0.0	0.0
Metro-Unk	134,610	82.1	10.8	5.3	0.2	1.6	0.0	0.0
Unknown Metro A.	1,608	61.3	17.8	19.4	0.1	1.4	0.0	0.0
Kentucky	137,788	81.1	11.6	5.5	0.2	1.7	0.0	0.0
Nation (Prior Year)	6,948,667	35.6	20.3	37.1	1.2	2.9	0.1	2.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5G
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Metro Area
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Metro Area				
Metro Area	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lou/Jeff	1,570	35.9	22.6	41.5
Metro-Unk	134,610	34.6	23.8	41.6
Unknown Metro A.	1,608	73.2	10.3	16.5
Kentucky	137,788	35.0	23.7	41.3
Nation (Prior Year)	6,948,667	35.4	22.2	42.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6G
2005 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Metro Area
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Metro Area (3,4)												
Metro Area	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Lou/Jeff	450	17.1 (3)	3.6 (1)	1,498	8.8 (3)	4.7 (2)	17.8 (3)	637	16.6 (1)	20.7 (2)	1,084	11.3 (1)
Metro-Unk	39,696	10.1 (2)	6.6 (2)	128,851	7.5 (2)	4.5 (1)	17.2 (2)	54,407	18.2 (2)	18.0 (1)	84,095	11.9 (2)
Unknown Metro A.	1,121	8.2 (1)	7.3 (3)	1,343	4.3 (1)	7.9 (3)	9.0 (1)	183	25.1 (3)	23.0 (3)	264	23.9 (3)
Kentucky	41,267	10.2	6.6	131,692	7.5	4.5	17.1	55,227	18.2	18.1	85,443	12.0
Nation (Prior Year)	1,633,363	9.3	6.8	6,600,078	6.4	4.7	14.1	2,822,660	16.1	14.8	4,020,684	13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7G
2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area
(4,5)

Metro Area	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Lou/Jeff	451	23.7 (2)	125	8.8 (1)	212	1.4 (2)	0	* *	0	* *	0	* *		
Metro-Unk	40,080	17.0 (3)	12,290	4.8 (2)	21,785	1.8 (1)	0	* *	0	* *	0	* *		
Unknown Metro A.	1,126	29.1 (1)	72	* *	97	* *	0	* *	0	* *	0	* *		
Kentucky	41,657	17.4	12,487	4.8	22,094	1.8	0	*	0	*	0	*		
Nation (Prior Year)	1,469,572	56.1	718,598	23.4	792,792	17.6	37,398	9.8	39,388	6.7	64,128	40.5	389,446	20.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 6G
2003 - 2005 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by Metro Area
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by Metro Area ^(3,4)												
Metro Area	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct ⁽⁸⁾	
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾	≥ 2 Yrs Over- weight ⁽⁷⁾					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Lou/Jeff	1,230	14.9 (3)	3.8 (1)	4,265	9.6 (3)	4.6 (2)	15.9 (2)	1,898	18.7 (2)	17.2 (1)	3,131	9.7 (1)
Metro-Unk	103,708	9.8 (2)	6.9 (2)	376,316	7.6 (2)	4.3 (1)	17.5 (3)	168,912	18.0 (1)	17.6 (2)	246,135	11.8 (2)
Unknown Metro A.	3,285	8.2 (1)	7.3 (3)	3,250	2.1 (1)	8.8 (3)	5.8 (1)	183	25.1 (3)	23.0 (3)	264	23.9 (3)
Kentucky	108,223	9.8	6.9	383,831	7.6	4.3	17.3	170,993	18.0	17.6	249,530	11.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7G
2003 - 2005 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area
(4,5)

Metro Area	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Lou/Jeff	1,813	16.1 (2)	913	3.9 (1)	961	2.1 (1)	0	* * *
Metro-Unk	145,394	12.9 (3)	77,968	2.9 (3)	84,092	1.8 (2)	0	* * *
Unknown Metro A.	2,574	21.8 (1)	326	3.7 (2)	307	1.6 (3)	0	* * *
Kentucky	149,781	13.1	79,207	2.9	85,360	1.8	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

