

Table 4A
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adair Coun	578	91.2	3.1	3.3	0.0	0.0	2.4	0.0
Allen Coun	682	94.9	2.1	1.6	0.0	0.4	1.0	0.0
Anderson C	466	80.3	3.2	13.5	0.0	0.6	2.4	0.0
Ashland-Bo	1,521	92.4	2.6	2.0	0.1	0.3	2.4	0.0
Ballard Co	248	90.7	5.6	1.6	0.0	0.8	1.2	0.0
Bar-Riv-Wa	2,835	60.2	15.0	18.7	0.2	4.2	1.7	0.0
Barren Cty	1,405	90.1	3.8	4.6	0.0	1.1	0.5	0.0
Bath Count	485	95.7	0.8	1.6	0.0	0.4	1.4	0.0
Belfry	431	98.8	0.2	0.5	0.5	0.0	0.0	0.0
Bell Cty M	816	99.6	0.2	0.1	0.0	0.0	0.0	0.0
Bell Cty P	832	94.8	4.2	0.8	0.1	0.0	0.0	0.0
Berea	609	92.6	4.3	2.3	0.0	0.5	0.3	0.0
Betsy Lane	527	98.7	0.4	0.2	0.0	0.0	0.8	0.0
Boone Coun	2,530	68.9	3.2	26.6	0.0	0.6	0.7	0.0
Bourbon Ct	571	75.1	7.4	17.2	0.2	0.2	0.0	0.0
Boyle Coun	750	87.9	8.1	3.9	0.0	0.1	0.0	0.0
Bracken Co	296	96.3	0.0	1.7	0.0	0.3	1.7	0.0
Breathitt	718	98.2	0.4	0.7	0.0	0.4	0.3	0.0
Breckinrid	622	94.5	4.2	0.6	0.0	0.2	0.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Bridges	728	20.1	69.8	4.5	0.0	1.6	4.0	0.0
Bullitt Co	1,416	96.0	0.7	1.4	0.0	0.4	1.6	0.0
Butler Cty	508	92.7	1.4	4.5	0.2	1.2	0.0	0.0
C & Y	1,404	2.8	94.4	1.3	0.3	1.1	0.0	0.0
Caldwell C	436	90.1	7.1	0.9	0.0	0.2	1.6	0.0
Calloway C	1,033	88.3	6.0	4.0	0.0	1.0	0.8	0.0
Campbell C	1,927	90.8	5.8	3.1	0.1	0.3	0.1	0.0
Carlisle C	195	94.9	2.1	2.1	0.5	0.0	0.5	0.0
Carroll Ct	521	80.8	1.3	14.8	0.0	0.0	3.1	0.0
Carter Cty	803	95.5	0.2	3.4	0.2	0.2	0.4	0.0
Casey Cty	584	91.3	0.2	8.0	0.2	0.2	0.2	0.0
Christian	2,230	56.8	34.7	3.5	0.1	1.7	3.2	0.0
Clark Coun	1,047	86.3	7.2	5.6	0.2	0.6	0.1	0.0
Clay Cty H	1,215	97.8	0.3	1.8	0.0	0.1	0.0	0.0
Clinton Ct	532	90.2	0.4	8.3	0.0	1.1	0.0	0.0
Corbin	1,249	99.0	0.3	0.4	0.0	0.2	0.0	0.0
Crittenden	300	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Cumberland	335	95.2	3.0	0.6	0.0	1.2	0.0	0.0
Daviess Co	2,643	82.2	7.6	6.4	0.0	0.5	3.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Dixie	2,030	80.3	14.1	2.7	0.0	0.6	2.2	0.0
Edmonson C	425	99.5	0.0	0.2	0.0	0.0	0.2	0.0
Elliott Ct	376	98.4	0.8	0.8	0.0	0.0	0.0	0.0
Estill Cty	656	99.2	0.3	0.5	0.0	0.0	0.0	0.0
Etown	1,548	83.0	10.7	4.1	0.1	0.6	1.5	0.0
Evarts	332	94.3	0.9	3.6	0.0	0.0	1.2	0.0
Fairdale	1,010	83.8	4.9	8.5	1.0	1.2	0.7	0.0
Fleming Co	594	97.6	1.2	0.8	0.0	0.3	0.0	0.0
Floyd Cty	1,139	99.0	0.3	0.5	0.0	0.1	0.1	0.0
Foust Hlth	215	63.3	24.7	7.9	0.0	0.5	3.7	0.0
Franklin C	1,248	75.0	14.3	8.7	0.1	1.4	0.6	0.0
Ft Campbel	2,401	70.7	17.3	6.6	0.2	4.0	1.2	0.0
Fulton	227	57.7	36.6	1.3	1.3	0.9	2.2	0.0
Gallatin C	406	81.8	2.0	16.3	0.0	0.0	0.0	0.0
Garrard Ct	629	90.0	2.2	4.1	0.2	0.3	3.2	0.0
Grant Cty	1,198	92.6	0.8	5.3	0.0	0.2	1.2	0.0
Graves Cty	1,380	67.8	9.2	20.0	0.1	0.0	2.9	0.0
Grayson Ct	1,043	96.1	0.9	2.6	0.3	0.2	0.0	0.0
Green Cty	401	96.0	2.5	1.5	0.0	0.0	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Greenup	838	97.4	0.5	1.1	0.0	0.5	0.6	0.0
Hancock Ct	285	95.4	1.4	1.8	0.0	0.0	1.4	0.0
Harlan Cty	819	95.5	2.6	0.5	0.1	0.0	1.3	0.0
Harrison C	637	89.3	1.9	7.1	0.3	0.0	1.4	0.0
Hart Cty H	642	94.2	3.6	1.7	0.0	0.3	0.2	0.0
Henderson	1,437	81.5	12.4	3.3	0.0	1.9	0.9	0.0
Henry Coun	457	89.3	2.8	5.9	0.0	1.8	0.2	0.0
Hickman	176	59.1	33.5	2.3	0.0	0.0	5.1	0.0
Hickman Ct	137	72.3	14.6	7.3	0.0	0.0	5.8	0.0
Highview	1,472	66.8	12.1	20.0	0.0	0.5	0.5	0.0
Hindman	706	98.7	0.4	0.4	0.0	0.3	0.1	0.0
Hopkins Ct	1,639	78.9	9.3	4.3	0.0	0.6	6.8	0.0
Hospital	609	92.8	4.1	2.6	0.0	0.3	0.2	0.0
Iroquois	2,042	39.0	31.9	20.3	0.0	5.0	3.7	0.0
Jackson Ct	662	98.8	0.0	1.1	0.0	0.0	0.2	0.0
Jessamine	1,448	87.5	4.6	6.0	0.0	1.2	0.8	0.0
Johnson Co	1,083	99.2	0.1	0.1	0.0	0.3	0.4	0.0
JT Arnett	139	97.1	0.0	2.9	0.0	0.0	0.0	0.0
Kenton Cty	2,685	80.4	14.6	3.4	0.1	1.3	0.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Knox Cty	1,596	98.6	1.0	0.4	0.0	0.0	0.0	0.0
L & N	1,677	21.0	75.1	1.7	0.1	1.5	0.6	0.0
Larue Cty	542	85.4	3.1	9.6	0.0	0.0	1.8	0.0
Laurel Cty	1,918	98.3	0.4	0.9	0.2	0.3	0.0	0.0
Lawrence C	650	97.8	0.2	0.5	0.0	0.0	1.5	0.0
Lee Cty He	345	98.6	0.0	1.4	0.0	0.0	0.0	0.0
Leslie Cty	574	97.9	0.2	0.9	0.0	0.0	1.0	0.0
Letcher Ct	906	98.6	0.9	0.2	0.0	0.3	0.0	0.0
Lewis Cty	594	98.0	0.0	0.7	0.3	0.3	0.7	0.0
Lex-Fay40C	2,386	30.8	14.9	51.7	0.1	1.8	0.7	0.0
Lex-Fay40D	1,123	43.8	45.1	6.0	0.6	2.0	2.4	0.0
Lex-Fay40G	886	47.5	30.0	13.9	0.8	4.2	3.6	0.0
Lex-Fay40J	1,212	53.5	32.6	8.1	0.2	1.5	4.2	0.0
Lex-Fay40W	856	22.1	30.5	46.5	0.0	0.4	0.6	0.0
Lincoln Ct	912	94.4	2.6	2.7	0.0	0.2	0.0	0.0
Livingston	307	96.7	0.0	2.9	0.0	0.0	0.3	0.0
Logan Cty	809	82.0	11.0	5.2	0.4	0.1	1.4	0.0
Lynch	305	91.5	4.9	1.0	0.0	0.0	2.6	0.0
Lyon Cty	188	94.1	3.2	0.0	0.0	0.5	2.1	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Magoffin C	658	99.2	0.0	0.6	0.0	0.0	0.2	0.0
Marion Cty	745	85.5	8.9	4.8	0.0	0.8	0.0	0.0
Marshal90A	824	98.7	0.5	0.4	0.0	0.2	0.2	0.0
Marshal90B	70	*	*	*	*	*	*	*
Martin Cty	683	99.3	0.1	0.3	0.0	0.0	0.3	0.0
Mason Cty	633	85.3	7.7	2.7	0.3	1.3	2.7	0.0
McCracken	1,949	60.6	30.1	4.9	0.0	1.0	3.4	0.0
McCreary C	1,016	98.2	0.3	1.3	0.0	0.0	0.2	0.0
McLean Ct	395	94.7	0.3	4.6	0.0	0.3	0.3	0.0
Meade Cty	728	95.5	1.6	1.2	0.0	0.4	1.2	0.0
Menifee Ct	345	98.0	0.0	1.7	0.0	0.0	0.3	0.0
Mercer Cty	696	87.5	3.6	7.6	0.0	0.4	0.9	0.0
Metcalfe C	386	98.4	1.0	0.5	0.0	0.0	0.0	0.0
Middletown	1,186	63.3	18.5	13.6	0.1	2.5	1.9	0.0
Monroe Cnt	429	86.2	4.9	8.6	0.0	0.0	0.2	0.0
Montgomery	1,092	91.5	0.9	5.4	0.0	0.1	2.1	0.0
Morgan Cty	597	99.2	0.0	0.7	0.0	0.2	0.0	0.0
Muhlenberg	1,066	92.3	3.8	1.5	0.0	0.2	2.3	0.0
Neighborho	1,186	64.3	28.2	4.0	0.1	2.9	0.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Nelson Cty	1,196	87.0	7.5	2.7	0.0	0.3	2.5	0.0
Newburg	1,818	33.8	48.8	13.4	0.0	2.1	1.9	0.0
Nicholas C	313	93.9	0.6	4.8	0.0	0.0	0.6	0.0
Oasis Hlth	202	81.2	13.9	3.0	0.0	0.0	2.0	0.0
Ohio Cty	1,061	88.6	0.7	10.2	0.1	0.0	0.5	0.0
Oldham Cty	799	70.6	4.6	23.8	0.0	0.1	0.9	0.0
Olive Hill	596	89.1	0.3	10.1	0.0	0.2	0.3	0.0
Owen Cty	348	92.2	0.3	7.2	0.0	0.0	0.3	0.0
Owsley Cty	286	98.3	0.3	0.7	0.0	0.0	0.7	0.0
Park Duval	1,717	11.6	68.4	18.8	0.1	0.8	0.3	0.0
Pendleton	433	96.1	1.2	0.9	0.0	0.0	1.8	0.0
Perry Cty	1,194	96.8	2.3	0.3	0.0	0.3	0.4	0.0
Phelps	185	97.8	2.2	0.0	0.0	0.0	0.0	0.0
Pike Cty	1,663	98.7	0.8	0.4	0.1	0.0	0.1	0.0
Portland	1,229	45.4	49.2	1.3	0.1	1.7	2.3	0.0
Powell Cty	658	97.6	0.5	1.8	0.0	0.2	0.0	0.0
Prenatal	3	*	*	*	*	*	*	*
Prenatal	11	*	*	*	*	*	*	*
Pulaski Ct	2,268	93.0	0.9	5.7	0.1	0.3	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Radcliffe	1,941	59.3	21.9	10.6	0.2	1.0	7.0	0.0
Richmond	1,464	85.4	7.0	4.2	0.1	1.2	2.2	0.0
Robertson	124	87.9	1.6	8.1	0.0	2.4	0.0	0.0
Rockcastle	729	98.1	0.3	1.2	0.0	0.3	0.1	0.0
Rowan Cty	801	96.4	2.4	0.6	0.1	0.5	0.0	0.0
Russell Ct	714	88.1	0.7	9.9	0.1	0.7	0.4	0.0
Scott Cty	1,058	80.2	6.0	8.1	0.1	5.4	0.3	0.0
Shelby Cty	1,061	38.1	6.1	51.2	0.0	4.5	0.1	0.0
Simpson Ct	530	84.5	11.1	2.5	0.2	0.6	1.1	0.0
South Shor	234	99.1	0.0	0.0	0.0	0.0	0.9	0.0
Spencer Ct	341	92.7	0.9	6.2	0.0	0.3	0.0	0.0
TAPP-South	56	*	*	*	*	*	*	*
TAPP-West	79	*	*	*	*	*	*	*
Taylor Cty	811	88.4	5.3	2.3	0.0	0.4	3.6	0.0
Todd Cty H	503	66.0	13.1	11.9	0.0	6.2	2.8	0.0
Trigg Cty	410	83.2	15.4	0.5	0.2	0.5	0.2	0.0
Trimble Ct	291	95.5	0.0	2.4	0.0	0.7	1.4	0.0
Union Cty	462	84.6	11.0	0.9	0.0	0.0	3.5	0.0
Wallins	177	97.7	0.0	1.7	0.0	0.0	0.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Washington	413	70.5	10.7	13.3	0.0	0.2	5.3	0.0
Wayne Cty	923	89.1	2.0	8.8	0.0	0.1	0.1	0.0
Webster Ct	449	74.6	3.8	17.1	0.0	0.9	3.6	0.0
Wheelbrigh	322	98.4	0.6	0.9	0.0	0.0	0.0	0.0
Williamsbu	1,072	98.2	1.1	0.6	0.0	0.1	0.0	0.0
Wolfe Cty	534	98.9	0.0	0.2	0.0	0.0	0.9	0.0
Woodford C	606	59.9	9.2	24.3	0.2	3.6	2.8	0.0
Kentucky	135,754	78.7	11.7	7.2	0.1	0.9	1.3	0.0
Nation (Prior Year)	7,117,562	32.3	18.5	37.7	1.0	2.5	1.0	7.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adair Coun	578	35.8	21.5	42.7
Allen Coun	682	35.5	19.4	45.2
Anderson C	466	38.8	20.6	40.6
Ashland-Bo	1,521	42.3	19.3	38.5
Ballard Co	248	30.6	22.2	47.2
Bar-Riv-Wa	2,835	46.0	18.3	35.7
Barren Cty	1,405	40.2	19.0	40.8
Bath Count	485	35.3	16.3	48.5
Belfry	431	36.4	19.7	43.9
Bell Cty M	816	32.6	17.0	50.4
Bell Cty P	832	32.8	18.0	49.2
Berea	609	39.6	18.9	41.5
Betsy Lane	527	31.1	17.6	51.2
Boone Coun	2,530	44.0	17.5	38.5
Bourbon Ct	571	42.6	20.8	36.6
Boyle Coun	750	42.8	17.9	39.3
Bracken Co	296	40.9	21.3	37.8
Breathitt	718	35.0	17.1	47.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Breckinrid	622	38.1	18.3	43.6
Bridges	728	45.7	18.8	35.4
Bullitt Co	1,416	46.0	18.5	35.5
Butler Cty	508	33.1	19.7	47.2
C & Y	1,404	48.6	16.2	35.1
Caldwell C	436	38.3	20.0	41.7
Calloway C	1,033	37.7	21.3	41.0
Campbell C	1,927	45.5	18.1	36.5
Carlisle C	195	26.2	20.5	53.3
Carroll Ct	521	34.2	21.9	44.0
Carter Cty	803	34.4	21.3	44.3
Casey Cty	584	32.7	19.0	48.3
Christian	2,230	45.1	17.6	37.3
Clark Coun	1,047	42.9	16.5	40.6
Clay Cty H	1,215	32.6	17.5	49.9
Clinton Ct	532	31.4	21.1	47.6
Corbin	1,249	36.7	19.6	43.7
Crittenden	300	35.7	21.3	43.0

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Cumberland	335	34.0	17.3	48.7
Daviess Co	2,643	43.4	18.7	37.9
Dixie	2,030	50.9	16.8	32.2
Edmonson C	425	36.5	19.5	44.0
Elliott Ct	376	32.2	19.4	48.4
Estill Cty	656	34.9	19.5	45.6
Etown	1,548	46.1	18.3	35.7
Evarts	332	35.5	16.6	47.9
Fairdale	1,010	50.7	16.9	32.4
Fleming Co	594	28.8	19.9	51.3
Floyd Cty	1,139	36.6	20.2	43.2
Foust Hlth	215	27.4	16.7	55.8
Franklin C	1,248	48.1	19.5	32.5
Ft Campbel	2,401	37.7	20.2	42.1
Fulton	227	33.0	18.5	48.5
Gallatin C	406	43.1	16.7	40.1
Garrard Ct	629	38.5	16.9	44.7
Grant Cty	1,198	36.9	19.7	43.4

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Graves Cty	1,380	35.8	18.5	45.7
Grayson Ct	1,043	33.6	20.2	46.2
Green Cty	401	33.9	17.5	48.6
Greenup	838	39.4	20.2	40.5
Hancock Ct	285	31.6	21.1	47.4
Harlan Cty	819	37.5	19.0	43.5
Harrison C	637	37.8	18.7	43.5
Hart Cty H	642	39.1	17.6	43.3
Henderson	1,437	43.2	17.2	39.6
Henry Coun	457	39.6	17.7	42.7
Hickman	176	29.5	24.4	46.0
Hickman Ct	137	32.8	27.7	39.4
Highview	1,472	43.7	18.4	37.9
Hindman	706	36.3	17.7	46.0
Hopkins Ct	1,639	43.6	17.4	39.0
Hospital	609	100.0	0.0	0.0
Iroquois	2,042	43.0	17.8	39.2
Jackson Ct	662	33.1	16.0	50.9

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Jessamine	1,448	42.8	17.3	39.9
Johnson Co	1,083	34.0	17.9	48.1
JT Arnett	139	25.2	20.1	54.7
Kenton Cty	2,685	49.8	18.3	31.9
Knox Cty	1,596	36.0	17.3	46.7
L & N	1,677	47.5	18.4	34.1
Larue Cty	542	38.6	18.1	43.4
Laurel Cty	1,918	41.9	18.1	40.0
Lawrence C	650	35.7	22.6	41.7
Lee Cty He	345	31.9	19.1	49.0
Leslie Cty	574	31.7	18.8	49.5
Letcher Ct	906	44.9	18.3	36.8
Lewis Cty	594	34.3	20.9	44.8
Lex-Fay40C	2,386	45.5	17.5	37.0
Lex-Fay40D	1,123	49.3	17.0	33.7
Lex-Fay40G	886	39.6	17.8	42.6
Lex-Fay40J	1,212	44.4	18.2	37.5
Lex-Fay40W	856	47.7	18.6	33.8

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lincoln Ct	912	38.3	19.7	42.0
Livingston	307	34.2	23.1	42.7
Logan Cty	809	41.3	21.4	37.3
Lynch	305	32.1	20.0	47.9
Lyon Cty	188	35.6	18.1	46.3
Magoffin C	658	33.4	18.4	48.2
Marion Cty	745	37.7	18.7	43.6
Marshal90A	824	35.0	20.5	44.5
Marshal90B	70	*	*	*
Martin Cty	683	32.1	20.1	47.9
Mason Cty	633	41.9	21.0	37.1
McCracken	1,949	39.5	20.5	40.0
McCreary C	1,016	32.8	19.7	47.5
McLean Ct	395	36.7	17.7	45.6
Meade Cty	728	37.1	19.1	43.8
Menifee Ct	345	29.0	20.6	50.4
Mercer Cty	696	35.2	19.4	45.4
Metcalfe C	386	35.8	23.1	41.2

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Middletown	1,186	48.9	19.9	31.2
Monroe Cnt	429	32.2	21.7	46.2
Montgomery	1,092	39.3	17.5	43.2
Morgan Cty	597	34.0	16.8	49.2
Muhlenberg	1,066	40.1	19.0	40.9
Neighborho	1,186	44.6	21.6	33.8
Nelson Cty	1,196	40.5	19.4	40.1
Newburg	1,818	49.1	17.9	33.1
Nicholas C	313	32.9	21.1	46.0
Oasis Hlth	202	25.2	15.3	59.4
Ohio Cty	1,061	38.0	19.5	42.5
Oldham Cty	799	37.9	19.8	42.3
Olive Hill	596	33.4	17.4	49.2
Owen Cty	348	37.1	20.4	42.5
Owsley Cty	286	26.2	18.9	54.9
Park Duval	1,717	41.5	17.1	41.4
Pendleton	433	38.6	21.5	40.0
Perry Cty	1,194	37.4	18.9	43.6

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Phelps	185	45.9	16.2	37.8
Pike Cty	1,663	42.7	18.2	39.1
Portland	1,229	44.3	19.2	36.5
Powell Cty	658	32.5	18.4	49.1
Prenatal	3	*	*	*
Prenatal	11	*	*	*
Pulaski Ct	2,268	40.7	18.7	40.6
Radcliffe	1,941	41.6	17.8	40.5
Richmond	1,464	45.1	18.6	36.3
Robertson	124	24.2	22.6	53.2
Rockcastle	729	31.8	19.9	48.3
Rowan Cty	801	40.6	18.1	41.3
Russell Ct	714	35.6	22.0	42.4
Scott Cty	1,058	46.2	17.0	36.8
Shelby Cty	1,061	41.6	19.7	38.7
Simpson Ct	530	40.9	20.9	38.1
South Shor	234	32.1	19.2	48.7
Spencer Ct	341	39.9	19.4	40.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
TAPP-South	56	*	*	*
TAPP-West	79	*	*	*
Taylor Cty	811	34.5	19.9	45.6
Todd Cty H	503	35.4	20.9	43.7
Trigg Cty	410	32.7	20.7	46.6
Trimble Ct	291	38.8	19.9	41.2
Union Cty	462	41.3	17.1	41.6
Wallins	177	28.2	15.3	56.5
Washington	413	32.0	18.6	49.4
Wayne Cty	923	34.0	19.6	46.4
Webster Ct	449	41.4	18.5	40.1
Wheelbrigh	322	32.9	14.6	52.5
Williamsbu	1,072	34.5	19.6	45.9
Wolfe Cty	534	32.2	16.5	51.3
Woodford C	606	36.0	19.5	44.6
Kentucky	135,754	40.5	18.7	40.8
Nation (Prior Year)	7,117,562	35.3	22.0	42.6

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adair Coun	143	9.1 (43)	5.6 (50)	554	5.1 (37)	5.4 (84)	11.4 (17)	237	15.2 (25)	15.2 (47)	345	13.9 (98)
Allen Coun	173	7.5 (18)	5.2 (38)	664	6.9 (80)	4.5 (58)	14.5 (53)	294	17.3 (55)	18.4 (83)	344	16.6 (121)
Anderson C	119	12.6 (96)	5.9 (58)	451	8.0(104)	6.2(111)	15.7 (80)	187	19.8(106)	16.0 (53)	309	12.3 (82)
Ashland-Bo	436	8.5 (30)	4.4 (21)	1,452	5.5 (45)	9.3(148)	11.0 (12)	568	19.7(104)	15.1 (43)	946	18.1 (132)
Ballard Co	46	* *	* *	227	7.5 (97)	4.8 (64)	16.7 (97)	117	21.4(122)	10.3 (9)	186	14.0(101)
Bar-Riv-Wa	821	9.1 (43)	7.3 (93)	2,729	4.6 (27)	5.0 (71)	13.2 (38)	974	17.8 (68)	16.3 (61)	1,621	16.5(120)
Barren Cty	345	9.9 (56)	7.0 (89)	1,358	5.2 (40)	4.0 (45)	15.0 (63)	550	19.8(106)	21.1(119)	917	17.1(124)
Bath Count	107	9.3 (50)	5.6 (50)	456	10.7(133)	3.9 (40)	21.3(144)	223	20.6(115)	28.7(145)	324	6.8 (34)
Belfry	99	* *	* *	408	1.2 (2)	8.8(142)	15.7 (80)	176	15.9 (32)	21.0(118)	287	4.2 (11)
Bell Cty M	168	7.1 (13)	6.5 (74)	777	8.5(109)	2.6 (17)	24.2(151)	386	17.6 (63)	26.9(142)	540	3.1 (6)
Bell Cty P	179	8.4 (29)	6.7 (78)	784	7.5 (97)	5.2 (76)	18.1(120)	392	13.5 (14)	14.5 (33)	543	2.9 (5)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Berea	152	11.8 (86)	9.9(108)	589	5.1 (37)	8.8(142)	11.4 (17)	246	17.1 (50)	13.0 (20)	415	7.5 (42)
Betsy Lane	115	11.3 (81)	4.3 (20)	501	1.6 (3)	8.8(142)	9.0 (4)	253	7.9 (1)	9.1 (6)	367	6.8 (34)
Boone Coun	674	8.2 (28)	7.1 (92)	2,389	7.2 (91)	6.1(107)	15.6 (77)	935	18.8 (86)	16.1 (55)	1,322	17.2(125)
Bourbon Ct	171	11.7 (85)	2.9 (6)	537	7.6(100)	4.8 (64)	19.6(135)	203	17.7 (66)	20.2(107)	371	23.7(142)
Boyle Coun	211	10.9 (76)	6.2 (67)	704	3.8 (14)	2.3 (13)	17.0(100)	282	22.3(133)	20.2(107)	429	10.0 (66)
Bracken Co	81	* *	* *	283	6.4 (67)	8.5(141)	19.1(127)	102	20.6(115)	25.5(139)	186	4.8 (16)
Breathitt	166	13.3(104)	5.4 (40)	667	6.4 (67)	3.9 (40)	20.5(138)	326	13.2 (12)	20.6(111)	475	6.3 (27)
Breckinrid	141	9.2 (46)	5.0 (31)	599	9.5(125)	3.0 (22)	15.0 (63)	259	14.3 (20)	16.6 (65)	442	8.6 (56)
Bridges	218	15.1(114)	5.5 (44)	668	8.8(113)	6.0(102)	17.8(117)	244	16.8 (46)	16.4 (64)	399	21.1(136)
Bullitt Co	435	11.0 (77)	6.9 (84)	1,357	6.2 (59)	4.1 (49)	14.9 (62)	502	13.7 (15)	13.9 (28)	766	15.5(110)
Butler Cty	116	8.6 (33)	8.6(102)	494	5.7 (51)	2.4 (15)	18.6(125)	232	19.0 (91)	22.4(123)	341	12.6 (85)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
C & Y	441	13.6 (108)	3.6 (13)	1,305	8.8(113)	4.1 (49)	17.5(107)	488	18.0 (69)	22.5(124)	574	28.7 (151)
Caldwell C	120	10.8 (75)	10.0(110)	412	6.8 (77)	6.3(114)	17.5(107)	177	20.3(113)	14.1 (30)	290	7.9 (45)
Calloway C	252	6.0 (6)	11.1(113)	1,004	6.1 (56)	4.1 (49)	12.5 (28)	407	18.4 (80)	13.3 (21)	659	7.0 (40)
Campbell C	551	12.0 (90)	6.2 (67)	1,793	5.7 (51)	7.0(126)	10.6 (10)	682	11.7 (5)	7.9 (4)	1,016	15.5(110)
Carlisle C	35	* *	* *	187	9.6(127)	2.1 (7)	19.3(130)	106	31.1(146)	16.0 (53)	145	15.9(115)
Carroll Ct	116	7.8 (24)	6.0 (63)	505	13.5(149)	3.6 (31)	17.0(100)	223	22.4(134)	20.6(111)	375	14.1(102)
Carter Cty	179	10.1 (61)	2.8 (5)	769	3.9 (16)	7.9(135)	15.5 (74)	341	19.9(110)	20.2(107)	538	12.8 (86)
Casey Cty	127	10.2 (64)	5.5 (44)	561	9.3(123)	4.5 (58)	12.8 (34)	275	17.1 (50)	14.9 (40)	387	11.4 (78)
Christian	574	13.2(103)	4.9 (28)	2,091	6.3 (63)	6.2(111)	14.6 (56)	810	13.0 (9)	13.7 (26)	1,361	22.9(141)
Clark Coun	295	10.5 (71)	5.1 (35)	1,000	5.5 (45)	4.5 (58)	16.1 (85)	405	18.3 (73)	22.5(124)	633	15.5(110)
Clay Cty H	272	9.9 (56)	5.1 (35)	1,170	5.0 (35)	8.3(140)	17.6(114)	585	21.7(125)	23.9(134)	857	5.5 (21)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clinton Ct	112	14.3 (110)	8.0 (98)	514	5.1 (37)	5.8 (94)	15.6 (77)	245	21.6(123)	19.6(101)	370	5.1 (19)
Corbin	314	11.1 (78)	9.9(108)	1,198	6.3 (63)	5.9 (99)	16.2 (88)	530	13.8 (17)	19.1 (94)	858	10.8 (74)
Crittenden	79	* *	* *	281	3.6 (13)	3.6 (31)	15.3 (68)	131	22.1(129)	8.4 (5)	200	13.0 (89)
Cumberland	75	* *	* *	327	4.6 (27)	6.4(117)	8.9 (3)	155	15.5 (29)	11.0 (11)	206	14.1(102)
Daviess Co	741	7.7 (23)	5.9 (58)	2,536	9.3(123)	2.2 (11)	18.1(120)	976	18.1 (70)	18.3 (81)	1,552	13.9 (98)
Dixie	660	12.1 (91)	6.4 (71)	1,872	7.4 (95)	5.2 (76)	16.0 (83)	632	17.4 (57)	18.8 (90)	1,039	12.8 (86)
Edmonson C	85	* *	* *	413	4.4 (23)	3.9 (40)	12.3 (26)	184	16.8 (46)	16.3 (61)	288	6.3 (27)
Elliott Ct	82	* *	* *	360	3.9 (16)	6.9(124)	13.9 (45)	180	18.3 (73)	20.0(104)	251	26.7(150)
Estill Cty	143	11.9 (88)	7.0 (89)	632	6.8 (77)	3.8 (38)	12.7 (31)	293	17.4 (57)	19.5 (99)	454	4.8 (16)
Etown	421	11.6 (83)	5.5 (44)	1,491	11.6(142)	2.7 (19)	16.4 (91)	536	16.0 (36)	15.1 (43)	968	4.5 (14)
Evarts	77	* *	* *	317	5.4 (43)	8.2(138)	15.5 (74)	153	16.3 (39)	17.0 (67)	199	1.5 (3)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fairdale	343	11.1 (78)	7.3 (93)	943	7.1 (89)	4.1 (49)	15.4 (72)	324	18.8 (86)	12.3 (16)	556	11.7 (79)
Fleming Co	122	16.4 (117)	11.5 (116)	571	6.7 (75)	6.5 (120)	16.1 (85)	297	16.5 (41)	14.8 (38)	442	13.1 (91)
Floyd Cty	297	14.5 (111)	5.1 (35)	1,076	8.8 (113)	5.5 (88)	15.6 (77)	467	13.9 (18)	18.6 (87)	753	10.2 (69)
Foust Hlth	35	* *	* *	206	11.7 (143)	3.4 (29)	19.4 (131)	115	18.3 (73)	22.6 (127)	171	25.1 (147)
Franklin C	379	10.0 (59)	5.5 (44)	1,203	9.1 (120)	5.8 (94)	17.0 (100)	396	24.5 (143)	22.5 (124)	720	17.9 (130)
Ft Campbel	485	7.4 (17)	11.3 (114)	2,331	3.1 (10)	8.2 (138)	6.0 (2)	1,014	10.0 (4)	5.1 (1)	1,623	24.5 (143)
Fulton	46	* *	* *	217	6.5 (69)	3.7 (35)	17.1 (103)	108	22.2 (131)	18.5 (86)	160	13.1 (91)
Gallatin C	114	8.8 (39)	3.5 (12)	377	7.4 (95)	6.9 (124)	15.1 (65)	152	17.1 (50)	17.1 (71)	265	15.1 (108)
Garrard Ct	153	11.8 (86)	5.9 (58)	596	8.7 (112)	4.4 (54)	15.3 (68)	278	17.3 (55)	19.8 (102)	394	14.7 (106)
Grant Cty	285	11.9 (88)	8.4 (101)	1,141	4.6 (27)	5.2 (76)	11.6 (21)	499	19.0 (91)	12.8 (18)	836	10.4 (71)
Graves Cty	331	6.9 (11)	7.3 (93)	1,334	5.7 (51)	5.4 (84)	17.3 (105)	618	20.2 (112)	17.8 (77)	897	17.2 (125)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grayson Ct	232	11.2 (80)	6.0 (63)	1,002	8.4(108)	5.9 (99)	12.7 (31)	475	17.5 (60)	14.7 (36)	760	1.7 (4)
Green Cty	86	* *	* *	385	7.3 (93)	2.1 (7)	17.9(118)	182	17.6 (63)	20.9(116)	282	13.5 (96)
Greenup	216	7.9 (26)	4.6 (24)	818	4.8 (33)	10.5(152)	11.7 (23)	334	15.9 (32)	17.1 (71)	507	6.1 (25)
Hancock Ct	55	* *	* *	277	6.9 (80)	3.2 (26)	16.6 (95)	136	25.7(145)	16.2 (59)	214	6.5 (29)
Harlan Cty	201	10.0 (59)	9.5(106)	778	7.2 (91)	8.1(137)	16.7 (97)	347	19.6(102)	25.1(138)	486	8.2 (48)
Harrison C	164	12.8 (97)	1.2 (1)	599	7.0 (86)	5.8 (94)	13.5 (42)	268	16.0 (36)	13.8 (27)	395	8.9 (59)
Hart Cty H	144	10.4 (69)	6.3 (69)	621	3.5 (12)	5.8 (94)	12.7 (31)	276	18.8 (86)	17.0 (67)	428	6.8 (34)
Henderson	382	12.3 (95)	4.2 (19)	1,394	6.5 (69)	6.3(114)	11.5 (20)	553	18.3 (73)	19.3 (96)	859	3.5 (8)
Henry Coun	115	12.2 (94)	11.3(114)	435	10.1(129)	4.8 (64)	17.9(118)	184	23.4(141)	15.8 (52)	297	17.5(128)
Hickman	39	* *	* *	173	6.9 (80)	4.6 (63)	19.7(136)	81	* *	* *	125	26.4(149)
Hickman Ct	32	* *	* *	134	4.5 (24)	6.0(102)	17.2(104)	53	* *	* *	98	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Highview	417	9.1 (43)	4.8 (25)	1,405	8.3(106)	5.4 (84)	14.0 (47)	547	13.7 (15)	11.7 (13)	908	16.2(118)
Hindman	156	16.7(118)	1.3 (2)	658	13.5(149)	3.0 (22)	23.3(150)	313	19.2 (96)	23.6(131)	519	9.1 (61)
Hopkins Ct	419	9.8 (54)	5.5 (44)	1,569	10.7(133)	2.2 (11)	17.5(107)	619	21.2(120)	19.4 (98)	1,094	7.8 (43)
Hospital	609	7.2 (15)	5.9 (58)	524	0.4 (1)	7.1(128)	2.1 (1)	0	* *	* *	0	* *
Iroquois	552	10.5 (71)	6.9 (84)	1,958	4.3 (22)	3.6 (31)	14.6 (56)	780	17.1 (50)	14.5 (33)	1,342	16.6(121)
Jackson Ct	157	7.6 (21)	8.3(100)	640	6.3 (63)	4.4 (54)	15.2 (67)	324	16.4 (40)	19.1 (94)	477	4.0 (10)
Jessamine	400	7.0 (12)	6.8 (82)	1,385	5.6 (47)	6.2(111)	10.0 (6)	555	16.6 (43)	11.9 (14)	845	18.1(132)
Johnson Co	257	12.1 (91)	5.4 (40)	1,036	6.2 (59)	7.1(128)	16.8 (99)	503	18.7 (85)	17.3 (74)	748	20.9(135)
JT Arnett	23	* *	* *	133	2.3 (6)	2.3 (13)	26.3(152)	72	* *	* *	97	* *
Kenton Cty	784	10.2 (64)	6.9 (84)	2,520	8.3(106)	5.5 (88)	16.1 (85)	842	22.4(134)	24.6(136)	1,472	17.3(127)
Knox Cty	371	9.2 (46)	7.0 (89)	1,487	4.6 (27)	5.4 (84)	17.6(114)	726	19.8(106)	23.6(131)	1,043	6.8 (34)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
L & N	506	13.0 (99)	4.5 (23)	1,572	6.1 (56)	5.0 (71)	15.3 (68)	564	18.8 (86)	18.3 (81)	992	9.6 (65)
Larue Cty	131	9.9 (56)	7.6 (96)	513	6.6 (72)	1.8 (4)	19.5(134)	228	14.5 (21)	19.3 (96)	363	17.9(130)
Laurel Cty	505	10.3 (67)	9.3(105)	1,839	5.4 (43)	7.8(134)	16.2 (88)	728	22.0(128)	21.2(120)	1,142	8.4 (53)
Lawrence C	154	14.9(112)	3.2 (8)	609	8.9(118)	7.4(131)	18.2(122)	261	16.5 (41)	23.4(129)	424	9.4 (64)
Lee Cty He	68	* *	* *	327	4.6 (27)	3.7 (35)	14.4 (51)	164	12.2 (6)	13.4 (22)	257	7.8 (43)
Leslie Cty	104	8.7 (36)	4.8 (25)	537	4.5 (24)	6.7(122)	18.8(126)	269	14.1 (19)	19.0 (92)	438	11.9 (80)
Letcher Ct	245	10.2 (64)	4.1 (16)	850	14.1(152)	1.4 (2)	21.3(144)	326	21.8(126)	20.9(116)	593	1.3 (2)
Lewis Cty	133	9.0 (42)	3.0 (7)	564	6.6 (72)	7.4(131)	14.5 (53)	252	18.3 (73)	18.7 (88)	312	8.3 (52)
Lex-Fay40C	738	8.0 (27)	5.6 (50)	2,282	6.9 (80)	5.1 (74)	16.5 (93)	845	22.2(131)	24.6(136)	1,393	24.6(144)
Lex-Fay40D	369	15.7(116)	3.8 (14)	1,062	5.6 (47)	7.2(130)	11.1 (13)	376	20.7(117)	15.4 (49)	528	24.8(145)
Lex-Fay40G	230	13.0 (99)	6.5 (74)	845	7.9(102)	4.9 (69)	17.4(106)	371	21.6(123)	23.5(130)	525	25.7(148)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lex-Fay40J	328	10.4 (69)	6.4 (71)	1,154	6.6 (72)	4.9 (69)	10.8 (11)	449	18.9 (90)	13.4 (22)	684	21.2 (137)
Lex-Fay40W	248	5.6 (3)	4.8 (25)	822	13.5(149)	6.1(107)	12.5 (28)	284	16.9 (49)	20.8(115)	121	21.5 (139)
Lincoln Ct	218	10.6 (74)	6.0 (63)	869	6.1 (56)	6.0(102)	17.5(107)	366	19.7(104)	18.9 (91)	611	8.2 (48)
Livingston	63	* *	* *	286	6.3 (63)	5.2 (76)	20.6(139)	133	21.8(126)	13.5 (24)	228	4.4 (12)
Logan Cty	218	8.7 (36)	5.5 (44)	785	7.1 (89)	6.0(102)	15.4 (72)	289	23.2(140)	17.0 (67)	467	21.2(137)
Lynch	62	* *	* *	284	3.2 (11)	6.0(102)	11.6 (21)	137	17.5 (60)	15.3 (48)	205	17.6(129)
Lyon Cty	46	* *	* *	176	11.9(146)	1.7 (3)	22.7(148)	79	* *	* *	125	8.0 (46)
Magoffin C	148	14.9(112)	4.1 (16)	625	11.8(144)	4.0 (45)	23.2(149)	308	17.5 (60)	26.3(141)	391	12.5 (84)
Marion Cty	171	10.5 (71)	7.6 (96)	715	10.8(135)	3.8 (38)	17.5(107)	308	19.8(106)	16.6 (65)	500	8.4 (53)
Marshal90A	180	7.8 (24)	5.6 (50)	768	12.2(147)	6.4(117)	13.2 (38)	354	13.0 (9)	9.3 (7)	483	11.2 (76)
Marshal90B	13	* *	* *	68	* *	* *	* *	36	* *	* *	52	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Martin Cty	162	8.6 (33)	5.6 (50)	658	8.5(109)	6.1(107)	21.3(144)	314	18.2 (72)	23.9(134)	499	6.8 (34)
Mason Cty	186	13.4(106)	9.1(104)	591	9.5(125)	6.1(107)	16.6 (95)	226	15.9 (32)	15.0 (42)	364	15.9(115)
McCracken	474	10.3 (67)	6.8 (82)	1,768	6.9 (80)	5.3 (82)	21.1(142)	757	16.2 (38)	15.7 (50)	1,289	11.2 (76)
McCreary C	216	8.8 (39)	6.9 (84)	977	11.2(140)	5.5 (88)	16.2 (88)	478	22.6(138)	25.5(139)	732	6.6 (31)
McLean Ct	99	* *	* *	378	15.3(153)	4.5 (58)	16.4 (91)	172	20.9(118)	19.8(102)	262	0.8 (1)
Meade Cty	163	9.8 (54)	9.8(107)	714	9.0(119)	4.1 (49)	17.5(107)	319	19.4(100)	14.4 (31)	523	13.0 (89)
Menifee Ct	69	* *	* *	331	6.9 (80)	5.1 (74)	10.3 (8)	168	19.6(102)	10.1 (8)	226	12.4 (83)
Mercer Cty	161	7.5 (18)	5.0 (31)	675	9.6(127)	2.7 (19)	14.2 (48)	303	17.2 (54)	16.2 (59)	498	8.2 (48)
Metcalfe C	86	* *	* *	372	3.8 (14)	6.7(122)	13.2 (38)	163	14.7 (23)	17.2 (73)	251	12.0 (81)
Middletown	363	8.8 (39)	6.9 (84)	1,117	5.6 (47)	5.6 (91)	11.3 (16)	362	19.1 (93)	12.7 (17)	646	14.4(104)
Monroe Cnt	90	* *	* *	421	6.2 (59)	5.2 (76)	20.7(141)	193	18.1 (70)	26.9(142)	279	6.5 (29)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montgomery	276	10.1 (61)	8.7(103)	1,055	8.8(113)	2.1 (7)	15.5 (74)	468	16.7 (44)	18.4 (83)	764	8.5 (55)
Morgan Cty	131	6.1 (7)	10.7(112)	563	5.0 (35)	5.0 (71)	14.7 (59)	277	19.1 (93)	20.6(111)	319	15.4(109)
Muhlenberg	285	9.5 (52)	6.3 (69)	1,036	4.9 (34)	3.7 (35)	12.9 (35)	431	15.3 (26)	15.1 (43)	621	8.2 (48)
Neighborho	328	13.1(101)	10.4(111)	1,118	4.7 (32)	7.7(133)	10.3 (8)	402	15.7 (31)	12.2 (15)	720	6.9 (39)
Nelson Cty	311	12.9 (98)	3.2 (8)	1,168	11.8(144)	5.2 (76)	16.0 (83)	470	15.3 (26)	14.9 (40)	748	13.8 (97)
Newburg	534	13.3(104)	6.7 (78)	1,696	5.7 (51)	9.1(146)	13.2 (38)	570	8.1 (2)	7.4 (2)	1,051	16.1(117)
Nicholas C	66	* *	* *	296	3.0 (9)	9.1(146)	12.5 (28)	136	9.6 (3)	7.4 (2)	210	12.9 (88)
Oasis Hlth	30	* *	* *	192	7.3 (93)	2.6 (17)	13.0 (36)	123	13.0 (9)	14.6 (35)	159	22.0(140)
Ohio Cty	263	5.7 (4)	5.7 (56)	1,025	7.9(102)	2.4 (15)	11.4 (17)	446	17.7 (66)	16.1 (55)	725	5.2 (20)
Oldham Cty	187	7.5 (18)	3.2 (8)	764	11.0(138)	1.0 (1)	19.1(127)	324	18.5 (83)	15.7 (50)	467	10.3 (70)
Olive Hill	137	7.3 (16)	4.4 (21)	574	4.2 (21)	6.3(114)	14.3 (50)	282	16.7 (44)	18.1 (79)	378	16.4(119)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)		(8)		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Owen Cty	73	* *	* *	342	5.3 (41)	5.8 (94)	11.1 (13)	147	15.0 (24)	17.7 (76)	242	14.5 (105)
Owsley Cty	45	* *	* *	274	7.7(101)	3.6 (31)	21.2(143)	160	24.4(142)	21.3(121)	234	15.8 (114)
Park Duval	445	15.5 (115)	5.2 (38)	1,618	7.5 (97)	6.4(117)	13.5 (42)	682	17.6 (63)	16.1 (55)	1,141	13.9 (98)
Pendleton	106	8.5 (30)	6.6 (77)	419	8.8(113)	5.7 (92)	14.6 (56)	176	22.7(139)	17.6 (75)	282	13.1 (91)
Perry Cty	272	12.1 (91)	5.9 (58)	1,113	11.3(141)	2.1 (7)	30.5(153)	503	19.1 (93)	27.4(144)	765	10.6 (73)
Phelps	50	* *	* *	176	1.7 (5)	10.8(153)	10.2 (7)	66	* *	* *	115	6.1 (25)
Pike Cty	452	14.2 (109)	5.8 (57)	1,578	2.5 (7)	9.3(148)	12.0 (25)	611	14.6 (22)	14.4 (31)	986	6.7 (32)
Portland	345	11.6 (83)	4.1 (16)	1,173	7.0 (86)	5.9 (99)	14.2 (48)	442	18.3 (73)	16.3 (61)	691	19.2(134)
Powell Cty	141	7.1 (13)	6.4 (71)	638	4.1 (19)	3.3 (28)	13.9 (45)	308	22.1(129)	19.5 (99)	478	5.0 (18)
Prenatal	3	* *	* *	3	* *	* *	* *	0	* *	* *	0	* *
Prenatal	11	* *	* *	11	* *	* *	* *	0	* *	* *	0	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pulaski Ct	565	10.1 (61)	5.0 (31)	2,184	4.1 (19)	5.7 (92)	9.2 (5)	879	17.4 (57)	10.8 (10)	1,421	5.6 (22)
Radcliffe	490	7.6 (21)	4.9 (28)	1,884	6.8 (77)	3.1 (24)	11.9 (24)	765	19.2 (96)	12.8 (18)	1,310	9.1 (61)
Richmond	441	9.3 (50)	5.4 (40)	1,416	5.6 (47)	7.0(126)	11.2 (15)	521	20.5(114)	18.4 (83)	914	9.0 (60)
Robertson	19	* *	* *	121	9.1(120)	6.6(121)	16.5 (93)	62	* *	* *	100	8.0 (46)
Rockcastle	152	9.2 (46)	3.9 (15)	710	10.1(129)	4.4 (54)	18.5(124)	342	22.5(137)	18.7 (88)	537	9.1 (61)
Rowan Cty	210	8.6 (33)	13.8(118)	780	2.9 (8)	5.3 (82)	12.4 (27)	322	12.7 (7)	16.1 (55)	496	8.7 (58)
Russell Ct	170	5.3 (2)	6.5 (74)	686	10.8(135)	4.4 (54)	14.4 (51)	294	25.2(144)	20.1(105)	430	4.4 (12)
Scott Cty	298	11.4 (82)	5.0 (31)	990	6.5 (69)	3.2 (26)	20.6(139)	370	15.4 (28)	20.3(110)	626	11.0 (75)
Shelby Cty	282	8.5 (30)	6.7 (78)	974	17.5(154)	2.0 (6)	31.6(154)	384	22.4(134)	32.3(146)	665	13.2 (95)
Simpson Ct	140	5.7 (4)	12.9(117)	509	5.3 (41)	4.5 (58)	15.1 (65)	191	18.3 (73)	13.6 (25)	322	15.5(110)
South Shor	42	* *	* *	224	4.5 (24)	8.0(136)	18.3(123)	114	18.4 (80)	23.7(133)	150	6.0 (23)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Spencer Ct	103	8.7 (36)	4.9 (28)	325	10.2(132)	3.1 (24)	19.4(131)	126	15.9 (32)	20.6(111)	191	13.1 (91)
TAPP-South	16	* *	* *	51	* *	* *	* *	3	* *	* *	24	* *
TAPP-West	37	* *	* *	75	* *	* *	* *	10	* *	* *	31	* *
Taylor Cty	194	6.7 (9)	6.7 (78)	781	5.9 (55)	1.8 (4)	13.7 (44)	364	18.4 (80)	14.8 (38)	504	6.0 (23)
Todd Cty H	113	9.7 (53)	2.7 (4)	479	8.6(111)	4.8 (64)	19.4(131)	217	19.4(100)	14.7 (36)	359	15.0(107)
Trigg Cty	92	* *	* *	387	8.0(104)	3.9 (40)	14.5 (53)	183	21.3(121)	11.5 (12)	297	7.4 (41)
Trimble Ct	74	* *	* *	283	9.2(122)	9.5(150)	15.9 (82)	119	19.3 (98)	15.1 (43)	193	24.9(146)
Union Cty	126	13.5(107)	3.2 (8)	450	10.9(137)	4.0 (45)	15.3 (68)	188	13.3 (13)	17.0 (67)	313	3.5 (8)
Wallins	37	* *	* *	171	7.0 (86)	11.1(154)	17.5(107)	95	* *	* *	120	3.3 (7)
Washington	94	* *	* *	396	11.1(139)	2.8 (21)	19.9(137)	199	18.6 (84)	20.1(105)	269	10.0 (66)
Wayne Cty	195	6.7 (9)	5.6 (50)	894	3.9 (16)	4.8 (64)	14.8 (60)	425	19.3 (98)	18.1 (79)	649	8.6 (56)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Webster Ct	120	9.2 (46)	1.7 (3)	436	12.2(147)	3.9 (40)	22.0(147)	173	16.8 (46)	21.4(122)		307	4.6 (15)
Wheelbrigh	75	* *	* *	306	1.6 (3)	8.8(142)	13.1 (37)	168	15.5 (29)	17.9 (78)		209	6.7 (32)
Williamsbu	224	6.3 (8)	8.0 (98)	1,022	6.2 (59)	9.5(150)	17.7(116)	484	21.1(119)	23.1(128)		796	10.4 (71)
Wolfe Cty	114	3.5 (1)	6.1 (66)	522	6.7 (75)	4.0 (45)	19.2(129)	268	20.1(111)	19.0 (92)		396	10.1 (68)
Woodford C	130	13.1 (101)	5.4 (40)	587	10.1(129)	3.4 (29)	14.8 (60)	265	12.8 (8)	14.0 (29)		365	17.0(123)
Kentucky	35,259	10.2	6.1	129,341	7.0	5.3	15.3	53,777	17.9	17.4		84,401	12.3
Nation (Prior Year)	1,641,264	9.4	6.6	6,709,486	6.4	4.8	13.9	2,869,075	16.1	14.7		4,381,087	13.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)						
Adair Coun	34	* *	14	* *	24	* *	0	* *	0	* *	257	100. (1)	578	26.1 (55)
Allen Coun	78	* *	24	* *	47	* *	0	* *	0	* *	326	90.2 (143)	682	48.5 (107)
Anderson C	62	* *	21	* *	20	* *	0	* *	0	* *	209	100. (1)	466	25.3 (53)
Ashland-Bo	150	100. (1)	37	* *	58	* *	0	* *	0	* *	621	100. (1)	1,521	31.8 (64)
Ballard Co	16	* *	8	* *	14	* *	0	* *	0	* *	123	100. (1)	248	50.8 (113)
Bar-Riv-Wa	355	100. (1)	100	20.0 (4)	99	* *	0	* *	0	* *	1,089	100. (1)	2,835	19.5 (42)
Barren Cty	122	100. (1)	46	* *	73	* *	0	* *	0	* *	615	92.4 (138)	1,405	46.7 (101)
Bath Count	19	* *	4	* *	8	* *	0	* *	0	* *	246	99.6 (111)	485	49.1 (108)
Belfry	19	* *	2	* *	7	* *	0	* *	0	* *	200	95.5 (130)	431	73.1 (148)
Bell Cty M	25	* *	10	* *	21	* *	0	* *	0	* *	420	96.0 (127)	816	22.9 (49)
Bell Cty P	43	* *	11	* *	19	* *	0	* *	0	* *	435	97.7 (123)	832	30.6 (62)
Berea	65	* *	15	* *	27	* *	0	* *	0	* *	270	100. (1)	609	28.6 (60)
Betsy Lane	14	* *	4	* *	11	* *	0	* *	0	* *	292	97.6 (124)	527	71.7 (146)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Boone Coun	216	100. (1)	63 * *	96 * *	0 * *	0 * *	1,029	100. (1)	2,530	33.0 (70)
Bourbon Ct	61	* *	16 * *	23 * *	0 * *	0 * *	221	100. (1)	571	5.8 (25)
Boyle Coun	42	* *	10 * *	16 * *	0 * *	0 * *	310	100. (1)	750	32.9 (69)
Bracken Co	24	* *	6 * *	15 * *	0 * *	0 * *	122	83.6 (147)	296	46.3 (99)
Breathitt	19	* *	12 * *	12 * *	0 * *	0 * *	367	94.3 (132)	718	66.2 (137)
Breckinrid	46	* *	22 * *	23 * *	0 * *	0 * *	290	93.1 (136)	622	1.9 (18)
Bridges	79	* *	17 * *	27 * *	0 * *	0 * *	272	100. (1)	728	23.4 (50)
Bullitt Co	149	100. (1)	39 * *	75 * *	0 * *	0 * *	533	100. (1)	1,416	50.4 (112)
Butler Cty	37	* *	13 * *	21 * *	0 * *	0 * *	254	100. (1)	508	27.8 (59)
C & Y	151	100. (1)	38 * *	36 * *	0 * *	0 * *	525	100. (1)	1,404	0.0 (1)
Caldwell C	38	* *	13 * *	24 * *	0 * *	0 * *	194	100. (1)	436	53.0 (119)
Calloway C	135	100. (1)	38 * *	81 * *	0 * *	0 * *	446	93.7 (133)	1,033	19.7 (43)
Campbell C	145	100. (1)	41 * *	49 * *	0 * *	0 * *	744	100. (1)	1,927	17.7 (39)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)						
Carlisle C	11	* *	4	* *	16	* *	0	* *	0	* *	113	100. (1)	195	61.5 (133)
Carroll Ct	35	* *	15	* *	21	* *	0	* *	0	* *	244	99.2 (117)	521	56.4 (125)
Carter Cty	63	* *	13	* *	27	* *	0	* *	0	* *	381	100. (1)	803	55.2 (121)
Casey Cty	52	* *	12	* *	13	* *	0	* *	0	* *	303	100. (1)	584	57.0 (129)
Christian	151	100. (1)	55	* *	42	* *	0	* *	0	* *	892	93.2 (135)	2,230	27.4 (57)
Clark Coun	99	* *	38	* *	46	* *	0	* *	0	* *	456	100. (1)	1,047	3.5 (24)
Clay Cty H	50	* *	14	* *	25	* *	0	* *	0	* *	649	100. (1)	1,215	87.8 (152)
Clinton Ct	21	* *	6	* *	8	* *	0	* *	0	* *	266	100. (1)	532	21.8 (48)
Corbin	62	* *	14	* *	29	* *	0	* *	0	* *	591	100. (1)	1,249	19.2 (40)
Crittenden	18	* *	4	* *	11	* *	0	* *	0	* *	137	100. (1)	300	9.7 (31)
Cumberland	16	* *	3	* *	9	* *	0	* *	0	* *	168	100. (1)	335	41.2 (91)
Daviess Co	197	100. (1)	47	* *	64	* *	0	* *	0	* *	1,067	99.8 (105)	2,643	35.9 (75)
Dixie	263	100. (1)	78	* *	78	* *	0	* *	0	* *	697	100. (1)	2,030	0.1 (4)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number (Rank)	% Ever Breastfed	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% Breastfed At Least 3 Months (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)		
Edmonson C	27	* *	15	* *	10	* *	0	* *	0	* *	200	91.5 (140)	425	40.2 (88)
Elliott Ct	22	* *	8	* *	10	* *	0	* *	0	* *	195	97.4 (126)	376	31.9 (65)
Estill Cty	44	* *	14	* *	22	* *	0	* *	0	* *	320	100. (1)	656	32.6 (67)
Etown	113	100. (1)	47	* *	55	* *	0	* *	0	* *	586	100. (1)	1,548	23.9 (52)
Evarts	1	* *	1	* *	3	* *	0	* *	0	* *	175	98.3 (121)	332	0.9 (16)
Fairdale	106	100. (1)	26	* *	40	* *	0	* *	0	* *	356	100. (1)	1,010	0.2 (9)
Fleming Co	36	* *	10	* *	17	* *	0	* *	0	* *	329	100. (1)	594	38.7 (83)
Floyd Cty	77	* *	18	* *	32	* *	0	* *	0	* *	524	100. (1)	1,139	51.4 (115)
Foust Hlth	7	* *	3	* *	4	* *	0	* *	0	* *	126	92.9 (137)	215	33.5 (72)
Franklin C	159	100. (1)	52	* *	63	* *	0	* *	0	* *	442	97.5 (125)	1,248	66.8 (138)
Ft Campbell	251	100. (1)	126	33.3 (3)	106	29.2 (1)	0	* *	0	* *	1,066	88.0 (145)	2,401	9.8 (32)
Fulton	15	* *	7	* *	10	* *	0	* *	0	* *	118	100. (1)	227	64.8 (136)
Gallatin C	34	* *	8	* *	12	* *	0	* *	0	* *	172	100. (1)	406	27.6 (58)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)		
Garrard Ct	59	* *	16	* *	20	* *	0	* *	303	100. (1)	629	44.4 (94)
Grant Cty	92	* *	37	* *	60	* *	0	* *	558	100. (1)	1,198	69.8 (144)
Graves Cty	155	100. (1)	43	* *	77	* *	0	* *	675	100. (1)	1,380	42.4 (92)
Grayson Ct	68	* *	29	* *	49	* *	0	* *	522	100. (1)	1,043	23.7 (51)
Green Cty	34	* *	11	* *	24	* *	0	* *	202	100. (1)	401	35.9 (75)
Greenup	73	* *	20	* *	27	* *	0	* *	363	100. (1)	838	32.7 (68)
Hancock Ct	19	* *	11	* *	18	* *	0	* *	145	100. (1)	285	33.0 (70)
Harlan Cty	53	* *	12	* *	18	* *	0	* *	383	99.5 (112)	819	10.6 (34)
Harrison C	73	* *	30	* *	30	* *	0	* *	292	95.9 (128)	637	43.2 (93)
Hart Cty H	52	* *	17	* *	18	* *	0	* *	299	100. (1)	642	45.3 (96)
Henderson	105	100. (1)	38	* *	39	* *	0	* *	606	100. (1)	1,437	44.7 (95)
Henry Coun	39	* *	14	* *	27	* *	0	* *	206	100. (1)	457	39.8 (87)
Hickman	10	* *	5	* *	5	* *	0	* *	87	* *	176	36.4 (78)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household					
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 3 Months (Rank)	Number (Rank)	% (Rank)				
Hickman Ct	13	* *	6	* *	9	* *	0	* *	59	* *	137	55.5 (122)
Highview	237	100. (1)	70	* *	89	* *	0	* *	595	100. (1)	1,472	0.2 (9)
Hindman	18	* *	12	* *	7	* *	0	* *	351	100. (1)	706	38.2 (80)
Hopkins Ct	152	100. (1)	45	* *	44	* *	0	* *	684	100. (1)	1,639	51.4 (115)
Hospital	220	100. (1)	0	* *	0	* *	0	* *	0	* *	609	6.2 (26)
Iroquois	284	100. (1)	104	50.0 (1)	132	27.3 (2)	0	* *	856	100. (1)	2,042	0.7 (15)
Jackson Ct	31	* *	12	* *	17	* *	0	* *	361	100. (1)	662	46.1 (98)
Jessamine	150	100. (1)	63	* *	70	* *	0	* *	609	98.4 (120)	1,448	41.1 (90)
Johnson Co	84	* *	25	* *	39	* *	0	* *	549	100. (1)	1,083	46.8 (102)
JT Arnett	6	* *	5	* *	7	* *	0	* *	83	* *	139	46.8 (102)
Kenton Cty	338	100. (1)	77	* *	73	* *	0	* *	917	100. (1)	2,685	56.7 (127)
Knox Cty	74	* *	24	* *	27	* *	0	* *	800	100. (1)	1,596	0.3 (13)
L & N	151	100. (1)	37	* *	33	* *	0	* *	618	100. (1)	1,677	0.5 (14)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household					
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)				
Larue Cty	62	* *	19	* *	37	* *	0	* *	0	* *	244	100. (1)	542	16.4 (38)
Laurel Cty	155	100. (1)	47	* *	52	* *	0	* *	0	* *	809	98.6 (119)	1,918	69.7 (143)
Lawrence C	47	* *	27	* *	24	* *	0	* *	0	* *	298	98.0 (122)	650	19.7 (43)
Lee Cty He	17	* *	4	* *	4	* *	0	* *	0	* *	178	100. (1)	345	26.7 (56)
Leslie Cty	26	* *	16	* *	18	* *	0	* *	0	* *	309	99.7 (108)	574	7.7 (28)
Letcher Ct	61	* *	25	* *	21	* *	0	* *	0	* *	359	100. (1)	906	13.2 (36)
Lewis Cty	41	* *	21	* *	31	* *	0	* *	0	* *	281	100. (1)	594	36.0 (77)
Lex-Fay40C	460	100. (1)	166	33.7 (2)	196	23.0 (3)	0	* *	0	* *	937	95.1 (131)	2,386	0.1 (4)
Lex-Fay40D	139	100. (1)	38	* *	54	* *	0	* *	0	* *	405	99.3 (116)	1,123	0.1 (4)
Lex-Fay40G	105	100. (1)	24	* *	34	* *	0	* *	0	* *	408	95.6 (129)	886	0.1 (4)
Lex-Fay40J	165	100. (1)	49	* *	66	* *	0	* *	0	* *	497	91.1 (142)	1,212	0.1 (4)
Lex-Fay40W	160	100. (1)	64	* *	53	* *	0	* *	0	* *	321	99.4 (115)	856	0.0 (1)
Lincoln Ct	57	* *	26	* *	33	* *	0	* *	0	* *	414	100. (1)	912	47.0 (105)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)		
Livingston	20	* *	9	* *	18	* *	0	* *	143	100. (1)	307	10.7 (35)
Logan Cty	84	* *	24	* *	33	* *	0	* *	328	100. (1)	809	15.8 (37)
Lynch	18	* *	7	* *	7	* *	0	* *	157	86.6 (146)	305	37.0 (79)
Lyon Cty	15	* *	4	* *	7	* *	0	* *	89	* *	188	34.0 (74)
Magoffin C	24	* *	6	* *	9	* *	0	* *	342	99.7 (108)	658	46.8 (102)
Marion Cty	61	* *	29	* *	34	* *	0	* *	344	100. (1)	745	52.2 (118)
Marshal90A	63	* *	24	* *	34	* *	0	* *	386	100. (1)	824	39.6 (85)
Marshal90B	5	* *	2	* *	3	* *	0	* *	40	* *	70	* *
Martin Cty	20	* *	6	* *	7	* *	0	* *	352	100. (1)	683	93.4 (153)
Mason Cty	44	* *	18	* *	27	* *	0	* *	255	100. (1)	633	50.2 (111)
McCracken	161	100. (1)	49	* *	64	* *	0	* *	823	100. (1)	1,949	10.4 (33)
McCreary C	40	* *	9	* *	15	* *	0	* *	529	100. (1)	1,016	49.7 (110)
McLean Ct	21	* *	15	* *	19	* *	0	* *	186	100. (1)	395	56.5 (126)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)						
Meade Cty	46	* *	19	* *	28	* *	0	* *	0	* *	339	100. (1)	728	29.8 (61)
Menifee Ct	21	* *	12	* *	17	* *	0	* *	0	* *	184	100. (1)	345	33.9 (73)
Mercer Cty	57	* *	17	* *	23	* *	0	* *	0	* *	334	100. (1)	696	69.0 (140)
Metcalfe C	26	* *	15	* *	13	* *	0	* *	0	* *	172	98.8 (118)	386	53.4 (120)
Middletown	202	100. (1)	67	* *	102	9.8 (4)	0	* *	0	* *	399	100. (1)	1,186	0.2 (9)
Monroe Cnt	22	* *	12	* *	16	* *	0	* *	0	* *	217	100. (1)	429	30.8 (63)
Montgomery	78	* *	39	* *	41	* *	0	* *	0	* *	504	99.8 (105)	1,092	51.9 (117)
Morgan Cty	22	* *	6	* *	9	* *	0	* *	0	* *	311	100. (1)	597	39.4 (84)
Muhlenberg	60	* *	17	* *	32	* *	0	* *	0	* *	468	100. (1)	1,066	60.4 (131)
Neighborho	153	100. (1)	56	* *	74	* *	0	* *	0	* *	432	100. (1)	1,186	1.2 (17)
Nelson Cty	113	100. (1)	36	* *	46	* *	0	* *	0	* *	514	100. (1)	1,196	94.0 (154)
Newburg	242	100. (1)	65	* *	79	* *	0	* *	0	* *	633	100. (1)	1,818	2.2 (20)
Nicholas C	16	* *	5	* *	12	* *	0	* *	0	* *	153	91.5 (140)	313	56.9 (128)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)		
Oasis Hlth	11	* *	5	* *	4	* *	0	* *	131	100. (1)	202	74.8 (149)
Ohio Cty	92	* *	32	* *	48	* *	0	* *	480	100. (1)	1,061	40.9 (89)
Oldham Cty	95	* *	41	* *	56	* *	0	* *	361	99.7 (108)	799	69.3 (141)
Olive Hill	38	* *	25	* *	35	* *	0	* *	316	100. (1)	596	46.6 (100)
Owen Cty	27	* *	13	* *	13	* *	0	* *	157	100. (1)	348	19.8 (45)
Owsley Cty	10	* *	5	* *	5	* *	0	* *	170	100. (1)	286	63.6 (134)
Park Duval	143	100. (1)	54	* *	75	* *	0	* *	744	100. (1)	1,717	0.0 (1)
Pendleton	46	* *	17	* *	17	* *	0	* *	193	99.5 (112)	433	86.1 (150)
Perry Cty	80	* *	25	* *	36	* *	0	* *	564	100. (1)	1,194	2.1 (19)
Phelps	3	* *	1	* *	1	* *	0	* *	76	* *	185	68.6 (139)
Pike Cty	88	* *	26	* *	32	* *	0	* *	702	100. (1)	1,663	71.2 (145)
Portland	108	100. (1)	30	* *	35	* *	0	* *	483	100. (1)	1,229	0.2 (9)
Powell Cty	41	* *	16	* *	22	* *	0	* *	334	92.2 (139)	658	56.2 (124)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Prenatal	0	* *	0	* *	0	* *	0	* *	3	* *
Prenatal	2	* *	0	* *	0	* *	0	* *	11	* *
Pulaski Ct	186	100. (1)	83	* *	93	* *	0	* *	985	100. (1)
Radcliffe	197	100. (1)	75	* *	79	* *	0	* *	824	99.8 (105)
Richmond	129	100. (1)	32	* *	48	* *	0	* *	572	100. (1)
Robertson	5	* *	2	* *	7	* *	0	* *	70	* *
Rockcastle	54	* *	19	* *	29	* *	0	* *	377	99.5 (112)
Rowan Cty	77	* *	19	* *	18	* *	0	* *	354	100. (1)
Russell Ct	50	* *	13	* *	23	* *	0	* *	330	100. (1)
Scott Cty	125	100. (1)	57	* *	58	* *	0	* *	411	93.4 (134)
Shelby Cty	118	100. (1)	32	* *	36	* *	0	* *	430	100. (1)
Simpson Ct	42	* *	12	* *	17	* *	0	* *	211	100. (1)
South Shor	11	* *	6	* *	6	* *	0	* *	120	100. (1)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)						
Spencer Ct	25	* *	8	* *	12	* *	0	* *	0	* *	147	100. (1)	341	3.2 (23)
TAPP-South	5	* *	0	* *	1	* *	0	* *	0	* *	4	* *	56	* *
TAPP-West	14	* *	3	* *	2	* *	0	* *	0	* *	11	* *	79	* *
Taylor Cty	68	* *	21	* *	38	* *	0	* *	0	* *	394	100. (1)	811	49.2 (109)
Todd Cty H	41	* *	23	* *	33	* *	0	* *	0	* *	238	100. (1)	503	25.4 (54)
Trigg Cty	37	* *	20	* *	30	* *	0	* *	0	* *	203	100. (1)	410	55.6 (123)
Trimble Ct	22	* *	7	* *	10	* *	0	* *	0	* *	128	100. (1)	291	19.9 (46)
Union Cty	44	* *	15	* *	14	* *	0	* *	0	* *	203	100. (1)	462	45.7 (97)
Wallins	6	* *	2	* *	3	* *	0	* *	0	* *	105	89.5 (144)	177	8.5 (29)
Washington	46	* *	15	* *	17	* *	0	* *	0	* *	215	100. (1)	413	2.2 (20)
Wayne Cty	45	* *	21	* *	30	* *	0	* *	0	* *	465	100. (1)	923	60.8 (132)
Webster Ct	51	* *	14	* *	18	* *	0	* *	0	* *	192	100. (1)	449	39.6 (85)
Wheelbrigh	13	* *	5	* *	7	* *	0	* *	0	* *	177	100. (1)	322	57.5 (130)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Williamsbu	58	* *	31	* *	33	* *	0	* *	536	100. (1)	1,072	21.5 (47)
Wolfe Cty	18	* *	10	* *	13	* *	0	* *	296	100. (1)	534	69.5 (142)
Woodford C	55	* *	26	* *	38	* *	0	* *	289	100. (1)	606	19.3 (41)
Kentucky	12,119	100.	3,980	27.5	5,142	16.2	0	*	59,198	98.8	135,754	32.7
Nation (Prior Year)	1,515,954	58.5	751,259	24.3	869,342	17.7	101,887	13.6	136,891	6.8	343,170	64.7

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adair Coun	492	11.8 (128)	5.7 (54)	1,678	6.3 (60)	4.2 (63)	14.0 (36)	714	18.8 (86)	16.7 (63)	1,003	9.7 (64)
Allen Coun	574	9.1 (58)	4.4 (15)	2,010	7.0 (79)	3.9 (51)	15.0 (52)	912	20.4(118)	16.9 (67)	1,103	11.5 (90)
Anderson C	390	13.3(145)	6.4 (79)	1,273	7.9 (98)	5.4(108)	17.0 (87)	507	21.5(138)	19.1 (99)	877	11.3 (86)
Ashland-Bo	1,434	11.3(119)	5.6 (47)	4,338	6.1 (54)	8.3(156)	13.1 (24)	1,653	17.2 (52)	15.8 (48)	2,760	16.5(131)
Ballard Co	214	6.1 (4)	6.1 (69)	757	8.9(120)	6.5(137)	19.4(123)	343	20.4(118)	12.2 (13)	569	10.0 (68)
Bar-Riv-Wa	2,583	9.2 (68)	8.6(140)	7,713	5.4 (36)	4.3 (68)	15.9 (66)	2,708	19.9(112)	19.1 (99)	4,598	15.7(124)
Barren Cty	1,261	10.9(111)	7.5(116)	3,934	5.7 (42)	4.2 (63)	16.4 (75)	1,547	20.9(131)	19.8(108)	2,485	17.2(135)
Bath Count	351	12.0(130)	8.3(136)	1,379	9.9(136)	2.8 (19)	21.5(149)	672	23.8(153)	24.6(147)	890	7.5 (39)
Belfry	361	11.4(122)	5.8 (58)	1,226	2.8 (4)	8.2(154)	14.7 (47)	517	19.5(104)	17.0 (68)	809	4.4 (10)
Bell Cty M	636	10.4(102)	5.0 (29)	2,494	9.2(124)	3.5 (39)	22.3(154)	1,259	17.8 (63)	22.9(137)	1,677	2.4 (3)
Bell Cty P	634	9.5 (77)	5.4 (42)	2,542	9.8(133)	4.4 (70)	19.3(120)	1,227	14.8 (19)	13.4 (23)	1,722	3.6 (6)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Berea	441	11.3 (119)	5.9 (63)	1,597	4.6 (22)	7.2(144)	12.5 (15)	686	16.5 (36)	15.3 (41)	1,146	7.5 (39)
Betsy Lane	403	13.9 (146)	5.0 (29)	1,585	2.4 (3)	7.2(144)	10.3 (4)	766	8.5 (1)	13.1 (19)	1,145	7.9 (44)
Bledsoe	39	* *	* *	173	3.5 (7)	6.4(131)	19.1(118)	95	* *	* *	104	6.7 (28)
Boone Coun	1,946	8.7 (47)	7.2(102)	6,793	9.4(127)	5.1 (99)	18.1(100)	2,784	19.4(100)	17.7 (79)	3,949	16.9(133)
Bourbon Ct	510	14.5(151)	5.3 (38)	1,551	8.3(107)	3.7 (44)	20.1(133)	627	19.0 (88)	20.6(117)	1,095	25.0(157)
Boyle Coun	669	10.0 (91)	6.6 (87)	2,104	4.9 (25)	3.7 (44)	17.5 (94)	848	20.5(122)	18.2 (86)	1,286	9.5 (61)
Bracken Co	255	4.7 (2)	5.9 (63)	853	5.4 (36)	6.8(140)	20.8(142)	327	19.3 (97)	28.4(156)	575	4.3 (9)
Breathitt	503	8.0 (25)	8.2(133)	2,005	7.0 (79)	3.1 (30)	21.6(150)	980	15.7 (26)	21.4(125)	1,448	6.8 (30)
Breckinrid	508	8.9 (50)	7.9(126)	1,859	8.3(107)	2.6 (15)	15.1 (54)	792	16.3 (33)	15.2 (39)	1,336	7.4 (38)
Bridges	595	12.8(141)	4.7 (22)	1,869	10.5(143)	4.5 (75)	19.6(128)	796	19.7(110)	14.4 (28)	1,252	14.1(113)
Bullitt Co	1,384	10.2 (97)	7.5(116)	4,045	7.0 (79)	3.8 (47)	14.9 (50)	1,508	14.9 (20)	14.3 (27)	2,342	17.3(136)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Butler Cty	449	7.6 (20)	6.7 (91)	1,605	5.2 (32)	2.8 (19)	18.9(115)	730	21.0(132)	23.2(138)	1,073	12.3 (98)
C & Y	1,195	12.4(135)	3.8 (7)	3,829	8.0(101)	5.0 (95)	18.3(106)	1,533	19.2 (93)	20.5(116)	1,060	23.0(151)
Caldwell C	367	10.6(105)	7.9(126)	1,313	8.5(112)	5.7(122)	19.5(126)	581	21.0(132)	19.4(102)	952	10.5 (74)
Calloway C	872	10.1 (93)	9.3(147)	3,007	5.9 (50)	3.3 (34)	14.2 (39)	1,226	19.2 (93)	14.9 (35)	1,974	14.9(118)
Campbell C	1,520	12.6(136)	5.9 (63)	4,939	6.5 (65)	5.7(122)	13.2 (26)	1,945	12.2 (7)	10.7 (6)	3,096	15.7(124)
Cannonsbur	23	* *	* *	161	5.0 (29)	7.5(147)	16.8 (82)	76	* *	* *	123	12.2 (97)
Carlisle C	140	18.6(157)	4.3 (13)	624	10.9(148)	2.6 (15)	20.4(137)	311	25.7(156)	20.6(117)	431	17.9(139)
Carroll Ct	444	7.0 (13)	5.2 (35)	1,525	13.3(162)	3.7 (44)	19.6(128)	617	22.4(148)	24.6(147)	1,065	12.7(103)
Carter Cty	660	9.7 (85)	3.3 (4)	2,318	3.9 (12)	8.6(159)	13.6 (30)	1,038	16.1 (29)	15.9 (51)	1,543	12.0 (94)
Casey Cty	428	10.0 (91)	5.8 (58)	1,754	10.1(137)	3.4 (37)	14.2 (39)	852	18.7 (81)	14.1 (25)	1,190	11.3 (86)
Christian	1,943	11.6(124)	4.9 (26)	6,614	6.2 (56)	5.4(108)	15.3 (58)	2,652	14.7 (17)	12.7 (17)	4,244	22.3(149)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clark Coun	944	9.5 (77)	5.5 (44)	2,893	5.8 (44)	3.6 (41)	15.2 (56)	1,132	18.7 (81)	20.1(109)	1,846	14.7(117)
Clay Cty H	940	10.9(111)	5.6 (47)	3,436	5.0 (29)	7.9(149)	18.4(109)	1,619	20.7(128)	23.6(141)	2,492	6.7 (28)
Clinton Ct	380	9.7 (85)	7.4(112)	1,585	5.6 (39)	5.5(113)	16.6 (79)	751	20.4(118)	16.8 (65)	1,051	4.9 (13)
Corbin	1,021	8.2 (34)	9.1(145)	3,840	7.0 (79)	4.8 (89)	16.2 (70)	1,682	16.1 (29)	18.5 (91)	2,762	8.0 (47)
Crittenden	243	9.1 (58)	4.5 (16)	839	3.8 (11)	6.3(130)	14.5 (46)	370	18.4 (72)	10.8 (7)	570	11.2 (85)
Cumberland	243	8.2 (34)	5.8 (58)	991	3.9 (12)	5.3(107)	11.5 (9)	475	14.7 (17)	12.8 (18)	597	16.9(133)
Daviess Co	2,343	8.1 (29)	5.6 (47)	7,518	10.3(141)	2.0 (5)	19.5(126)	2,891	18.7 (81)	18.5 (91)	4,778	10.0 (68)
Dixie	1,831	11.3(119)	6.6 (87)	5,286	6.6 (68)	4.1 (60)	16.5 (77)	1,914	18.2 (68)	18.3 (87)	3,084	15.6(123)
Edmonson C	308	6.2 (7)	8.8(141)	1,277	4.3 (18)	4.2 (63)	11.8 (12)	556	16.2 (31)	15.3 (41)	852	7.9 (44)
Elliott Ct	292	7.9 (24)	8.2(133)	1,133	4.4 (20)	4.9 (92)	16.0 (67)	539	20.6(126)	20.4(113)	768	20.7(145)
Estill Cty	510	9.8 (87)	6.5 (82)	1,996	8.8(117)	2.9 (24)	16.9 (84)	890	19.1 (90)	21.2(122)	1,442	8.0 (47)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Etown	1,326	7.8 (23)	6.3 (73)	4,437	9.8(133)	3.0 (28)	15.2 (56)	1,721	16.7 (42)	14.2 (26)	3,030	7.1 (33)
Evarts	258	11.6(124)	7.8(123)	1,019	5.8 (44)	8.0(150)	19.2(119)	500	18.2 (68)	23.8(142)	612	3.9 (7)
Fairdale	990	8.1 (29)	8.3(136)	2,647	7.3 (88)	4.5 (75)	16.2 (70)	931	16.6 (38)	14.9 (35)	1,650	10.8 (79)
Fleming Co	448	11.2(118)	9.4(149)	1,798	6.2 (56)	5.2(104)	16.9 (84)	886	17.0 (48)	15.9 (51)	1,346	14.9(118)
Floyd Cty	1,015	12.2(132)	5.7 (54)	3,419	8.2(102)	5.6(117)	13.9 (34)	1,481	15.2 (21)	14.8 (33)	2,412	8.1 (52)
Foust Hlth	144	16.0(154)	6.9 (97)	685	10.1(137)	3.1 (30)	19.3(120)	350	20.0(114)	20.6(117)	553	24.6(155)
Franklin C	1,269	9.6 (81)	6.1 (69)	3,587	7.4 (89)	5.5(113)	17.4 (91)	1,230	21.1(135)	21.0(120)	2,238	19.7(144)
Ft Campbel	1,657	7.4 (19)	9.2(146)	7,527	3.0 (6)	8.3(156)	5.9 (3)	3,458	9.4 (2)	4.9 (1)	5,345	23.9(153)
Fulton	165	9.1 (58)	7.3(105)	679	7.2 (85)	2.8 (19)	20.5(138)	352	20.5(122)	19.6(106)	481	13.5(110)
Gallatin C	328	8.2 (34)	4.6 (21)	1,009	7.7 (95)	5.6(117)	13.7 (31)	391	17.4 (56)	15.1 (38)	678	11.9 (93)
Garrard Ct	447	12.1(131)	6.3 (73)	1,758	8.2(102)	4.0 (55)	16.1 (68)	829	18.3 (70)	17.4 (77)	1,139	17.9(139)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Goose Rock	57	* *	* *	233	6.0 (53)	10.3(163)	19.7(130)	124	30.6(157)	21.8(131)	167	16.8(132)
Grant Cty	860	11.5(123)	7.0(99)	3,396	5.4(36)	5.6(117)	12.2(13)	1,590	13.1(10)	11.2(9)	2,582	9.6(63)
Graves Cty	1,181	9.1(58)	6.4(79)	4,179	6.2(56)	4.1(60)	17.5(94)	1,892	19.4(100)	17.9(84)	2,761	17.4(137)
Grayson Ct	764	10.9(111)	6.3(73)	3,048	9.4(127)	4.7(85)	15.4(61)	1,424	19.3(97)	16.2(56)	2,306	4.6(11)
Green Cty	324	9.9(89)	10.5(153)	1,250	11.0(149)	2.2(7)	21.2(145)	592	20.1(115)	18.6(93)	838	10.7(76)
Greenup	709	9.4(75)	5.6(47)	2,467	4.9(25)	8.0(150)	13.7(31)	1,050	17.6(59)	17.0(68)	1,536	6.4(23)
Hancock Ct	235	6.8(9)	4.3(13)	915	5.8(44)	3.3(34)	18.3(106)	409	23.5(151)	17.1(72)	676	6.1(22)
Harlan Cty	654	10.1(93)	10.9(155)	2,307	7.5(91)	7.0(142)	18.6(112)	1,071	19.5(104)	25.8(150)	1,399	8.0(47)
Harrison C	593	14.8(152)	3.5(5)	1,865	5.9(50)	5.6(117)	13.0(20)	815	13.6(12)	12.6(15)	1,194	10.3(71)
Hart Cty H	560	8.2(34)	7.1(101)	1,922	4.3(18)	4.4(70)	14.0(36)	820	18.3(70)	16.6(61)	1,273	6.5(26)
Henderson	1,332	12.7(138)	3.6(6)	4,250	8.3(107)	5.9(125)	14.8(48)	1,648	21.7(141)	24.5(145)	2,094	4.7(12)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Henry Coun	376	9.0 (52)	8.0 (129)	1,321	11.5(151)	4.2 (63)	20.7(141)	558	18.5 (75)	15.9 (51)	929	15.3 (120)
Hickman	133	8.3 (39)	5.3 (38)	496	8.7(116)	4.2 (63)	21.0(144)	235	15.3 (24)	20.4(113)	339	24.5 (154)
Hickman Ct	132	6.8 (9)	7.6(121)	438	5.7 (42)	5.0 (95)	18.3(106)	162	25.3(155)	21.6(127)	276	15.9 (127)
Highview	1,214	9.6 (81)	5.4 (42)	4,005	8.3(107)	4.7 (85)	16.1 (68)	1,599	12.9 (8)	10.6 (5)	2,657	12.3 (98)
Hindman	627	14.2(149)	6.7 (91)	2,112	12.1(156)	2.2 (7)	28.0(162)	991	18.5 (75)	22.3(135)	1,589	7.6 (41)
Hopkins Ct	1,525	9.2 (68)	6.4 (79)	4,849	11.4(150)	2.4 (10)	18.2(103)	1,934	20.7(128)	19.4(102)	3,279	8.9 (55)
Hospital	1,040	7.6 (20)	6.3 (73)	902	0.4 (1)	8.1(152)	2.4 (1)	0	* *	* *	0	* *
Iroquois	1,868	10.3(100)	6.3 (73)	5,941	5.0 (29)	3.6 (41)	15.3 (58)	2,422	16.9 (46)	16.0 (55)	4,101	14.4(115)
Jackson Ct	532	9.6 (81)	7.3(105)	2,056	6.5 (65)	4.5 (75)	17.0 (87)	999	17.9 (65)	17.2 (74)	1,543	3.2 (4)
Jessamine	1,224	10.2 (97)	7.6(121)	3,971	6.3 (60)	5.0 (95)	11.0 (6)	1,589	15.2 (21)	12.6 (15)	2,518	16.0(128)
Johnson Co	937	9.9 (89)	5.2 (35)	3,295	5.9 (50)	5.9(125)	16.3 (74)	1,542	17.8 (63)	15.8 (48)	2,284	20.7(145)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
JT Arnett	76	* *	* *	377	5.8 (44)	2.1 (6)	23.6(159)	207	17.9 (65)	23.2(138)	279	5.0 (14)
Kenton Cty	2,138	10.8 (109)	7.2 (102)	6,759	8.6(115)	4.3 (68)	18.9(115)	2,504	24.4(154)	27.1(153)	4,232	12.4(101)
Knox Cty	1,227	9.1 (58)	7.5 (116)	4,635	4.9 (25)	4.9 (92)	18.4(109)	2,172	18.8 (86)	23.9(143)	3,154	12.1 (96)
L & N	1,505	12.6 (136)	4.9 (26)	4,470	6.6 (68)	4.6 (82)	15.8 (65)	1,613	19.3 (97)	17.0 (68)	2,942	10.8 (79)
Larue Cty	429	7.2 (15)	6.5 (82)	1,491	7.4 (89)	2.6 (15)	20.6(140)	652	16.6 (38)	17.0 (68)	1,081	14.6(116)
Laurel Cty	1,756	9.2 (68)	8.2(133)	5,643	6.8 (75)	6.4(131)	19.3(120)	2,243	21.5(138)	24.0(144)	3,497	9.9 (67)
Lawrence C	589	17.1 (156)	2.9 (3)	1,993	10.1(137)	6.4(131)	18.8(113)	872	19.5(104)	21.6(127)	1,337	8.7 (53)
Lee Cty He	223	13.0(144)	5.8 (58)	1,063	5.6 (39)	3.8 (47)	16.7 (80)	512	17.6 (59)	16.8 (65)	831	11.3 (86)
Leslie Cty	457	10.5(103)	5.7 (54)	1,839	3.9 (12)	4.5 (75)	20.2(134)	906	16.9 (46)	23.2(138)	1,437	11.0 (82)
Letcher Ct	898	10.2 (97)	4.5 (16)	2,796	10.6(145)	1.9 (3)	21.2(145)	1,099	20.5(122)	19.0 (96)	1,936	1.8 (2)
Lewis Cty	538	9.1 (58)	8.0(129)	1,753	6.6 (68)	5.4(108)	14.4 (45)	771	17.3 (54)	17.5 (78)	989	9.5 (61)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lex-Fay40A	1,561	9.0 (52)	6.7 (91)	4,479	9.4(127)	3.8 (47)	19.4(123)	1,682	23.2(150)	27.7(155)	2,520	10.7 (76)
Lex-Fay40C	738	8.0 (25)	5.6 (47)	2,282	6.9 (76)	5.1 (99)	16.5 (77)	845	22.2(146)	24.6(147)	1,393	24.6(155)
Lex-Fay40D	943	14.0(147)	4.2 (11)	2,705	6.9 (76)	5.7(122)	12.8 (18)	990	19.4(100)	14.0 (24)	1,351	26.5(158)
Lex-Fay40E	278	8.3 (39)	7.9(126)	898	8.2(102)	2.9 (24)	17.9 (97)	392	19.4(100)	16.6 (61)	542	27.1(160)
Lex-Fay40G	681	11.6(124)	7.5(116)	2,561	7.5 (91)	4.4 (70)	18.5(111)	1,135	21.2(136)	20.2(111)	1,674	26.8(159)
Lex-Fay40J	969	11.9(129)	7.5(116)	3,251	6.6 (68)	3.9 (51)	13.0 (20)	1,325	18.6 (79)	15.5 (44)	2,002	19.1(142)
Lex-Fay40W	533	5.6 (3)	6.0 (68)	1,426	11.6(152)	5.5(113)	14.2 (39)	467	20.1(115)	21.6(127)	385	23.1(152)
Lincoln Ct	757	9.1 (58)	7.3(105)	2,665	7.1 (84)	5.6(117)	19.9(131)	1,164	20.3(117)	21.2(122)	1,901	7.8 (42)
Livingston	242	9.1 (58)	4.1 (10)	849	7.8 (96)	4.7 (85)	18.1(100)	375	19.2 (93)	13.1 (19)	637	6.4 (23)
Logan Cty	774	8.0 (25)	4.8 (24)	2,460	6.9 (76)	4.7 (85)	16.2 (70)	965	21.7(141)	17.3 (75)	1,472	20.8(147)
Lynch	234	10.7(107)	5.1 (33)	970	6.6 (68)	6.2(127)	13.4 (27)	466	13.3 (11)	14.8 (33)	713	8.0 (47)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lyon Cty	135	4.4 (1)	7.4(112)	540	8.3(107)	4.4 (70)	23.3(158)	249	17.7 (61)	17.7 (79)	374	8.0 (47)
Magoffin C	542	12.7(138)	7.0 (99)	1,995	9.8(133)	3.9 (51)	24.6(160)	960	20.5(122)	26.1(151)	1,247	15.3(120)
Marion Cty	601	8.8 (48)	5.3 (38)	2,189	13.6(163)	3.2 (32)	21.8(151)	943	21.0(132)	18.7 (94)	1,513	8.9 (55)
Marshal90A	687	8.0 (25)	8.0(129)	2,372	12.0(155)	6.2(127)	14.3 (43)	1,028	11.6 (5)	9.5 (4)	1,525	12.7(103)
Marshal90B	68	* *	* *	293	6.1 (54)	5.5(113)	17.7 (96)	143	19.6(108)	21.0(120)	221	20.8(147)
Martin Cty	588	8.5 (45)	5.6 (47)	2,113	8.2(102)	4.1 (60)	22.6(156)	985	18.6 (79)	22.2(134)	1,568	7.3 (35)
Mason Cty	587	9.2 (68)	9.5(150)	1,713	9.2(124)	6.4(131)	17.3 (90)	670	16.7 (42)	15.8 (48)	1,018	13.9(112)
McCracken	1,841	9.3 (74)	6.6 (87)	5,691	7.2 (85)	5.2(104)	21.4(147)	2,379	18.7 (81)	16.5 (59)	3,958	15.8(126)
McCreary C	827	8.1 (29)	4.5 (16)	3,121	9.2(124)	5.1 (99)	14.2 (39)	1,449	20.6(126)	19.5(104)	2,198	6.4 (23)
McLean Ct	319	14.1(148)	4.7 (22)	1,253	12.5(160)	3.6 (41)	20.5(138)	621	18.4 (72)	24.5(145)	887	1.5 (1)
Meade Cty	580	8.1 (29)	10.7(154)	2,204	9.4(127)	3.4 (37)	18.8(113)	968	17.7 (61)	15.4 (43)	1,599	10.8 (79)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Menifee Ct	246	7.3 (16)	9.3 (147)	1,017	6.2 (56)	4.6 (82)	11.0 (6)	488	18.0 (67)	10.9 (8)	641	8.7 (53)
Mercer Cty	547	8.2 (34)	5.7 (54)	2,070	9.4 (127)	2.9 (24)	14.3 (43)	913	16.3 (33)	15.6 (46)	1,481	7.0 (31)
Metcalfe C	302	12.3 (133)	8.9 (142)	1,154	4.8 (24)	6.2 (127)	13.0 (20)	519	15.8 (27)	15.2 (39)	756	11.0 (82)
Middletown	1,078	9.1 (58)	7.8 (123)	3,218	6.3 (60)	5.4 (108)	13.0 (20)	1,094	15.8 (27)	12.5 (14)	1,996	16.0 (128)
Monroe Cnt	367	7.1 (14)	6.3 (73)	1,321	7.0 (79)	4.5 (75)	17.9 (97)	573	18.5 (75)	21.3 (124)	845	9.3 (59)
Montgomery	867	10.8 (109)	8.3 (136)	2,999	8.9 (120)	2.4 (10)	15.5 (63)	1,342	16.5 (36)	15.6 (46)	2,166	9.8 (65)
Morgan Cty	438	7.3 (16)	8.9 (142)	1,747	5.6 (39)	4.8 (89)	16.7 (80)	862	17.1 (50)	21.9 (132)	1,174	12.8 (106)
Muhlenberg	966	10.6 (105)	8.1 (132)	3,135	4.5 (21)	4.0 (55)	13.7 (31)	1,335	17.2 (52)	16.2 (56)	1,877	10.3 (71)
Neighborhood	1,143	11.0 (114)	8.4 (139)	3,437	4.6 (22)	6.7 (138)	11.6 (11)	1,313	15.6 (25)	14.4 (28)	2,254	5.8 (19)
Nelson Cty	974	12.7 (138)	4.5 (16)	3,564	11.6 (152)	4.5 (75)	17.4 (91)	1,458	17.1 (50)	15.5 (44)	2,377	14.1 (113)
Newburg	1,627	11.6 (124)	7.4 (112)	4,881	6.4 (64)	7.8 (148)	14.9 (50)	1,711	9.8 (4)	8.5 (3)	2,988	11.8 (92)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Nicholas C	266	16.5 (155)	4.5 (16)	917	5.2 (32)	8.3(156)	13.4 (27)	399	9.5 (3)	8.3 (2)	598	12.7 (103)
Oasis Hlth	136	8.8 (48)	5.9 (63)	679	8.8(117)	2.5 (13)	16.9 (84)	395	15.2 (21)	16.7 (63)	491	22.4 (150)
Ohio Cty	884	8.1 (29)	7.8 (123)	3,014	7.8 (96)	2.2 (7)	13.4 (27)	1,280	16.4 (35)	18.0 (85)	2,073	7.0 (31)
Oldham Cty	622	9.0 (52)	6.6 (87)	2,380	12.6(161)	1.8 (2)	20.3(136)	1,038	17.0 (48)	17.7 (79)	1,484	11.3 (86)
Olive Hill	427	9.4 (75)	4.9 (26)	1,796	5.3 (35)	5.0 (95)	15.0 (52)	908	17.5 (57)	19.2(101)	1,179	11.0 (82)
Oneida Ele	3	* *	* *	21	* *	* *	* *	13	* *	* *	17	* *
Owen Cty	274	7.3 (16)	7.3 (105)	1,034	4.9 (25)	6.4(131)	12.4 (14)	452	14.6 (16)	16.4 (58)	714	10.5 (74)
Owsley Cty	216	8.3 (39)	6.5 (82)	861	10.5(143)	2.9 (24)	25.6(161)	452	21.2(136)	19.7(107)	676	13.6(111)
Park Duval	1,356	15.3 (153)	4.2 (11)	4,523	8.5(112)	5.1 (99)	15.4 (61)	1,891	17.5 (57)	17.7 (79)	3,226	11.7 (91)
Pendleton	354	9.0 (52)	7.3 (105)	1,320	7.6 (94)	4.8 (89)	13.9 (34)	585	20.7(128)	14.9 (35)	926	9.8 (65)
Perry Cty	930	10.1 (93)	5.6 (47)	3,518	12.3(157)	1.9 (3)	31.9(163)	1,608	21.5(138)	27.1(153)	2,425	12.9(107)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Phelps	183	9.8 (87)	3.8 (7)	594	4.2 (17)	11.6(165)	13.1 (24)	227	11.9 (6)	11.9 (10)	380	9.2 (58)
Pike Cty	1,400	11.0 (114)	6.9 (97)	4,596	2.8 (4)	6.7(138)	15.3 (58)	1,826	16.2 (31)	19.0 (96)	2,957	6.5 (26)
Portland	1,059	12.3 (133)	4.8 (24)	3,387	7.9 (98)	4.4 (70)	15.1 (54)	1,322	18.5 (75)	16.5 (59)	2,130	18.8 (141)
Powell Cty	536	10.1 (93)	5.0 (29)	2,052	6.7 (74)	2.5 (13)	16.8 (82)	1,015	22.2(146)	20.2(111)	1,548	5.2 (17)
Prenatal	132	6.1 (4)	6.1 (69)	114	3.5 (7)	3.5 (39)	39.5(165)	0	* *	* *	0	* *
Prenatal	98	* *	* *	90	* *	* *	* *	0	* *	* *	1	* *
Pulaski Ct	2,007	9.5 (77)	6.7 (91)	6,573	4.1 (16)	5.4(108)	10.7 (5)	2,634	16.6 (38)	12.1 (11)	4,121	7.2 (34)
Radcliffe	1,553	9.0 (52)	5.0 (29)	5,784	6.5 (65)	2.7 (18)	11.5 (9)	2,524	19.1 (90)	12.1 (11)	4,137	7.8 (42)
Richmond	1,410	10.3 (100)	7.3 (105)	4,254	6.3 (60)	6.9(141)	12.5 (15)	1,605	20.4(118)	18.7 (94)	2,785	10.3 (71)
Robertson	91	* *	* *	374	7.2 (85)	6.4(131)	18.2(103)	180	21.7(141)	18.3 (87)	281	5.3 (18)
Rockcastle	601	8.3 (39)	5.5 (44)	2,250	12.4(159)	4.0 (55)	22.5(155)	1,012	21.8(144)	20.1(109)	1,643	10.7 (76)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Rowan Cty	631	9.0 (52)	13.3 (157)	2,203	4.0 (15)	4.9 (92)	12.7 (17)	918	13.7 (13)	14.4 (28)	1,473	9.4 (60)
Russell Ct	592	6.8 (9)	5.9 (63)	2,153	8.9 (120)	3.8 (47)	15.6 (64)	957	19.7 (110)	21.7 (130)	1,367	5.0 (14)
Scott Cty	943	10.5 (103)	5.1 (33)	2,753	7.9 (98)	3.3 (34)	20.9 (143)	1,033	14.5 (14)	19.5 (104)	1,798	12.3 (98)
Shelby Cty	876	9.6 (81)	5.8 (58)	2,858	19.5 (164)	1.4 (1)	34.7 (164)	1,140	23.6 (152)	32.3 (157)	1,977	13.2 (108)
Siler	38	* *	* *	146	8.2 (102)	8.2 (154)	21.9 (152)	80	* *	* *	114	7.9 (44)
Simpson Ct	450	6.9 (12)	10.0 (152)	1,472	6.6 (68)	3.9 (51)	16.4 (75)	544	19.9 (112)	17.3 (75)	920	16.2 (130)
South Shor	135	8.9 (50)	11.1 (156)	669	3.6 (9)	5.2 (104)	19.9 (131)	343	19.2 (93)	21.9 (132)	446	5.8 (19)
Spencer Ct	278	6.1 (4)	9.0 (144)	919	8.5 (112)	4.0 (55)	20.2 (134)	363	18.7 (81)	19.0 (96)	566	13.3 (109)
TAPP-South	84	* *	* *	184	20.7 (165)	9.8 (161)	17.9 (97)	17	* *	* *	82	* *
TAPP-West	119	14.3 (150)	2.5 (2)	225	10.2 (140)	10.2 (162)	12.9 (19)	25	* *	* *	93	* *
Taylor Cty	660	7.6 (20)	7.4 (112)	2,435	5.8 (44)	2.8 (19)	16.2 (70)	1,118	19.1 (90)	17.8 (83)	1,508	5.0 (14)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Todd Cty H	450	11.1 (117)	3.8 (7)	1,552	10.8(146)	5.1 (99)	19.4(123)	690	14.5 (14)	14.5 (32)	1,120	17.6(138)
Trigg Cty	325	12.9(142)	6.5 (82)	1,171	10.8(146)	3.2 (32)	17.1 (89)	518	19.5(104)	13.3 (22)	840	7.3 (35)
Trimble Ct	253	9.1 (58)	5.5 (44)	810	9.4(127)	8.1(152)	17.4 (91)	340	16.8 (45)	15.9 (51)	559	19.1(142)
Union Cty	402	9.5 (77)	5.2 (35)	1,387	11.7(154)	2.4 (10)	18.2(103)	596	16.6 (38)	17.1 (72)	985	4.0 (8)
Wallins	121	10.7(107)	9.9(151)	516	5.2 (32)	9.5(160)	14.1 (38)	263	19.0 (88)	18.3 (87)	336	3.3 (5)
Washington	277	6.5 (8)	7.2(102)	1,137	12.3(157)	3.0 (28)	21.4(147)	548	22.1(145)	20.4(113)	766	12.5(102)
Wayne Cty	803	9.2 (68)	7.3(105)	2,825	5.8 (44)	4.0 (55)	18.1(100)	1,255	17.3 (54)	21.4(125)	1,865	12.0 (94)
Webster Ct	400	8.5 (45)	5.3 (38)	1,368	10.4(142)	4.5 (75)	18.9(115)	543	18.4 (72)	18.4 (90)	948	5.8 (19)
Wheelbrigh	263	12.9(142)	1.9 (1)	964	3.7 (10)	7.4(146)	11.4 (8)	497	16.7 (42)	13.1 (19)	634	7.3 (35)
Williamsbu	867	8.4 (44)	6.1 (69)	3,235	9.1(123)	7.0(142)	21.9(152)	1,452	22.9(149)	26.4(152)	2,395	9.0 (57)
Wolfe Cty	386	8.3 (39)	6.5 (82)	1,570	8.8(117)	2.8 (19)	22.6(156)	771	19.6(108)	22.3(135)	1,185	10.0 (68)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Woodford C	462	11.0 (114)	6.7 (91)	1,845	7.5 (91)	4.6 (82)	14.8 (48)	806	12.9 (8)	14.4 (28)	1,127	15.4 (122)
Unknown Clinics	1,402	9.2 (68)	6.8 (96)	1,234	0.6 (2)	10.3 (163)	3.2 (2)	0	*	*	*	*
Kentucky	116,834	10.0	6.5	391,198	7.4	4.8	16.6	163,786	18.0	17.7	254,853	12.0

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Adair Coun	489	23.7(111)	198	6.1 (46)	240	2.1 (78)	0	* *	0	* *	257	100. (1)	582	25.8 (54)
Allen Coun	591	35.2 (29)	247	5.3 (67)	324	3.1 (41)	0	* *	0	* *	326	90.2 (143)	692	48.7 (108)
Anderson C	443	37.5 (21)	193	5.7 (54)	205	2.9 (49)	0	* *	0	* *	209	100. (1)	476	26.3 (55)
Ashland-Bo	1,384	27.2 (79)	601	4.3 (84)	701	3.0 (45)	0	* *	0	* *	621	100. (1)	1,546	31.8 (65)
Ballard Co	227	27.8 (71)	107	2.8 (115)	141	2.8 (52)	0	* *	0	* *	123	100. (1)	252	50.8 (113)
Bar-Riv-Wa	2,727	36.7 (24)	1,102	7.1 (30)	1,094	2.5 (63)	0	* *	0	* *	1,089	100. (1)	2,891	19.4 (40)
Barren Cty	1,307	30.7 (50)	516	7.2 (29)	590	3.4 (33)	0	* *	0	* *	615	92.4 (138)	1,433	46.1 (101)
Bath Count	333	15.0(145)	145	2.1 (124)	191	0.5 (141)	0	* *	0	* *	246	99.6 (111)	491	47.9 (107)
Belfry	366	15.3(143)	146	3.4 (102)	176	1.7 (97)	0	* *	0	* *	200	95.5 (130)	439	72.2 (148)
Bell Cty M	602	15.4(142)	255	2.4 (120)	338	1.8 (95)	0	* *	0	* *	420	96.0 (127)	831	22.0 (48)
Bell Cty P	642	18.5(134)	312	1.0 (136)	392	0.8 (128)	0	* *	0	* *	435	97.7 (123)	843	30.1 (62)
Berea	461	39.0 (15)	193	11.4 (8)	223	9.0 (2)	0	* *	0	* *	270	100. (1)	616	28.2 (60)
Betsy Lane	375	12.3(153)	205	2.0 (127)	257	1.2 (120)	0	* *	0	* *	292	97.6 (124)	525	71.8 (146)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Bledsoe	43	* *	27	* *	36	* *	0	* *	0	* *
Boone Coun	1,995	31.3 (45)	974	7.9 (21)	1,061	4.1 (20)	0	* *	1,029	100. (1)
Bourbon Ct	491	30.5 (53)	208	5.3 (67)	276	2.5 (63)	0	* *	221	100. (1)
Boyle Coun	605	17.0(138)	257	5.1 (73)	320	3.4 (33)	0	* *	310	100. (1)
Bracken Co	252	27.0 (82)	116	2.6 (119)	147	2.0 (85)	0	* *	122	83.6 (147)
Breathitt	444	12.4(152)	238	2.9 (113)	302	1.7 (97)	0	* *	367	94.3 (132)
Breckinrid	534	29.6 (59)	249	7.6 (24)	255	2.7 (56)	0	* *	290	93.1 (136)
Bridges	605	31.6 (44)	212	8.0 (20)	256	3.5 (29)	0	* *	272	100. (1)
Bullitt Co	1,367	32.4 (40)	555	5.0 (75)	702	2.1 (78)	0	* *	533	100. (1)
Butler Cty	439	25.3 (95)	190	4.2 (88)	240	1.3 (115)	0	* *	254	100. (1)
C & Y	1,205	26.7 (83)	550	3.3 (104)	588	1.4 (112)	0	* *	525	100. (1)
Caldwell C	372	29.0 (65)	163	4.3 (84)	210	2.4 (68)	0	* *	194	100. (1)
Calloway C	986	41.7 (12)	441	9.1 (14)	537	5.0 (12)	0	* *	446	93.7 (133)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) the Breastfed At Least 6 Months analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Campbell C	1,461	25.3 (95)	658	5.9 (49)	750	2.1 (78)	0	* *	0	* *	744	100. (1)	1,973	17.6 (39)
Cannonsbur	22	* *	2	* *	27	* *	0	* *	0	* *	0	* *	0	* *
Carlisle C	167	25.1 (97)	93	* *	107	0.0 (144)	0	* *	0	* *	113	100. (1)	199	61.3 (133)
Carroll Ct	456	25.7 (89)	213	4.7 (76)	265	2.6 (59)	0	* *	0	* *	244	99.2 (117)	536	55.4 (124)
Carter Cty	672	27.8 (71)	252	6.3 (43)	322	2.8 (52)	0	* *	0	* *	381	100. (1)	816	54.9 (122)
Casey Cty	450	23.3(114)	212	5.2 (71)	275	2.5 (63)	0	* *	0	* *	303	100. (1)	592	56.3 (126)
Christian	1,883	24.3(104)	854	6.3 (43)	833	2.9 (49)	0	* *	0	* *	892	93.2 (135)	2,253	27.3 (59)
Clark Coun	931	31.9 (42)	380	6.8 (33)	431	2.3 (74)	0	* *	0	* *	456	100. (1)	1,058	3.8 (24)
Clay Cty H	853	15.1(144)	412	2.9 (113)	527	2.1 (78)	0	* *	0	* *	649	100. (1)	1,220	87.0 (152)
Clinton Ct	370	12.7(151)	178	1.1 (134)	255	0.8 (128)	0	* *	0	* *	266	100. (1)	532	22.0 (48)
Corbin	984	20.3(128)	475	2.1 (124)	573	1.2 (120)	0	* *	0	* *	591	100. (1)	1,265	19.4 (40)
Crittenden	221	24.0(108)	93	* *	125	0.8 (128)	0	* *	0	* *	137	100. (1)	303	9.2 (31)
Cumberland	232	17.2(137)	121	1.7 (132)	149	2.7 (56)	0	* *	0	* *	168	100. (1)	338	41.4 (91)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) the Breastfed At Least 6 Months analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Daviess Co	2,220	23.2(115)	1,054	4.1 (89)	1,134	1.9 (87)	0	* *	0	* *	1,067	99.8 (105)	2,694	35.6 (75)
Dixie	1,892	34.7 (31)	808	7.5 (26)	856	2.3 (74)	0	* *	0	* *	697	100. (1)	2,086	0.0 (1)
Edmonson C	338	26.0 (87)	173	3.5 (100)	165	1.8 (95)	0	* *	0	* *	200	91.5 (140)	430	40.2 (87)
Elliott Ct	286	24.8(100)	131	7.6 (24)	181	4.4 (16)	0	* *	0	* *	195	97.4 (126)	378	32.0 (68)
Estill Cty	550	22.5(119)	262	2.3 (122)	313	0.3 (143)	0	* *	0	* *	320	100. (1)	666	31.8 (65)
Etown	1,345	24.4(102)	574	5.4 (64)	622	2.4 (68)	0	* *	0	* *	586	100. (1)	1,586	23.5 (51)
Evarts	213	9.4(157)	86	* *	136	1.5 (107)	0	* *	0	* *	175	98.3 (121)	330	1.2 (17)
Fairdale	951	31.1 (47)	338	5.6 (57)	399	1.5 (107)	0	* *	0	* *	356	100. (1)	1,029	0.2 (8)
Fleming Co	459	24.4(102)	223	6.3 (43)	290	4.1 (20)	0	* *	0	* *	329	100. (1)	603	38.6 (83)
Floyd Cty	982	21.1(126)	433	4.6 (79)	526	2.1 (78)	0	* *	0	* *	524	100. (1)	1,158	51.5 (117)
Foust Hlth	146	21.2(123)	77	* *	116	0.9 (125)	0	* *	0	* *	126	92.9 (137)	222	32.9 (70)
Franklin C	1,304	36.4 (25)	537	5.6 (57)	511	3.3 (37)	0	* *	0	* *	442	97.5 (125)	1,281	65.8 (137)
Ft Campbel	1,957	46.0 (7)	1,096	13.3 (6)	1,028	5.9 (8)	0	* *	0	* *	1,066	88.0 (145)	2,451	9.9 (32)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) the Breastfed At Least 6 Months analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Fulton	166	30.1 (56)	79	* *	93	* *	0	* *	0	* *	118	100. (1)	230	64.8 (136)
Gallatin C	319	28.2 (68)	143	3.5 (100)	146	2.7 (56)	0	* *	0	* *	172	100. (1)	413	27.1 (57)
Garrard Ct	458	30.1 (56)	209	4.3 (84)	255	2.0 (85)	0	* *	0	* *	303	100. (1)	631	45.0 (96)
Goose Rock	48	* *	23	* *	34	* *	0	* *	0	* *	0	* *	0	* *
Grant Cty	901	34.1 (33)	475	6.7 (36)	562	3.4 (33)	0	* *	0	* *	558	100. (1)	1,210	69.5 (143)
Graves Cty	1,242	38.0 (19)	517	6.8 (33)	669	3.0 (45)	0	* *	0	* *	675	100. (1)	1,390	42.2 (92)
Grayson Ct	852	27.5 (76)	404	5.9 (49)	530	3.6 (26)	0	* *	0	* *	522	100. (1)	1,059	23.6 (52)
Green Cty	336	34.8 (30)	158	7.0 (31)	199	4.5 (15)	0	* *	0	* *	202	100. (1)	407	36.1 (77)
Greenup	716	27.5 (76)	296	2.7 (117)	348	1.4 (112)	0	* *	0	* *	363	100. (1)	852	32.5 (69)
Hancock Ct	277	31.0 (49)	141	8.5 (16)	154	1.9 (87)	0	* *	0	* *	145	100. (1)	292	31.2 (64)
Harlan Cty	599	21.2(123)	248	3.2 (108)	314	1.9 (87)	0	* *	0	* *	383	99.5 (112)	827	10.6 (34)
Harrison C	620	38.2 (18)	247	9.7 (12)	304	3.3 (37)	0	* *	0	* *	292	95.9 (128)	648	43.5 (93)
Hart Cty H	587	25.6 (90)	252	3.6 (98)	287	0.7 (134)	0	* *	0	* *	299	100. (1)	653	44.9 (95)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Henderson	1,292	26.0 (87)	554	1.8 (129)	595	1.0 (124)	0	* *	0	* *	606	100. (1)	1,461	44.8 (94)
Henry Coun	395	32.7 (39)	177	6.8 (33)	230	2.6 (59)	0	* *	0	* *	206	100. (1)	456	40.4 (88)
Hickman	126	16.7(140)	54	* *	67	* *	0	* *	0	* *	87	* *	176	36.4 (79)
Hickman Ct	132	35.6 (28)	57	* *	75	* *	0	* *	0	* *	59	* *	138	55.1 (123)
Highview	1,415	49.3 (5)	609	14.4 (4)	650	6.3 (7)	0	* *	0	* *	595	100. (1)	1,503	0.3 (12)
Hindman	572	10.7(155)	223	1.8 (129)	255	0.8 (128)	0	* *	0	* *	351	100. (1)	708	38.0 (80)
Hopkins Ct	1,608	27.6 (74)	626	4.6 (79)	629	1.7 (97)	0	* *	0	* *	684	100. (1)	1,670	51.1 (115)
Hospital	660	49.8 (4)	0	* *	0	* *	0	* *	0	* *	0	* *	613	6.2 (25)
Iroquois	2,135	46.8 (6)	900	16.8 (2)	949	6.7 (6)	0	* *	0	* *	856	100. (1)	2,083	0.6 (15)
Jackson Ct	503	17.7(136)	249	2.8 (115)	318	1.9 (87)	0	* *	0	* *	361	100. (1)	674	45.4 (99)
Jessamine	1,293	38.7 (17)	603	11.4 (8)	613	4.6 (13)	0	* *	0	* *	609	98.4 (120)	1,487	40.5 (89)
Johnson Co	901	25.1 (97)	374	3.7 (97)	473	2.3 (74)	0	* *	0	* *	549	100. (1)	1,093	47.3 (106)
JT Arnett	81	* *	39	* *	49	* *	0	* *	0	* *	83	* *	137	46.7 (102)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Kenton Cty	2,220	31.3 (45)	924	4.1 (89)	1,036	1.9 (87)	0	* *	0	* *	917	100. (1)	2,772	55.7 (125)
Knox Cty	1,120	16.2(141)	553	1.1 (134)	701	0.7 (134)	0	* *	0	* *	800	100. (1)	1,611	0.4 (13)
L & N	1,472	26.7 (83)	624	6.1 (46)	680	3.1 (41)	0	* *	0	* *	618	100. (1)	1,720	0.5 (14)
Larue Cty	496	36.1 (26)	221	5.4 (64)	252	3.6 (26)	0	* *	0	* *	244	100. (1)	544	16.9 (38)
Laurel Cty	1,735	27.2 (79)	729	4.1 (89)	780	1.7 (97)	0	* *	0	* *	809	98.6 (119)	1,947	68.9 (141)
Lawrence C	593	19.2(132)	270	4.4 (83)	322	1.9 (87)	0	* *	0	* *	298	98.0 (122)	659	19.6 (43)
Lee Cty He	239	13.4(147)	135	5.2 (71)	162	2.5 (63)	0	* *	0	* *	178	100. (1)	342	26.9 (56)
Leslie Cty	480	23.8(109)	228	5.3 (67)	252	2.4 (68)	0	* *	0	* *	309	99.7 (108)	576	7.5 (28)
Letcher Ct	876	21.2(123)	347	5.8 (51)	359	1.9 (87)	0	* *	0	* *	359	100. (1)	916	13.4 (36)
Lewis Cty	540	27.4 (78)	213	4.7 (76)	271	2.6 (59)	0	* *	0	* *	281	100. (1)	598	35.8 (76)
Lex-Fay40A	1,780	36.8 (23)	779	6.0 (48)	924	2.4 (68)	0	* *	0	* *	0	* *	0	* *
Lex-Fay40C	856	100. (1)	311	33.4 (1)	216	23.1 (1)	0	* *	0	* *	937	95.1 (131)	2,428	0.2 (8)
Lex-Fay40D	986	42.8 (10)	398	8.3 (17)	426	3.3 (37)	0	* *	0	* *	405	99.3 (116)	1,147	0.0 (1)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Lex-Fay40E	260	29.6 (59)	94	* *	129	3.9 (22)	0	* *	0	* *	0	* *
Lex-Fay40G	773	37.9 (20)	369	5.1 (73)	432	2.8 (52)	0	* *	0	* *	408	95.6 (129)
Lex-Fay40J	1,170	44.4 (9)	535	11.0 (10)	560	5.9 (8)	0	* *	0	* *	497	91.1 (142)
Lex-Fay40W	726	62.1 (2)	295	16.3 (3)	247	8.5 (3)	0	* *	0	* *	321	99.4 (115)
Lincoln Ct	765	24.3(104)	367	2.2 (123)	352	0.6 (138)	0	* *	0	* *	414	100. (1)
Livingston	248	30.6 (52)	129	7.8 (22)	148	3.4 (33)	0	* *	0	* *	143	100. (1)
Logan Cty	793	28.8 (66)	320	3.4 (102)	386	0.8 (128)	0	* *	0	* *	328	100. (1)
Lynch	244	19.3(131)	125	2.4 (120)	151	1.3 (115)	0	* *	0	* *	157	86.6 (146)
Lyon Cty	130	34.6 (32)	61	* *	83	* *	0	* *	0	* *	89	* *
Magoffin C	500	13.4(147)	237	0.4 (138)	293	0.7 (134)	0	* *	0	* *	342	99.7 (108)
Marion Cty	647	29.7 (58)	306	5.6 (57)	337	3.3 (37)	0	* *	0	* *	344	100. (1)
Marshal90A	715	24.5(101)	319	5.3 (67)	375	2.4 (68)	0	* *	0	* *	386	100. (1)
Marshal90B	71	* *	40	* *	48	* *	0	* *	0	* *	40	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Martin Cty	506	9.5(156)	215	1.4 (133)	290	0.7 (134)	0	* *	0	* *	352	100. (1)	685	93.3 (153)
Mason Cty	537	23.8(109)	201	3.0 (111)	243	1.2 (120)	0	* *	0	* *	255	100. (1)	645	50.2 (111)
McCracken	1,809	27.8 (71)	742	5.7 (54)	912	3.5 (29)	0	* *	0	* *	823	100. (1)	1,964	10.2 (33)
McCreary C	753	13.4(147)	388	1.8 (129)	464	0.4 (142)	0	* *	0	* *	529	100. (1)	1,021	49.6 (110)
McLean Ct	323	25.4 (93)	144	5.6 (57)	190	2.6 (59)	0	* *	0	* *	186	100. (1)	395	56.7 (128)
Meade Cty	602	23.4(112)	300	3.0 (111)	317	0.6 (138)	0	* *	0	* *	339	100. (1)	741	30.0 (61)
Menifee Ct	240	29.6 (59)	135	0.7 (137)	181	0.6 (138)	0	* *	0	* *	184	100. (1)	347	33.7 (74)
Mercer Cty	563	22.0(120)	281	6.4 (42)	308	4.2 (19)	0	* *	0	* *	334	100. (1)	699	68.2 (140)
Metcalfe C	308	29.2 (64)	148	8.1 (18)	172	3.5 (29)	0	* *	0	* *	172	98.8 (118)	387	53.5 (120)
Middletown	1,262	53.0 (3)	551	13.1 (7)	644	5.1 (10)	0	* *	0	* *	399	100. (1)	1,228	0.0 (1)
Monroe Cnt	366	22.7(116)	163	4.3 (84)	181	1.7 (97)	0	* *	0	* *	217	100. (1)	436	30.3 (63)
Montgomery	845	29.6 (59)	357	5.6 (57)	397	2.5 (63)	0	* *	0	* *	504	99.8 (105)	1,103	51.2 (116)
Morgan Cty	418	14.4(146)	187	2.1 (124)	239	1.3 (115)	0	* *	0	* *	311	100. (1)	601	39.3 (85)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Muhlenberg	890	25.5 (92)	372	4.6 (79)	470	1.3 (115)	0	* *	0	* *	468	100. (1)	1,079	60.4 (131)
Neighborho	1,245	42.6 (11)	504	14.3 (5)	547	6.8 (5)	0	* *	0	* *	432	100. (1)	1,221	1.1 (16)
Nelson Cty	1,035	26.2 (85)	477	6.7 (36)	553	3.8 (23)	0	* *	0	* *	514	100. (1)	1,219	93.9 (154)
Newburg	1,830	37.5 (21)	795	8.7 (15)	834	3.8 (23)	0	* *	0	* *	633	100. (1)	1,871	2.1 (18)
Nicholas C	262	19.8(129)	120	3.3 (104)	144	2.1 (78)	0	* *	0	* *	153	91.5 (140)	315	56.8 (129)
Oasis Hlth	149	26.2 (85)	66	* *	82	* *	0	* *	0	* *	131	100. (1)	205	75.6 (149)
Ohio Cty	913	33.0 (36)	392	6.6 (38)	450	2.9 (49)	0	* *	0	* *	480	100. (1)	1,061	40.6 (90)
Oldham Cty	738	45.5 (8)	383	9.4 (13)	417	4.3 (17)	0	* *	0	* *	361	99.7 (108)	807	69.0 (142)
Olive Hill	434	33.6 (34)	230	6.5 (39)	262	3.1 (41)	0	* *	0	* *	316	100. (1)	604	46.9 (104)
Oneida Ele	2	* *	0	* *	1	* *	0	* *	0	* *	0	* *	0	* *
Owen Cty	283	30.4 (54)	131	4.6 (79)	164	3.0 (45)	0	* *	0	* *	157	100. (1)	343	19.8 (45)
Owsley Cty	223	17.0(138)	97	* *	118	0.0 (144)	0	* *	0	* *	170	100. (1)	291	64.6 (135)
Park Duval	1,406	33.5 (35)	602	8.1 (18)	660	3.5 (29)	0	* *	0	* *	744	100. (1)	1,739	0.0 (1)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Pendleton	399	31.1 (47)	173	5.8 (51)	215	0.9 (125)	0	* *	0	* *	193	99.5 (112)	441	86.2 (151)
Perry Cty	979	21.9(121)	428	4.0 (92)	517	1.9 (87)	0	* *	0	* *	564	100. (1)	1,203	2.2 (20)
Phelps	167	3.6(158)	81	* *	80	* *	0	* *	0	* *	76	* *	191	67.5 (139)
Pike Cty	1,335	19.0(133)	622	3.2 (108)	653	1.5 (107)	0	* *	0	* *	702	100. (1)	1,687	70.1 (145)
Portland	1,066	28.6 (67)	469	5.5 (63)	488	1.6 (104)	0	* *	0	* *	483	100. (1)	1,241	0.2 (8)
Powell Cty	545	24.2(106)	233	3.9 (94)	287	2.1 (78)	0	* *	0	* *	334	92.2 (139)	671	56.3 (126)
Prenatal	121	11.6(154)	8	* *	7	* *	0	* *	0	* *	0	* *	5	* *
Prenatal	87	* *	4	* *	2	* *	0	* *	0	* *	0	* *	12	* *
Pulaski Ct	2,032	29.4 (63)	914	3.9 (94)	976	1.5 (107)	0	* *	0	* *	985	100. (1)	2,295	38.1 (81)
Radcliffe	1,692	36.0 (27)	753	6.5 (39)	816	4.3 (17)	0	* *	0	* *	824	99.8 (105)	1,971	85.7 (150)
Richmond	1,328	27.6 (74)	562	7.3 (28)	652	4.6 (13)	0	* *	0	* *	572	100. (1)	1,495	71.8 (146)
Robertson	101	30.7 (50)	44	* *	54	* *	0	* *	0	* *	70	* *	122	63.9 (134)
Rockcastle	627	28.2 (68)	298	4.7 (76)	325	3.1 (41)	0	* *	0	* *	377	99.5 (112)	733	2.3 (21)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Rowan Cty	634	27.1 (81)	266	5.6 (57)	311	1.6 (104)	0	* *	354	100. (1)	810	8.1 (30)
Russell Ct	594	21.5(122)	276	3.6 (98)	315	2.2 (77)	0	* *	330	100. (1)	723	38.2 (82)
Scott Cty	1,034	40.8 (13)	407	6.9 (32)	462	2.8 (52)	0	* *	411	93.4 (134)	1,076	51.0 (114)
Shelby Cty	906	23.4(112)	387	5.4 (64)	460	2.4 (68)	0	* *	430	100. (1)	1,068	7.0 (27)
Siler	47	* *	19	* *	23	* *	0	* *	0	* *	0	* *
Simpson Ct	449	30.3 (55)	189	5.8 (51)	231	1.7 (97)	0	* *	211	100. (1)	542	47.0 (105)
South Shor	134	25.4 (93)	77	* *	92	* *	0	* *	120	100. (1)	233	31.8 (65)
Spencer Ct	258	25.6 (90)	129	7.8 (22)	160	3.8 (23)	0	* *	147	100. (1)	348	3.2 (23)
TAPP-South	87	* *	30	* *	34	* *	0	* *	4	* *	53	* *
TAPP-West	128	22.7(116)	40	* *	45	* *	0	* *	11	* *	79	* *
Taylor Cty	693	32.9 (37)	299	3.3 (104)	344	1.2 (120)	0	* *	394	100. (1)	828	48.9 (109)
Todd Cty H	488	31.8 (43)	213	1.9 (128)	276	1.4 (112)	0	* *	238	100. (1)	510	25.1 (53)
Trigg Cty	365	38.9 (16)	192	5.7 (54)	216	5.1 (10)	0	* *	203	100. (1)	416	54.6 (121)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Trimble Ct	255	25.1 (97)	107 6.5 (39)	138 3.6 (26)	0 * *	0 * *	128	100. (1)	292	19.5 (42)
Union Cty	377	27.9 (70)	179 3.9 (94)	200 1.5 (107)	0 * *	0 * *	203	100. (1)	459	45.1 (98)
Wallins	112	19.6(130)	58 * *	66 * *	0 * *	0 * *	105	89.5 (144)	179	7.8 (29)
Washington	294	32.0 (41)	158 10.8 (11)	185 7.0 (4)	0 * *	0 * *	215	100. (1)	418	2.4 (22)
Wayne Cty	786	21.0(127)	348 4.0 (92)	415 1.7 (97)	0 * *	0 * *	465	100. (1)	931	61.2 (132)
Webster Ct	433	32.8 (38)	186 2.7 (117)	189 1.6 (104)	0 * *	0 * *	192	100. (1)	456	39.0 (84)
Wheelbrigh	229	13.1(150)	96 * *	129 0.8 (128)	0 * *	0 * *	177	100. (1)	323	57.6 (130)
Williamsbu	864	24.2(106)	412 3.2 (108)	468 1.3 (115)	0 * *	0 * *	536	100. (1)	1,074	21.2 (47)
Wolfe Cty	366	18.0(135)	182 3.3 (104)	221 0.9 (125)	0 * *	0 * *	296	100. (1)	533	70.0 (144)
Woodford C	503	39.6 (14)	267 7.5 (26)	305 3.0 (45)	0 * *	0 * *	289	100. (1)	612	19.6 (43)
Unknown Clinics	1,062	22.6(118)	42 * *	34 * *	0 * *	0 * *	0	* *	2	* *
Kentucky	118,818	30.2	51,850 6.1	59,069 2.8	0 *	0 *	59,198	98.8	137,817	32.5

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

