

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Adair	578	91.2	3.1	3.3	0.0	0.0	2.4	0.0
Allen	682	94.9	2.1	1.6	0.0	0.4	1.0	0.0
Anderson	466	80.3	3.2	13.5	0.0	0.6	2.4	0.0
Ballard	248	90.7	5.6	1.6	0.0	0.8	1.2	0.0
Barren	1,405	90.1	3.8	4.6	0.0	1.1	0.5	0.0
Bath	485	95.7	0.8	1.6	0.0	0.4	1.4	0.0
Bell	1,648	97.2	2.2	0.5	0.1	0.0	0.0	0.0
Boone	2,530	68.9	3.2	26.6	0.0	0.6	0.7	0.0
Bourbon	571	75.1	7.4	17.2	0.2	0.2	0.0	0.0
Boyd	1,521	92.4	2.6	2.0	0.1	0.3	2.4	0.0
Boyle	750	87.9	8.1	3.9	0.0	0.1	0.0	0.0
Bracken	296	96.3	0.0	1.7	0.0	0.3	1.7	0.0
Breathitt	718	98.2	0.4	0.7	0.0	0.4	0.3	0.0
Breckinrid	622	94.5	4.2	0.6	0.0	0.2	0.5	0.0
Bullitt	1,416	96.0	0.7	1.4	0.0	0.4	1.6	0.0
Butler	508	92.7	1.4	4.5	0.2	1.2	0.0	0.0
Caldwell	436	90.1	7.1	0.9	0.0	0.2	1.6	0.0
Calloway	1,033	88.3	6.0	4.0	0.0	1.0	0.8	0.0
Campbell	1,927	90.8	5.8	3.1	0.1	0.3	0.1	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Carlisle	195	94.9	2.1	2.1	0.5	0.0	0.5	0.0
Carroll	521	80.8	1.3	14.8	0.0	0.0	3.1	0.0
Carter	1,399	92.8	0.3	6.2	0.1	0.2	0.4	0.0
Casey	584	91.3	0.2	8.0	0.2	0.2	0.2	0.0
Christian	4,631	64.0	25.7	5.1	0.2	2.9	2.1	0.0
Clark	1,047	86.3	7.2	5.6	0.2	0.6	0.1	0.0
Clay	1,215	97.8	0.3	1.8	0.0	0.1	0.0	0.0
Clinton	532	90.2	0.4	8.3	0.0	1.1	0.0	0.0
Crittenden	300	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Cumberland	335	95.2	3.0	0.6	0.0	1.2	0.0	0.0
Daviess	3,060	80.8	9.2	6.3	0.0	0.5	3.2	0.0
Edmonson	425	99.5	0.0	0.2	0.0	0.0	0.2	0.0
Elliott	376	98.4	0.8	0.8	0.0	0.0	0.0	0.0
Estill	656	99.2	0.3	0.5	0.0	0.0	0.0	0.0
Fayette	6,463	38.4	27.6	29.7	0.3	1.9	2.0	0.0
Fleming	594	97.6	1.2	0.8	0.0	0.3	0.0	0.0
Floyd	1,988	98.8	0.4	0.5	0.0	0.1	0.3	0.0
Franklin	1,248	75.0	14.3	8.7	0.1	1.4	0.6	0.0
Fulton	403	58.3	35.2	1.7	0.7	0.5	3.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Gallatin	406	81.8	2.0	16.3	0.0	0.0	0.0	0.0
Garrard	629	90.0	2.2	4.1	0.2	0.3	3.2	0.0
Grant	1,198	92.6	0.8	5.3	0.0	0.2	1.2	0.0
Graves	1,380	67.8	9.2	20.0	0.1	0.0	2.9	0.0
Grayson	1,043	96.1	0.9	2.6	0.3	0.2	0.0	0.0
Green	401	96.0	2.5	1.5	0.0	0.0	0.0	0.0
Greenup	1,072	97.8	0.4	0.8	0.0	0.4	0.7	0.0
Hancock	285	95.4	1.4	1.8	0.0	0.0	1.4	0.0
Hardin	3,489	69.8	17.0	7.7	0.2	0.8	4.6	0.0
Harlan	1,633	94.7	2.4	1.3	0.1	0.0	1.5	0.0
Harrison	637	89.3	1.9	7.1	0.3	0.0	1.4	0.0
Hart	642	94.2	3.6	1.7	0.0	0.3	0.2	0.0
Henderson	1,437	81.5	12.4	3.3	0.0	1.9	0.9	0.0
Henry	457	89.3	2.8	5.9	0.0	1.8	0.2	0.0
Hickman	137	72.3	14.6	7.3	0.0	0.0	5.8	0.0
Hopkins	1,639	78.9	9.3	4.3	0.0	0.6	6.8	0.0
Jackson	662	98.8	0.0	1.1	0.0	0.0	0.2	0.0
Jefferson	17,634	43.9	42.8	9.8	0.1	1.9	1.5	0.0
Jessamine	1,448	87.5	4.6	6.0	0.0	1.2	0.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Johnson	1,083	99.2	0.1	0.1	0.0	0.3	0.4	0.0
Kenton	3,294	82.7	12.7	3.2	0.1	1.1	0.2	0.0
Knott	706	98.7	0.4	0.4	0.0	0.3	0.1	0.0
Knox	1,596	98.6	1.0	0.4	0.0	0.0	0.0	0.0
Larue	542	85.4	3.1	9.6	0.0	0.0	1.8	0.0
Laurel	1,918	98.3	0.4	0.9	0.2	0.3	0.0	0.0
Lawrence	650	97.8	0.2	0.5	0.0	0.0	1.5	0.0
Lee	345	98.6	0.0	1.4	0.0	0.0	0.0	0.0
Leslie	574	97.9	0.2	0.9	0.0	0.0	1.0	0.0
Letcher	906	98.6	0.9	0.2	0.0	0.3	0.0	0.0
Lewis	594	98.0	0.0	0.7	0.3	0.3	0.7	0.0
Lincoln	912	94.4	2.6	2.7	0.0	0.2	0.0	0.0
Livingston	307	96.7	0.0	2.9	0.0	0.0	0.3	0.0
Logan	809	82.0	11.0	5.2	0.4	0.1	1.4	0.0
Lyon	188	94.1	3.2	0.0	0.0	0.5	2.1	0.0
Madison	2,073	87.5	6.2	3.6	0.1	1.0	1.6	0.0
Magoffin	797	98.9	0.0	1.0	0.0	0.0	0.1	0.0
Marion	745	85.5	8.9	4.8	0.0	0.8	0.0	0.0
Marshall	894	98.4	0.8	0.3	0.0	0.2	0.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Martin	683	99.3	0.1	0.3	0.0	0.0	0.3	0.0
Mason	633	85.3	7.7	2.7	0.3	1.3	2.7	0.0
McCracken	1,949	60.6	30.1	4.9	0.0	1.0	3.4	0.0
McCreary	1,016	98.2	0.3	1.3	0.0	0.0	0.2	0.0
McLean	395	94.7	0.3	4.6	0.0	0.3	0.3	0.0
Meade	728	95.5	1.6	1.2	0.0	0.4	1.2	0.0
Menifee	345	98.0	0.0	1.7	0.0	0.0	0.3	0.0
Mercer	696	87.5	3.6	7.6	0.0	0.4	0.9	0.0
Metcalfe	386	98.4	1.0	0.5	0.0	0.0	0.0	0.0
Monroe	429	86.2	4.9	8.6	0.0	0.0	0.2	0.0
Montgomery	1,092	91.5	0.9	5.4	0.0	0.1	2.1	0.0
Morgan	597	99.2	0.0	0.7	0.0	0.2	0.0	0.0
Muhlenberg	1,066	92.3	3.8	1.5	0.0	0.2	2.3	0.0
Nelson	1,196	87.0	7.5	2.7	0.0	0.3	2.5	0.0
Nicholas	313	93.9	0.6	4.8	0.0	0.0	0.6	0.0
Ohio	1,061	88.6	0.7	10.2	0.1	0.0	0.5	0.0
Oldham	799	70.6	4.6	23.8	0.0	0.1	0.9	0.0
Owen	348	92.2	0.3	7.2	0.0	0.0	0.3	0.0
Owsley	286	98.3	0.3	0.7	0.0	0.0	0.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Pendleton	433	96.1	1.2	0.9	0.0	0.0	1.8	0.0
Perry	1,197	96.8	2.3	0.3	0.0	0.3	0.4	0.0
Pike	2,279	98.6	0.8	0.4	0.1	0.0	0.0	0.0
Powell	658	97.6	0.5	1.8	0.0	0.2	0.0	0.0
Pulaski	2,268	93.0	0.9	5.7	0.1	0.3	0.0	0.0
Robertson	124	87.9	1.6	8.1	0.0	2.4	0.0	0.0
Rockcastle	729	98.1	0.3	1.2	0.0	0.3	0.1	0.0
Rowan	801	96.4	2.4	0.6	0.1	0.5	0.0	0.0
Russell	714	88.1	0.7	9.9	0.1	0.7	0.4	0.0
Scott	1,058	80.2	6.0	8.1	0.1	5.4	0.3	0.0
Shelby	1,061	38.1	6.1	51.2	0.0	4.5	0.1	0.0
Simpson	530	84.5	11.1	2.5	0.2	0.6	1.1	0.0
Spencer	341	92.7	0.9	6.2	0.0	0.3	0.0	0.0
Taylor	811	88.4	5.3	2.3	0.0	0.4	3.6	0.0
Todd	503	66.0	13.1	11.9	0.0	6.2	2.8	0.0
Trigg	410	83.2	15.4	0.5	0.2	0.5	0.2	0.0
Trimble	291	95.5	0.0	2.4	0.0	0.7	1.4	0.0
Union	462	84.6	11.0	0.9	0.0	0.0	3.5	0.0
Warren	2,835	60.2	15.0	18.7	0.2	4.2	1.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Washington	413	70.5	10.7	13.3	0.0	0.2	5.3	0.0
Wayne	923	89.1	2.0	8.8	0.0	0.1	0.1	0.0
Webster	449	74.6	3.8	17.1	0.0	0.9	3.6	0.0
Whitley	2,332	98.6	0.7	0.5	0.0	0.2	0.0	0.0
Wolfe	534	98.9	0.0	0.2	0.0	0.0	0.9	0.0
Woodford	606	59.9	9.2	24.3	0.2	3.6	2.8	0.0
<b>Kentucky</b>	<b>135,754</b>	<b>78.7</b>	<b>11.7</b>	<b>7.2</b>	<b>0.1</b>	<b>0.9</b>	<b>1.3</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>7,117,562</b>	<b>32.3</b>	<b>18.5</b>	<b>37.7</b>	<b>1.0</b>	<b>2.5</b>	<b>1.0</b>	<b>7.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Adair	578	35.8	21.5	42.7
Allen	682	35.5	19.4	45.2
Anderson	466	38.8	20.6	40.6
Ballard	248	30.6	22.2	47.2
Barren	1,405	40.2	19.0	40.8
Bath	485	35.3	16.3	48.5
Bell	1,648	32.7	17.5	49.8
Boone	2,530	44.0	17.5	38.5
Bourbon	571	42.6	20.8	36.6
Boyd	1,521	42.3	19.3	38.5
Boyle	750	42.8	17.9	39.3
Bracken	296	40.9	21.3	37.8
Breathitt	718	35.0	17.1	47.9
Breckinrid	622	38.1	18.3	43.6
Bullitt	1,416	46.0	18.5	35.5
Butler	508	33.1	19.7	47.2
Caldwell	436	38.3	20.0	41.7
Calloway	1,033	37.7	21.3	41.0

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Campbell	1,927	45.5	18.1	36.5
Carlisle	195	26.2	20.5	53.3
Carroll	521	34.2	21.9	44.0
Carter	1,399	34.0	19.7	46.4
Casey	584	32.7	19.0	48.3
Christian	4,631	41.3	18.9	39.8
Clark	1,047	42.9	16.5	40.6
Clay	1,215	32.6	17.5	49.9
Clinton	532	31.4	21.1	47.6
Crittenden	300	35.7	21.3	43.0
Cumberland	335	34.0	17.3	48.7
Daviess	3,060	41.1	18.3	40.6
Edmonson	425	36.5	19.5	44.0
Elliott	376	32.2	19.4	48.4
Estill	656	34.9	19.5	45.6
Fayette	6,463	45.4	17.7	36.8
Fleming	594	28.8	19.9	51.3
Floyd	1,988	34.6	18.6	46.8

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Franklin	1,248	48.1	19.5	32.5
Fulton	403	31.5	21.1	47.4
Gallatin	406	43.1	16.7	40.1
Garrard	629	38.5	16.9	44.7
Grant	1,198	36.9	19.7	43.4
Graves	1,380	35.8	18.5	45.7
Grayson	1,043	33.6	20.2	46.2
Green	401	33.9	17.5	48.6
Greenup	1,072	37.8	20.0	42.3
Hancock	285	31.6	21.1	47.4
Hardin	3,489	43.6	18.0	38.4
Harlan	1,633	35.1	18.3	46.6
Harrison	637	37.8	18.7	43.5
Hart	642	39.1	17.6	43.3
Henderson	1,437	43.2	17.2	39.6
Henry	457	39.6	17.7	42.7
Hickman	137	32.8	27.7	39.4
Hopkins	1,639	43.6	17.4	39.0

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Jackson	662	33.1	16.0	50.9
Jefferson	17,634	46.6	18.2	35.2
Jessamine	1,448	42.8	17.3	39.9
Johnson	1,083	34.0	17.9	48.1
Kenton	3,294	59.0	14.9	26.0
Knott	706	36.3	17.7	46.0
Knox	1,596	36.0	17.3	46.7
Larue	542	38.6	18.1	43.4
Laurel	1,918	41.9	18.1	40.0
Lawrence	650	35.7	22.6	41.7
Lee	345	31.9	19.1	49.0
Leslie	574	31.7	18.8	49.5
Letcher	906	44.9	18.3	36.8
Lewis	594	34.3	20.9	44.8
Lincoln	912	38.3	19.7	42.0
Livingston	307	34.2	23.1	42.7
Logan	809	41.3	21.4	37.3
Lyon	188	35.6	18.1	46.3

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Madison	2,073	43.5	18.7	37.8
Magoffin	797	32.0	18.7	49.3
Marion	745	37.7	18.7	43.6
Marshall	894	34.2	20.4	45.4
Martin	683	32.1	20.1	47.9
Mason	633	41.9	21.0	37.1
McCracken	1,949	39.5	20.5	40.0
McCreary	1,016	32.8	19.7	47.5
McLean	395	36.7	17.7	45.6
Meade	728	37.1	19.1	43.8
Menifee	345	29.0	20.6	50.4
Mercer	696	35.2	19.4	45.4
Metcalfe	386	35.8	23.1	41.2
Monroe	429	32.2	21.7	46.2
Montgomery	1,092	39.3	17.5	43.2
Morgan	597	34.0	16.8	49.2
Muhlenberg	1,066	40.1	19.0	40.9
Nelson	1,196	40.5	19.4	40.1

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Nicholas	313	32.9	21.1	46.0
Ohio	1,061	38.0	19.5	42.5
Oldham	799	37.9	19.8	42.3
Owen	348	37.1	20.4	42.5
Owsley	286	26.2	18.9	54.9
Pendleton	433	38.6	21.5	40.0
Perry	1,197	37.6	18.9	43.5
Pike	2,279	41.8	18.3	39.9
Powell	658	32.5	18.4	49.1
Pulaski	2,268	40.7	18.7	40.6
Robertson	124	24.2	22.6	53.2
Rockcastle	729	31.8	19.9	48.3
Rowan	801	40.6	18.1	41.3
Russell	714	35.6	22.0	42.4
Scott	1,058	46.2	17.0	36.8
Shelby	1,061	41.6	19.7	38.7
Simpson	530	40.9	20.9	38.1
Spencer	341	39.9	19.4	40.8

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Taylor	811	34.5	19.9	45.6
Todd	503	35.4	20.9	43.7
Trigg	410	32.7	20.7	46.6
Trimble	291	38.8	19.9	41.2
Union	462	41.3	17.1	41.6
Warren	2,835	46.0	18.3	35.7
Washington	413	32.0	18.6	49.4
Wayne	923	34.0	19.6	46.4
Webster	449	41.4	18.5	40.1
Whitley	2,332	36.0	19.5	44.5
Wolfe	534	32.2	16.5	51.3
Woodford	606	36.0	19.5	44.6
<b>Kentucky</b>	<b>135,754</b>	<b>40.5</b>	<b>18.7</b>	<b>40.8</b>
<b>Nation (Prior Year)</b>	<b>7,117,562</b>	<b>35.3</b>	<b>22.0</b>	<b>42.6</b>

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adair	143	9.1 (37)	5.6 (40)	554	5.1 (26)	5.4 (70)	11.4 (10)	237	15.2 (18)	15.2 (34)	345	13.9 (81)
Allen	173	7.5 (12)	5.2 (28)	664	6.9 (62)	4.5 (51)	14.5 (40)	294	17.3 (41)	18.4 (62)	344	16.6 (101)
Anderson	119	12.6 (82)	5.9 (46)	451	8.0 (77)	6.2 (92)	15.7 (62)	187	19.8 (82)	16.0 (40)	309	12.3 (69)
Ballard	46	* *	* *	227	7.5 (72)	4.8 (56)	16.7 (73)	117	21.4 (96)	10.3 (6)	186	14.0 (82)
Barren	345	9.9 (49)	7.0 (70)	1,358	5.2 (28)	4.0 (40)	15.0 (48)	550	19.8 (82)	21.1 (98)	917	17.1 (103)
Bath	107	9.3 (43)	5.6 (40)	456	10.7 (103)	3.9 (34)	21.3 (112)	223	20.6 (90)	28.7 (116)	324	6.8 (26)
Bell	347	7.8 (16)	6.6 (61)	1,561	8.0 (77)	3.9 (34)	21.1 (109)	778	15.6 (23)	20.7 (93)	1,083	3.0 (4)
Boone	674	8.2 (20)	7.1 (73)	2,389	7.2 (69)	6.1 (88)	15.6 (59)	935	18.8 (67)	16.1 (42)	1,322	17.2 (104)
Bourbon	171	11.7 (71)	2.9 (5)	537	7.6 (73)	4.8 (56)	19.6 (103)	203	17.7 (49)	20.2 (85)	371	23.7 (115)
Boyd	436	8.5 (21)	4.4 (18)	1,452	5.5 (32)	9.3 (117)	11.0 (7)	568	19.7 (80)	15.1 (31)	946	18.1 (110)
Boyle	211	10.9 (67)	6.2 (54)	704	3.8 (6)	2.3 (12)	17.0 (76)	282	22.3 (104)	20.2 (85)	429	10.0 (55)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)		(8)	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bracken	81	* *	* *	283	6.4 (50)	8.5(115)	19.1 (96)	102	20.6 (90)	25.5(111)	186	4.8 (11)
Breathitt	166	13.3 (86)	5.4 (32)	667	6.4 (50)	3.9 (34)	20.5(105)	326	13.2 (8)	20.6 (89)	475	6.3 (21)
Breckinrid	141	9.2 (39)	5.0 (21)	599	9.5 (94)	3.0 (19)	15.0 (48)	259	14.3 (13)	16.6 (49)	442	8.6 (47)
Bullitt	435	11.0 (68)	6.9 (68)	1,357	6.2 (44)	4.1 (43)	14.9 (47)	502	13.7 (10)	13.9 (19)	766	15.5 (92)
Butler	116	8.6 (25)	8.6 (83)	494	5.7 (36)	2.4 (13)	18.6 (94)	232	19.0 (69)	22.4(102)	341	12.6 (71)
Caldwell	120	10.8 (66)	10.0 (89)	412	6.8 (60)	6.3 (94)	17.5 (81)	177	20.3 (89)	14.1 (21)	290	7.9 (35)
Calloway	252	6.0 (5)	11.1 (91)	1,004	6.1 (41)	4.1 (43)	12.5 (16)	407	18.4 (61)	13.3 (13)	659	7.0 (30)
Campbell	551	12.0 (75)	6.2 (54)	1,793	5.7 (36)	7.0(104)	10.6 (6)	682	11.7 (3)	7.9 (2)	1,016	15.5 (92)
Carlisle	35	* *	* *	187	9.6 (96)	2.1 (7)	19.3 (99)	106	31.1(117)	16.0 (40)	145	15.9 (98)
Carroll	116	7.8 (16)	6.0 (48)	505	13.5(116)	3.6 (26)	17.0 (76)	223	22.4(105)	20.6 (89)	375	14.1 (83)
Carter	316	8.9 (33)	3.5 (11)	1,343	4.0 (10)	7.2(106)	15.0 (48)	623	18.5 (63)	19.3 (72)	916	14.3 (85)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Casey	127	10.2 (56)	5.5 (36)	561	9.3 (92)	4.5 (51)	12.8 (22)	275	17.1 (38)	14.9 (27)	387	11.4 (65)
Christian	1,059	10.6 (64)	7.8 (78)	4,422	4.6 (16)	7.3(107)	10.1 (4)	1,824	11.3 (2)	8.9 (4)	2,984	23.8(116)
Clark	295	10.5 (62)	5.1 (26)	1,000	5.5 (32)	4.5 (51)	16.1 (65)	405	18.3 (56)	22.5(103)	633	15.5 (92)
Clay	272	9.9 (49)	5.1 (26)	1,170	5.0 (24)	8.3(114)	17.6 (86)	585	21.7 (98)	23.9(108)	857	5.5 (16)
Clinton	112	14.3 (92)	8.0 (79)	514	5.1 (26)	5.8 (79)	15.6 (59)	245	21.6 (97)	19.6 (78)	370	5.1 (14)
Crittenden	79	* *	* *	281	3.6 (5)	3.6 (26)	15.3 (54)	131	22.1(102)	8.4 (3)	200	13.0 (73)
Cumberland	75	* *	* *	327	4.6 (16)	6.4 (96)	8.9 (1)	155	15.5 (22)	11.0 (9)	206	14.1 (83)
Daviess	806	7.9 (19)	6.0 (48)	2,934	9.4 (93)	2.4 (13)	17.8 (88)	1,214	17.6 (47)	18.4 (62)	1,882	15.6 (96)
Edmonson	85	* *	* *	413	4.4 (13)	3.9 (34)	12.3 (14)	184	16.8 (36)	16.3 (47)	288	6.3 (21)
Elliott	82	* *	* *	360	3.9 (8)	6.9(101)	13.9 (32)	180	18.3 (56)	20.0 (82)	251	26.7(119)
Estill	143	11.9 (73)	7.0 (70)	632	6.8 (60)	3.8 (32)	12.7 (19)	293	17.4 (44)	19.5 (76)	454	4.8 (11)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fayette	1,913	10.2 (56)	5.4 (32)	6,165	7.6 (73)	5.5 (73)	14.1 (35)	2,325	20.6 (90)	20.3 (87)	3,251	24.0 (117)
Fleming	122	16.4 (94)	11.5 (93)	571	6.7 (56)	6.5 (97)	16.1 (65)	297	16.5 (30)	14.8 (25)	442	13.1 (75)
Floyd	487	14.2 (91)	4.3 (17)	1,883	5.7 (36)	6.9 (101)	13.4 (27)	888	12.5 (5)	15.8 (38)	1,329	8.7 (49)
Franklin	379	10.0 (53)	5.5 (36)	1,203	9.1 (89)	5.8 (79)	17.0 (76)	396	24.5 (114)	22.5 (103)	720	17.9 (108)
Fulton	85	* *	* *	390	6.7 (56)	4.1 (43)	18.2 (91)	189	20.1 (86)	19.6 (78)	285	18.9 (112)
Gallatin	114	8.8 (31)	3.5 (11)	377	7.4 (71)	6.9 (101)	15.1 (51)	152	17.1 (38)	17.1 (55)	265	15.1 (89)
Garrard	153	11.8 (72)	5.9 (46)	596	8.7 (83)	4.4 (47)	15.3 (54)	278	17.3 (41)	19.8 (80)	394	14.7 (87)
Grant	285	11.9 (73)	8.4 (81)	1,141	4.6 (16)	5.2 (64)	11.6 (13)	499	19.0 (69)	12.8 (12)	836	10.4 (59)
Graves	331	6.9 (9)	7.3 (74)	1,334	5.7 (36)	5.4 (70)	17.3 (80)	618	20.2 (88)	17.8 (60)	897	17.2 (104)
Grayson	232	11.2 (69)	6.0 (48)	1,002	8.4 (80)	5.9 (84)	12.7 (19)	475	17.5 (46)	14.7 (23)	760	1.7 (3)
Green	86	* *	* *	385	7.3 (70)	2.1 (7)	17.9 (89)	182	17.6 (47)	20.9 (95)	282	13.5 (79)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Greenup	258	8.5 (21)	5.0 (21)	1,042	4.7 (22)	10.0(120)	13.1 (24)	448	16.5 (30)	18.8 (67)	657	6.1 (19)
Hancock	55	* *	* *	277	6.9 (62)	3.2 (22)	16.6 (71)	136	25.7(116)	16.2 (45)	214	6.5 (23)
Hardin	911	9.4 (44)	5.2 (28)	3,375	8.9 (86)	2.9 (18)	13.9 (32)	1,301	17.9 (52)	13.8 (17)	2,278	7.2 (31)
Harlan	377	12.2 (77)	8.5 (82)	1,550	6.1 (41)	8.1(113)	15.6 (59)	732	17.9 (52)	20.8 (94)	1,010	8.2 (38)
Harrison	164	12.8 (83)	1.2 (1)	599	7.0 (67)	5.8 (79)	13.5 (28)	268	16.0 (26)	13.8 (17)	395	8.9 (51)
Hart	144	10.4 (61)	6.3 (56)	621	3.5 (4)	5.8 (79)	12.7 (19)	276	18.8 (67)	17.0 (52)	428	6.8 (26)
Henderson	382	12.3 (80)	4.2 (16)	1,394	6.5 (52)	6.3 (94)	11.5 (12)	553	18.3 (56)	19.3 (72)	859	3.5 (5)
Henry	115	12.2 (77)	11.3 (92)	435	10.1 (98)	4.8 (56)	17.9 (89)	184	23.4(112)	15.8 (38)	297	17.5(107)
Hickman	32	* *	* *	134	4.5 (14)	6.0 (85)	17.2 (79)	53	* *	* *	98	* *
Hopkins	419	9.8 (47)	5.5 (36)	1,569	10.7(103)	2.2 (11)	17.5 (81)	619	21.2 (94)	19.4 (75)	1,094	7.8 (33)
Jackson	157	7.6 (15)	8.3 (80)	640	6.3 (48)	4.4 (47)	15.2 (53)	324	16.4 (28)	19.1 (71)	477	4.0 (7)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jefferson	5,205	12.2 (77)	6.0 (48)	16,571	6.7 (56)	5.7 (75)	14.4 (37)	6,050	16.4 (28)	15.0 (29)	10,114	15.1 (89)
Jessamine	400	7.0 (10)	6.8 (66)	1,385	5.6 (35)	6.2 (92)	10.0 (3)	555	16.6 (33)	11.9 (11)	845	18.1 (110)
Johnson	257	12.1 (76)	5.4 (32)	1,036	6.2 (44)	7.1 (105)	16.8 (74)	503	18.7 (66)	17.3 (57)	748	20.9 (113)
Kenton	1,393	8.9 (33)	6.5 (59)	3,044	6.9 (62)	5.7 (75)	13.7 (30)	842	22.4 (105)	24.6 (110)	1,472	17.3 (106)
Knott	156	16.7 (95)	1.3 (2)	658	13.5 (116)	3.0 (19)	23.3 (117)	313	19.2 (73)	23.6 (106)	519	9.1 (52)
Knox	371	9.2 (39)	7.0 (70)	1,487	4.6 (16)	5.4 (70)	17.6 (86)	726	19.8 (82)	23.6 (106)	1,043	6.8 (26)
Larue	131	9.9 (49)	7.6 (76)	513	6.6 (54)	1.8 (4)	19.5 (102)	228	14.5 (14)	19.3 (72)	363	17.9 (108)
Laurel	505	10.3 (59)	9.3 (86)	1,839	5.4 (31)	7.8 (112)	16.2 (67)	728	22.0 (101)	21.2 (99)	1,142	8.4 (43)
Lawrence	154	14.9 (93)	3.2 (7)	609	8.9 (86)	7.4 (108)	18.2 (91)	261	16.5 (30)	23.4 (105)	424	9.4 (54)
Lee	68	* *	* *	327	4.6 (16)	3.7 (29)	14.4 (37)	164	12.2 (4)	13.4 (14)	257	7.8 (33)
Leslie	104	8.7 (28)	4.8 (19)	537	4.5 (14)	6.7 (99)	18.8 (95)	269	14.1 (12)	19.0 (69)	438	11.9 (66)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Letcher	245	10.2 (56)	4.1 (15)	850	14.1(118)	1.4 (2)	21.3(112)	326	21.8 (99)	20.9 (95)	593	1.3 (2)
Lewis	133	9.0 (36)	3.0 (6)	564	6.6 (54)	7.4(108)	14.5 (40)	252	18.3 (56)	18.7 (65)	312	8.3 (42)
Lincoln	218	10.6 (64)	6.0 (48)	869	6.1 (41)	6.0 (85)	17.5 (81)	366	19.7 (80)	18.9 (68)	611	8.2 (38)
Livingston	63	* *	* *	286	6.3 (48)	5.2 (64)	20.6(106)	133	21.8 (99)	13.5 (15)	228	4.4 (8)
Logan	218	8.7 (28)	5.5 (36)	785	7.1 (68)	6.0 (85)	15.4 (57)	289	23.2(111)	17.0 (52)	467	21.2(114)
Lyon	46	* *	* *	176	11.9(114)	1.7 (3)	22.7(116)	79	* *	* *	125	8.0 (36)
Madison	593	9.9 (49)	6.6 (61)	2,005	5.5 (32)	7.5(110)	11.3 (9)	767	19.4 (76)	16.7 (51)	1,329	8.5 (45)
Magoffin	171	13.5 (88)	3.5 (11)	758	10.2(101)	3.7 (29)	23.7(118)	380	16.6 (33)	26.8(113)	488	10.9 (62)
Marion	171	10.5 (62)	7.6 (76)	715	10.8(105)	3.8 (32)	17.5 (81)	308	19.8 (82)	16.6 (49)	500	8.4 (43)
Marshall	193	7.8 (16)	5.2 (28)	836	11.7(112)	6.1 (88)	13.5 (28)	390	13.8 (11)	10.5 (7)	535	12.0 (67)
Martin	162	8.6 (25)	5.6 (40)	658	8.5 (81)	6.1 (88)	21.3(112)	314	18.2 (55)	23.9(108)	499	6.8 (26)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Mason	186	13.4 (87)	9.1 (85)	591	9.5 (94)	6.1 (88)	16.6 (71)	226	15.9 (24)	15.0 (29)	364	15.9 (98)
McCracken	474	10.3 (59)	6.8 (66)	1,768	6.9 (62)	5.3 (68)	21.1(109)	757	16.2 (27)	15.7 (36)	1,289	11.2 (64)
McCreary	216	8.8 (31)	6.9 (68)	977	11.2(110)	5.5 (73)	16.2 (67)	478	22.6(109)	25.5(111)	732	6.6 (25)
McLean	99	* *	* *	378	15.3(119)	4.5 (51)	16.4 (69)	172	20.9 (93)	19.8 (80)	262	0.8 (1)
Meade	163	9.8 (47)	9.8 (88)	714	9.0 (88)	4.1 (43)	17.5 (81)	319	19.4 (76)	14.4 (22)	523	13.0 (73)
Menifee	69	* *	* *	331	6.9 (62)	5.1 (63)	10.3 (5)	168	19.6 (79)	10.1 (5)	226	12.4 (70)
Mercer	161	7.5 (12)	5.0 (21)	675	9.6 (96)	2.7 (16)	14.2 (36)	303	17.2 (40)	16.2 (45)	498	8.2 (38)
Metcalfe	86	* *	* *	372	3.8 (6)	6.7 (99)	13.2 (25)	163	14.7 (15)	17.2 (56)	251	12.0 (67)
Monroe	90	* *	* *	421	6.2 (44)	5.2 (64)	20.7(108)	193	18.1 (54)	26.9(114)	279	6.5 (23)
Montgomery	276	10.1 (54)	8.7 (84)	1,055	8.8 (84)	2.1 (7)	15.5 (58)	468	16.7 (35)	18.4 (62)	764	8.5 (45)
Morgan	131	6.1 (6)	10.7 (90)	563	5.0 (24)	5.0 (61)	14.7 (44)	277	19.1 (71)	20.6 (89)	319	15.4 (91)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Muhlenberg	285	9.5 (45)	6.3 (56)	1,036	4.9 (23)	3.7 (29)	12.9 (23)	431	15.3 (19)	15.1 (31)	621	8.2 (38)
Nelson	311	12.9 (84)	3.2 (7)	1,168	11.8(113)	5.2 (64)	16.0 (64)	470	15.3 (19)	14.9 (27)	748	13.8 (80)
Nicholas	66	* *	* *	296	3.0 (3)	9.1(116)	12.5 (16)	136	9.6 (1)	7.4 (1)	210	12.9 (72)
Ohio	263	5.7 (3)	5.7 (44)	1,025	7.9 (76)	2.4 (13)	11.4 (10)	446	17.7 (49)	16.1 (42)	725	5.2 (15)
Oldham	187	7.5 (12)	3.2 (7)	764	11.0(108)	1.0 (1)	19.1 (96)	324	18.5 (63)	15.7 (36)	467	10.3 (58)
Owen	73	* *	* *	342	5.3 (29)	5.8 (79)	11.1 (8)	147	15.0 (17)	17.7 (59)	242	14.5 (86)
Owsley	45	* *	* *	274	7.7 (75)	3.6 (26)	21.2(111)	160	24.4(113)	21.3(100)	234	15.8 (97)
Pendleton	106	8.5 (21)	6.6 (61)	419	8.8 (84)	5.7 (75)	14.6 (43)	176	22.7(110)	17.6 (58)	282	13.1 (75)
Perry	275	12.4 (81)	5.8 (45)	1,116	11.4(111)	2.1 (7)	30.5(119)	503	19.1 (71)	27.4(115)	765	10.6 (60)
Pike	601	13.6 (90)	5.2 (28)	2,162	2.2 (1)	9.3(117)	12.6 (18)	853	14.8 (16)	15.5 (35)	1,388	6.1 (19)
Powell	141	7.1 (11)	6.4 (58)	638	4.1 (11)	3.3 (24)	13.9 (32)	308	22.1(102)	19.5 (76)	478	5.0 (13)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pulaski	565	10.1 (54)	5.0 (21)	2,184	4.1 (11)	5.7 (75)	9.2 (2)	879	17.4 (44)	10.8 (8)	1,421	5.6 (17)
Robertson	19	* *	* *	121	9.1 (89)	6.6 (98)	16.5 (70)	62	* *	* *	100	8.0 (36)
Rockcastle	152	9.2 (39)	3.9 (14)	710	10.1 (98)	4.4 (47)	18.5 (93)	342	22.5(108)	18.7 (65)	537	9.1 (52)
Rowan	210	8.6 (25)	13.8 (95)	780	2.9 (2)	5.3 (68)	12.4 (15)	322	12.7 (6)	16.1 (42)	496	8.7 (49)
Russell	170	5.3 (2)	6.5 (59)	686	10.8(105)	4.4 (47)	14.4 (37)	294	25.2(115)	20.1 (83)	430	4.4 (8)
Scott	298	11.4 (70)	5.0 (21)	990	6.5 (52)	3.2 (22)	20.6(106)	370	15.4 (21)	20.3 (87)	626	11.0 (63)
Shelby	282	8.5 (21)	6.7 (64)	974	17.5(120)	2.0 (6)	31.6(120)	384	22.4(105)	32.3(117)	665	13.2 (78)
Simpson	140	5.7 (3)	12.9 (94)	509	5.3 (29)	4.5 (51)	15.1 (51)	191	18.3 (56)	13.6 (16)	322	15.5 (92)
Spencer	103	8.7 (28)	4.9 (20)	325	10.2(101)	3.1 (21)	19.4(100)	126	15.9 (24)	20.6 (89)	191	13.1 (75)
Taylor	194	6.7 (7)	6.7 (64)	781	5.9 (40)	1.8 (4)	13.7 (30)	364	18.4 (61)	14.8 (25)	504	6.0 (18)
Todd	113	9.7 (46)	2.7 (4)	479	8.6 (82)	4.8 (56)	19.4(100)	217	19.4 (76)	14.7 (23)	359	15.0 (88)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Trigg	92	* *	* *	387	8.0 (77)	3.9 (34)	14.5 (40)	183	21.3 (95)	11.5 (10)	297	7.4 (32)
Trimble	74	* *	* *	283	9.2 (91)	9.5(119)	15.9 (63)	119	19.3 (74)	15.1 (31)	193	24.9(118)
Union	126	13.5 (88)	3.2 (7)	450	10.9(107)	4.0 (40)	15.3 (54)	188	13.3 (9)	17.0 (52)	313	3.5 (5)
Warren	821	9.1 (37)	7.3 (74)	2,729	4.6 (16)	5.0 (61)	13.2 (25)	974	17.8 (51)	16.3 (47)	1,621	16.5(100)
Washington	94	* *	* *	396	11.1(109)	2.8 (17)	19.9(104)	199	18.6 (65)	20.1 (83)	269	10.0 (55)
Wayne	195	6.7 (7)	5.6 (40)	894	3.9 (8)	4.8 (56)	14.8 (45)	425	19.3 (74)	18.1 (61)	649	8.6 (47)
Webster	120	9.2 (39)	1.7 (3)	436	12.2(115)	3.9 (34)	22.0(115)	173	16.8 (36)	21.4(101)	307	4.6 (10)
Whitley	549	8.9 (33)	9.3 (86)	2,231	6.2 (44)	7.5(110)	16.8 (74)	1,014	17.3 (41)	21.0 (97)	1,654	10.6 (60)
Wolfe	114	3.5 (1)	6.1 (53)	522	6.7 (56)	4.0 (40)	19.2 (98)	268	20.1 (86)	19.0 (69)	396	10.1 (57)
Woodford	130	13.1 (85)	5.4 (32)	587	10.1 (98)	3.4 (25)	14.8 (45)	265	12.8 (7)	14.0 (20)	365	17.0(102)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
<b>Kentucky</b>	<b>35,259</b>	<b>10.2</b>	<b>6.1</b>	<b>129,341</b>	<b>7.0</b>	<b>5.3</b>	<b>15.3</b>	<b>53,777</b>	<b>17.9</b>	<b>17.4</b>	<b>84,401</b>	<b>12.3</b>
<b>Nation (Prior Year)</b>	<b>1,641,264</b>	<b>9.4</b>	<b>6.6</b>	<b>6,709,486</b>	<b>6.4</b>	<b>4.8</b>	<b>13.9</b>	<b>2,869,075</b>	<b>16.1</b>	<b>14.7</b>	<b>4,381,087</b>	<b>13.6</b>

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household					
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)				
Adair	34	* *	14	* *	24	* *	0	* *	0	* *	257	100. (1)	578	26.1 (34)
Allen	78	* *	24	* *	47	* *	0	* *	0	* *	326	90.2 (116)	682	48.5 (79)
Anderson	62	* *	21	* *	20	* *	0	* *	0	* *	209	100. (1)	466	25.3 (32)
Ballard	16	* *	8	* *	14	* *	0	* *	0	* *	123	100. (1)	248	50.8 (85)
Barren	122	100. (1)	46	* *	73	* *	0	* *	0	* *	615	92.4 (111)	1,405	46.7 (73)
Bath	19	* *	4	* *	8	* *	0	* *	0	* *	246	99.6 (90)	485	49.1 (80)
Bell	68	* *	21	* *	40	* *	0	* *	0	* *	855	96.8 (103)	1,648	26.8 (36)
Boone	216	100. (1)	63	* *	96	* *	0	* *	0	* *	1,029	100. (1)	2,530	33.0 (46)
Bourbon	61	* *	16	* *	23	* *	0	* *	0	* *	221	100. (1)	571	5.8 (10)
Boyd	150	100. (1)	37	* *	58	* *	0	* *	0	* *	621	100. (1)	1,521	31.8 (41)
Boyle	42	* *	10	* *	16	* *	0	* *	0	* *	310	100. (1)	750	32.9 (45)
Bracken	24	* *	6	* *	15	* *	0	* *	0	* *	122	83.6 (117)	296	46.3 (72)
Breathitt	19	* *	12	* *	12	* *	0	* *	0	* *	367	94.3 (107)	718	66.2 (109)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)				
Breckinrid	46	* *	22	* *	23	* *	0	* *	0	* *	290	93.1 (110)	622	1.9 (4)
Bullitt	149	100. (1)	39	* *	75	* *	0	* *	0	* *	533	100. (1)	1,416	50.4 (84)
Butler	37	* *	13	* *	21	* *	0	* *	0	* *	254	100. (1)	508	27.8 (38)
Caldwell	38	* *	13	* *	24	* *	0	* *	0	* *	194	100. (1)	436	53.0 (92)
Calloway	135	100. (1)	38	* *	81	* *	0	* *	0	* *	446	93.7 (108)	1,033	19.7 (25)
Campbell	145	100. (1)	41	* *	49	* *	0	* *	0	* *	744	100. (1)	1,927	17.7 (21)
Carlisle	11	* *	4	* *	16	* *	0	* *	0	* *	113	100. (1)	195	61.5 (106)
Carroll	35	* *	15	* *	21	* *	0	* *	0	* *	244	99.2 (94)	521	56.4 (97)
Carter	101	100. (1)	38	* *	62	* *	0	* *	0	* *	697	100. (1)	1,399	51.5 (88)
Casey	52	* *	12	* *	13	* *	0	* *	0	* *	303	100. (1)	584	57.0 (100)
Christian	402	100. (1)	181	32.6 (2)	148	32.4 (1)	0	* *	0	* *	1,958	90.3 (115)	4,631	18.3 (22)
Clark	99	* *	38	* *	46	* *	0	* *	0	* *	456	100. (1)	1,047	3.5 (9)
Clay	50	* *	14	* *	25	* *	0	* *	0	* *	649	100. (1)	1,215	87.8 (118)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number  (Rank)	% Ever Breastfed  (Rank)	Number Breastfed At Least 6 Months  (Rank)	Number Breastfed At Least 12 Months  (Rank)	Number Breastfed At Least 3 Months  (Rank)	Number Breastfed At Least 6 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)		
Clinton	21	* *	6	* *	8	* *	0	* *	266	100. (1)	532	21.8 (30)
Crittenden	18	* *	4	* *	11	* *	0	* *	137	100. (1)	300	9.7 (14)
Cumberland	16	* *	3	* *	9	* *	0	* *	168	100. (1)	335	41.2 (64)
Daviess	215	100. (1)	55	* *	72	* *	0	* *	1,324	99.2 (94)	3,060	38.3 (54)
Edmonson	27	* *	15	* *	10	* *	0	* *	200	91.5 (113)	425	40.2 (61)
Elliott	22	* *	8	* *	10	* *	0	* *	195	97.4 (102)	376	31.9 (42)
Estill	44	* *	14	* *	22	* *	0	* *	320	100. (1)	656	32.6 (43)
Fayette	1,029	100. (1)	341	31.7 (3)	403	20.8 (2)	0	* *	2,568	95.6 (105)	6,463	0.1 (1)
Fleming	36	* *	10	* *	17	* *	0	* *	329	100. (1)	594	38.7 (56)
Floyd	104	100. (1)	27	* *	50	* *	0	* *	993	99.3 (93)	1,988	57.8 (101)
Franklin	159	100. (1)	52	* *	63	* *	0	* *	442	97.5 (101)	1,248	66.8 (110)
Fulton	25	* *	12	* *	15	* *	0	* *	205	100. (1)	403	52.4 (91)
Gallatin	34	* *	8	* *	12	* *	0	* *	172	100. (1)	406	27.6 (37)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household					
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)				
Garrard	59	* *	16	* *	20	* *	0	* *	0	* *	303	100. (1)	629	44.4 (67)
Grant	92	* *	37	* *	60	* *	0	* *	0	* *	558	100. (1)	1,198	69.8 (115)
Graves	155	100. (1)	43	* *	77	* *	0	* *	0	* *	675	100. (1)	1,380	42.4 (65)
Grayson	68	* *	29	* *	49	* *	0	* *	0	* *	522	100. (1)	1,043	23.7 (31)
Green	34	* *	11	* *	24	* *	0	* *	0	* *	202	100. (1)	401	35.9 (50)
Greenup	84	* *	26	* *	33	* *	0	* *	0	* *	483	100. (1)	1,072	32.6 (43)
Hancock	19	* *	11	* *	18	* *	0	* *	0	* *	145	100. (1)	285	33.0 (46)
Hardin	310	100. (1)	122	23.8 (4)	134	18.7 (4)	0	* *	0	* *	1,410	99.9 (85)	3,489	58.8 (102)
Harlan	78	* *	22	* *	31	* *	0	* *	0	* *	820	95.5 (106)	1,633	13.3 (18)
Harrison	73	* *	30	* *	30	* *	0	* *	0	* *	292	95.9 (104)	637	43.2 (66)
Hart	52	* *	17	* *	18	* *	0	* *	0	* *	299	100. (1)	642	45.3 (69)
Henderson	105	100. (1)	38	* *	39	* *	0	* *	0	* *	606	100. (1)	1,437	44.7 (68)
Henry	39	* *	14	* *	27	* *	0	* *	0	* *	206	100. (1)	457	39.8 (60)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)						
Hickman	13	* *	6	* *	9	* *	0	* *	59	* *	137	55.5 (94)		
Hopkins	152	100. (1)	45	* *	44	* *	0	* *	684	100. (1)	1,639	51.4 (87)		
Jackson	31	* *	12	* *	17	* *	0	* *	361	100. (1)	662	46.1 (71)		
Jefferson	2,138	100. (1)	645	34.7 (1)	803	19.8 (3)	0	* *	0	* *	6,625	100. (1)	17,634	1.5 (3)
Jessamine	150	100. (1)	63	* *	70	* *	0	* *	0	* *	609	98.4 (99)	1,448	41.1 (63)
Johnson	84	* *	25	* *	39	* *	0	* *	0	* *	549	100. (1)	1,083	46.8 (74)
Kenton	558	100. (1)	77	* *	73	* *	0	* *	0	* *	917	100. (1)	3,294	47.4 (77)
Knott	18	* *	12	* *	7	* *	0	* *	0	* *	351	100. (1)	706	38.2 (52)
Knox	74	* *	24	* *	27	* *	0	* *	0	* *	800	100. (1)	1,596	0.3 (2)
Larue	62	* *	19	* *	37	* *	0	* *	0	* *	244	100. (1)	542	16.4 (20)
Laurel	155	100. (1)	47	* *	52	* *	0	* *	0	* *	809	98.6 (98)	1,918	69.7 (114)
Lawrence	47	* *	27	* *	24	* *	0	* *	0	* *	298	98.0 (100)	650	19.7 (25)
Lee	17	* *	4	* *	4	* *	0	* *	0	* *	178	100. (1)	345	26.7 (35)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)						
Leslie	26	* *	16	* *	18	* *	0	* *	0	* *	309	99.7 (88)	574	7.7 (12)
Letcher	61	* *	25	* *	21	* *	0	* *	0	* *	359	100. (1)	906	13.2 (17)
Lewis	41	* *	21	* *	31	* *	0	* *	0	* *	281	100. (1)	594	36.0 (51)
Lincoln	57	* *	26	* *	33	* *	0	* *	0	* *	414	100. (1)	912	47.0 (76)
Livingston	20	* *	9	* *	18	* *	0	* *	0	* *	143	100. (1)	307	10.7 (16)
Logan	84	* *	24	* *	33	* *	0	* *	0	* *	328	100. (1)	809	15.8 (19)
Lyon	15	* *	4	* *	7	* *	0	* *	0	* *	89	* *	188	34.0 (49)
Madison	194	100. (1)	47	* *	75	* *	0	* *	0	* *	842	100. (1)	2,073	59.2 (103)
Magoffin	30	* *	11	* *	16	* *	0	* *	0	* *	425	99.8 (86)	797	46.8 (74)
Marion	61	* *	29	* *	34	* *	0	* *	0	* *	344	100. (1)	745	52.2 (90)
Marshall	68	* *	26	* *	37	* *	0	* *	0	* *	426	100. (1)	894	39.0 (57)
Martin	20	* *	6	* *	7	* *	0	* *	0	* *	352	100. (1)	683	93.4 (119)
Mason	44	* *	18	* *	27	* *	0	* *	0	* *	255	100. (1)	633	50.2 (83)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
McCracken	161 (1)	100.0	49 *	64 *	0 *	0 *	823 (1)	100.0	1,949 (15)	10.4
McCreary	40 *	*	9 *	15 *	0 *	0 *	529 (1)	100.0	1,016 (82)	49.7
McLean	21 *	*	15 *	19 *	0 *	0 *	186 (1)	100.0	395 (98)	56.5
Meade	46 *	*	19 *	28 *	0 *	0 *	339 (1)	100.0	728 (39)	29.8
Menifee	21 *	*	12 *	17 *	0 *	0 *	184 (1)	100.0	345 (48)	33.9
Mercer	57 *	*	17 *	23 *	0 *	0 *	334 (1)	100.0	696 (111)	69.0
Metcalfe	26 *	*	15 *	13 *	0 *	0 *	172 (97)	98.8	386 (93)	53.4
Monroe	22 *	*	12 *	16 *	0 *	0 *	217 (1)	100.0	429 (40)	30.8
Montgomery	78 *	*	39 *	41 *	0 *	0 *	504 (86)	99.8	1,092 (89)	51.9
Morgan	22 *	*	6 *	9 *	0 *	0 *	311 (1)	100.0	597 (58)	39.4
Muhlenberg	60 *	*	17 *	32 *	0 *	0 *	468 (1)	100.0	1,066 (104)	60.4
Nelson	113 (1)	100.0	36 *	46 *	0 *	0 *	514 (1)	100.0	1,196 (120)	94.0
Nicholas	16 *	*	5 *	12 *	0 *	0 *	153 (113)	91.5	313 (99)	56.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)						
Ohio	92	* *	32	* *	48	* *	0	* *	0	* *	480	100. (1)	1,061	40.9 (62)
Oldham	95	* *	41	* *	56	* *	0	* *	0	* *	361	99.7 (88)	799	69.3 (112)
Owen	27	* *	13	* *	13	* *	0	* *	0	* *	157	100. (1)	348	19.8 (27)
Owsley	10	* *	5	* *	5	* *	0	* *	0	* *	170	100. (1)	286	63.6 (107)
Pendleton	46	* *	17	* *	17	* *	0	* *	0	* *	193	99.5 (91)	433	86.1 (117)
Perry	80	* *	25	* *	36	* *	0	* *	0	* *	564	100. (1)	1,197	2.1 (5)
Pike	110	100. (1)	29	* *	40	* *	0	* *	0	* *	978	99.1 (96)	2,279	71.3 (116)
Powell	41	* *	16	* *	22	* *	0	* *	0	* *	334	92.2 (112)	658	56.2 (96)
Pulaski	186	100. (1)	83	* *	93	* *	0	* *	0	* *	985	100. (1)	2,268	38.2 (52)
Robertson	5	* *	2	* *	7	* *	0	* *	0	* *	70	* *	124	63.7 (108)
Rockcastle	54	* *	19	* *	29	* *	0	* *	0	* *	377	99.5 (91)	729	2.5 (7)
Rowan	77	* *	19	* *	18	* *	0	* *	0	* *	354	100. (1)	801	8.5 (13)
Russell	50	* *	13	* *	23	* *	0	* *	0	* *	330	100. (1)	714	38.5 (55)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Scott	125 (1)	100.0	57 *	58 *	0 *	0 *	411 (109)	93.4	1,058 (86)	50.9
Shelby	118 (1)	100.0	32 *	36 *	0 *	0 *	430 (1)	100.0	1,061 (11)	6.6
Simpson	42 *	*	12 *	17 *	0 *	0 *	211 (1)	100.0	530 (78)	47.5
Spencer	25 *	*	8 *	12 *	0 *	0 *	147 (1)	100.0	341 (8)	3.2
Taylor	68 *	*	21 *	38 *	0 *	0 *	394 (1)	100.0	811 (81)	49.2
Todd	41 *	*	23 *	33 *	0 *	0 *	238 (1)	100.0	503 (33)	25.4
Trigg	37 *	*	20 *	30 *	0 *	0 *	203 (1)	100.0	410 (95)	55.6
Trimble	22 *	*	7 *	10 *	0 *	0 *	128 (1)	100.0	291 (28)	19.9
Union	44 *	*	15 *	14 *	0 *	0 *	203 (1)	100.0	462 (70)	45.7
Warren	355 (1)	100.0	100 (5)	99 *	0 *	0 *	1,089 (1)	100.0	2,835 (24)	19.5
Washington	46 *	*	15 *	17 *	0 *	0 *	215 (1)	100.0	413 (6)	2.2
Wayne	45 *	*	21 *	30 *	0 *	0 *	465 (1)	100.0	923 (105)	60.8
Webster	51 *	*	14 *	18 *	0 *	0 *	192 (1)	100.0	449 (59)	39.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Whitley	122	100. (1)	45	* *	62	* *	0	* *	0	* *	1,127	100. (1)	2,332	20.2 (29)
Wolfe	18	* *	10	* *	13	* *	0	* *	0	* *	296	100. (1)	534	69.5 (113)
Woodford	55	* *	26	* *	38	* *	0	* *	0	* *	289	100. (1)	606	19.3 (23)
<b>Kentucky</b>	<b>12,119</b>	<b>100.</b>	<b>3,980</b>	<b>27.5</b>	<b>5,142</b>	<b>16.2</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>59,198</b>	<b>98.8</b>	<b>135,754</b>	<b>32.7</b>
<b>Nation (Prior Year)</b>	<b>1,515,954</b>	<b>58.5</b>	<b>751,259</b>	<b>24.3</b>	<b>869,342</b>	<b>17.7</b>	<b>101,887</b>	<b>13.6</b>	<b>136,891</b>	<b>6.8</b>	<b>343,170</b>	<b>64.7</b>	<b>1,120,034</b>	<b>16.9</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adair	492	11.8 (102)	5.7 (36)	1,678	6.3 (43)	4.2 (53)	14.0 (23)	714	18.8 (66)	16.7 (44)	1,003	9.7 (49)
Allen	574	9.1 (46)	4.4 (9)	2,010	7.0 (53)	3.9 (43)	15.0 (36)	912	20.4 (88)	16.9 (47)	1,103	11.5 (69)
Anderson	390	13.3 (113)	6.4 (53)	1,273	7.9 (70)	5.4 (86)	17.0 (60)	507	21.5 (105)	19.1 (75)	877	11.3 (65)
Ballard	214	6.1 (3)	6.1 (47)	757	8.9 (85)	6.5 (109)	19.4 (89)	343	20.4 (88)	12.2 (9)	569	10.0 (53)
Barren	1,261	10.9 (92)	7.5 (89)	3,934	5.7 (28)	4.2 (53)	16.4 (52)	1,547	20.9 (97)	19.8 (82)	2,485	17.2 (106)
Bath	351	12.0 (103)	8.3 (105)	1,379	9.9 (97)	2.8 (16)	21.5 (110)	672	23.8 (117)	24.6 (114)	890	7.5 (30)
Bell	1,270	9.9 (74)	5.2 (21)	5,036	9.5 (96)	4.0 (45)	20.8 (103)	2,486	16.3 (19)	18.2 (65)	3,399	3.0 (3)
Boone	1,946	8.7 (38)	7.2 (79)	6,793	9.4 (91)	5.1 (79)	18.1 (72)	2,784	19.4 (77)	17.7 (57)	3,949	16.9 (104)
Bourbon	510	14.5 (116)	5.3 (25)	1,551	8.3 (77)	3.7 (37)	20.1 (94)	627	19.0 (68)	20.6 (89)	1,095	25.0 (120)
Boyd	1,457	11.2 (98)	5.6 (32)	4,499	6.1 (39)	8.3 (119)	13.3 (17)	1,729	17.1 (35)	15.8 (33)	2,883	16.3 (103)
Boyle	669	10.0 (77)	6.6 (65)	2,104	4.9 (16)	3.7 (37)	17.5 (69)	848	20.5 (91)	18.2 (65)	1,286	9.5 (45)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>												
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight						Anemia Low Hb/Hct <sup>(8)</sup>		
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bracken	255	4.7 (2)	5.9 (44)	853	5.4 (22)	6.8(110)	20.8(103)	327	19.3 (75)	28.4(119)	575	4.3 (6)
Breathitt	503	8.0 (20)	8.2(102)	2,005	7.0 (53)	3.1 (25)	21.6(111)	980	15.7 (16)	21.4 (96)	1,448	6.8 (22)
Breckinrid	508	8.9 (41)	7.9 (96)	1,859	8.3 (77)	2.6 (13)	15.1 (38)	792	16.3 (19)	15.2 (25)	1,336	7.4 (29)
Bullitt	1,384	10.2 (81)	7.5 (89)	4,045	7.0 (53)	3.8 (40)	14.9 (35)	1,508	14.9 (14)	14.3 (18)	2,342	17.3(107)
Butler	449	7.6 (17)	6.7 (69)	1,605	5.2 (20)	2.8 (16)	18.9 (85)	730	21.0 (99)	23.2(107)	1,073	12.3 (74)
Caldwell	367	10.6 (88)	7.9 (96)	1,313	8.5 (81)	5.7 (95)	19.5 (91)	581	21.0 (99)	19.4 (77)	952	10.5 (57)
Calloway	872	10.1 (79)	9.3(112)	3,007	5.9 (35)	3.3 (28)	14.2 (25)	1,226	19.2 (72)	14.9 (22)	1,974	14.9 (93)
Campbell	1,520	12.6(107)	5.9 (44)	4,939	6.5 (45)	5.7 (95)	13.2 (16)	1,945	12.2 (3)	10.7 (3)	3,096	15.7 (97)
Carlisle	140	18.6(120)	4.3 (7)	624	10.9(106)	2.6 (13)	20.4 (98)	311	25.7(120)	20.6 (89)	431	17.9(110)
Carroll	444	7.0 (11)	5.2 (21)	1,525	13.3(119)	3.7 (37)	19.6 (92)	617	22.4(114)	24.6(114)	1,065	12.7 (79)
Carter	1,087	9.6 (65)	4.0 (5)	4,114	4.5 (11)	7.0(112)	14.2 (25)	1,946	16.8 (30)	17.4 (54)	2,722	11.6 (70)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Casey	428	10.0 (77)	5.8 (40)	1,754	10.1 (98)	3.4 (31)	14.2 (25)	852	18.7 (62)	14.1 (17)	1,190	11.3 (65)
Christian	3,600	9.6 (65)	6.9 (74)	14,141	4.5 (11)	6.9(111)	10.3 (2)	6,110	11.7 (2)	8.3 (1)	9,589	23.2(119)
Clark	944	9.5 (62)	5.5 (29)	2,893	5.8 (30)	3.6 (34)	15.2 (40)	1,132	18.7 (62)	20.1 (84)	1,846	14.7 (92)
Clay	1,000	10.9 (92)	5.3 (25)	3,690	5.1 (19)	8.1(117)	18.5 (81)	1,756	21.4(104)	23.5(109)	2,676	7.3 (26)
Clinton	380	9.7 (71)	7.4 (86)	1,585	5.6 (25)	5.5 (89)	16.6 (54)	751	20.4 (88)	16.8 (45)	1,051	4.9 (9)
Crittenden	243	9.1 (46)	4.5 (10)	839	3.8 (3)	6.3(102)	14.5 (31)	370	18.4 (53)	10.8 (4)	570	11.2 (64)
Cumberland	243	8.2 (25)	5.8 (40)	991	3.9 (4)	5.3 (85)	11.5 (6)	475	14.7 (13)	12.8 (12)	597	16.9(104)
Daviess	2,623	8.6 (37)	5.7 (36)	8,882	10.2(100)	2.1 (5)	19.3 (87)	3,636	18.5 (57)	18.5 (70)	5,822	12.4 (76)
Edmonson	308	6.2 (5)	8.8(108)	1,277	4.3 (8)	4.2 (53)	11.8 (7)	556	16.2 (18)	15.3 (27)	852	7.9 (34)
Elliott	292	7.9 (19)	8.2(102)	1,133	4.4 (10)	4.9 (74)	16.0 (46)	539	20.6 (93)	20.4 (87)	768	20.7(115)
Estill	510	9.8 (73)	6.5 (59)	1,996	8.8 (83)	2.9 (21)	16.9 (58)	890	19.1 (69)	21.2 (93)	1,442	8.0 (36)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>												
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight						Anemia Low Hb/Hct <sup>(8)</sup>		
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fayette	5,703	10.2 (81)	6.4 (53)	17,602	8.0 (74)	4.5 (60)	16.2 (48)	6,836	20.9 (97)	20.7 (91)	9,867	20.7 (115)
Fleming	448	11.2 (98)	9.4 (114)	1,798	6.2 (40)	5.2 (83)	16.9 (58)	886	17.0 (33)	15.9 (36)	1,346	14.9 (93)
Floyd	1,681	12.7 (108)	4.9 (18)	5,968	5.9 (35)	6.3 (102)	12.5 (10)	2,744	13.6 (7)	14.0 (16)	4,191	7.9 (34)
Franklin	1,269	9.6 (65)	6.1 (47)	3,587	7.4 (61)	5.5 (89)	17.4 (66)	1,230	21.1 (102)	21.0 (92)	2,238	19.7 (114)
Fulton	298	8.7 (38)	6.4 (53)	1,175	7.8 (67)	3.4 (31)	20.7 (101)	587	18.4 (53)	19.9 (83)	820	18.0 (112)
Gallatin	328	8.2 (25)	4.6 (15)	1,009	7.7 (66)	5.6 (91)	13.7 (20)	391	17.4 (41)	15.1 (24)	678	11.9 (71)
Garrard	447	12.1 (104)	6.3 (50)	1,758	8.2 (75)	4.0 (45)	16.1 (47)	829	18.3 (51)	17.4 (54)	1,139	17.9 (110)
Grant	860	11.5 (101)	7.0 (76)	3,396	5.4 (22)	5.6 (91)	12.2 (8)	1,590	13.1 (6)	11.2 (7)	2,582	9.6 (48)
Graves	1,181	9.1 (46)	6.4 (53)	4,179	6.2 (40)	4.1 (51)	17.5 (69)	1,892	19.4 (77)	17.9 (62)	2,761	17.4 (108)
Grayson	764	10.9 (92)	6.3 (50)	3,048	9.4 (91)	4.7 (68)	15.4 (41)	1,424	19.3 (75)	16.2 (39)	2,306	4.6 (7)
Green	324	9.9 (74)	10.5 (118)	1,250	11.0 (107)	2.2 (6)	21.2 (106)	592	20.1 (85)	18.6 (71)	838	10.7 (59)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Greenup	844	9.4 (61)	6.5 (59)	3,136	4.6 (14)	7.4(115)	15.1 (38)	1,393	18.0 (48)	18.2 (65)	1,982	6.3 (16)
Hancock	235	6.8 (7)	4.3 (7)	915	5.8 (30)	3.3 (28)	18.3 (78)	409	23.5(115)	17.1 (49)	676	6.1 (15)
Hardin	2,879	8.4 (33)	5.6 (32)	10,221	7.9 (70)	2.8 (16)	13.1 (15)	4,245	18.1 (50)	13.0 (13)	7,167	7.5 (30)
Harlan	1,306	10.7 (90)	9.4(114)	4,985	6.6 (47)	7.3(114)	17.3 (64)	2,395	17.8 (45)	22.4(106)	3,164	6.7 (21)
Harrison	593	14.8(117)	3.5 (2)	1,865	5.9 (35)	5.6 (91)	13.0 (13)	815	13.6 (7)	12.6 (10)	1,194	10.3 (55)
Hart	560	8.2 (25)	7.1 (78)	1,922	4.3 (8)	4.4 (58)	14.0 (23)	820	18.3 (51)	16.6 (43)	1,273	6.5 (20)
Henderson	1,332	12.7(108)	3.6 (3)	4,250	8.3 (77)	5.9 (97)	14.8 (33)	1,648	21.7(108)	24.5(112)	2,094	4.7 (8)
Henry	376	9.0 (42)	8.0 (98)	1,321	11.5(110)	4.2 (53)	20.7(101)	558	18.5 (57)	15.9 (36)	929	15.3 (95)
Hickman	132	6.8 (7)	7.6 (92)	438	5.7 (28)	5.0 (77)	18.3 (78)	162	25.3(119)	21.6 (98)	276	15.9(100)
Hopkins	1,525	9.2 (54)	6.4 (53)	4,849	11.4(108)	2.4 (9)	18.2 (75)	1,934	20.7 (95)	19.4 (77)	3,279	8.9 (41)
Jackson	532	9.6 (65)	7.3 (81)	2,056	6.5 (45)	4.5 (60)	17.0 (60)	999	17.9 (47)	17.2 (51)	1,543	3.2 (4)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jefferson	15,664	11.3 (100)	6.1 (47)	47,902	7.0 (53)	5.1 (79)	15.5 (42)	18,181	16.6 (25)	15.3 (27)	29,515	13.4 (85)
Jessamine	1,224	10.2 (81)	7.6 (92)	3,971	6.3 (43)	5.0 (77)	11.0 (4)	1,589	15.2 (15)	12.6 (10)	2,518	16.0 (101)
Johnson	937	9.9 (74)	5.2 (21)	3,295	5.9 (35)	5.9 (97)	16.3 (51)	1,542	17.8 (45)	15.8 (33)	2,284	20.7 (115)
Kenton	3,178	9.7 (71)	6.9 (74)	7,661	7.6 (64)	4.8 (71)	17.0 (60)	2,504	24.4 (118)	27.1 (117)	4,232	12.4 (76)
Knott	627	14.2 (115)	6.7 (69)	2,112	12.1 (114)	2.2 (6)	28.0 (119)	991	18.5 (57)	22.3 (104)	1,589	7.6 (32)
Knox	1,227	9.1 (46)	7.5 (89)	4,635	4.9 (16)	4.9 (74)	18.4 (80)	2,172	18.8 (66)	23.9 (110)	3,154	12.1 (73)
Larue	429	7.2 (13)	6.5 (59)	1,491	7.4 (61)	2.6 (13)	20.6 (100)	652	16.6 (25)	17.0 (48)	1,081	14.6 (91)
Laurel	1,756	9.2 (54)	8.2 (102)	5,643	6.8 (51)	6.4 (104)	19.3 (87)	2,243	21.5 (105)	24.0 (111)	3,497	9.9 (52)
Lawrence	589	17.1 (119)	2.9 (1)	1,993	10.1 (98)	6.4 (104)	18.8 (83)	872	19.5 (79)	21.6 (98)	1,337	8.7 (39)
Lee	223	13.0 (112)	5.8 (40)	1,063	5.6 (25)	3.8 (40)	16.7 (55)	512	17.6 (42)	16.8 (45)	831	11.3 (65)
Leslie	457	10.5 (85)	5.7 (36)	1,839	3.9 (4)	4.5 (60)	20.2 (95)	906	16.9 (32)	23.2 (107)	1,437	11.0 (62)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Letcher	898	10.2 (81)	4.5 (10)	2,796	10.6(103)	1.9 (3)	21.2(106)	1,099	20.5 (91)	19.0 (73)	1,936	1.8 (2)
Lewis	538	9.1 (46)	8.0 (98)	1,753	6.6 (47)	5.4 (86)	14.4 (30)	771	17.3 (39)	17.5 (56)	989	9.5 (45)
Lincoln	757	9.1 (46)	7.3 (81)	2,665	7.1 (58)	5.6 (91)	19.9 (93)	1,164	20.3 (87)	21.2 (93)	1,901	7.8 (33)
Livingston	242	9.1 (46)	4.1 (6)	849	7.8 (67)	4.7 (68)	18.1 (72)	375	19.2 (72)	13.1 (14)	637	6.4 (18)
Logan	774	8.0 (20)	4.8 (17)	2,460	6.9 (52)	4.7 (68)	16.2 (48)	965	21.7(108)	17.3 (52)	1,472	20.8(118)
Lyon	135	4.4 (1)	7.4 (86)	540	8.3 (77)	4.4 (58)	23.3(116)	249	17.7 (43)	17.7 (57)	374	8.0 (36)
Madison	1,851	10.5 (85)	7.0 (76)	5,851	5.8 (30)	7.0(112)	12.5 (10)	2,291	19.2 (72)	17.7 (57)	3,931	9.5 (45)
Magoffin	618	12.3(105)	6.6 (65)	2,372	9.1 (88)	3.6 (34)	24.5(117)	1,167	20.1 (85)	25.6(116)	1,526	13.4 (85)
Marion	601	8.8 (40)	5.3 (25)	2,189	13.6(120)	3.2 (26)	21.8(112)	943	21.0 (99)	18.7 (72)	1,513	8.9 (41)
Marshall	755	8.2 (25)	8.1(100)	2,665	11.4(108)	6.1(100)	14.7 (32)	1,171	12.6 (4)	10.9 (5)	1,746	13.7 (88)
Martin	588	8.5 (35)	5.6 (32)	2,113	8.2 (75)	4.1 (51)	22.6(114)	985	18.6 (61)	22.2(103)	1,568	7.3 (26)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Mason	587	9.2 (54)	9.5 (116)	1,713	9.2 (89)	6.4 (104)	17.3 (64)	670	16.7 (29)	15.8 (33)	1,018	13.9 (89)
McCracken	1,841	9.3 (60)	6.6 (65)	5,691	7.2 (59)	5.2 (83)	21.4 (108)	2,379	18.7 (62)	16.5 (42)	3,958	15.8 (99)
McCreary	827	8.1 (22)	4.5 (10)	3,121	9.2 (89)	5.1 (79)	14.2 (25)	1,449	20.6 (93)	19.5 (79)	2,198	6.4 (18)
McLean	319	14.1 (114)	4.7 (16)	1,253	12.5 (117)	3.6 (34)	20.5 (99)	621	18.4 (53)	24.5 (112)	887	1.5 (1)
Meade	580	8.1 (22)	10.7 (119)	2,204	9.4 (91)	3.4 (31)	18.8 (83)	968	17.7 (43)	15.4 (29)	1,599	10.8 (61)
Menifee	246	7.3 (14)	9.3 (112)	1,017	6.2 (40)	4.6 (66)	11.0 (4)	488	18.0 (48)	10.9 (5)	641	8.7 (39)
Mercer	547	8.2 (25)	5.7 (36)	2,070	9.4 (91)	2.9 (21)	14.3 (29)	913	16.3 (19)	15.6 (31)	1,481	7.0 (23)
Metcalfe	302	12.3 (105)	8.9 (109)	1,154	4.8 (15)	6.2 (101)	13.0 (13)	519	15.8 (17)	15.2 (25)	756	11.0 (62)
Monroe	367	7.1 (12)	6.3 (50)	1,321	7.0 (53)	4.5 (60)	17.9 (71)	573	18.5 (57)	21.3 (95)	845	9.3 (43)
Montgomery	867	10.8 (91)	8.3 (105)	2,999	8.9 (85)	2.4 (9)	15.5 (42)	1,342	16.5 (23)	15.6 (31)	2,166	9.8 (50)
Morgan	438	7.3 (14)	8.9 (109)	1,747	5.6 (25)	4.8 (71)	16.7 (55)	862	17.1 (35)	21.9 (101)	1,174	12.8 (81)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>												
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight							Anemia Low Hb/Hct <sup>(8)</sup>	
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Muhlenberg	966	10.6 (88)	8.1 (100)	3,135	4.5 (11)	4.0 (45)	13.7 (20)	1,335	17.2 (38)	16.2 (39)	1,877	10.3 (55)
Nelson	974	12.7 (108)	4.5 (10)	3,564	11.6 (111)	4.5 (60)	17.4 (66)	1,458	17.1 (35)	15.5 (30)	2,377	14.1 (90)
Nicholas	266	16.5 (118)	4.5 (10)	917	5.2 (20)	8.3 (119)	13.4 (18)	399	9.5 (1)	8.3 (1)	598	12.7 (79)
Ohio	884	8.1 (22)	7.8 (94)	3,014	7.8 (67)	2.2 (6)	13.4 (18)	1,280	16.4 (22)	18.0 (63)	2,073	7.0 (23)
Oldham	622	9.0 (42)	6.6 (65)	2,380	12.6 (118)	1.8 (2)	20.3 (97)	1,038	17.0 (33)	17.7 (57)	1,484	11.3 (65)
Owen	274	7.3 (14)	7.3 (81)	1,034	4.9 (16)	6.4 (104)	12.4 (9)	452	14.6 (12)	16.4 (41)	714	10.5 (57)
Owsley	216	8.3 (30)	6.5 (59)	861	10.5 (102)	2.9 (21)	25.6 (118)	452	21.2 (103)	19.7 (81)	676	13.6 (87)
Pendleton	354	9.0 (42)	7.3 (81)	1,320	7.6 (64)	4.8 (71)	13.9 (22)	585	20.7 (95)	14.9 (22)	926	9.8 (50)
Perry	1,062	9.6 (65)	5.6 (32)	3,632	12.0 (113)	1.9 (3)	32.1 (120)	1,608	21.5 (105)	27.1 (117)	2,425	12.9 (82)
Pike	1,944	11.0 (95)	6.4 (53)	6,416	2.9 (2)	7.5 (116)	15.0 (36)	2,570	16.5 (23)	18.0 (63)	4,146	6.3 (16)
Powell	536	10.1 (79)	5.0 (19)	2,052	6.7 (50)	2.5 (12)	16.8 (57)	1,015	22.2 (113)	20.2 (86)	1,548	5.2 (12)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>												
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight							Anemia Low Hb/Hct <sup>(8)</sup>	
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>			Anemia Low Hb/Hct <sup>(8)</sup>	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pulaski	2,007	9.5 (62)	6.7 (69)	6,573	4.1 (7)	5.4 (86)	10.7 (3)	2,634	16.6 (25)	12.1 (8)	4,121	7.2 (25)
Robertson	91	* *	* *	374	7.2 (59)	6.4(104)	18.2 (75)	180	21.7(108)	18.3 (68)	281	5.3 (13)
Rockcastle	601	8.3 (30)	5.5 (29)	2,250	12.4(116)	4.0 (45)	22.5(113)	1,012	21.8(111)	20.1 (84)	1,643	10.7 (59)
Rowan	631	9.0 (42)	13.3(120)	2,203	4.0 (6)	4.9 (74)	12.7 (12)	918	13.7 (9)	14.4 (19)	1,473	9.4 (44)
Russell	592	6.8 (7)	5.9 (44)	2,153	8.9 (85)	3.8 (40)	15.6 (44)	957	19.7 (82)	21.7(100)	1,367	5.0 (10)
Scott	943	10.5 (85)	5.1 (20)	2,753	7.9 (70)	3.3 (28)	20.9(105)	1,033	14.5 (10)	19.5 (79)	1,798	12.3 (74)
Shelby	876	9.6 (65)	5.8 (40)	2,858	19.5(121)	1.4 (1)	34.7(121)	1,140	23.6(116)	32.3(120)	1,977	13.2 (83)
Simpson	450	6.9 (10)	10.0(117)	1,472	6.6 (47)	3.9 (43)	16.4 (52)	544	19.9 (83)	17.3 (52)	920	16.2(102)
Spencer	278	6.1 (3)	9.0(111)	919	8.5 (81)	4.0 (45)	20.2 (95)	363	18.7 (62)	19.0 (73)	566	13.3 (84)
Taylor	660	7.6 (17)	7.4 (86)	2,435	5.8 (30)	2.8 (16)	16.2 (48)	1,118	19.1 (69)	17.8 (61)	1,508	5.0 (10)
Todd	450	11.1 (97)	3.8 (4)	1,552	10.8(104)	5.1 (79)	19.4 (89)	690	14.5 (10)	14.5 (21)	1,120	17.6(109)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Trigg	325	12.9 (111)	6.5 (59)	1,171	10.8(104)	3.2 (26)	17.1 (63)	518	19.5 (79)	13.3 (15)	840	7.3 (26)
Trimble	253	9.1 (46)	5.5 (29)	810	9.4 (91)	8.1(117)	17.4 (66)	340	16.8 (30)	15.9 (36)	559	19.1 (113)
Union	402	9.5 (62)	5.2 (21)	1,387	11.7(112)	2.4 (9)	18.2 (75)	596	16.6 (25)	17.1 (49)	985	4.0 (5)
Warren	2,583	9.2 (54)	8.6(107)	7,713	5.4 (22)	4.3 (57)	15.9 (45)	2,708	19.9 (83)	19.1 (75)	4,598	15.7 (97)
Washington	277	6.5 (6)	7.2 (79)	1,137	12.3(115)	3.0 (24)	21.4(108)	548	22.1(112)	20.4 (87)	766	12.5 (78)
Wayne	803	9.2 (54)	7.3 (81)	2,825	5.8 (30)	4.0 (45)	18.1 (72)	1,255	17.3 (39)	21.4 (96)	1,865	12.0 (72)
Webster	400	8.5 (35)	5.3 (25)	1,368	10.4(101)	4.5 (60)	18.9 (85)	543	18.4 (53)	18.4 (69)	948	5.8 (14)
Whitley	2,024	8.4 (33)	7.8 (94)	7,311	7.9 (70)	5.9 (97)	18.7 (82)	3,214	19.1 (69)	22.1(102)	5,272	8.5 (38)
Wolfe	386	8.3 (30)	6.5 (59)	1,570	8.8 (83)	2.8 (16)	22.6(114)	771	19.6 (81)	22.3(104)	1,185	10.0 (53)
Woodford	462	11.0 (95)	6.7 (69)	1,845	7.5 (63)	4.6 (66)	14.8 (33)	806	12.9 (5)	14.4 (19)	1,127	15.4 (96)
Unknown Counties	1,402	9.2 (54)	6.8 (73)	1,234	0.6 (1)	10.3(121)	3.2 (1)	0	*	*	0	* *

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
<b>Kentucky</b>	<b>116,834</b>	<b>10.0</b>	<b>6.5</b>	<b>391,198</b>	<b>7.4</b>	<b>4.8</b>	<b>16.6</b>	<b>163,786</b>	<b>18.0</b>	<b>17.7</b>	<b>254,853</b>	<b>12.0</b>

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Adair	489	23.7 (86)	198	6.1 (33)	240	2.1 (61)	0	* *	0	* *	257	100. (1)	582	25.8 (33)
Allen	591	35.2 (18)	247	5.3 (50)	324	3.1 (30)	0	* *	0	* *	326	90.2 (116)	692	48.7 (80)
Anderson	443	37.5 (10)	193	5.7 (40)	205	2.9 (35)	0	* *	0	* *	209	100. (1)	476	26.3 (35)
Ballard	227	27.8 (54)	107	2.8 (93)	141	2.8 (39)	0	* *	0	* *	123	100. (1)	252	50.8 (85)
Barren	1,307	30.7 (34)	516	7.2 (18)	590	3.4 (23)	0	* *	0	* *	615	92.4 (111)	1,433	46.1 (73)
Bath	333	15.0(113)	145	2.1 (102)	191	0.5 (113)	0	* *	0	* *	246	99.6 (90)	491	47.9 (79)
Bell	1,244	17.0(107)	567	1.6 (109)	730	1.2 (95)	0	* *	0	* *	855	96.8 (103)	1,674	26.1 (34)
Boone	1,995	31.3 (30)	974	7.9 (12)	1,061	4.1 (12)	0	* *	0	* *	1,029	100. (1)	2,595	33.1 (47)
Bourbon	491	30.5 (37)	208	5.3 (50)	276	2.5 (49)	0	* *	0	* *	221	100. (1)	572	6.3 (10)
Boyd	1,406	27.2 (59)	603	4.3 (64)	728	2.9 (35)	0	* *	0	* *	621	100. (1)	1,546	31.8 (42)
Boyle	605	17.0(107)	257	5.1 (55)	320	3.4 (23)	0	* *	0	* *	310	100. (1)	769	33.0 (46)
Bracken	252	27.0 (63)	116	2.6 (97)	147	2.0 (66)	0	* *	0	* *	122	83.6 (117)	302	45.0 (69)
Breathitt	444	12.4(119)	238	2.9 (90)	302	1.7 (77)	0	* *	0	* *	367	94.3 (107)	732	66.0 (110)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number  (Rank)	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number % Breastfed At Least 12 Months  (Rank)	Number % Breastfed At Least 3 Months  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)		
Breckinrid	534	29.6 (44)	249	7.6 (15)	255	2.7 (41)	0	* *	290	93.1 (110)	621	2.1 (4)
Bullitt	1,367	32.4 (26)	555	5.0 (56)	702	2.1 (61)	0	* *	533	100. (1)	1,443	50.2 (83)
Butler	439	25.3 (72)	190	4.2 (68)	240	1.3 (92)	0	* *	254	100. (1)	511	27.2 (38)
Caldwell	372	29.0 (49)	163	4.3 (64)	210	2.4 (54)	0	* *	194	100. (1)	447	52.3 (91)
Calloway	986	41.7 (3)	441	9.1 (8)	537	5.0 (5)	0	* *	446	93.7 (108)	1,040	19.9 (28)
Campbell	1,461	25.3 (72)	658	5.9 (35)	750	2.1 (61)	0	* *	744	100. (1)	1,973	17.6 (21)
Carlisle	167	25.1 (74)	93	* *	107	0.0 (116)	0	* *	113	100. (1)	199	61.3 (106)
Carroll	456	25.7 (67)	213	4.7 (57)	265	2.6 (44)	0	* *	244	99.2 (94)	536	55.4 (96)
Carter	1,106	30.1 (41)	482	6.4 (30)	584	2.9 (35)	0	* *	697	100. (1)	1,420	51.5 (89)
Casey	450	23.3 (89)	212	5.2 (53)	275	2.5 (49)	0	* *	303	100. (1)	592	56.3 (97)
Christian	3,840	35.4 (17)	1,950	10.3 (4)	1,861	4.6 (6)	0	* *	1,958	90.3 (115)	4,704	18.2 (22)
Clark	931	31.9 (28)	380	6.8 (22)	431	2.3 (57)	0	* *	456	100. (1)	1,058	3.8 (9)
Clay	903	14.3(115)	435	2.8 (93)	562	2.0 (66)	0	* *	649	100. (1)	1,220	87.0 (118)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Clinton	370	12.7(118)	178	1.1 (112)	255	0.8 (102)	0	* *	0	* *	266	100. (1)	532	22.0 (30)
Crittenden	221	24.0 (83)	93	* *	125	0.8 (102)	0	* *	0	* *	137	100. (1)	303	9.2 (14)
Cumberland	232	17.2(106)	121	1.7 (108)	149	2.7 (41)	0	* *	0	* *	168	100. (1)	338	41.4 (64)
Daviess	2,515	23.3 (89)	1,197	3.8 (76)	1,332	1.7 (77)	0	* *	0	* *	1,324	99.2 (94)	3,121	38.0 (52)
Edmonson	338	26.0 (65)	173	3.5 (80)	165	1.8 (75)	0	* *	0	* *	200	91.5 (113)	430	40.2 (60)
Elliott	286	24.8 (78)	131	7.6 (15)	181	4.4 (9)	0	* *	0	* *	195	97.4 (102)	378	32.0 (44)
Estill	550	22.5 (93)	262	2.3 (100)	313	0.3 (115)	0	* *	0	* *	320	100. (1)	666	31.8 (42)
Fayette	6,551	50.0 (1)	2,781	11.5 (1)	2,934	5.4 (3)	0	* *	0	* *	2,568	95.6 (105)	6,576	0.1 (1)
Fleming	459	24.4 (79)	223	6.3 (32)	290	4.1 (12)	0	* *	0	* *	329	100. (1)	603	38.6 (56)
Floyd	1,586	17.8(104)	734	3.5 (80)	912	1.6 (84)	0	* *	0	* *	993	99.3 (93)	2,006	57.8 (101)
Franklin	1,304	36.4 (13)	537	5.6 (43)	511	3.3 (27)	0	* *	0	* *	442	97.5 (101)	1,281	65.8 (109)
Fulton	292	24.3 (80)	133	1.5 (110)	160	0.6 (109)	0	* *	0	* *	205	100. (1)	406	52.5 (92)
Gallatin	319	28.2 (51)	143	3.5 (80)	146	2.7 (41)	0	* *	0	* *	172	100. (1)	413	27.1 (37)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number % Breastfed At Least 12 Months  (Rank)	Number % Breastfed At Least 3 Months  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)
Garrard	458	30.1 (41)	209 4.3 (64)	255 2.0 (66)	0 * *	0 * *	303	100. (1)	631	45.0 (69)
Grant	901	34.1 (21)	475 6.7 (25)	562 3.4 (23)	0 * *	0 * *	558	100. (1)	1,210	69.5 (114)
Graves	1,242	38.0 (9)	517 6.8 (22)	669 3.0 (32)	0 * *	0 * *	675	100. (1)	1,390	42.2 (65)
Grayson	852	27.5 (57)	404 5.9 (35)	530 3.6 (17)	0 * *	0 * *	522	100. (1)	1,059	23.6 (31)
Green	336	34.8 (19)	158 7.0 (20)	199 4.5 (8)	0 * *	0 * *	202	100. (1)	407	36.1 (51)
Greenup	850	27.2 (59)	373 3.2 (87)	440 1.8 (75)	0 * *	0 * *	483	100. (1)	1,085	32.4 (45)
Hancock	277	31.0 (32)	141 8.5 (9)	154 1.9 (69)	0 * *	0 * *	145	100. (1)	292	31.2 (41)
Hardin	3,037	30.9 (33)	1,327 6.0 (34)	1,438 3.5 (20)	0 * *	0 * *	1,410	99.9 (85)	3,557	58.0 (102)
Harlan	1,211	18.2(102)	544 2.9 (90)	703 1.4 (89)	0 * *	0 * *	820	95.5 (106)	1,643	13.2 (17)
Harrison	620	38.2 (8)	247 9.7 (5)	304 3.3 (27)	0 * *	0 * *	292	95.9 (104)	648	43.5 (66)
Hart	587	25.6 (68)	252 3.6 (78)	287 0.7 (106)	0 * *	0 * *	299	100. (1)	653	44.9 (68)
Henderson	1,292	26.0 (65)	554 1.8 (105)	595 1.0 (99)	0 * *	0 * *	606	100. (1)	1,461	44.8 (67)
Henry	395	32.7 (25)	177 6.8 (22)	230 2.6 (44)	0 * *	0 * *	206	100. (1)	456	40.4 (61)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Hickman	132	35.6 (15)	57	* *	75	* *	0	* *	0	* *	59	* *	138	55.1 (95)
Hopkins	1,608	27.6 (56)	626	4.6 (60)	629	1.7 (77)	0	* *	0	* *	684	100. (1)	1,670	51.1 (87)
Jackson	503	17.7(105)	249	2.8 (93)	318	1.9 (69)	0	* *	0	* *	361	100. (1)	674	45.4 (72)
Jefferson	16,699	37.5 (10)	7,032	9.7 (5)	7,630	4.0 (14)	0	* *	0	* *	6,625	100. (1)	18,029	1.4 (3)
Jessamine	1,293	38.7 (7)	603	11.4 (2)	613	4.6 (6)	0	* *	0	* *	609	98.4 (99)	1,487	40.5 (62)
Johnson	901	25.1 (74)	374	3.7 (77)	473	2.3 (57)	0	* *	0	* *	549	100. (1)	1,093	47.3 (78)
Kenton	2,880	35.5 (16)	924	4.1 (69)	1,036	1.9 (69)	0	* *	0	* *	917	100. (1)	3,385	46.7 (75)
Knott	572	10.7(120)	223	1.8 (105)	255	0.8 (102)	0	* *	0	* *	351	100. (1)	708	38.0 (52)
Knox	1,120	16.2(111)	553	1.1 (112)	701	0.7 (106)	0	* *	0	* *	800	100. (1)	1,611	0.4 (2)
Larue	496	36.1 (14)	221	5.4 (48)	252	3.6 (17)	0	* *	0	* *	244	100. (1)	544	16.9 (20)
Laurel	1,735	27.2 (59)	729	4.1 (69)	780	1.7 (77)	0	* *	0	* *	809	98.6 (98)	1,947	68.9 (112)
Lawrence	593	19.2(101)	270	4.4 (63)	322	1.9 (69)	0	* *	0	* *	298	98.0 (100)	659	19.6 (25)
Lee	239	13.4(116)	135	5.2 (53)	162	2.5 (49)	0	* *	0	* *	178	100. (1)	342	26.9 (36)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Leslie	480	23.8 (84)	228	5.3 (50)	252	2.4 (54)	0	* *	0	* *	309	99.7 (88)	576	7.5 (12)
Letcher	876	21.2 (96)	347	5.8 (37)	359	1.9 (69)	0	* *	0	* *	359	100. (1)	916	13.4 (18)
Lewis	540	27.4 (58)	213	4.7 (57)	271	2.6 (44)	0	* *	0	* *	281	100. (1)	598	35.8 (50)
Lincoln	765	24.3 (80)	367	2.2 (101)	352	0.6 (109)	0	* *	0	* *	414	100. (1)	924	46.8 (76)
Livingston	248	30.6 (36)	129	7.8 (13)	148	3.4 (23)	0	* *	0	* *	143	100. (1)	310	11.0 (16)
Logan	793	28.8 (50)	320	3.4 (83)	386	0.8 (102)	0	* *	0	* *	328	100. (1)	817	15.5 (19)
Lyon	130	34.6 (20)	61	* *	83	* *	0	* *	0	* *	89	* *	190	33.2 (48)
Madison	1,789	30.5 (37)	755	8.3 (10)	875	5.7 (2)	0	* *	0	* *	842	100. (1)	2,111	59.1 (103)
Magoffin	581	16.2(111)	276	2.5 (98)	342	2.3 (57)	0	* *	0	* *	425	99.8 (86)	804	46.1 (73)
Marion	647	29.7 (43)	306	5.6 (43)	337	3.3 (27)	0	* *	0	* *	344	100. (1)	759	51.9 (90)
Marshall	786	24.9 (77)	359	6.7 (25)	423	2.6 (44)	0	* *	0	* *	426	100. (1)	908	38.8 (57)
Martin	506	9.5(121)	215	1.4 (111)	290	0.7 (106)	0	* *	0	* *	352	100. (1)	685	93.3 (119)
Mason	537	23.8 (84)	201	3.0 (88)	243	1.2 (95)	0	* *	0	* *	255	100. (1)	645	50.2 (83)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number % Breastfed At Least 12 Months  (Rank)	Number % Breastfed At Least 3 Months  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)
McCracken	1,809	27.8 (54)	742 5.7 (40)	912 3.5 (20)	0 * *	0 * *	823 100. (1)		1,964 10.2 (15)	
McCreary	753	13.4(116)	388 1.8 (105)	464 0.4 (114)	0 * *	0 * *	529 100. (1)		1,021 49.6 (82)	
McLean	323	25.4 (71)	144 5.6 (43)	190 2.6 (44)	0 * *	0 * *	186 100. (1)		395 56.7 (99)	
Meade	602	23.4 (87)	300 3.0 (88)	317 0.6 (109)	0 * *	0 * *	339 100. (1)		741 30.0 (39)	
Menifee	240	29.6 (44)	135 0.7 (114)	181 0.6 (109)	0 * *	0 * *	184 100. (1)		347 33.7 (49)	
Mercer	563	22.0 (94)	281 6.4 (30)	308 4.2 (11)	0 * *	0 * *	334 100. (1)		699 68.2 (111)	
Metcalfe	308	29.2 (48)	148 8.1 (11)	172 3.5 (20)	0 * *	0 * *	172 98.8 (97)		387 53.5 (93)	
Monroe	366	22.7 (91)	163 4.3 (64)	181 1.7 (77)	0 * *	0 * *	217 100. (1)		436 30.3 (40)	
Montgomery	845	29.6 (44)	357 5.6 (43)	397 2.5 (49)	0 * *	0 * *	504 99.8 (86)		1,103 51.2 (88)	
Morgan	418	14.4(114)	187 2.1 (102)	239 1.3 (92)	0 * *	0 * *	311 100. (1)		601 39.3 (59)	
Muhlenberg	890	25.5 (70)	372 4.6 (60)	470 1.3 (92)	0 * *	0 * *	468 100. (1)		1,079 60.4 (104)	
Nelson	1,035	26.2 (64)	477 6.7 (25)	553 3.8 (15)	0 * *	0 * *	514 100. (1)		1,219 93.9 (120)	
Nicholas	262	19.8(100)	120 3.3 (84)	144 2.1 (61)	0 * *	0 * *	153 91.5 (113)		315 56.8 (100)	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Ohio	913	33.0 (22)	392	6.6 (28)	450	2.9 (35)	0	* *	0	* *	480	100. (1)	1,061	40.6 (63)
Oldham	738	45.5 (2)	383	9.4 (7)	417	4.3 (10)	0	* *	0	* *	361	99.7 (88)	807	69.0 (113)
Owen	283	30.4 (39)	131	4.6 (60)	164	3.0 (32)	0	* *	0	* *	157	100. (1)	343	19.8 (27)
Owsley	223	17.0(107)	97	* *	118	0.0 (116)	0	* *	0	* *	170	100. (1)	291	64.6 (108)
Pendleton	399	31.1 (31)	173	5.8 (37)	215	0.9 (100)	0	* *	0	* *	193	99.5 (91)	441	86.2 (117)
Perry	1,100	20.7 (99)	436	3.9 (72)	524	1.9 (69)	0	* *	0	* *	564	100. (1)	1,208	2.2 (5)
Pike	1,868	16.9(110)	849	2.9 (90)	909	1.4 (89)	0	* *	0	* *	978	99.1 (96)	2,317	70.3 (116)
Powell	545	24.2 (82)	233	3.9 (72)	287	2.1 (61)	0	* *	0	* *	334	92.2 (112)	671	56.3 (97)
Pulaski	2,032	29.4 (47)	914	3.9 (72)	976	1.5 (87)	0	* *	0	* *	985	100. (1)	2,295	38.1 (54)
Robertson	101	30.7 (34)	44	* *	54	* *	0	* *	0	* *	70	* *	122	63.9 (107)
Rockcastle	627	28.2 (51)	298	4.7 (57)	325	3.1 (30)	0	* *	0	* *	377	99.5 (91)	733	2.3 (6)
Rowan	634	27.1 (62)	266	5.6 (43)	311	1.6 (84)	0	* *	0	* *	354	100. (1)	810	8.1 (13)
Russell	594	21.5 (95)	276	3.6 (78)	315	2.2 (60)	0	* *	0	* *	330	100. (1)	723	38.2 (55)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number  (Rank)	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number % Breastfed At Least 12 Months  (Rank)	Number % Breastfed At Least 3 Months  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)		
Scott	1,034	40.8 (4)	407	6.9 (21)	462	2.8 (39)	0	* *	411	93.4 (109)	1,076	51.0 (86)
Shelby	906	23.4 (87)	387	5.4 (48)	460	2.4 (54)	0	* *	430	100. (1)	1,068	7.0 (11)
Simpson	449	30.3 (40)	189	5.8 (37)	231	1.7 (77)	0	* *	211	100. (1)	542	47.0 (77)
Spencer	258	25.6 (68)	129	7.8 (13)	160	3.8 (15)	0	* *	147	100. (1)	348	3.2 (8)
Taylor	693	32.9 (23)	299	3.3 (84)	344	1.2 (95)	0	* *	394	100. (1)	828	48.9 (81)
Todd	488	31.8 (29)	213	1.9 (104)	276	1.4 (89)	0	* *	238	100. (1)	510	25.1 (32)
Trigg	365	38.9 (6)	192	5.7 (40)	216	5.1 (4)	0	* *	203	100. (1)	416	54.6 (94)
Trimble	255	25.1 (74)	107	6.5 (29)	138	3.6 (17)	0	* *	128	100. (1)	292	19.5 (24)
Union	377	27.9 (53)	179	3.9 (72)	200	1.5 (87)	0	* *	203	100. (1)	459	45.1 (71)
Warren	2,727	36.7 (12)	1,102	7.1 (19)	1,094	2.5 (49)	0	* *	1,089	100. (1)	2,891	19.4 (23)
Washington	294	32.0 (27)	158	10.8 (3)	185	7.0 (1)	0	* *	215	100. (1)	418	2.4 (7)
Wayne	786	21.0 (98)	348	4.0 (71)	415	1.7 (77)	0	* *	465	100. (1)	931	61.2 (105)
Webster	433	32.8 (24)	186	2.7 (96)	189	1.6 (84)	0	* *	192	100. (1)	456	39.0 (58)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Whitley	1,982	21.1 (97)	910	2.5 (98)	1,066	1.2 (95)	0	* *	0	* *	1,127	100. (1)	2,351	20.2 (29)
Wolfe	366	18.0(103)	182	3.3 (84)	221	0.9 (100)	0	* *	0	* *	296	100. (1)	533	70.0 (115)
Woodford	503	39.6 (5)	267	7.5 (17)	305	3.0 (32)	0	* *	0	* *	289	100. (1)	612	19.6 (25)
Unknown Counties	1,062	22.6 (92)	42	* *	34	* *	0	* *	0	* *	0	* *	2	* *
<b>Kentucky</b>	<b>118,818</b>	<b>30.2</b>	<b>51,850</b>	<b>6.1</b>	<b>59,069</b>	<b>2.8</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>59,198</b>	<b>98.8</b>	<b>137,817</b>	<b>32.5</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

