

**Table 4E**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by Region**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by Region</b>								
<b>Region</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Region 01	6,239	74.6	15.4	7.1	0.1	0.6	2.3	0.0
Region 02	9,480	74.7	16.3	4.2	0.1	1.9	2.8	0.0
Region 03	7,149	83.3	7.6	6.3	0.0	0.6	2.1	0.0
Region 04	8,651	80.7	8.0	8.5	0.1	1.7	0.9	0.0
Region 05	8,778	81.5	9.8	5.5	0.1	0.5	2.7	0.0
Region 06	21,999	50.3	34.9	11.5	0.1	1.8	1.4	0.0
Region 07	10,657	82.7	6.0	10.1	0.0	0.6	0.6	0.0
Region 08	2,241	93.5	2.6	1.8	0.2	0.7	1.2	0.0
Region 09	3,320	95.3	1.0	2.5	0.0	0.2	0.9	0.0
Region 10	5,018	94.8	1.0	2.7	0.1	0.2	1.2	0.0
Region 11	6,830	98.9	0.4	0.4	0.0	0.1	0.2	0.0
Region 12	5,266	98.1	0.8	0.5	0.0	0.2	0.4	0.0
Region 13	11,733	97.7	1.0	0.9	0.0	0.1	0.2	0.0
Region 14	8,162	92.1	1.6	5.3	0.0	0.3	0.6	0.0
Region 15	20,231	70.5	12.6	14.1	0.1	1.4	1.3	0.0
<b>Kentucky</b>	<b>135,754</b>	<b>78.7</b>	<b>11.7</b>	<b>7.2</b>	<b>0.1</b>	<b>0.9</b>	<b>1.3</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>7,117,562</b>	<b>32.3</b>	<b>18.5</b>	<b>37.7</b>	<b>1.0</b>	<b>2.5</b>	<b>1.0</b>	<b>7.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5E**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by Region**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by Region</b>				
<b>Region</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Region 01	6,239	36.2	20.4	43.4
Region 02	9,480	40.2	19.1	40.7
Region 03	7,149	40.5	18.3	41.2
Region 04	8,651	40.6	19.4	40.0
Region 05	8,778	39.7	18.7	41.6
Region 06	21,999	45.7	18.3	36.0
Region 07	10,657	47.2	17.5	35.3
Region 08	2,241	35.3	20.8	43.9
Region 09	3,320	37.0	17.7	45.4
Region 10	5,018	37.4	20.0	42.6
Region 11	6,830	36.3	18.6	45.1
Region 12	5,266	36.1	18.2	45.7
Region 13	11,733	35.6	18.2	46.3
Region 14	8,162	35.8	19.6	44.6
Region 15	20,231	42.4	18.3	39.3
<b>Kentucky</b>	<b>135,754</b>	<b>40.5</b>	<b>18.7</b>	<b>40.8</b>
<b>Nation (Prior Year)</b>	<b>7,117,562</b>	<b>35.3</b>	<b>22.0</b>	<b>42.6</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 6E**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Region**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Region</b> (3,4)												
<b>Region</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Region 01	1,448	8.1 (1)	7.3 (12)	5,880	7.2 (10)	5.0 (7)	17.2 (13)	2,637	18.4 (10)	15.1 (2)	4,094	12.8 (9)
Region 02	2,276	10.2 (10)	6.6 (9)	9,048	6.3 (5)	5.4 (10)	13.5 (2)	3,794	15.7 (2)	12.3 (1)	6,198	16.0 (15)
Region 03	1,851	9.6 (6)	4.8 (2)	6,894	9.1 (13)	3.5 (2)	15.6 (9)	2,882	18.0 (7)	18.3 (9)	4,562	8.8 (4)
Region 04	2,218	9.0 (2)	7.3 (12)	8,366	5.2 (1)	4.8 (5)	14.5 (5)	3,346	18.6 (12)	18.3 (9)	5,258	14.6 (11)
Region 05	2,154	10.0 (9)	5.8 (7)	8,482	9.4 (14)	3.7 (3)	15.4 (8)	3,559	17.4 (5)	15.3 (3)	5,883	8.8 (4)
Region 06	6,401	11.7 (14)	6.1 (8)	20,709	7.5 (11)	5.2 (8)	15.6 (9)	7,689	16.9 (3)	16.0 (4)	12,693	15.1 (12)
Region 07	3,312	9.4 (5)	6.6 (9)	10,010	6.9 (8)	5.9 (11)	13.5 (2)	3,656	18.5 (11)	16.5 (5)	5,810	15.3 (13)
Region 08	541	11.5 (13)	6.8 (11)	2,130	7.5 (11)	6.9 (13)	16.2 (12)	939	17.9 (6)	17.3 (7)	1,404	11.3 (8)
Region 09	793	9.1 (3)	9.7 (15)	3,185	6.8 (7)	4.0 (4)	14.9 (7)	1,458	17.2 (4)	18.9 (13)	2,129	9.7 (6)
Region 10	1,246	9.6 (6)	4.0 (1)	4,806	5.2 (1)	8.4 (15)	13.7 (4)	2,080	18.1 (8)	18.6 (12)	3,194	14.1 (10)
Region 11	1,678	13.1 (15)	4.8 (2)	6,497	5.4 (3)	7.3 (14)	15.7 (11)	2,938	15.4 (1)	18.2 (8)	4,452	10.0 (7)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this region's rate to other regions. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6E**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Region**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Region</b> (3,4)												
<b>Region</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Region 12	1,173	11.0 (12)	4.9 (4)	4,951	9.6 (15)	3.2 (1)	22.6 (15)	2,329	18.1 (8)	21.7 (15)	3,677	8.6 (3)
Region 13	2,730	9.6 (6)	7.8 (14)	11,188	6.2 (4)	6.6 (12)	17.3 (14)	5,229	18.9 (13)	21.4 (14)	7,803	7.4 (1)
Region 14	1,883	9.1 (3)	5.6 (6)	7,863	6.4 (6)	4.8 (5)	12.8 (1)	3,534	19.1 (15)	16.6 (6)	5,326	7.7 (2)
Region 15	5,555	10.4 (11)	5.5 (5)	19,332	6.9 (8)	5.3 (9)	14.6 (6)	7,707	19.0 (14)	18.5 (11)	11,918	15.4 (14)
<b>Kentucky</b>	<b>35,259</b>	<b>10.2</b>	<b>6.1</b>	<b>129,341</b>	<b>7.0</b>	<b>5.3</b>	<b>15.3</b>	<b>53,777</b>	<b>17.9</b>	<b>17.4</b>	<b>84,401</b>	<b>12.3</b>
<b>Nation (Prior Year)</b>	<b>1,641,264</b>	<b>9.4</b>	<b>6.6</b>	<b>6,709,486</b>	<b>6.4</b>	<b>4.8</b>	<b>13.9</b>	<b>2,869,075</b>	<b>16.1</b>	<b>14.7</b>	<b>4,381,087</b>	<b>13.6</b>

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this region's rate to other regions. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7E**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region**  
(4,5)

Region	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number % Breastfed At Least 12 Months  (Rank)	Number % Breastfed At Least 3 Months  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)
Region 01	584	100. (1)	186 24.7 (9)	313 16.3 (8)	0 * *	0 * *	2,870	99.0 (10)	6,239	30.0 (3)
Region 02	783	100. (1)	316 26.9 (5)	347 19.0 (1)	0 * *	0 * *	4,114	95.4 (15)	9,480	32.1 (5)
Region 03	547	100. (1)	180 19.4 (11)	228 10.5 (13)	0 * *	0 * *	3,136	99.6 (5)	7,149	41.3 (10)
Region 04	845	100. (1)	278 24.5 (10)	347 11.0 (12)	0 * *	0 * *	3,711	97.4 (14)	8,651	33.1 (7)
Region 05	752	100. (1)	291 28.5 (4)	368 18.8 (2)	0 * *	0 * *	3,878	99.4 (8)	8,778	47.2 (14)
Region 06	2,586	100. (1)	786 32.8 (1)	1,019 18.3 (3)	0 * *	0 * *	8,430	100. (1)	21,999	8.4 (1)
Region 07	1,153	100. (1)	271 25.8 (6)	341 17.3 (7)	0 * *	0 * *	4,014	99.9 (3)	10,657	41.5 (11)
Region 08	150	100. (1)	57 * *	97 * *	0 * *	0 * *	1,057	98.0 (12)	2,241	43.6 (13)
Region 09	217	100. (1)	80 * *	93 * *	0 * *	0 * *	1,599	99.9 (3)	3,320	36.9 (9)
Region 10	404	100. (1)	136 25.0 (8)	187 17.6 (6)	0 * *	0 * *	2,294	99.5 (6)	5,018	35.9 (8)
Region 11	348	100. (1)	98 * *	152 17.8 (5)	0 * *	0 * *	3,297	99.5 (6)	6,830	62.9 (15)
Region 12	249	100. (1)	109 29.4 (3)	116 13.8 (9)	0 * *	0 * *	2,594	99.2 (9)	5,266	30.0 (3)
Region 13	632	100. (1)	204 19.1 (12)	283 11.3 (10)	0 * *	0 * *	5,798	98.7 (11)	11,733	32.9 (6)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this region's rate to other regions. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7E**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region**  
(4,5)

Region	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Region 14	546	100. (1)	193	25.4 (7)	277	11.2 (11)	0	* *	0	* *	3,899	100. (1)	8,162	42.7 (12)
Region 15	2,323	100. (1)	795	30.4 (2)	974	18.3 (3)	0	* *	0	* *	8,507	97.5 (13)	20,231	29.5 (2)
<b>Kentucky</b>	<b>12,119</b>	<b>100.</b>	<b>3,980</b>	<b>27.5</b>	<b>5,142</b>	<b>16.2</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>59,198</b>	<b>98.8</b>	<b>135,754</b>	<b>32.7</b>
<b>Nation (Prior Year)</b>	<b>1,515,954</b>	<b>58.5</b>	<b>751,259</b>	<b>24.3</b>	<b>869,342</b>	<b>17.7</b>	<b>101,887</b>	<b>13.6</b>	<b>136,891</b>	<b>6.8</b>	<b>343,170</b>	<b>64.7</b>	<b>1,120,034</b>	<b>16.9</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this region's rate to other regions. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6E**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Region**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Region</b> (3,4)												
<b>Region</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Region 01	5,433	9.3 (6)	7.1 (12)	18,536	7.6 (11)	4.6 (7)	18.2 (14)	8,071	18.5 (10)	16.1 (3)	12,535	15.7 (14)
Region 02	7,853	9.8 (10)	6.6 (8)	28,389	6.6 (5)	5.4 (11)	13.8 (2)	12,162	15.2 (1)	12.4 (1)	19,238	16.6 (15)
Region 03	6,195	9.7 (9)	5.4 (2)	21,069	9.5 (16)	3.2 (2)	17.5 (13)	8,733	18.9 (12)	19.8 (13)	13,485	8.3 (3)
Region 04	7,628	8.9 (1)	7.5 (14)	24,868	5.7 (3)	4.3 (5)	15.8 (7)	9,874	19.7 (15)	18.5 (11)	15,377	14.1 (12)
Region 05	7,012	9.2 (3)	6.2 (5)	25,713	9.4 (14)	3.3 (3)	16.2 (9)	11,030	18.3 (7)	15.2 (2)	18,145	9.0 (5)
Region 06	19,453	11.0 (14)	6.2 (5)	60,235	8.0 (13)	4.7 (8)	16.8 (11)	23,128	16.9 (3)	16.3 (4)	37,372	13.7 (11)
Region 07	8,904	9.9 (11)	6.6 (8)	27,677	7.8 (12)	5.2 (10)	15.7 (6)	10,868	18.3 (7)	17.8 (7)	17,242	13.4 (10)
Region 08	1,919	9.2 (3)	8.5 (15)	6,491	7.1 (8)	5.8 (12)	16.9 (12)	2,834	17.6 (5)	17.9 (8)	4,209	11.3 (8)
Region 09	2,533	9.6 (8)	9.8 (16)	9,345	7.0 (7)	3.7 (4)	15.5 (5)	4,282	17.4 (4)	17.5 (6)	6,344	9.8 (6)
Region 10	4,269	11.0 (14)	5.2 (1)	14,875	5.7 (3)	7.3 (15)	14.9 (4)	6,479	17.8 (6)	18.0 (10)	9,692	12.2 (9)
Region 11	5,768	11.2 (16)	5.7 (3)	20,164	5.6 (2)	6.1 (14)	16.4 (10)	9,008	16.5 (2)	17.9 (8)	13,715	10.1 (7)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this region's rate to other regions. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6E**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Region**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Region</b> (3,4)												
<b>Region</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Region 12	4,372	10.3 (12)	6.0 (4)	15,878	9.4 (14)	2.7 (1)	24.6 (16)	7,319	19.1 (13)	22.3 (15)	11,527	8.9 (4)
Region 13	9,716	9.5 (7)	7.3 (13)	35,606	7.3 (9)	5.8 (12)	19.0 (15)	16,277	19.1 (13)	21.8 (14)	24,348	7.8 (1)
Region 14	6,756	9.1 (2)	6.6 (8)	24,365	6.6 (5)	4.4 (6)	14.4 (3)	10,797	18.4 (9)	16.8 (5)	15,738	8.2 (2)
Region 15	17,621	10.5 (13)	6.2 (5)	56,753	7.3 (9)	4.7 (8)	15.8 (7)	22,924	18.8 (11)	18.6 (12)	35,886	14.7 (13)
Unknown Regions	1,402	9.2 (3)	6.8 (11)	1,234	0.6 (1)	10.3 (16)	3.2 (1)	0	*	*	*	*
<b>Kentucky</b>	<b>116,834</b>	<b>10.0</b>	<b>6.5</b>	<b>391,198</b>	<b>7.4</b>	<b>4.8</b>	<b>16.6</b>	<b>163,786</b>	<b>18.0</b>	<b>17.7</b>	<b>254,853</b>	<b>12.0</b>

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this region's rate to other regions. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7E**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region**  
(4,5)

Region	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Region 01	5,641	32.0 (3)	2,449	6.0 (5)	3,024	3.2 (5)	0	* *	0	* *	2,870	99.0 (10)	6,297	29.9 (3)
Region 02	8,162	32.0 (3)	3,799	7.6 (3)	4,018	3.3 (4)	0	* *	0	* *	4,114	95.4 (15)	9,629	32.0 (5)
Region 03	6,130	26.7 (8)	2,793	4.1 (10)	3,110	1.8 (10)	0	* *	0	* *	3,136	99.6 (5)	7,245	41.0 (10)
Region 04	7,905	31.6 (5)	3,300	5.8 (7)	3,670	2.2 (9)	0	* *	0	* *	3,711	97.4 (14)	8,792	32.8 (7)
Region 05	7,497	29.4 (7)	3,442	6.1 (4)	3,867	3.4 (3)	0	* *	0	* *	3,878	99.4 (8)	8,918	47.0 (14)
Region 06	20,618	36.4 (2)	8,770	9.1 (1)	9,737	3.7 (2)	0	* *	0	* *	8,430	100. (1)	22,443	8.3 (1)
Region 07	8,694	31.5 (6)	3,691	5.9 (6)	4,199	2.8 (6)	0	* *	0	* *	4,014	99.9 (3)	10,896	41.2 (11)
Region 08	1,889	25.8 (10)	797	4.5 (9)	1,005	2.8 (6)	0	* *	0	* *	1,057	98.0 (12)	2,270	43.4 (13)
Region 09	2,470	24.4 (11)	1,090	3.9 (11)	1,319	1.5 (14)	0	* *	0	* *	1,599	99.9 (3)	3,352	36.4 (9)
Region 10	4,241	26.7 (8)	1,859	4.9 (8)	2,255	2.7 (8)	0	* *	0	* *	2,294	99.5 (6)	5,088	35.8 (8)
Region 11	5,442	17.8 (16)	2,448	3.1 (14)	2,926	1.7 (11)	0	* *	0	* *	3,297	99.5 (6)	6,905	62.5 (15)
Region 12	4,300	18.1 (15)	1,886	3.9 (11)	2,193	1.6 (13)	0	* *	0	* *	2,594	99.2 (9)	5,306	30.1 (4)
Region 13	9,325	20.4 (14)	4,285	2.7 (15)	5,185	1.5 (14)	0	* *	0	* *	5,798	98.7 (11)	11,853	32.6 (6)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this region's rate to other regions. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7E**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region**  
(4,5)

Region	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Region 14	6,735	24.4 (11)	3,092	3.7 (13)	3,632	1.7 (11)	0	* *	0	* *	3,899	100. (1)	8,249	42.6 (12)
Region 15	18,707	38.1 (1)	8,107	8.2 (2)	8,895	3.9 (1)	0	* *	0	* *	8,507	97.5 (13)	20,572	29.5 (2)
Unknown Regions	1,062	22.6 (13)	42	* *	34	* *	0	* *	0	* *	0	* *	2	* *
<b>Kentucky</b>	<b>118,818</b>	<b>30.2</b>	<b>51,850</b>	<b>6.1</b>	<b>59,069</b>	<b>2.8</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>59,198</b>	<b>98.8</b>	<b>137,817</b>	<b>32.5</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this region's rate to other regions. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

