

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adair Coun	598	88.1	3.0	5.0	0.0	0.0	3.8	0.0
Allen Coun	750	92.8	2.3	3.3	0.0	0.3	1.3	0.0
Anderson C	523	82.0	2.1	10.1	0.0	1.9	3.8	0.0
Ashland-Bo	1,621	92.0	2.2	2.2	0.1	0.1	3.5	0.0
Ballard Co	257	88.3	5.4	1.9	0.4	1.6	2.3	0.0
Bar-Riv-Wa	3,079	59.8	14.4	19.4	0.1	3.8	2.5	0.0
Barren Cty	1,512	87.7	4.0	6.4	0.0	0.7	1.2	0.0
Bath Count	538	92.9	1.1	2.8	0.0	0.9	2.2	0.0
Belfry	431	97.4	0.7	0.5	0.0	0.5	0.9	0.0
Bell Cty M	861	99.4	0.5	0.1	0.0	0.0	0.0	0.0
Bell Cty P	943	94.7	3.7	1.1	0.1	0.1	0.3	0.0
Berea	650	91.4	4.5	3.5	0.0	0.5	0.2	0.0
Betsy Lane	550	98.0	0.4	0.4	0.0	0.0	1.3	0.0
Boone Coun	2,525	71.9	3.5	22.4	0.0	0.9	1.3	0.0
Bourbon Ct	610	73.8	6.4	18.4	0.0	0.2	1.3	0.0
Boyle Coun	842	85.3	8.9	5.3	0.0	0.0	0.5	0.0
Bracken Co	327	94.5	0.6	3.1	0.0	0.3	1.5	0.0
Breathitt	777	99.0	0.4	0.1	0.0	0.3	0.3	0.0
Breckinrid	669	92.7	4.5	0.7	0.0	0.3	1.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Bridges	703	17.1	69.4	4.7	0.0	1.7	7.1	0.0
Bullitt Co	1,606	92.8	0.7	1.7	0.0	1.0	3.7	0.0
Butler Cty	563	90.4	0.4	8.0	0.2	1.1	0.0	0.0
C & Y	1,605	2.5	95.3	0.9	0.3	0.9	0.1	0.0
Caldwell C	487	87.9	8.4	1.4	0.0	0.6	1.6	0.0
Calloway C	1,056	85.3	6.3	4.1	0.0	2.0	2.3	0.0
Campbell C	2,014	89.5	5.8	3.6	0.1	0.4	0.5	0.0
Carlisle C	215	93.5	2.3	3.3	0.5	0.0	0.5	0.0
Carroll Ct	561	77.0	1.1	18.9	0.0	0.0	3.0	0.0
Carter Cty	831	95.1	0.7	3.6	0.1	0.1	0.4	0.0
Casey Cty	626	89.0	0.0	10.1	0.0	0.0	1.0	0.0
Christian	2,359	55.6	34.3	4.8	0.1	1.4	3.8	0.0
Clark Coun	1,115	86.5	7.0	5.5	0.1	0.6	0.4	0.0
Clay Cty H	1,251	98.1	0.3	1.5	0.0	0.1	0.0	0.0
Clinton Ct	590	89.5	0.5	9.2	0.0	0.7	0.2	0.0
Corbin	1,308	98.8	0.3	0.8	0.0	0.1	0.0	0.0
Crittenden	340	98.5	0.9	0.3	0.0	0.0	0.3	0.0
Cumberland	346	96.0	2.9	0.6	0.0	0.6	0.0	0.0
Daviess Co	2,859	79.2	6.9	8.5	0.0	0.5	4.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Dixie	2,290	77.0	14.4	4.0	0.0	0.6	4.1	0.0
Edmonson C	428	97.0	0.0	1.9	0.0	0.0	1.2	0.0
Elliott Ct	398	99.2	0.3	0.5	0.0	0.0	0.0	0.0
Estill Cty	702	99.4	0.1	0.4	0.0	0.0	0.0	0.0
Etown	1,738	83.2	9.6	4.0	0.2	0.7	2.2	0.0
Evarts	335	92.5	1.2	4.5	0.0	0.0	1.8	0.0
Fairdale	1,135	79.8	4.7	10.9	0.6	1.3	2.6	0.0
Fleming Co	624	97.6	0.6	1.1	0.0	0.3	0.3	0.0
Floyd Cty	1,217	98.8	0.4	0.6	0.1	0.1	0.1	0.0
Foust Hlth	238	60.9	25.6	5.0	0.0	0.0	8.4	0.0
Franklin C	1,389	73.6	14.0	8.4	0.0	1.3	2.7	0.0
Ft Campbel	2,891	68.3	15.6	9.7	0.4	3.0	3.0	0.0
Fulton	232	50.9	39.7	1.7	0.0	0.9	6.9	0.0
Gallatin C	452	82.3	1.5	15.5	0.0	0.0	0.7	0.0
Garrard Ct	660	89.5	2.3	4.8	0.2	0.5	2.7	0.0
Grant Cty	1,212	92.9	0.4	5.4	0.0	0.2	1.2	0.0
Graves Cty	1,488	66.2	7.7	22.3	0.1	0.1	3.6	0.0
Grayson Ct	1,145	95.5	1.2	2.6	0.2	0.3	0.3	0.0
Green Cty	475	94.5	2.3	3.2	0.0	0.0	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Greenup	917	96.8	0.8	0.9	0.0	0.5	1.0	0.0
Hancock Ct	276	92.8	0.7	2.9	0.4	0.0	3.3	0.0
Harlan Cty	952	95.3	1.8	1.2	0.0	0.0	1.8	0.0
Harrison C	698	88.7	1.7	7.2	0.3	0.0	2.1	0.0
Hart Cty H	698	91.4	5.3	1.6	0.0	0.1	1.6	0.0
Henderson	1,522	80.0	12.9	4.3	0.0	1.2	1.6	0.0
Henry Coun	477	87.2	2.5	6.9	0.0	3.1	0.2	0.0
Hickman	188	53.2	35.1	2.1	0.0	0.5	9.0	0.0
Hickman Ct	156	75.0	15.4	3.8	0.0	0.0	5.8	0.0
Highview	1,547	65.4	14.2	18.8	0.0	0.5	1.1	0.0
Hindman	724	98.8	0.6	0.1	0.0	0.3	0.3	0.0
Hopkins Ct	1,745	76.3	8.9	3.9	0.0	0.6	10.3	0.0
Hospital	1,648	86.7	8.3	4.1	0.0	0.7	0.2	0.0
Iroquois	2,209	37.1	33.7	21.1	0.1	3.8	4.3	0.0
Jackson Ct	656	98.3	0.2	1.2	0.0	0.2	0.2	0.0
Jessamine	1,650	84.8	4.2	7.8	0.0	1.0	2.2	0.0
Johnson Co	1,133	98.9	0.1	0.2	0.0	0.3	0.5	0.0
JT Arnett	127	96.1	0.8	3.1	0.0	0.0	0.0	0.0
Kenton Cty	2,574	78.7	13.9	5.3	0.1	1.1	0.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Knox Cty	1,692	98.5	1.2	0.3	0.0	0.0	0.0	0.0
L & N	1,882	21.9	73.9	2.2	0.1	1.3	0.6	0.0
Larue Cty	557	81.5	3.4	12.4	0.0	0.0	2.7	0.0
Laurel Cty	1,990	98.4	0.5	0.7	0.1	0.4	0.0	0.0
Lawrence C	713	98.6	0.1	0.1	0.0	0.0	1.1	0.0
Lee Cty He	348	97.1	1.1	1.7	0.0	0.0	0.0	0.0
Leslie Cty	631	98.1	0.3	0.5	0.0	0.2	1.0	0.0
Letcher Ct	978	98.5	0.9	0.5	0.0	0.1	0.0	0.0
Lewis Cty	669	97.9	0.1	0.9	0.3	0.1	0.6	0.0
Lex-Fay40C	2,495	31.5	16.3	49.4	0.2	1.3	1.3	0.0
Lex-Fay40D	1,350	41.5	46.2	7.0	0.6	1.2	3.6	0.0
Lex-Fay40F	36	*	*	*	*	*	*	*
Lex-Fay40G	942	43.2	25.7	19.2	0.3	3.0	8.6	0.0
Lex-Fay40J	1,180	50.1	32.9	10.1	0.2	1.2	5.6	0.0
Lex-Fay40W	997	22.3	29.0	47.9	0.0	0.3	0.5	0.0
Lincoln Ct	931	93.4	2.1	3.8	0.0	0.2	0.4	0.0
Livingston	308	95.8	0.0	2.6	0.0	0.0	1.6	0.0
Logan Cty	863	79.8	11.4	6.5	0.3	0.1	1.9	0.0
Lynch	314	92.0	4.1	0.3	0.0	0.0	3.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Lyon Cty	211	93.4	3.8	0.0	0.0	1.4	1.4	0.0
Magoffin C	666	98.8	0.2	0.8	0.0	0.0	0.3	0.0
Marion Cty	781	82.3	9.3	7.9	0.0	0.4	0.0	0.0
Marshal90A	926	98.5	0.4	0.6	0.0	0.2	0.2	0.0
Marshal90B	80	*	*	*	*	*	*	*
Martin Cty	713	98.5	0.1	0.7	0.0	0.0	0.7	0.0
Mason Cty	675	84.3	7.1	4.1	0.3	0.7	3.4	0.0
McCracken	2,055	59.6	29.4	5.4	0.0	0.8	4.8	0.0
McCreary C	1,054	97.5	0.4	1.7	0.0	0.0	0.4	0.0
McLean Ct	396	91.7	0.0	7.1	0.0	0.3	1.0	0.0
Meade Cty	762	92.3	2.1	2.2	0.0	0.4	3.0	0.0
Menifee Ct	360	97.5	0.8	1.4	0.0	0.3	0.0	0.0
Mercer Cty	772	88.3	3.5	7.4	0.0	0.3	0.5	0.0
Metcalfe C	387	96.9	1.8	1.0	0.0	0.3	0.0	0.0
Middletown	1,275	63.2	15.9	15.8	0.2	1.4	3.5	0.0
Monroe Cnt	466	86.7	4.9	7.5	0.0	0.0	0.9	0.0
Montgomery	1,172	92.8	0.7	5.3	0.0	0.1	1.1	0.0
Morgan Cty	627	99.7	0.0	0.3	0.0	0.0	0.0	0.0
Muhlenberg	1,073	90.5	3.5	1.8	0.0	0.4	3.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Neighborho	1,278	66.0	26.1	4.2	0.0	2.6	1.0	0.0
Nelson Cty	1,314	82.8	7.7	4.7	0.0	0.3	4.5	0.0
Newburg	2,010	31.1	47.6	16.1	0.0	1.9	3.2	0.0
Nicholas C	320	90.9	0.6	7.8	0.0	0.0	0.6	0.0
Oasis Hlth	202	75.7	11.9	5.0	0.0	0.5	6.9	0.0
Ohio Cty	1,109	85.2	0.4	13.7	0.1	0.2	0.5	0.0
Oldham Cty	877	71.4	3.9	22.8	0.0	0.2	1.7	0.0
Olive Hill	622	91.2	0.5	7.6	0.0	0.3	0.5	0.0
Owen Cty	345	88.7	0.3	9.3	0.0	0.0	1.7	0.0
Owsley Cty	279	97.1	1.1	0.4	0.0	0.0	1.4	0.0
Park Duval	1,886	11.7	67.5	18.6	0.0	0.6	1.6	0.0
Pendleton	426	96.2	0.9	1.6	0.0	0.0	1.2	0.0
Perry Cty	1,342	96.0	2.3	0.4	0.0	0.3	1.0	0.0
Phelps	233	98.7	1.3	0.0	0.0	0.0	0.0	0.0
Pike Cty	1,710	98.5	0.7	0.6	0.0	0.1	0.1	0.0
Portland	1,349	44.2	47.9	2.7	0.0	1.6	3.6	0.0
Powell Cty	675	97.2	0.6	1.9	0.0	0.3	0.0	0.0
Pulaski Ct	2,447	92.3	1.3	6.0	0.1	0.2	0.0	0.0
Radcliffe	2,021	56.9	21.2	12.0	0.1	1.4	8.4	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Richmond	1,684	83.0	7.2	5.0	0.1	0.9	3.8	0.0
Robertson	132	96.2	0.8	2.3	0.0	0.0	0.8	0.0
Rockcastle	807	97.5	0.6	1.0	0.1	0.2	0.5	0.0
Rowan Cty	860	96.7	1.5	0.6	0.1	1.0	0.0	0.0
Russell Ct	750	86.1	0.3	12.3	0.0	0.7	0.7	0.0
Scott Cty	1,200	79.7	7.1	9.8	0.0	3.2	0.3	0.0
Shelby Cty	1,180	43.0	7.8	45.5	0.1	2.5	1.2	0.0
Simpson Ct	588	81.0	11.1	4.3	0.2	0.9	2.7	0.0
South Shor	225	98.7	0.0	0.0	0.0	0.0	1.3	0.0
Spencer Ct	416	89.4	1.0	8.7	0.0	0.2	0.7	0.0
TAPP-South	94	*	*	*	*	*	*	*
TAPP-West	86	*	*	*	*	*	*	*
Taylor Cty	865	85.2	4.7	3.6	0.1	0.3	6.0	0.0
Todd Cty H	553	67.5	14.3	10.7	0.0	4.3	3.3	0.0
Trigg Cty	465	81.3	13.8	1.5	0.2	0.4	2.8	0.0
Trimble Ct	275	95.3	0.0	2.2	0.0	1.8	0.7	0.0
Union Cty	550	84.0	8.9	0.9	0.0	0.0	6.2	0.0
Wallins	116	97.4	0.0	2.6	0.0	0.0	0.0	0.0
Washington	417	72.2	10.1	13.2	0.0	0.0	4.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Wayne Cty	1,005	87.5	1.6	10.3	0.0	0.1	0.5	0.0
Webster Ct	507	78.1	2.8	15.8	0.0	0.8	2.6	0.0
Wheelbrigh	328	98.2	0.9	0.9	0.0	0.0	0.0	0.0
Williamsbu	1,159	97.9	1.0	0.6	0.1	0.3	0.0	0.0
Wolfe Cty	541	99.1	0.0	0.2	0.0	0.0	0.7	0.0
Woodford C	682	57.6	7.3	28.0	0.1	2.8	4.1	0.0
Kentucky	146,701	77.5	11.8	7.8	0.1	0.8	2.0	0.0
Nation (Prior Year)	7,599,318	31.5	18.5	41.1	1.0	2.5	1.5	3.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adair Coun	598	37.8	23.2	39.0
Allen Coun	750	34.3	22.1	43.6
Anderson C	523	40.5	18.7	40.7
Ashland-Bo	1,621	41.9	20.1	38.0
Ballard Co	257	37.4	17.5	45.1
Bar-Riv-Wa	3,079	46.0	19.0	35.0
Barren Cty	1,512	40.3	20.0	39.6
Bath Count	538	37.4	19.0	43.7
Belfry	431	36.2	19.7	44.1
Bell Cty M	861	33.1	18.2	48.7
Bell Cty P	943	32.6	17.9	49.5
Berea	650	37.2	20.8	42.0
Betsy Lane	550	31.1	17.1	51.8
Boone Coun	2,525	40.8	20.5	38.7
Bourbon Ct	610	39.8	23.6	36.6
Boyle Coun	842	42.6	19.2	38.1
Bracken Co	327	45.6	16.2	38.2
Breathitt	777	31.9	20.2	47.9

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Breckinrid	669	33.2	19.3	47.5
Bridges	703	43.5	21.3	35.1
Bullitt Co	1,606	44.2	20.4	35.4
Butler Cty	563	37.5	17.8	44.8
C & Y	1,605	48.6	18.0	33.4
Caldwell C	487	36.3	20.7	42.9
Calloway C	1,056	37.0	21.7	41.3
Campbell C	2,014	40.4	21.3	38.4
Carlisle C	215	30.2	19.5	50.2
Carroll Ct	561	40.5	18.2	41.4
Carter Cty	831	35.5	18.8	45.7
Casey Cty	626	36.4	15.7	47.9
Christian	2,359	45.7	18.1	36.2
Clark Coun	1,115	42.9	19.6	37.5
Clay Cty H	1,251	33.9	16.9	49.2
Clinton Ct	590	34.6	18.5	46.9
Corbin	1,308	37.2	20.0	42.8
Crittenden	340	39.1	19.1	41.8

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Cumberland	346	32.1	22.0	46.0
Daviess Co	2,859	42.3	19.4	38.3
Dixie	2,290	49.4	18.8	31.8
Edmonson C	428	41.4	15.0	43.7
Elliott Ct	398	32.2	16.6	51.3
Estill Cty	702	31.9	20.2	47.9
Etown	1,738	44.4	19.2	36.5
Evarts	335	31.9	20.9	47.2
Fairdale	1,135	49.7	19.5	30.8
Fleming Co	624	32.4	18.9	48.7
Floyd Cty	1,217	35.3	21.8	42.9
Foust Hlth	238	26.1	19.3	54.6
Franklin C	1,389	47.8	19.6	32.6
Ft Campbel	2,891	40.8	18.3	40.9
Fulton	232	33.2	17.7	49.1
Gallatin C	452	41.6	19.2	39.2
Garrard Ct	660	37.3	18.8	43.9
Grant Cty	1,212	34.2	22.7	43.1

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Graves Cty	1,488	35.4	21.8	42.8
Grayson Ct	1,145	33.5	18.9	47.6
Green Cty	475	33.3	17.3	49.5
Greenup	917	41.5	16.4	42.1
Hancock Ct	276	36.6	15.9	47.5
Harlan Cty	952	36.0	18.8	45.2
Harrison C	698	41.0	18.1	41.0
Hart Cty H	698	36.2	18.8	45.0
Henderson	1,522	43.4	18.1	38.5
Henry Coun	477	41.5	19.1	39.4
Hickman	188	34.0	18.6	47.3
Hickman Ct	156	32.1	26.9	41.0
Highview	1,547	44.4	18.8	36.8
Hindman	724	34.5	19.2	46.3
Hopkins Ct	1,745	40.6	19.8	39.6
Hospital	1,648	100.0	0.0	0.0
Iroquois	2,209	44.5	18.8	36.7
Jackson Ct	656	33.2	21.5	45.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Jessamine	1,650	42.6	19.3	38.1
Johnson Co	1,133	33.4	18.2	48.5
JT Arnett	127	26.8	20.5	52.8
Kenton Cty	2,574	40.2	23.2	36.6
Knox Cty	1,692	35.1	18.7	46.2
L & N	1,882	49.8	18.0	32.3
Larue Cty	557	35.4	20.5	44.2
Laurel Cty	1,990	40.8	18.2	41.0
Lawrence C	713	35.1	20.9	44.0
Lee Cty He	348	33.3	16.7	50.0
Leslie Cty	631	34.1	18.1	47.9
Letcher Ct	978	43.6	18.9	37.5
Lewis Cty	669	34.2	18.8	46.9
Lex-Fay40C	2,495	44.8	19.0	36.2
Lex-Fay40D	1,350	49.3	18.4	32.3
Lex-Fay40F	36	*	*	*
Lex-Fay40G	942	47.6	16.6	35.9
Lex-Fay40J	1,180	44.8	16.5	38.6

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lex-Fay40W	997	43.4	20.3	36.3
Lincoln Ct	931	37.3	22.4	40.3
Livingston	308	29.9	22.1	48.1
Logan Cty	863	41.7	20.5	37.8
Lynch	314	29.6	19.4	51.0
Lyon Cty	211	39.8	21.3	38.9
Magoffin C	666	31.1	20.3	48.6
Marion Cty	781	40.6	17.8	41.6
Marshal90A	926	37.0	20.8	42.1
Marshal90B	80	*	*	*
Martin Cty	713	33.4	18.9	47.7
Mason Cty	675	45.2	19.7	35.1
McCracken	2,055	38.2	21.2	40.7
McCreary C	1,054	32.8	18.1	49.1
McLean Ct	396	39.9	21.5	38.6
Meade Cty	762	39.9	18.5	41.6
Menifee Ct	360	30.8	16.4	52.8
Mercer Cty	772	36.7	17.7	45.6

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Metcalfe C	387	34.6	18.3	47.0
Middletown	1,275	44.9	23.0	32.2
Monroe Cnt	466	36.7	17.0	46.4
Montgomery	1,172	41.0	18.6	40.4
Morgan Cty	627	34.1	19.0	46.9
Muhlenberg	1,073	38.8	20.6	40.6
Neighborho	1,278	46.5	19.0	34.5
Nelson Cty	1,314	39.6	19.5	40.9
Newburg	2,010	49.2	18.1	32.8
Nicholas C	320	31.9	20.6	47.5
Oasis Hlth	202	26.2	16.3	57.4
Ohio Cty	1,109	38.0	21.3	40.8
Oldham Cty	877	36.6	22.5	40.9
Olive Hill	622	33.6	21.5	44.9
Owen Cty	345	37.1	20.9	42.0
Owsley Cty	279	25.1	16.5	58.4
Park Duval	1,886	40.7	19.6	39.7
Pendleton	426	40.6	20.4	39.0

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Perry Cty	1,342	41.4	16.8	41.8
Phelps	233	39.1	16.3	44.6
Pike Cty	1,710	42.7	18.2	39.0
Portland	1,349	44.3	18.7	37.0
Powell Cty	675	31.7	22.1	46.2
Pulaski Ct	2,447	40.0	19.5	40.5
Radcliffe	2,021	41.5	19.0	39.4
Richmond	1,684	42.5	21.4	36.1
Robertson	132	29.5	22.0	48.5
Rockcastle	807	35.7	15.4	48.9
Rowan Cty	860	40.6	19.4	40.0
Russell Ct	750	36.7	20.7	42.7
Scott Cty	1,200	44.6	21.3	34.2
Shelby Cty	1,180	41.4	19.7	38.8
Simpson Ct	588	43.2	19.6	37.2
South Shor	225	30.7	20.9	48.4
Spencer Ct	416	43.8	19.5	36.8
TAPP-South	94	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
TAPP-West	86	*	*	*
Taylor Cty	865	38.7	20.3	40.9
Todd Cty H	553	37.4	15.7	46.8
Trigg Cty	465	35.7	18.9	45.4
Trimble Ct	275	41.1	18.2	40.7
Union Cty	550	42.0	18.4	39.6
Wallins	116	31.0	16.4	52.6
Washington	417	29.3	20.9	49.9
Wayne Cty	1,005	35.1	16.4	48.5
Webster Ct	507	41.6	18.5	39.8
Wheelbrigh	328	33.5	17.1	49.4
Williamsbu	1,159	33.0	19.4	47.6
Wolfe Cty	541	29.4	19.6	51.0
Woodford C	682	37.2	18.2	44.6
Kentucky	146,701	40.7	19.2	40.1
Nation (Prior Year)	7,599,318	37.6	21.8	40.6

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adair Coun	152	11.8 (92)	7.2 (81)	575	5.4 (68)	7.1 (98)	10.3 (26)	229	9.2 (6)	15.3 (61)	360	8.6 (51)
Allen Coun	163	6.1 (10)	8.0 (101)	724	7.3 (112)	8.4 (126)	10.1 (22)	307	15.6 (55)	11.4 (19)	390	13.3 (93)
Anderson C	126	15.1 (115)	4.0 (22)	493	7.1 (108)	8.3 (123)	13.8 (81)	213	18.8 (108)	16.9 (87)	324	13.9 (97)
Ashland-Bo	403	13.9 (110)	4.0 (22)	1,554	4.6 (39)	11.1 (144)	9.8 (20)	587	13.6 (24)	15.3 (61)	989	17.1 (120)
Ballard Co	65	* *	* *	240	8.8 (132)	5.4 (54)	16.3 (123)	113	23.0 (144)	14.2 (46)	176	14.8 (104)
Bar-Riv-Wa	777	10.7 (72)	6.0 (55)	2,966	5.5 (70)	6.5 (86)	12.7 (58)	1,060	17.0 (82)	17.3 (94)	1,761	19.4 (125)
Barren Cty	373	8.8 (35)	8.8 (111)	1,456	5.6 (71)	6.3 (77)	12.2 (54)	573	16.6 (74)	18.5 (109)	957	8.3 (49)
Bath Count	136	11.0 (80)	13.2 (122)	513	10.1 (142)	7.2 (102)	17.9 (138)	228	23.2 (145)	24.6 (144)	323	8.7 (52)
Belfry	88	* *	* *	401	1.5 (4)	11.5 (147)	15.0 (106)	172	14.0 (27)	21.5 (132)	278	6.1 (27)
Bell Cty M	186	8.6 (29)	7.0 (76)	814	5.9 (82)	3.3 (16)	22.2 (152)	405	16.3 (65)	23.0 (139)	586	3.1 (8)
Bell Cty P	162	11.1 (82)	7.4 (90)	892	4.6 (39)	5.6 (59)	14.9 (105)	441	9.8 (8)	13.8 (42)	616	2.9 (6)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Berea	142	5.6 (4)	9.2(113)	632	4.9 (51)	7.6(112)	9.5 (18)	265	15.5 (52)	12.8 (30)	449	8.2 (48)
Betsy Lane	111	13.5(107)	5.4 (45)	518	1.2 (3)	9.7(141)	8.7 (9)	259	8.5 (4)	10.4 (12)	407	6.6 (30)
Boone Coun	451	10.6 (66)	7.3 (86)	2,407	6.1 (88)	6.3 (77)	12.3 (55)	943	19.2(113)	15.6 (67)	1,553	16.5(116)
Bourbon Ct	158	12.0 (96)	8.2(104)	584	5.3 (63)	4.8 (43)	16.3(123)	216	19.4(115)	18.5(109)	397	13.1 (92)
Boyle Coun	179	10.1 (56)	5.6 (48)	810	5.1 (56)	6.3 (77)	12.8 (65)	313	16.6 (74)	19.2(117)	490	13.7 (96)
Bracken Co	84	* *	* *	309	6.8(103)	12.9(153)	16.5(125)	116	20.7(130)	24.1(141)	205	6.3 (29)
Breathitt	146	5.5 (3)	4.8 (36)	722	4.8 (46)	4.6 (33)	18.0(139)	355	19.4(115)	18.0(104)	536	5.0 (19)
Breckinrid	123	9.8 (48)	4.9 (38)	649	6.2 (93)	3.1 (12)	12.9 (69)	313	13.4 (22)	11.2 (15)	491	6.9 (33)
Bridges	141	7.8 (21)	2.8 (6)	662	7.1(108)	6.9 (93)	15.1(108)	237	18.1 (98)	13.1 (34)	378	28.3(148)
Bullitt Co	427	11.9 (94)	7.3 (86)	1,542	6.4 (97)	4.7 (37)	12.8 (65)	559	17.4 (88)	14.5 (49)	910	18.6(123)
Butler Cty	137	12.4 (99)	4.4 (29)	546	2.9 (11)	5.3 (51)	17.6(134)	242	19.4(115)	21.9(137)	366	14.8(104)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
C & Y	481	14.3 (112)	2.5 (3)	1,496	7.8(121)	6.8 (91)	14.1 (89)	530	16.8 (77)	17.7(100)	902	26.6(143)
Caldwell C	111	9.0 (37)	9.0(112)	468	5.6 (71)	6.4 (83)	15.4(115)	196	19.9(122)	15.8 (70)	334	11.4 (75)
Calloway C	226	5.8 (8)	10.6(119)	1,026	4.3 (34)	4.7 (37)	10.9 (34)	425	16.5 (69)	11.8 (23)	683	7.5 (40)
Campbell C	381	8.1 (25)	5.5 (47)	1,892	4.9 (51)	7.8(115)	9.3 (13)	760	11.8 (14)	8.4 (4)	1,187	21.4(134)
Carlisle C	40	* *	* *	204	6.9(105)	4.4 (28)	15.7(117)	107	21.5(140)	15.0 (56)	137	20.4(133)
Carroll Ct	155	11.6 (87)	6.5 (64)	546	7.9(122)	7.1 (98)	11.4 (42)	229	16.2 (62)	13.5 (40)	371	11.6 (80)
Carter Cty	190	10.5 (64)	3.7 (19)	806	2.9 (11)	9.9(142)	11.9 (49)	367	15.3 (49)	17.7(100)	534	10.7 (64)
Casey Cty	147	10.2 (58)	9.5(115)	607	7.2(110)	6.3 (77)	11.9 (49)	290	20.7(130)	15.2 (59)	386	12.2 (84)
Christian	603	11.9 (94)	2.5 (3)	2,212	5.0 (54)	6.2 (73)	10.2 (25)	819	15.5 (52)	10.5 (13)	1,343	19.4(125)
Clark Coun	278	13.3(106)	6.1 (57)	1,069	5.8 (80)	4.6 (33)	15.2(111)	415	22.4(142)	21.2(131)	649	12.6 (88)
Clay Cty H	276	13.0(105)	4.7 (32)	1,215	4.0 (29)	8.2(121)	15.2(111)	593	21.4(138)	21.1(128)	851	5.2 (20)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clinton Ct	142	9.9 (52)	9.2(113)	562	3.2 (16)	6.9 (93)	14.8(102)	272	19.1(111)	21.0(127)	390	3.1 (8)
Corbin	296	5.7 (5)	9.8(117)	1,263	5.1 (56)	7.5(107)	13.8 (81)	543	14.2 (30)	17.7(100)	904	15.2(107)
Crittenden	79	* *	* *	328	6.1 (88)	5.5 (57)	13.7 (80)	143	18.2(101)	9.8 (10)	216	15.7(111)
Cumberland	77	* *	* *	339	5.0 (54)	8.6(130)	11.5 (43)	162	11.7 (13)	16.0 (73)	200	22.5(137)
Daviess Co	735	8.6 (29)	8.6(109)	2,759	8.7(130)	2.9 (10)	14.5 (99)	1,071	19.7(120)	14.5 (49)	1,732	11.6 (80)
Dixie	662	9.8 (48)	6.3 (60)	2,155	7.6(114)	4.6 (33)	15.1(108)	711	15.2 (46)	14.5 (49)	1,161	11.3 (73)
Edmonson C	101	6.9 (13)	3.0 (9)	420	3.8 (26)	5.7 (61)	8.6 (6)	184	21.2(136)	13.0 (32)	253	4.3 (14)
Elliott Ct	84	* *	* *	380	2.9 (11)	11.3(146)	10.3 (26)	195	20.5(129)	13.3 (38)	259	29.0(149)
Estill Cty	145	11.7 (88)	3.4 (14)	680	5.1 (56)	4.7 (37)	11.8 (47)	320	21.3(137)	16.9 (87)	511	9.0 (54)
Etown	447	9.8 (48)	6.3 (60)	1,691	8.0(124)	3.1 (12)	13.9 (86)	607	20.3(127)	14.2 (46)	1,092	7.8 (44)
Evarts	69	* *	* *	328	2.7 (10)	5.5 (57)	13.4 (73)	154	16.9 (81)	20.1(120)	213	2.3 (3)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fairdale	321	8.7 (33)	7.2 (81)	1,072	5.1 (56)	4.9 (45)	12.7 (58)	328	14.6 (38)	14.0 (44)	623	10.0 (60)
Fleming Co	147	13.6 (109)	6.1 (57)	603	6.3 (95)	7.8 (115)	13.9 (86)	291	15.5 (52)	14.8 (54)	416	14.4 (102)
Floyd Cty	281	10.0 (53)	3.9 (20)	1,158	7.6 (114)	7.1 (98)	14.1 (89)	503	14.3 (32)	17.3 (94)	781	10.8 (67)
Foust Hlth	33	* *	* *	226	5.3 (63)	3.1 (12)	15.9 (121)	125	16.0 (59)	17.6 (98)	191	26.7 (145)
Franklin C	391	12.8 (104)	3.3 (12)	1,324	11.1 (148)	6.2 (73)	15.3 (113)	442	20.8 (132)	21.5 (132)	789	21.4 (134)
Ft Campbel	697	7.2 (17)	9.6 (116)	2,802	3.1 (14)	9.3 (137)	6.1 (2)	1,143	8.2 (3)	5.8 (1)	1,755	23.9 (141)
Fulton	45	* *	* *	222	7.7 (117)	4.5 (31)	20.7 (149)	107	12.1 (18)	16.8 (84)	144	22.2 (136)
Gallatin C	107	7.5 (19)	5.6 (48)	435	4.8 (46)	7.6 (112)	14.3 (95)	172	18.6 (107)	19.2 (117)	291	19.6 (129)
Garrard Ct	145	7.6 (20)	3.4 (14)	621	8.1 (125)	6.4 (83)	13.5 (75)	288	10.8 (12)	17.0 (90)	419	15.0 (106)
Grant Cty	226	10.6 (66)	6.6 (67)	1,164	4.6 (39)	5.2 (50)	10.9 (34)	506	16.2 (62)	11.5 (20)	859	7.3 (38)
Graves Cty	333	6.3 (12)	7.2 (81)	1,442	3.9 (27)	6.4 (83)	14.2 (93)	626	19.2 (113)	17.4 (96)	921	19.4 (125)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grayson Ct	256	8.6 (29)	6.6 (67)	1,110	6.7(102)	5.9 (70)	14.1 (89)	543	16.4 (66)	15.8 (70)	813	4.3 (14)
Green Cty	106	5.7 (5)	6.6 (67)	468	5.1 (56)	3.4 (19)	10.3 (26)	227	18.9(109)	11.9 (25)	310	10.6 (62)
Greenup	246	11.0 (80)	3.3 (12)	879	3.2 (16)	14.9(154)	9.8 (20)	366	13.9 (26)	16.4 (76)	537	6.0 (26)
Hancock Ct	55	* *	* *	266	7.9(122)	2.6 (7)	13.9 (86)	131	21.4(138)	16.8 (84)	197	3.0 (7)
Harlan Cty	229	4.8 (1)	8.3(106)	909	4.7 (44)	8.1(120)	14.2 (93)	404	18.3(103)	21.5(132)	564	7.6 (41)
Harrison C	195	9.7 (46)	5.6 (48)	665	5.6 (71)	5.7 (61)	11.7 (46)	270	11.9 (17)	15.2 (59)	412	7.8 (44)
Hart Cty H	166	9.6 (45)	7.8 (96)	684	3.7 (23)	5.8 (66)	12.6 (57)	310	16.8 (77)	18.7(111)	464	7.8 (44)
Henderson	408	15.7(117)	2.9 (8)	1,484	5.9 (82)	8.9(133)	8.6 (6)	573	15.0 (42)	15.7 (69)	873	2.2 (2)
Henry Coun	122	5.7 (5)	7.4 (90)	455	13.0(152)	6.2 (73)	20.0(147)	185	17.8 (95)	18.4(108)	308	16.6(117)
Hickman	43	* *	* *	181	6.1 (88)	7.7(114)	16.0(122)	87	* *	* *	123	30.9(150)
Hickman Ct	31	* *	* *	153	7.2(110)	7.2(102)	19.6(145)	61	* *	* *	101	23.8(140)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Highview	387	9.0 (37)	6.5 (64)	1,478	6.6(100)	5.7 (61)	12.8 (65)	560	11.8 (14)	8.8 (7)		887	20.1(131)
Hindman	160	11.3 (84)	4.4 (29)	660	11.1(148)	4.1 (25)	22.1(151)	312	14.4 (33)	21.5(132)		522	4.2 (13)
Hopkins Ct	402	10.7 (72)	8.0(101)	1,685	9.0(134)	2.6 (7)	14.7(101)	678	16.5 (69)	17.6 (98)		1,201	11.1 (71)
Hospital	1,641	8.0 (24)	5.1 (40)	1,499	0.7 (1)	12.1(150)	2.4 (1)	0	* *	* *		1	* *
Iroquois	564	11.7 (88)	7.1 (78)	2,085	3.6 (21)	4.6 (33)	11.8 (47)	800	16.8 (77)	13.0 (32)		1,393	15.8(113)
Jackson Ct	135	12.6(102)	7.4 (90)	632	3.5 (20)	4.7 (37)	15.5(116)	294	15.3 (49)	20.4(124)		474	5.7 (23)
Jessamine	406	10.1 (56)	7.1 (78)	1,587	5.7 (77)	6.9 (93)	9.1 (11)	613	12.1 (18)	11.3 (16)		967	17.0(119)
Johnson Co	230	11.7 (88)	2.6 (5)	1,094	5.8 (80)	6.6 (88)	19.6(145)	547	14.4 (33)	21.6(136)		763	19.0(124)
JT Arnett	21	* *	* *	120	3.3 (18)	5.8 (66)	16.7(126)	66	* *	* *		93	* *
Kenton Cty	356	13.5(107)	7.6 (94)	2,452	8.1(125)	4.9 (45)	12.9 (69)	925	17.5 (90)	17.1 (92)		1,619	13.9 (97)
Knox Cty	342	8.5 (28)	7.3 (86)	1,605	3.7 (23)	7.8(115)	13.6 (78)	755	17.5 (90)	18.8(113)		1,189	8.5 (50)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
L & N	509	10.6 (66)	4.7 (32)	1,773	4.6 (39)	7.1 (98)	12.7 (58)	588	16.8 (77)	13.8 (42)	1,086	15.2 (107)
Larue Cty	130	10.8 (76)	6.9 (74)	526	5.3 (63)	2.7 (9)	16.9 (128)	235	20.0 (124)	13.2 (36)	400	20.3 (132)
Laurel Cty	459	9.8 (48)	7.8 (96)	1,919	4.5 (36)	8.4 (126)	12.7 (58)	789	18.4 (105)	16.5 (79)	1,264	6.8 (31)
Lawrence C	176	16.5 (119)	2.8 (6)	678	7.7 (117)	9.3 (137)	17.1 (131)	303	16.2 (62)	21.1 (128)	442	11.5 (79)
Lee Cty He	53	* *	* *	336	1.5 (4)	5.4 (54)	9.2 (12)	171	15.2 (46)	8.2 (3)	253	8.7 (52)
Leslie Cty	143	8.4 (27)	7.0 (76)	594	3.7 (23)	8.9 (133)	13.6 (78)	282	13.5 (23)	13.5 (40)	455	12.1 (83)
Letcher Ct	248	15.7 (117)	3.6 (17)	937	11.0 (147)	2.2 (4)	17.6 (134)	357	20.4 (128)	20.2 (123)	647	2.5 (4)
Lewis Cty	143	9.1 (39)	4.2 (27)	640	4.4 (35)	11.1 (144)	14.1 (89)	288	10.4 (11)	15.3 (61)	413	5.6 (22)
Lex-Fay40C	600	9.7 (46)	8.2 (104)	2,393	4.9 (51)	7.5 (107)	14.8 (102)	883	19.4 (115)	24.3 (142)	1,434	23.2 (138)
Lex-Fay40D	417	12.7 (103)	7.2 (81)	1,282	5.9 (82)	8.7 (131)	7.6 (3)	426	15.0 (42)	8.9 (8)	648	26.9 (146)
Lex-Fay40F	11	* *	* *	34	* *	* *	* *	19	* *	* *	22	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lex-Fay40G	265	12.5 (101)	7.9 (99)	891	5.6 (71)	7.2(102)	13.5 (75)	325	17.5 (90)	23.4(140)	465	26.9 (146)
Lex-Fay40J	287	9.1 (39)	4.2 (27)	1,133	6.2 (93)	7.3(106)	8.6 (6)	453	17.2 (84)	11.5 (20)	650	26.6 (143)
Lex-Fay40W	265	11.7 (88)	5.3 (44)	951	16.6(154)	7.8(115)	11.5 (43)	356	18.5(106)	19.1(116)	141	25.5 (142)
Lincoln Ct	224	10.3 (60)	7.6 (94)	900	5.1 (56)	6.3 (77)	14.6(100)	369	16.0 (59)	16.3 (75)	609	12.6 (88)
Livingston	58	* *	* *	291	6.5 (99)	3.1 (12)	18.2(140)	147	19.0(110)	12.2 (28)	235	4.7 (16)
Logan Cty	221	10.0 (53)	6.3 (60)	835	4.8 (46)	6.3 (77)	12.7 (58)	315	20.0(124)	18.7(111)	497	18.3 (122)
Lynch	59	* *	* *	298	3.4 (19)	9.1(135)	10.1 (22)	152	15.1 (44)	16.4 (76)	220	15.5 (109)
Lyon Cty	53	* *	* *	202	9.4(141)	5.4 (54)	19.3(144)	77	* *	* *	140	7.1 (36)
Magoffin C	135	18.5 (122)	5.2 (43)	626	10.1(142)	4.3 (27)	20.8(150)	318	24.5(147)	24.8(145)	421	12.6 (88)
Marion Cty	204	10.8 (76)	7.4 (90)	756	7.4(113)	3.3 (16)	17.3(132)	321	16.5 (69)	19.6(119)	502	7.4 (39)
Marshal90A	232	7.8 (21)	7.8 (96)	872	11.8(151)	7.5(107)	13.8 (81)	388	10.3 (9)	8.5 (5)	543	10.9 (69)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Marshal90B	15	* *	* *	77	* *	* *	* *	39	* *	* *	53	* *
Martin Cty	133	17.3 (121)	6.8 (73)	683	6.1 (88)	7.2(102)	15.8(119)	324	19.1(111)	22.5(138)	510	10.4 (61)
Mason Cty	171	5.8 (8)	10.5(118)	637	8.8(132)	8.5(128)	15.1(108)	231	15.6 (55)	15.6 (67)	369	16.3(115)
McCracken	494	10.3 (60)	5.1 (40)	1,857	5.7 (77)	5.8 (66)	16.9(128)	809	17.4 (88)	12.9 (31)	1,374	13.4 (95)
McCreary C	217	10.6 (66)	6.9 (74)	1,016	6.4 (97)	5.6 (59)	14.4 (97)	513	17.7 (93)	20.7(125)	759	9.4 (57)
McLean Ct	93	* *	* *	377	9.0(134)	4.5 (31)	10.6 (31)	151	17.9 (97)	15.9 (72)	243	0.8 (1)
Meade Cty	180	10.0 (53)	6.1 (57)	740	7.6(114)	5.1 (49)	13.5 (75)	313	14.4 (33)	15.0 (56)	512	10.7 (64)
Menifee Ct	68	* *	* *	347	6.1 (88)	6.6 (88)	10.1 (22)	184	15.8 (58)	12.0 (26)	246	11.4 (75)
Mercer Cty	168	14.9(114)	3.0 (9)	738	6.8(103)	3.9 (24)	10.4 (29)	346	14.7 (39)	13.3 (38)	538	9.3 (56)
Metcalfe C	83	* *	* *	374	1.9 (9)	7.5(107)	10.7 (32)	174	8.6 (5)	14.4 (48)	257	14.0 (99)
Middletown	305	9.2 (42)	8.5(108)	1,204	4.8 (46)	5.0 (47)	12.0 (51)	399	17.3 (87)	11.8 (23)	719	14.2(101)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Monroe Cnt	110	10.9 (78)	7.3 (86)	445	6.3 (95)	8.3(123)	18.7(142)	200	16.5 (69)	26.5(146)	295	2.7 (5)
Montgomery	292	8.9 (36)	7.2 (81)	1,131	6.9(105)	4.8 (43)	12.4 (56)	462	14.5 (36)	16.7 (82)	779	10.8 (67)
Morgan Cty	114	6.1 (10)	7.9 (99)	604	4.5 (36)	6.8 (91)	12.7 (58)	285	17.2 (84)	18.2(106)	420	16.7(118)
Muhlenberg	221	12.2 (97)	8.6(109)	1,042	5.6 (71)	6.0 (71)	11.3 (40)	424	16.5 (69)	15.1 (58)	649	9.2 (55)
Neighborho	339	11.2 (83)	4.1 (24)	1,223	5.4 (68)	7.9(119)	8.0 (5)	434	15.2 (46)	9.9 (11)	703	7.0 (34)
Nelson Cty	310	10.3 (60)	5.8 (54)	1,278	8.3(127)	5.8 (66)	12.8 (65)	515	14.2 (30)	11.7 (22)	831	11.2 (72)
Newburg	569	11.4 (85)	6.7 (70)	1,884	4.0 (29)	11.7(148)	11.0 (37)	629	5.1 (1)	6.2 (2)	1,131	17.8(121)
Nicholas C	65	* *	* *	302	6.0 (86)	11.9(149)	11.3 (40)	141	7.8 (2)	8.5 (5)	205	19.5(128)
Oasis Hlth	32	* *	* *	198	10.1(142)	2.0 (3)	11.6 (45)	110	11.8 (14)	12.7 (29)	145	11.0 (70)
Ohio Cty	254	10.2 (58)	6.3 (60)	1,083	5.6 (71)	3.8 (22)	10.5 (30)	445	15.7 (57)	16.6 (81)	764	4.8 (17)
Oldham Cty	199	9.5 (44)	6.0 (55)	851	9.0(134)	1.4 (1)	17.0(130)	361	18.3(103)	15.5 (65)	544	7.7 (42)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Olive Hill	139	7.2 (17)	5.0 (39)	603	4.0 (29)	8.8(132)	14.3 (95)	262	17.2 (84)	16.8 (84)	402	19.7(130)
Owen Cty	79	* *	* *	327	4.0 (29)	7.0 (96)	11.0 (37)	136	19.9(122)	13.2 (36)	236	12.3 (86)
Owsley Cty	49	* *	* *	261	7.7(117)	3.4 (19)	26.1(154)	154	22.7(143)	26.6(147)	221	11.8 (82)
Park Duval	467	15.6(116)	3.6 (17)	1,771	6.9(105)	6.7 (90)	13.3 (72)	730	14.1 (29)	15.5 (65)	1,212	12.2 (84)
Pendleton	103	8.7 (33)	3.9 (20)	405	5.9 (82)	6.2 (73)	9.6 (19)	162	21.0(133)	14.8 (54)	255	11.4 (75)
Perry Cty	330	11.8 (92)	4.5 (31)	1,268	10.4(146)	1.9 (2)	23.1(153)	547	22.1(141)	19.0(114)	823	11.3 (73)
Phelps	53	* *	* *	224	0.9 (2)	8.5(128)	13.8 (81)	100	14.0 (27)	19.0(114)	141	7.8 (44)
Pike Cty	420	10.7 (72)	4.8 (36)	1,601	1.6 (6)	12.7(151)	8.7 (9)	611	10.3 (9)	9.3 (9)	1,035	7.0 (34)
Portland	368	12.2 (97)	3.0 (9)	1,297	6.0 (86)	4.7 (37)	10.9 (34)	493	19.7(120)	12.0 (26)	741	23.3(139)
Powell Cty	132	9.1 (39)	2.3 (2)	655	6.6(100)	4.1 (25)	15.7(117)	308	18.2(101)	21.1(128)	496	5.8 (25)
Pulaski Ct	586	10.9 (78)	5.6 (48)	2,367	3.1 (14)	7.0 (96)	7.9 (4)	968	14.7 (39)	11.3 (16)	1,520	6.2 (28)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Radcliffe	473	10.6 (66)	5.1 (40)	1,974	5.1 (56)	4.4 (28)	9.3 (13)	782	16.4 (66)	11.3 (16)	1,317	12.4 (87)
Richmond	424	9.2 (42)	5.7 (52)	1,648	4.7 (44)	8.3(123)	9.3 (13)	598	18.1 (98)	16.1 (74)	1,074	11.4 (75)
Robertson	31	* *	* *	127	3.9 (27)	9.4(139)	9.4 (17)	67	* *	* *	94	* *
Rockcastle	183	7.1 (15)	7.1 (78)	786	5.3 (63)	6.1 (72)	14.8(102)	388	16.0 (59)	17.0 (90)	580	4.1 (12)
Rowan Cty	204	4.9 (2)	10.8(120)	831	4.5 (36)	8.2(121)	13.0 (71)	331	14.5 (36)	18.1(105)	558	6.8 (31)
Russell Ct	170	10.6 (66)	3.5 (16)	723	8.7(130)	6.5 (86)	13.8 (81)	313	19.5(119)	18.2(106)	494	7.7 (42)
Scott Cty	307	8.1 (25)	6.5 (64)	1,127	7.7(117)	3.3 (16)	17.6(134)	397	15.1 (44)	17.4 (96)	700	9.9 (59)
Shelby Cty	296	7.1 (15)	8.4(107)	1,025	11.2(150)	4.4 (28)	19.1(143)	439	16.4 (66)	17.8(103)	756	12.7 (91)
Simpson Ct	149	10.7 (72)	6.7 (70)	568	5.3 (63)	5.3 (51)	12.0 (51)	219	12.8 (21)	16.4 (76)	349	15.8(113)
South Shor	46	* *	* *	217	4.1 (33)	9.2(136)	13.4 (73)	105	20.0(124)	17.1 (92)	143	4.9 (18)
Spencer Ct	107	14.0(111)	4.7 (32)	399	9.3(140)	5.3 (51)	18.3(141)	144	12.5 (20)	20.1(120)	239	14.6(103)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
TAPP-South	37	* *	* *	89	* *	* *	* *	8	* *	* *	44	* *
TAPP-West	35	* *	* *	81	* *	* *	* *	7	* *	* *	33	* *
Taylor Cty	213	7.0 (14)	8.0 (101)	837	4.8 (46)	5.0 (47)	11.1 (39)	344	15.4 (51)	13.1 (34)	515	7.2 (37)
Todd Cty H	117	17.1 (120)	1.7 (1)	529	9.1 (137)	5.7 (61)	16.8 (127)	255	13.7 (25)	16.9 (87)	391	13.3 (93)
Trigg Cty	105	14.3 (112)	6.7 (70)	442	8.6 (129)	3.4 (19)	15.8 (119)	205	21.0 (133)	14.1 (45)	315	5.7 (23)
Trimble Ct	69	* *	* *	272	8.5 (128)	11.0 (143)	20.2 (148)	111	17.1 (83)	24.3 (142)	186	14.0 (99)
Union Cty	129	12.4 (99)	4.7 (32)	535	9.2 (138)	2.4 (6)	9.3 (13)	211	14.7 (39)	10.9 (14)	361	3.3 (10)
Wallins	18	* *	* *	110	1.8 (8)	12.7 (151)	12.7 (58)	61	* *	* *	73	* *
Washington	74	* *	* *	406	10.3 (145)	4.7 (37)	15.3 (113)	204	18.1 (98)	16.7 (82)	282	5.3 (21)
Wayne Cty	219	7.8 (21)	4.1 (24)	975	3.6 (21)	5.7 (61)	12.1 (53)	470	17.7 (93)	15.3 (61)	682	9.8 (58)
Webster Ct	123	11.4 (85)	4.1 (24)	494	13.6 (153)	3.8 (22)	17.4 (133)	193	24.4 (146)	14.5 (49)	350	4.0 (11)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Wheelbrigh	70	* *	* *	308	1.6 (6)	7.5(107)	10.7 (32)	158	9.5 (7)	16.5 (79)	217	10.6 (62)
Williamsbu	257	8.6 (29)	5.4 (45)	1,114	5.7 (77)	9.4(139)	14.4 (97)	540	21.1(135)	20.7(125)	837	15.7(111)
Wolfe Cty	105	10.5 (64)	5.7 (52)	527	4.6 (39)	2.3 (5)	17.6(134)	269	17.8 (95)	20.1(120)	391	10.7 (64)
Woodford C	156	10.3 (60)	12.2(121)	660	9.2(138)	3.0 (11)	15.0(106)	299	16.7 (76)	14.7 (53)	419	15.5(109)
Kentucky	35,849	10.3	6.1	140,216	6.0	6.4	13.0	57,117	16.4	15.6	90,265	12.7
Nation (Prior Year)	1,842,970	9.2	6.6	7,192,043	6.4	4.7	13.8	2,945,212	16.4	14.8	4,521,591	14.0

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Adair Coun	152	29.6 (92)	56	* *	105	0.0 (90)	0	* *	0	* *	248	95.6 (78)	598	28.4 (57)
Allen Coun	163	45.4 (18)	71	* *	141	3.5 (54)	0	* *	0	* *	352	88.4 (133)	750	46.7 (100)
Anderson C	127	44.1 (20)	54	* *	71	* *	0	* *	0	* *	228	81.6 (143)	523	25.4 (49)
Ashland-Bo	403	30.0 (90)	167	8.4 (23)	267	7.1 (19)	0	* *	0	* *	644	97.0 (59)	1,621	21.0 (43)
Ballard Co	65	* *	23	* *	43	* *	0	* *	0	* *	124	98.4 (37)	257	53.3 (121)
Bar-Riv-Wa	831	43.3 (23)	311	13.2 (15)	428	7.9 (16)	0	* *	0	* *	1,159	94.2 (94)	3,079	32.2 (66)
Barren Cty	381	34.9 (62)	150	8.7 (22)	251	6.0 (24)	0	* *	0	* *	652	91.1 (115)	1,512	45.6 (98)
Bath Count	137	19.7(115)	53	* *	89	* *	0	* *	0	* *	252	97.2 (58)	538	40.0 (78)
Belfry	88	* *	48	* *	70	* *	0	* *	0	* *	202	94.1 (96)	431	78.7 (149)
Bell Cty M	187	20.3(112)	78	* *	139	2.2 (77)	0	* *	0	* *	445	98.7 (32)	861	29.2 (59)
Bell Cty P	191	22.0(104)	112	4.5 (45)	160	1.3 (85)	0	* *	0	* *	491	100. (1)	943	50.6 (113)
Berea	143	47.6 (15)	75	* *	112	6.3 (23)	0	* *	0	* *	289	96.9 (60)	650	25.7 (50)
Betsy Lane	111	13.5(121)	53	* *	96	* *	0	* *	0	* *	301	100. (1)	550	72.9 (145)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)				
Boone Coun	490	32.7 (74)	260	15.4 (11)	351	7.1 (19)	0	* *	0	* *	1,036	98.3 (39)	2,525	35.6 (70)
Bourbon Ct	158	46.2 (17)	65	* *	126	5.6 (28)	0	* *	0	* *	239	99.2 (25)	610	6.2 (25)
Boyle Coun	202	20.3(112)	72	* *	117	2.6 (71)	0	* *	0	* *	342	96.8 (63)	842	45.0 (95)
Bracken Co	84	* *	35	* *	51	* *	0	* *	0	* *	131	85.5 (138)	327	72.2 (144)
Breathitt	148	16.9(119)	83	* *	139	1.4 (82)	0	* *	0	* *	397	98.7 (32)	777	56.4 (126)
Breckinrid	130	38.5 (41)	62	* *	90	* *	0	* *	0	* *	337	84.0 (141)	669	1.9 (17)
Bridges	142	40.1 (31)	80	* *	140	4.3 (37)	0	* *	0	* *	268	95.5 (80)	703	13.8 (31)
Bullitt Co	427	34.7 (64)	170	6.5 (36)	287	2.8 (66)	0	* *	0	* *	611	93.0 (105)	1,606	40.8 (80)
Butler Cty	138	34.8 (63)	48	* *	78	* *	0	* *	0	* *	268	89.9 (128)	563	28.6 (58)
C & Y	483	30.0 (90)	167	3.6 (48)	207	2.4 (75)	0	* *	0	* *	574	100. (1)	1,605	0.1 (2)
Caldwell C	111	41.4 (29)	55	* *	94	* *	0	* *	0	* *	220	94.1 (96)	487	47.2 (101)
Calloway C	227	59.5 (4)	104	16.3 (7)	180	10.6 (6)	0	* *	0	* *	468	92.7 (108)	1,056	16.9 (34)
Campbell C	402	21.9(105)	244	2.9 (51)	323	3.1 (59)	0	* *	0	* *	830	96.6 (65)	2,014	13.9 (32)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)		
Carlisle C	40	* *	15	* *	30	* *	0	* *	115	98.3 (39)	215	51.6 (117)
Carroll Ct	155	38.7 (39)	48	* *	79	* *	0	* *	243	95.5 (80)	561	51.2 (116)
Carter Cty	190	35.3 (60)	63	* *	124	4.0 (42)	0	* *	401	80.5 (145)	831	55.7 (125)
Casey Cty	147	40.1 (31)	54	* *	85	* *	0	* *	311	98.7 (32)	626	50.8 (115)
Christian	617	36.8 (49)	280	7.1 (32)	307	3.6 (49)	0	* *	899	90.5 (120)	2,359	48.6 (105)
Clark Coun	278	36.0 (56)	114	2.6 (53)	193	3.6 (49)	0	* *	442	94.6 (90)	1,115	2.8 (21)
Clay Cty H	281	18.5(117)	106	1.9 (54)	190	1.6 (81)	0	* *	630	97.5 (51)	1,251	93.4 (153)
Clinton Ct	142	21.8(106)	54	* *	96	* *	0	* *	301	95.3 (83)	590	38.1 (75)
Corbin	296	18.6(116)	123	4.9 (43)	214	3.3 (57)	0	* *	598	100. (1)	1,308	20.2 (40)
Crittenden	79	* *	30	* *	59	* *	0	* *	148	93.9 (100)	340	20.9 (42)
Cumberland	77	* *	42	* *	65	* *	0	* *	173	96.0 (73)	346	58.1 (128)
Daviess Co	735	25.6 (98)	317	4.4 (47)	404	3.7 (46)	0	* *	1,168	96.1 (71)	2,859	36.7 (73)
Dixie	670	36.6 (50)	221	4.5 (45)	355	3.1 (59)	0	* *	741	96.6 (65)	2,290	0.2 (5)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Edmonson C	101	43.6 (21)	38	* *	34	* *	0	* *	0	* *	201	85.1 (139)	428	43.7 (89)
Elliott Ct	84	* *	45	* *	63	* *	0	* *	0	* *	213	93.9 (100)	398	40.5 (79)
Estill Cty	145	26.2 (96)	60	* *	94	* *	0	* *	0	* *	352	92.9 (106)	702	22.2 (45)
Etown	449	34.7 (64)	187	8.0 (25)	260	5.0 (33)	0	* *	0	* *	676	97.5 (51)	1,738	35.4 (69)
Evarts	69	* *	26	* *	58	* *	0	* *	0	* *	169	90.5 (120)	335	33.4 (68)
Fairdale	321	34.0 (67)	124	5.6 (41)	220	4.1 (40)	0	* *	0	* *	366	90.2 (125)	1,135	0.2 (5)
Fleming Co	147	36.1 (55)	66	* *	103	1.0 (87)	0	* *	0	* *	321	85.7 (137)	624	43.8 (90)
Floyd Cty	282	20.9(111)	120	11.7 (17)	236	7.2 (18)	0	* *	0	* *	552	99.8 (15)	1,217	51.6 (117)
Foust Hlth	33	* *	26	* *	34	* *	0	* *	0	* *	140	95.7 (77)	238	30.7 (64)
Franklin C	391	38.9 (37)	154	9.1 (20)	213	4.2 (39)	0	* *	0	* *	484	95.2 (85)	1,389	78.0 (147)
Ft Campbell	700	60.3 (3)	238	14.3 (14)	301	8.0 (15)	0	* *	0	* *	1,240	89.4 (131)	2,891	5.9 (24)
Fulton	45	* *	18	* *	31	* *	0	* *	0	* *	116	94.8 (88)	232	69.0 (140)
Gallatin C	107	30.8 (85)	52	* *	64	* *	0	* *	0	* *	189	95.8 (75)	452	29.9 (62)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Garrard Ct	148	39.9 (33)	68	* *	103	5.8 (27)	0	* *	0	* *	311	98.4 (37)	660	43.5 (88)
Grant Cty	228	32.5 (78)	127	6.3 (37)	211	2.4 (75)	0	* *	0	* *	562	94.8 (88)	1,212	61.6 (135)
Graves Cty	335	43.0 (24)	142	14.8 (13)	253	8.3 (13)	0	* *	0	* *	685	97.5 (51)	1,488	37.4 (74)
Grayson Ct	258	32.6 (77)	96	* *	181	2.8 (66)	0	* *	0	* *	583	92.5 (109)	1,145	67.7 (139)
Green Cty	108	39.8 (35)	49	* *	78	* *	0	* *	0	* *	244	86.1 (136)	475	39.2 (77)
Greenup	246	35.8 (57)	78	* *	137	5.1 (30)	0	* *	0	* *	410	96.3 (68)	917	29.7 (60)
Hancock Ct	55	* *	22	* *	29	* *	0	* *	0	* *	141	92.9 (106)	276	33.3 (67)
Harlan Cty	229	21.8(106)	86	* *	150	3.3 (57)	0	* *	0	* *	450	99.8 (15)	952	27.2 (55)
Harrison C	196	36.2 (54)	58	* *	101	3.0 (62)	0	* *	0	* *	300	100. (1)	698	36.4 (72)
Hart Cty H	166	35.5 (58)	68	* *	90	* *	0	* *	0	* *	332	96.1 (71)	698	43.8 (90)
Henderson	408	30.4 (88)	145	5.5 (42)	179	2.2 (77)	0	* *	0	* *	619	99.4 (20)	1,522	49.9 (111)
Henry Coun	122	32.8 (73)	50	* *	76	* *	0	* *	0	* *	201	98.5 (35)	477	24.5 (47)
Hickman	43	* *	20	* *	34	* *	0	* *	0	* *	92	* *	188	44.1 (92)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Hickman Ct	31	* *	16 * *	27 * *	0 * *	0 * *	67 * *		156	50.6 (113)
Highview	387	52.7 (13)	149 16.1 (8)	231 10.0 (9)	0 * *	0 * *	602 84.9 (140)		1,547	0.1 (2)
Hindman	160	20.0(114)	83 * *	103 2.9 (63)	0 * *	0 * *	359 96.9 (60)		724	29.8 (61)
Hopkins Ct	415	40.2 (30)	189 5.8 (40)	238 3.8 (43)	0 * *	0 * *	723 90.3 (124)		1,745	47.9 (104)
Hospital	1,641	33.9 (68)	1 * *	0 * *	0 * *	0 * *	0 * *		1,648	20.0 (39)
Iroquois	579	53.9 (9)	233 19.7 (4)	341 12.6 (3)	0 * *	0 * *	860 96.3 (68)		2,209	0.4 (13)
Jackson Ct	136	21.3(109)	56 * *	116 0.9 (88)	0 * *	0 * *	321 99.4 (20)		656	54.7 (124)
Jessamine	406	45.1 (19)	189 15.3 (12)	244 8.2 (14)	0 * *	0 * *	668 95.8 (75)		1,650	26.8 (54)
Johnson Co	230	33.0 (72)	101 6.9 (33)	188 5.9 (26)	0 * *	0 * *	585 100. (1)		1,133	43.2 (87)
JT Arnett	21	* *	14 * *	25 * *	0 * *	0 * *	77 * *		127	50.4 (112)
Kenton Cty	413	37.3 (46)	304 7.6 (27)	407 4.9 (34)	0 * *	0 * *	989 97.9 (49)		2,574	58.7 (130)
Knox Cty	377	17.0(118)	162 3.1 (49)	270 1.1 (86)	0 * *	0 * *	827 95.4 (82)		1,692	1.0 (15)
L & N	534	33.5 (71)	223 8.1 (24)	262 4.6 (35)	0 * *	0 * *	653 89.9 (128)		1,882	0.3 (12)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Larue Cty	130	37.7 (43)	64	* *	92	* *	0	* *	0	* *	259	94.6 (90)	557	19.2 (37)
Laurel Cty	461	35.4 (59)	218	6.0 (39)	281	2.5 (73)	0	* *	0	* *	879	96.9 (60)	1,990	71.5 (143)
Lawrence C	176	26.1 (97)	63	* *	120	2.5 (73)	0	* *	0	* *	332	99.7 (17)	713	21.7 (44)
Lee Cty He	68	* *	30	* *	47	* *	0	* *	0	* *	188	96.8 (63)	348	26.7 (53)
Leslie Cty	144	23.6(100)	59	* *	83	* *	0	* *	0	* *	321	99.1 (27)	631	6.5 (26)
Letcher Ct	248	31.5 (83)	97	* *	110	0.9 (88)	0	* *	0	* *	396	89.9 (128)	978	16.9 (34)
Lewis Cty	143	30.8 (85)	64	* *	107	2.8 (66)	0	* *	0	* *	339	93.5 (102)	669	41.1 (81)
Lex-Fay40C	602	66.1 (2)	281	19.9 (3)	361	11.6 (4)	0	* *	0	* *	968	94.9 (87)	2,495	0.2 (5)
Lex-Fay40D	417	43.4 (22)	131	10.7 (18)	188	3.7 (46)	0	* *	0	* *	462	96.3 (68)	1,350	0.2 (5)
Lex-Fay40F	11	* *	4	* *	3	* *	0	* *	0	* *	20	* *	36	* *
Lex-Fay40G	265	52.8 (11)	88	* *	111	3.6 (49)	0	* *	0	* *	349	98.3 (39)	942	0.1 (2)
Lex-Fay40J	287	56.8 (6)	125	16.0 (9)	144	7.6 (17)	0	* *	0	* *	481	90.4 (123)	1,180	0.2 (5)
Lex-Fay40W	265	56.2 (7)	98	* *	132	22.7 (1)	0	* *	0	* *	392	99.7 (17)	997	0.2 (5)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Lincoln Ct	224	26.8 (95)	93	* *	156	2.6 (71)	0	* *	0	* *	406	97.3 (56)	931	45.5 (97)
Livingston	58	* *	37	* *	51	* *	0	* *	0	* *	159	88.7 (132)	308	49.0 (107)
Logan Cty	223	32.7 (74)	81	* *	137	2.9 (63)	0	* *	0	* *	342	100. (1)	863	11.9 (28)
Lynch	59	* *	16	* *	50	* *	0	* *	0	* *	170	76.5 (146)	314	31.8 (65)
Lyon Cty	53	* *	22	* *	36	* *	0	* *	0	* *	89	* *	211	26.1 (51)
Magoffin C	135	11.9(122)	60	* *	107	0.0 (90)	0	* *	0	* *	345	100. (1)	666	44.7 (94)
Marion Cty	204	41.7 (28)	88	* *	118	3.4 (55)	0	* *	0	* *	356	99.2 (25)	781	52.6 (119)
Marshal90A	235	35.3 (60)	89	* *	145	1.4 (82)	0	* *	0	* *	416	90.9 (118)	926	41.7 (83)
Marshal90B	15	* *	6	* *	16	* *	0	* *	0	* *	43	* *	80	* *
Martin Cty	142	16.9(119)	62	* *	108	1.9 (79)	0	* *	0	* *	358	86.9 (135)	713	92.1 (152)
Mason Cty	175	28.6 (94)	65	* *	107	2.8 (66)	0	* *	0	* *	247	99.6 (19)	675	58.1 (128)
McCracken	499	46.3 (16)	175	8.0 (25)	299	4.3 (37)	0	* *	0	* *	894	93.2 (104)	2,055	15.3 (33)
McCreary C	220	23.2(102)	96	* *	158	1.9 (79)	0	* *	0	* *	550	90.2 (125)	1,054	42.8 (86)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)				
McLean Ct	93	* *	30	* *	59	* *	0	* *	0	* *	169	95.3 (83)	396	46.0 (99)
Meade Cty	181	36.5 (52)	81	* *	95	* *	0	* *	0	* *	332	98.5 (35)	762	25.1 (48)
Menifee Ct	68	* *	37	* *	54	* *	0	* *	0	* *	202	98.0 (48)	360	30.6 (63)
Mercer Cty	168	32.7 (74)	78	* *	94	* *	0	* *	0	* *	375	92.3 (110)	772	69.7 (142)
Metcalfe C	83	* *	37	* *	64	* *	0	* *	0	* *	196	92.3 (110)	387	49.1 (108)
Middletown	306	58.8 (5)	142	18.3 (6)	191	9.4 (10)	0	* *	0	* *	414	99.3 (23)	1,275	0.2 (5)
Monroe Cnt	110	33.6 (69)	47	* *	68	* *	0	* *	0	* *	233	100. (1)	466	44.2 (93)
Montgomery	292	32.2 (80)	135	8.9 (21)	169	7.1 (19)	0	* *	0	* *	501	94.2 (94)	1,172	54.3 (123)
Morgan Cty	137	42.3 (27)	54	* *	105	3.8 (43)	0	* *	0	* *	305	99.3 (23)	627	27.4 (56)
Muhlenberg	221	21.3(109)	101	6.9 (33)	161	3.7 (46)	0	* *	0	* *	464	98.9 (31)	1,073	59.2 (132)
Neighborho	341	48.1 (14)	134	20.9 (2)	188	10.1 (7)	0	* *	0	* *	475	92.0 (113)	1,278	1.4 (16)
Nelson Cty	310	37.4 (45)	126	6.3 (37)	209	1.4 (82)	0	* *	0	* *	572	97.4 (55)	1,314	94.3 (154)
Newburg	569	54.1 (8)	245	19.6 (5)	278	10.1 (7)	0	* *	0	* *	683	94.6 (90)	2,010	1.9 (17)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Nicholas C	65	* *	28 * *	52 * *	0 * *	0 * *	161	72.7 (147)	320	60.9 (133)
Oasis Hlth	32	* *	7 * *	25 * *	0 * *	0 * *	119	97.5 (51)	202	62.9 (137)
Ohio Cty	255	37.3 (46)	126 4.8 (44)	180 4.4 (36)	0 * *	0 * *	489	91.0 (117)	1,109	47.8 (103)
Oldham Cty	199	52.8 (11)	89 * *	155 11.6 (4)	0 * *	0 * *	388	95.6 (78)	877	86.7 (151)
Olive Hill	141	30.5 (87)	55 * *	113 2.7 (70)	0 * *	0 * *	296	91.2 (114)	622	48.9 (106)
Owen Cty	79	* *	37 * *	41 * *	0 * *	0 * *	151	93.4 (103)	345	17.7 (36)
Owsley Cty	49	* *	20 * *	42 * *	0 * *	0 * *	171	99.4 (20)	279	57.7 (127)
Park Duval	467	36.4 (53)	187 16.0 (9)	262 9.2 (11)	0 * *	0 * *	800	100. (1)	1,886	0.0 (1)
Pendleton	103	32.0 (81)	43 * *	62 * *	0 * *	0 * *	176	90.9 (118)	426	78.2 (148)
Perry Cty	345	29.3 (93)	145 7.6 (27)	186 7.0 (22)	0 * *	0 * *	601	99.0 (29)	1,342	2.1 (19)
Phelps	53	* *	12 * *	30 * *	0 * *	0 * *	106	82.1 (142)	233	77.3 (146)
Pike Cty	426	21.8(106)	192 6.8 (35)	256 5.1 (30)	0 * *	0 * *	708	87.1 (134)	1,710	78.7 (149)
Portland	378	37.8 (42)	131 3.1 (49)	195 3.6 (49)	0 * *	0 * *	530	91.1 (115)	1,349	0.4 (13)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household					
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)				
Powell Cty	132	37.1 (48)	67	* *	110	0.0 (90)	0	* *	0	* *	343	81.3 (144)	675	59.1 (131)
Pulaski Ct	586	43.0 (24)	265	7.5 (30)	320	3.1 (59)	0	* *	0	* *	1,081	97.3 (56)	2,447	47.6 (102)
Radcliffe	473	39.7 (36)	211	7.6 (27)	275	5.1 (30)	0	* *	0	* *	841	94.1 (96)	2,021	61.0 (134)
Richmond	424	34.7 (64)	169	10.1 (19)	303	8.6 (12)	0	* *	0	* *	655	96.5 (67)	1,684	45.3 (96)
Robertson	31	* *	7	* *	18	* *	0	* *	0	* *	70	* *	132	63.6 (138)
Rockcastle	184	31.0 (84)	70	* *	108	5.6 (28)	0	* *	0	* *	425	98.1 (46)	807	6.6 (27)
Rowan Cty	204	38.7 (39)	94	* *	130	3.8 (43)	0	* *	0	* *	370	90.5 (120)	860	12.0 (29)
Russell Ct	172	25.0 (99)	86	* *	140	3.6 (49)	0	* *	0	* *	340	90.0 (127)	750	49.7 (109)
Scott Cty	307	38.8 (38)	148	7.4 (31)	167	6.0 (24)	0	* *	0	* *	448	96.0 (73)	1,200	49.7 (109)
Shelby Cty	297	68.0 (1)	145	23.4 (1)	214	19.2 (2)	0	* *	0	* *	487	97.7 (50)	1,180	4.2 (23)
Simpson Ct	151	32.5 (78)	66	* *	94	* *	0	* *	0	* *	234	98.3 (39)	588	42.7 (85)
South Shor	46	* *	13	* *	37	* *	0	* *	0	* *	116	98.3 (39)	225	35.6 (70)
Spencer Ct	107	33.6 (69)	43	* *	60	* *	0	* *	0	* *	160	98.1 (46)	416	2.2 (20)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)				
TAPP-South	37	* *	12	* *	22	* *	0	* *	0	* *	10	* *	94	* *
TAPP-West	35	* *	13	* *	19	* *	0	* *	0	* *	7	* *	86	* *
Taylor Cty	213	39.9 (33)	79	* *	138	2.9 (63)	0	* *	0	* *	383	94.0 (99)	865	38.8 (76)
Todd Cty H	117	37.6 (44)	63	* *	85	* *	0	* *	0	* *	279	100. (1)	553	26.4 (52)
Trigg Cty	105	53.3 (10)	44	* *	70	* *	0	* *	0	* *	219	92.2 (112)	465	41.9 (84)
Trimble Ct	69	* *	33	* *	44	* *	0	* *	0	* *	117	98.3 (39)	275	20.4 (41)
Union Cty	129	31.8 (82)	71	* *	86	* *	0	* *	0	* *	229	100. (1)	550	54.0 (122)
Wallins	18	* *	8	* *	17	* *	0	* *	0	* *	66	* *	116	19.8 (38)
Washington	74	* *	39	* *	73	* *	0	* *	0	* *	228	98.2 (45)	417	3.4 (22)
Wayne Cty	221	30.3 (89)	105	2.9 (51)	149	3.4 (55)	0	* *	0	* *	522	94.4 (93)	1,005	69.3 (141)
Webster Ct	123	36.6 (50)	53	* *	68	* *	0	* *	0	* *	214	99.1 (27)	507	41.6 (82)
Wheelbrigh	70	* *	31	* *	58	* *	0	* *	0	* *	173	100. (1)	328	52.7 (120)
Williamsbu	257	23.3(101)	109	11.9 (16)	147	4.1 (40)	0	* *	0	* *	599	100. (1)	1,159	22.4 (46)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Wolfe Cty	105	22.9(103)	50	* *	91	* *	0	* *	0	* *	295	99.0 (29)	541	62.7 (136)
Woodford C	156	42.9 (26)	54	* *	87	* *	0	* *	0	* *	320	95.0 (86)	682	12.8 (30)
Kentucky	36,347	36.3	14,725	8.6	21,872	5.0	0	*	0	*	62,567	94.9	146,701	33.1
Nation (Prior Year)	1,577,832	60.1	790,341	25.2	875,205	18.1	104,492	10.3	143,261	5.6	584,732	73.3	2,855,911	10.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adair Coun	492	12.6 (134)	5.7 (66)	1,718	5.7 (54)	5.8 (95)	12.9 (38)	719	13.9 (14)	16.8 (69)	1,039	10.8 (72)
Allen Coun	561	8.7 (34)	5.0 (32)	2,061	7.2 (94)	5.6 (90)	12.8 (37)	896	17.9 (76)	15.2 (47)	1,114	13.3 (101)
Anderson C	371	13.2 (143)	5.1 (34)	1,359	7.7 (104)	6.9 (122)	15.4 (79)	557	20.3 (125)	17.4 (77)	929	12.2 (86)
Ashland-Bo	1,347	11.6 (120)	4.9 (29)	4,512	5.6 (50)	9.6 (153)	11.4 (19)	1,734	16.6 (46)	15.6 (52)	2,905	17.0 (125)
Ballard Co	198	6.1 (2)	7.1 (107)	736	8.4 (116)	6.0 (105)	16.7 (104)	353	22.7 (150)	10.2 (7)	559	13.6 (104)
Bar-Riv-Wa	2,482	9.8 (73)	7.6 (119)	8,264	5.3 (41)	5.2 (72)	14.3 (57)	2,943	18.6 (91)	17.4 (77)	4,938	17.6 (128)
Barren Cty	1,194	10.5 (93)	7.1 (107)	4,145	5.5 (45)	4.8 (62)	14.8 (68)	1,638	19.4 (110)	19.8 (113)	2,708	14.8 (110)
Bath Count	377	10.9 (102)	9.3 (146)	1,445	10.4 (141)	4.6 (54)	21.1 (152)	673	23.2 (151)	26.4 (152)	928	7.9 (43)
Belfry	321	11.5 (115)	5.9 (73)	1,216	2.0 (5)	9.4 (150)	14.1 (49)	513	16.6 (46)	19.7 (110)	824	5.2 (16)
Bell Cty M	601	8.8 (40)	6.3 (83)	2,422	8.1 (111)	3.2 (27)	22.8 (155)	1,208	17.5 (63)	24.2 (146)	1,664	2.6 (3)
Bell Cty P	545	9.5 (65)	7.0 (105)	2,519	7.1 (90)	4.8 (62)	17.2 (113)	1,232	12.7 (8)	13.4 (23)	1,726	2.9 (5)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Berea	450	9.8 (73)	7.6 (119)	1,749	4.7 (29)	8.0 (141)	11.2 (15)	741	16.5 (44)	13.6 (26)	1,244	7.6 (41)
Betsy Lane	376	12.8 (140)	5.6 (62)	1,578	1.6 (3)	8.4 (144)	9.4 (4)	774	7.9 (2)	12.0 (12)	1,173	7.4 (37)
Bledsoe	11	* *	* *	67	* *	* *	* *	39	* *	* *	42	* *
Boone Coun	1,786	8.7 (34)	7.1 (107)	7,007	7.7 (104)	5.8 (95)	15.2 (75)	2,804	18.9 (97)	16.2 (61)	4,099	16.9 (124)
Boone Lowe	405	10.1 (78)	8.1 (134)	361	0.3 (1)	11.6 (159)	3.0 (2)	0	* *	* *	0	* *
Bourbon Ct	509	14.9 (148)	5.3 (47)	1,631	7.2 (94)	4.3 (47)	18.8 (130)	629	19.4 (110)	19.4 (109)	1,130	20.2 (140)
Boyle Coun	623	9.6 (68)	6.7 (96)	2,246	5.0 (36)	4.0 (40)	15.6 (84)	901	19.3 (108)	19.0 (104)	1,357	11.4 (77)
Bracken Co	243	9.1 (53)	5.3 (47)	877	6.0 (64)	9.5 (151)	18.9 (131)	334	20.4 (126)	26.0 (151)	594	4.4 (12)
Breathitt	493	8.3 (24)	7.3 (113)	2,064	5.8 (58)	3.8 (36)	20.2 (147)	1,006	16.1 (39)	20.7 (121)	1,491	5.8 (20)
Breckinrid	437	9.2 (58)	7.8 (123)	1,858	7.4 (100)	2.9 (16)	14.4 (58)	832	14.4 (17)	13.8 (28)	1,371	8.0 (45)
Bridges	577	12.7 (136)	4.0 (13)	1,959	9.2 (129)	5.9 (100)	18.2 (119)	747	17.9 (76)	14.6 (38)	1,197	20.1 (138)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bullitt Co	1,357	10.2 (84)	7.6 (119)	4,292	6.3 (70)	4.5 (51)	14.1 (49)	1,606	15.4 (32)	14.6 (38)	2,484	18.2 (134)
Butler Cty	404	9.7 (70)	5.2 (39)	1,587	5.1 (37)	3.4 (31)	18.3 (122)	728	20.6 (131)	20.7 (121)	1,079	13.2 (98)
C & Y	1,280	12.7 (136)	3.2 (6)	3,988	7.7 (104)	5.5 (86)	16.9 (107)	1,506	18.1 (83)	19.7 (110)	1,752	25.3 (152)
Caldwell C	357	10.1 (78)	9.0 (145)	1,333	7.3 (97)	6.2 (111)	18.2 (119)	583	20.2 (124)	17.8 (84)	951	10.3 (67)
Calloway C	829	6.9 (8)	10.7 (151)	3,081	5.1 (37)	3.9 (38)	12.6 (33)	1,245	17.3 (59)	13.7 (27)	2,005	9.1 (52)
Campbell C	1,471	11.8 (125)	5.3 (47)	5,322	5.6 (50)	7.0 (124)	11.3 (17)	2,087	12.2 (6)	9.3 (5)	3,258	18.0 (132)
Carlisle C	123	19.5 (154)	7.3 (113)	612	10.6 (144)	2.8 (14)	19.4 (136)	314	24.8 (154)	19.1 (107)	430	16.3 (123)
Carroll Ct	424	9.4 (63)	5.7 (66)	1,584	12.2 (156)	4.7 (60)	18.2 (119)	667	20.5 (127)	22.2 (135)	1,116	13.2 (98)
Carter Cty	626	9.1 (53)	3.0 (4)	2,365	3.6 (10)	9.3 (149)	13.9 (47)	1,058	17.2 (56)	18.2 (93)	1,588	12.3 (89)
Casey Cty	397	11.1 (108)	7.8 (123)	1,752	9.1 (127)	4.9 (66)	13.1 (40)	869	19.1 (103)	15.0 (45)	1,196	11.5 (81)
Christian	1,894	12.6 (134)	4.0 (13)	6,511	5.7 (54)	6.1 (109)	12.6 (33)	2,523	14.5 (19)	12.0 (12)	4,068	22.4 (146)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clark Coun	863	10.3 (89)	5.2 (39)	2,997	6.3 (70)	4.0 (40)	16.2 (96)	1,191	20.7(135)	21.3(130)	1,898	14.5(109)
Clay Cty H	905	11.3(112)	4.3 (18)	3,595	4.5 (26)	7.8(139)	17.1(110)	1,724	20.6(131)	23.0(142)	2,574	6.3 (27)
Clinton Ct	394	11.2(109)	8.4(138)	1,610	4.9 (34)	5.4 (83)	16.3 (98)	772	21.1(140)	18.8(102)	1,111	4.2 (11)
Corbin	948	8.2 (22)	9.7(148)	3,753	6.4 (76)	5.9(100)	15.9 (88)	1,641	15.5 (33)	18.7(100)	2,722	11.1 (75)
Crittenden	245	8.6 (31)	4.9 (29)	889	4.4 (23)	6.4(112)	14.5 (60)	394	19.8(117)	10.2 (7)	605	12.6 (93)
Cumberland	245	12.7(136)	3.3 (8)	999	4.6 (28)	6.5(117)	11.2 (15)	473	13.5 (11)	13.3 (22)	602	18.3(136)
Daviess Co	2,285	8.6 (31)	6.9(104)	7,837	9.5(134)	2.4 (6)	17.4(115)	3,045	19.0(101)	16.8 (69)	4,928	11.4 (77)
Dixie	1,944	11.6(120)	6.5 (90)	5,789	7.3 (97)	4.5 (51)	16.4(100)	1,996	16.7 (51)	17.8 (84)	3,249	13.3(101)
Edmonson C	312	6.7 (5)	6.7 (96)	1,275	3.8 (13)	5.0 (68)	10.7 (10)	554	18.6 (91)	14.3 (33)	821	6.3 (27)
Elliott Ct	272	11.0(105)	5.5 (56)	1,130	4.0 (18)	7.3(129)	13.4 (43)	559	21.5(145)	17.4 (77)	768	26.2(153)
Estill Cty	472	9.7 (70)	6.4 (86)	2,003	7.0 (89)	3.3 (28)	14.6 (61)	922	19.5(113)	20.2(117)	1,465	7.1 (35)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Etown	1,352	8.7 (34)	6.7 (96)	4,678	9.3(131)	2.9 (16)	15.2 (75)	1,746	18.5 (90)	14.8 (42)	3,078	6.6 (31)
Evarts	245	10.2 (84)	8.6(141)	996	4.2 (20)	7.9(140)	16.0 (90)	484	17.6 (66)	21.1(125)	598	2.8 (4)
Fairdale	1,002	8.9 (46)	8.4(138)	2,864	6.5 (80)	4.4 (49)	15.2 (75)	939	16.3 (42)	14.0 (30)	1,703	11.6 (83)
Fleming Co	425	14.1(145)	7.5(118)	1,786	6.3 (70)	6.7(121)	15.5 (82)	880	15.6 (35)	16.1 (58)	1,321	14.2(106)
Floyd Cty	944	11.4(114)	5.2 (39)	3,427	8.4(116)	5.8 (95)	14.2 (54)	1,481	14.8 (23)	16.4 (64)	2,366	9.3 (55)
Foust Hlth	124	11.3(112)	12.1(153)	675	8.7(120)	3.0 (19)	19.1(133)	361	17.7 (69)	20.8(123)	555	26.3(154)
Franklin C	1,197	10.9(102)	6.0 (79)	3,731	8.9(123)	5.9(100)	16.2 (96)	1,257	22.5(149)	20.8(123)	2,304	20.8(144)
Ft Campbel	1,857	7.4 (9)	9.9(149)	7,677	3.0 (8)	8.6(145)	6.2 (3)	3,327	9.1 (3)	5.5 (1)	5,085	23.3(147)
Fulton	160	8.8 (40)	6.3 (83)	684	6.4 (76)	3.8 (36)	19.7(142)	344	18.9 (97)	18.6 (98)	466	17.8(130)
Gallatin C	325	9.2 (58)	4.0 (13)	1,128	6.7 (86)	6.4(112)	14.6 (61)	439	18.2 (86)	17.8 (84)	774	15.5(118)
Garrard Ct	456	10.7 (97)	5.7 (66)	1,804	8.6(118)	4.9 (66)	15.4 (79)	850	16.7 (51)	17.8 (84)	1,188	17.2(126)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Goose Rock	6	* *	* *	55	* *	* *	* *	33	* *	* *	48	* *
Grant Cty	825	10.1 (78)	7.0 (105)	3,482	4.8 (31)	5.4 (83)	11.6 (21)	1,566	15.3 (30)	11.4 (10)	2,593	9.4 (57)
Graves Cty	1,111	7.9 (18)	5.5 (56)	4,230	5.1 (37)	5.3 (77)	16.3 (98)	1,901	19.3(108)	18.1 (91)	2,752	17.6(128)
Grayson Ct	751	10.9(102)	5.7 (66)	3,139	8.3(115)	5.1 (69)	14.6 (61)	1,498	18.6 (91)	16.0 (57)	2,358	3.8 (8)
Green Cty	318	10.4 (92)	7.9(128)	1,293	8.7(120)	3.0 (19)	16.6(103)	622	19.1(103)	16.7 (68)	869	10.9 (73)
Greenup	721	10.0 (76)	4.3 (18)	2,522	4.0 (18)	10.9(158)	11.6 (21)	1,051	16.8 (54)	16.1 (58)	1,547	6.1 (25)
Hancock Ct	188	8.0 (20)	6.4 (86)	858	6.8 (88)	2.6 (9)	16.8(105)	397	23.9(152)	16.9 (72)	648	5.1 (14)
Harlan Cty	661	8.5 (28)	11.0(152)	2,429	6.5 (80)	7.5(132)	16.0 (90)	1,098	19.7(116)	23.1(143)	1,481	8.0 (45)
Harrison C	567	12.9(142)	3.9 (12)	1,873	6.1 (66)	5.6 (90)	12.3 (29)	800	13.6 (12)	13.8 (28)	1,184	10.5 (69)
Hart Cty H	511	9.0 (51)	7.4(117)	1,943	3.8 (13)	5.3 (77)	13.7 (45)	851	18.3 (87)	17.5 (81)	1,307	7.1 (35)
Henderson	1,237	13.2(143)	3.4 (9)	4,287	6.6 (84)	7.0(124)	11.9 (23)	1,686	19.0(101)	21.1(125)	2,372	3.4 (7)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Henry Coun	374	7.8 (16)	8.0 (132)	1,334	11.0(148)	5.2 (72)	19.9(143)	555	18.9 (97)	17.5 (81)	911	14.2(106)
Hickman	127	11.0(105)	5.5 (56)	524	7.8(108)	5.5 (86)	18.3(122)	254	17.3 (59)	18.9(103)	363	24.5(151)
Hickman Ct	114	6.1 (2)	10.5(150)	441	5.9 (61)	5.2 (72)	20.0(146)	173	25.4(155)	22.0(134)	289	18.0(132)
Highview	1,203	10.3 (89)	5.9 (73)	4,183	7.8(108)	5.3 (77)	14.4 (58)	1,634	12.4 (7)	10.1 (6)	2,678	15.0(113)
Hindman	564	14.4(146)	4.8 (28)	2,050	11.7(155)	2.9 (16)	24.9(157)	961	17.9 (76)	22.6(138)	1,580	6.5 (30)
Hopkins Ct	1,397	10.2 (84)	6.7 (96)	4,938	10.3(140)	2.5 (7)	16.5(101)	1,958	19.1(103)	18.3 (94)	3,423	9.3 (55)
Hospital	2,681	7.9 (18)	5.6 (62)	2,401	0.6 (2)	10.6(156)	2.4 (1)	0	* *	* *	1	* *
Iroquois	1,748	10.8 (99)	6.2 (82)	6,027	4.3 (22)	3.7 (34)	14.1 (49)	2,404	16.6 (46)	14.9 (44)	4,130	15.3(116)
Jackson Ct	458	9.6 (68)	7.2(111)	1,973	6.2 (67)	4.3 (47)	16.5(101)	963	17.2 (56)	18.6 (98)	1,495	4.1 (9)
Jessamine	1,232	10.1 (78)	7.3(113)	4,315	5.7 (54)	6.0(105)	9.9 (6)	1,694	14.3 (16)	12.0 (12)	2,693	17.3(127)
Johnson Co	844	11.5(115)	4.3 (18)	3,248	5.6 (50)	6.6(118)	17.3(114)	1,554	16.6 (46)	17.5 (81)	2,261	20.7(143)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
JT Arnett	74	* *	* *	388	3.9 (17)	3.6 (33)	22.2(153)	216	16.7 (51)	22.7(139)	290	5.5 (19)
Kenton Cty	1,901	10.8 (99)	7.2(111)	7,203	8.1(111)	4.8 (62)	16.1 (93)	2,610	21.7(146)	23.3(144)	4,494	13.9(105)
Knox Cty	1,140	8.5 (28)	7.6(119)	4,670	4.5 (26)	5.5 (86)	17.0(109)	2,217	18.8 (96)	22.2(135)	3,290	9.5 (58)
L & N	1,488	11.8(125)	4.4 (22)	4,773	5.5 (45)	5.6 (90)	14.7 (65)	1,674	18.3 (87)	16.8 (69)	3,069	11.4 (77)
Larue Cty	409	8.8 (40)	6.6 (91)	1,548	6.3 (70)	2.5 (7)	18.7(128)	682	17.6 (66)	16.1 (58)	1,140	17.8(130)
Laurel Cty	1,596	9.5 (65)	8.5(140)	5,661	6.0 (64)	7.4(130)	16.9(107)	2,273	19.9(120)	21.4(131)	3,578	7.9 (43)
Lawrence C	545	16.0(151)	2.4 (2)	1,991	9.3(131)	7.7(138)	18.0(118)	866	18.0 (79)	21.2(127)	1,328	10.0 (62)
Lee Cty He	207	10.1 (78)	6.8(103)	1,023	4.2 (20)	4.4 (49)	13.9 (47)	508	15.9 (38)	13.2 (21)	785	9.6 (59)
Leslie Cty	412	10.7 (97)	7.3(113)	1,781	3.8 (13)	6.4(112)	17.7(117)	872	15.1 (27)	19.7(110)	1,401	12.2 (86)
Letcher Ct	824	11.5(115)	3.4 (9)	2,728	11.5(152)	1.8 (3)	19.9(143)	1,038	21.2(141)	20.2(117)	1,870	2.0 (2)
Lewis Cty	488	9.0 (51)	5.3 (47)	1,811	5.7 (54)	8.0(141)	14.2 (54)	791	15.8 (36)	17.3 (75)	1,051	10.2 (66)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lex-Fay40A	756	7.8 (16)	7.8(123)	2,161	9.7(137)	4.0 (40)	20.5(149)	819	23.9(152)	29.4(155)	1,121	15.4(117)
Lex-Fay40C	1,338	8.7 (34)	6.7 (96)	4,675	5.9 (61)	6.4(112)	15.6 (84)	1,728	20.8(137)	24.5(148)	2,827	23.9(150)
Lex-Fay40D	1,098	14.4(146)	5.5 (56)	3,246	6.2 (67)	7.1(126)	10.6 (9)	1,142	18.0 (79)	12.1 (15)	1,636	26.7(155)
Lex-Fay40E	33	* *	* *	172	7.6(103)	1.7 (2)	20.3(148)	93	* *	* *	103	29.1(157)
Lex-Fay40F	11	* *	* *	34	* *	* *	* *	19	* *	* *	22	* *
Lex-Fay40G	656	11.7(122)	7.8(123)	2,527	7.2 (94)	5.1 (69)	17.1(110)	1,059	20.5(127)	22.7(139)	1,558	27.2(156)
Lex-Fay40J	955	11.0(105)	5.8 (70)	3,403	6.3 (70)	5.1 (69)	11.0 (14)	1,367	17.7 (69)	13.5 (25)	2,020	22.3(145)
Lex-Fay40W	798	7.6 (12)	5.8 (70)	2,377	13.6(158)	6.4(112)	13.1 (40)	823	19.4(110)	20.5(119)	526	23.8(148)
Lincoln Ct	708	8.6 (31)	8.1(134)	2,682	6.2 (67)	5.8 (95)	17.4(115)	1,142	18.7 (94)	19.3(108)	1,880	9.2 (54)
Livingston	213	9.4 (63)	3.8 (11)	871	7.3 (97)	3.9 (38)	18.3(122)	411	19.5(113)	13.4 (23)	679	5.4 (18)
Logan Cty	726	9.5 (65)	5.1 (34)	2,453	6.6 (84)	5.7 (94)	14.8 (68)	932	21.0(139)	18.1 (91)	1,462	20.1(138)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lynch	201	10.0 (76)	4.5 (24)	922	5.2 (40)	7.5(132)	11.5 (20)	454	15.0 (26)	14.5 (36)	674	12.5 (91)
Lyon Cty	149	7.4 (9)	5.4 (53)	558	10.8(146)	4.8 (62)	22.6(154)	243	22.2(148)	16.9 (72)	387	7.5 (39)
Magoffin C	477	16.4(153)	5.2 (39)	1,912	10.6(144)	4.1 (43)	23.3(156)	929	21.4(143)	26.5(153)	1,208	13.1 (96)
Marion Cty	597	10.2 (84)	6.7 (96)	2,224	10.4(141)	3.1 (21)	19.0(132)	954	18.7 (94)	19.0(104)	1,508	8.6 (51)
Marshal90A	666	8.4 (25)	7.8(123)	2,446	12.6(157)	6.6(118)	14.1 (49)	1,078	11.5 (5)	9.1 (4)	1,540	11.5 (81)
Marshal90B	50	* *	* *	246	6.5 (80)	6.1(109)	19.5(137)	126	20.6(131)	24.6(149)	184	18.5(137)
Martin Cty	503	9.9 (75)	5.2 (39)	2,045	7.4(100)	5.6 (90)	20.5(149)	957	18.9 (97)	22.9(141)	1,529	8.2 (48)
Mason Cty	570	8.9 (46)	8.8(143)	1,790	9.4(133)	7.5(132)	16.1 (93)	657	17.0 (55)	15.2 (47)	1,041	16.2(122)
McCracken	1,666	10.5 (93)	5.8 (70)	5,594	6.3 (70)	5.5 (86)	19.9(143)	2,383	18.0 (79)	15.2 (47)	4,021	12.8 (94)
McCreary C	708	8.8 (40)	5.5 (56)	3,042	8.9(123)	5.2 (72)	14.7 (65)	1,462	19.6(115)	21.6(132)	2,207	7.4 (37)
McLean Ct	306	12.7(136)	2.9 (3)	1,205	11.0(148)	4.1 (43)	15.9 (88)	552	18.1 (83)	21.2(127)	823	1.2 (1)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Meade Cty	567	8.8 (40)	9.3 (146)	2,238	9.0 (125)	4.1 (43)	16.8 (105)	976	16.2 (41)	15.2 (47)	1,596	11.0 (74)
Menifee Ct	211	11.8 (125)	4.7 (27)	1,001	5.9 (61)	5.4 (83)	10.4 (8)	510	18.0 (79)	10.8 (9)	671	10.1 (64)
Mercer Cty	511	10.6 (95)	5.3 (47)	2,114	8.2 (113)	3.1 (21)	13.0 (39)	970	16.6 (46)	14.4 (34)	1,546	8.0 (45)
Metcalfe C	287	12.2 (131)	6.6 (91)	1,165	3.8 (13)	7.1 (126)	12.3 (29)	533	13.1 (10)	14.8 (42)	778	12.2 (86)
Middletown	1,040	8.9 (46)	7.9 (128)	3,381	5.4 (43)	5.2 (72)	12.7 (36)	1,139	17.8 (71)	12.6 (17)	2,046	14.8 (110)
Monroe Cnt	332	8.4 (25)	6.6 (91)	1,325	5.8 (58)	6.0 (105)	18.7 (128)	590	18.1 (83)	24.2 (146)	862	6.0 (24)
Montgomery	877	10.1 (78)	7.9 (128)	3,161	8.0 (110)	3.3 (28)	14.6 (61)	1,364	15.5 (33)	16.6 (66)	2,231	10.6 (70)
Morgan Cty	408	5.9 (1)	8.1 (134)	1,752	5.5 (45)	5.8 (95)	15.1 (74)	846	17.3 (59)	21.2 (127)	1,131	15.2 (114)
Muhlenberg	849	11.7 (122)	8.7 (142)	3,122	4.7 (29)	4.6 (54)	12.4 (31)	1,296	17.3 (59)	14.7 (41)	1,898	9.1 (52)
Neighborho	1,103	11.9 (128)	8.2 (137)	3,531	4.9 (34)	7.4 (130)	9.9 (6)	1,293	14.8 (23)	12.6 (17)	2,209	6.7 (32)
Nelson Cty	944	12.2 (131)	4.3 (18)	3,653	10.4 (141)	5.3 (77)	15.4 (79)	1,492	15.3 (30)	14.0 (30)	2,397	13.2 (98)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Newburg	1,659	12.5 (133)	6.6 (91)	5,233	5.5 (45)	9.2(147)	13.6 (44)	1,804	7.7 (1)	7.5 (3)	3,243	14.9(112)
Nicholas C	231	15.6(150)	5.6 (62)	906	4.4 (23)	9.7(154)	12.1 (24)	410	10.0 (4)	7.1 (2)	602	14.3(108)
Oasis Hlth	109	9.2 (58)	4.6 (25)	607	8.6(118)	2.3 (5)	14.7 (65)	358	14.5 (19)	14.5 (36)	450	18.2(134)
Ohio Cty	834	9.2 (58)	6.6 (91)	3,140	7.5(102)	2.7 (12)	12.2 (27)	1,315	16.5 (44)	17.1 (74)	2,194	5.1 (14)
Oldham Cty	601	8.2 (22)	6.3 (83)	2,430	11.5(152)	1.3 (1)	18.6(127)	1,049	17.2 (56)	16.6 (66)	1,532	9.6 (59)
Olive Hill	431	8.4 (25)	5.1 (34)	1,779	4.4 (23)	6.9(122)	14.1 (49)	845	17.6 (66)	18.0 (88)	1,169	15.6(119)
Owen Cty	249	6.8 (7)	6.4 (86)	1,021	4.8 (31)	6.6(118)	12.1 (24)	438	15.1 (27)	16.2 (61)	723	11.6 (83)
Owsley Cty	176	10.2 (84)	5.1 (34)	843	9.0(125)	2.6 (9)	24.9(157)	468	21.4(143)	22.4(137)	695	13.1 (96)
Park Duval	1,362	16.1 (152)	4.1 (16)	4,887	7.7(104)	6.0(105)	14.8 (68)	2,049	16.1 (39)	17.3 (75)	3,437	12.5 (91)
Pendleton	330	8.8 (40)	5.2 (39)	1,293	7.1 (90)	5.3 (77)	12.1 (24)	555	20.7(135)	14.2 (32)	867	11.3 (76)
Perry Cty	944	11.5(115)	5.3 (47)	3,571	11.4(151)	1.9 (4)	27.9(160)	1,577	21.2(141)	25.6(150)	2,387	12.3 (89)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Phelps	158	10.8 (99)	3.2 (6)	591	1.7 (4)	10.7(157)	12.5 (32)	240	12.9 (9)	12.9 (19)		389	6.9 (33)
Pike Cty	1,354	11.2(109)	5.9 (73)	4,735	2.2 (6)	9.2(147)	12.6 (33)	1,832	14.5 (19)	15.4 (51)		3,035	6.4 (29)
Portland	1,082	11.2(109)	4.6 (25)	3,619	6.7 (86)	4.6 (54)	13.2 (42)	1,378	18.4 (89)	14.4 (34)		2,136	20.3(142)
Powell Cty	469	8.5 (28)	4.9 (29)	1,973	5.8 (58)	3.1 (21)	15.3 (78)	953	20.5(127)	19.9(115)		1,479	5.2 (16)
Prenatal	49	* *	* *	42	* *	* *	* *	0	* *	* *		0	* *
Prenatal	51	* *	* *	48	* *	* *	* *	0	* *	* *		0	* *
Pulaski Ct	1,903	10.6 (95)	6.0 (79)	6,758	3.7 (11)	5.9(100)	9.4 (4)	2,721	16.4 (43)	11.6 (11)		4,292	6.1 (25)
Radcliffe	1,509	9.1 (53)	5.1 (34)	5,775	6.4 (76)	3.1 (21)	11.3 (17)	2,389	17.8 (71)	12.1 (15)		3,995	10.1 (64)
Richmond	1,347	9.1 (53)	6.1 (81)	4,490	5.6 (50)	7.6(135)	10.9 (12)	1,649	19.8(117)	17.4 (77)		2,927	10.0 (62)
Robertson	89	* *	* *	383	6.5 (80)	7.6(135)	15.7 (87)	194	20.1(122)	16.5 (65)		293	7.5 (39)
Rockcastle	541	8.9 (46)	5.2 (39)	2,246	9.1(127)	4.7 (60)	19.5(137)	1,060	19.1(103)	19.0(104)		1,665	8.5 (50)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Rowan Cty	641	7.5 (11)	12.6(154)	2,348	3.5 (9)	5.9(100)	12.2 (27)	970	14.1 (15)	15.9 (56)	1,548	8.3 (49)
Russell Ct	542	7.6 (12)	5.4 (53)	2,167	9.6(135)	4.6 (54)	14.9 (72)	955	20.6(131)	20.5(119)	1,408	5.8 (20)
Scott Cty	938	10.3 (89)	5.4 (53)	3,013	7.1 (90)	3.4 (31)	19.6(141)	1,108	14.4 (17)	18.7(100)	1,916	11.4 (77)
Shelby Cty	896	9.3 (62)	7.1(107)	2,966	16.8(159)	2.6 (9)	27.8(159)	1,220	20.1(122)	27.0(154)	2,095	12.9 (95)
Siler	21	* *	* *	69	* *	* *	* *	33	* *	* *	53	* *
Simpson Ct	437	8.0 (20)	8.9(144)	1,538	5.5 (45)	4.6 (54)	13.7 (45)	591	17.8 (71)	15.6 (52)	969	15.2(114)
South Shor	134	9.7 (70)	6.7 (96)	643	3.7 (11)	7.2(128)	16.0 (90)	322	20.5(127)	19.9(115)	422	5.9 (22)
Spencer Ct	287	8.7 (34)	5.9 (73)	1,015	9.2(129)	4.2 (46)	19.1(133)	388	15.2 (29)	18.3 (94)	622	13.5(103)
TAPP-South	87	* *	* *	211	21.3(160)	7.6(135)	17.1(110)	18	* *	* *	101	23.8(148)
TAPP-West	114	14.9(148)	4.4 (22)	233	8.2(113)	12.9(160)	10.7 (10)	25	* *	* *	95	* *
Taylor Cty	640	7.7 (14)	8.0(132)	2,428	5.3 (41)	3.1 (21)	14.2 (54)	1,069	17.5 (63)	15.7 (55)	1,491	5.9 (22)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Todd Cty H	396	11.9 (128)	3.0 (4)	1,542	9.9(139)	5.3 (77)	19.1(133)	705	14.6 (22)	16.2 (61)	1,136	15.8(121)
Trigg Cty	305	12.8(140)	5.6 (62)	1,226	9.6(135)	3.1 (21)	16.1 (93)	559	20.9(138)	12.9 (19)	904	6.9 (33)
Trimble Ct	231	8.7 (34)	5.2 (39)	832	9.7(137)	9.5(151)	19.5(137)	342	17.5 (63)	18.4 (97)	574	20.2(140)
Union Cty	391	12.0(130)	4.1 (16)	1,457	10.8(146)	2.8 (14)	14.8 (68)	614	15.8 (36)	15.6 (52)	1,018	3.3 (6)
Wallins	90	* *	* *	448	5.4 (43)	10.0(155)	15.6 (84)	242	17.8 (71)	19.8(113)	305	4.6 (13)
Washington	251	6.4 (4)	6.4 (86)	1,167	11.2(150)	3.3 (28)	18.3(122)	591	20.0(121)	18.3 (94)	812	9.9 (61)
Wayne Cty	710	7.7 (14)	5.9 (73)	2,853	4.8 (31)	4.6 (54)	15.5 (82)	1,323	17.8 (71)	18.0 (88)	1,969	10.3 (67)
Webster Ct	382	8.9 (46)	5.0 (32)	1,398	11.5(152)	4.5 (51)	19.5(137)	550	19.8(117)	18.0 (88)	979	4.1 (9)
Wheelbrigh	235	11.5(115)	1.3 (1)	940	2.6 (7)	8.3(143)	10.9 (12)	481	13.7 (13)	15.0 (45)	639	7.7 (42)
Williamsbu	794	6.7 (5)	5.5 (56)	3,227	7.1 (90)	8.6(145)	18.5(126)	1,504	22.1(147)	23.7(145)	2,434	11.6 (83)
Wolfe Cty	353	9.1 (53)	5.9 (73)	1,591	6.4 (76)	2.7 (12)	20.5(149)	806	19.1(103)	21.6(132)	1,202	10.6 (70)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Woodford C	453	11.7 (122)	7.9 (128)	1,869	8.8 (122)	3.7 (34)	14.9 (72)	844	14.9 (25)	14.6 (38)	1,167	15.7 (120)
Kentucky	112,375	10.2	6.3	401,249	6.8	5.4	15.1	166,121	17.5	17.0	260,109	12.3

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Adair Coun	572	30.8 (98)	216	6.5 (90)	243	2.5 (102)	0	* *	0	* *	505	97.8 (72)	835	27.4 (59)
Allen Coun	692	42.6 (26)	301	8.0 (64)	323	4.3 (55)	0	* *	0	* *	678	89.2 (146)	1,000	45.2 (106)
Anderson C	470	46.6 (15)	215	7.4 (73)	213	2.8 (95)	0	* *	0	* *	437	90.4 (143)	712	26.5 (57)
Ashland-Bo	1,580	33.4 (82)	653	7.8 (67)	663	5.4 (28)	0	* *	0	* *	1,265	98.5 (57)	2,279	23.8 (50)
Ballard Co	234	34.6 (70)	85	* *	117	5.1 (34)	0	* *	0	* *	247	99.2 (32)	369	50.4 (119)
Bar-Riv-Wa	3,045	43.0 (23)	1,302	11.8 (22)	1,061	4.8 (43)	0	* *	0	* *	2,248	97.0 (91)	4,266	25.7 (53)
Barren Cty	1,476	37.5 (49)	631	8.4 (52)	624	5.0 (35)	0	* *	0	* *	1,267	91.7 (141)	2,095	44.5 (104)
Bath Count	427	19.0(143)	164	4.3 (114)	193	1.6 (121)	0	* *	0	* *	498	98.4 (59)	727	41.4 (92)
Belfry	379	18.5(146)	181	3.9 (118)	182	1.6 (121)	0	* *	0	* *	402	94.8 (124)	635	74.2 (152)
Bell Cty M	682	18.0(148)	262	3.4 (125)	318	2.2 (107)	0	* *	0	* *	865	97.3 (84)	1,129	23.6 (49)
Bell Cty P	726	23.4(129)	341	3.5 (123)	375	0.5 (140)	0	* *	0	* *	926	98.9 (43)	1,220	38.9 (87)
Berea	563	43.7 (21)	269	12.6 (18)	250	8.4 (14)	0	* *	0	* *	559	98.4 (59)	894	24.6 (52)
Betsy Lane	404	15.1(152)	175	2.3 (136)	216	1.4 (127)	0	* *	0	* *	593	98.8 (46)	708	71.2 (149)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Bledsoe	10	* *	3	* *	9	* *	0	* *
Boone Coun	2,253	32.9 (88)	1,086	11.6 (23)	942	6.3 (21)	0	* *
Boone Lowe	401	23.7(128)	0	* *	0	* *	0	* *
Bourbon Ct	586	37.5 (49)	246	6.9 (84)	277	4.3 (55)	0	* *
Boyle Coun	754	20.2(139)	288	9.4 (38)	302	4.6 (48)	0	* *
Bracken Co	291	28.9(109)	130	3.8 (120)	140	2.1 (111)	0	* *
Breathitt	562	16.5(149)	260	3.8 (120)	283	1.8 (117)	0	* *
Breckinrid	552	35.7 (62)	284	8.8 (44)	260	4.6 (48)	0	* *
Bridges	711	39.1 (37)	328	12.2 (19)	292	3.8 (70)	0	* *
Bullitt Co	1,618	36.3 (56)	648	7.1 (79)	668	3.0 (89)	0	* *
Butler Cty	477	31.7 (95)	216	5.1 (108)	222	1.8 (117)	0	* *
C & Y	1,449	34.2 (74)	586	4.8 (112)	496	1.6 (121)	0	* *
Caldwell C	420	35.7 (62)	200	3.0 (129)	216	1.4 (127)	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Calloway C	1,069	51.7 (10)	471	14.2 (12)	518	7.3 (18)	0	* *	0	* *	914	93.2 (136)	1,472	19.4 (44)
Campbell C	1,821	26.6(119)	836	6.9 (84)	739	3.4 (77)	0	* *	0	* *	1,574	98.2 (64)	2,816	14.7 (34)
Carlisle C	163	43.6 (22)	86	* *	99	* *	0	* *	0	* *	228	99.1 (37)	283	52.3 (124)
Carroll Ct	490	35.1 (68)	205	8.3 (55)	235	4.7 (45)	0	* *	0	* *	487	97.3 (84)	797	52.3 (124)
Carter Cty	738	33.5 (80)	299	11.0 (28)	323	4.0 (64)	0	* *	0	* *	782	90.0 (144)	1,140	53.8 (129)
Casey Cty	451	34.6 (70)	219	7.8 (67)	247	4.9 (37)	0	* *	0	* *	614	99.3 (28)	839	53.9 (131)
Christian	2,292	32.1 (91)	994	8.6 (49)	762	5.0 (35)	0	* *	0	* *	1,791	91.8 (140)	3,331	38.2 (84)
Clark Coun	1,056	37.0 (53)	474	7.8 (67)	480	3.3 (83)	0	* *	0	* *	898	97.3 (84)	1,565	3.6 (24)
Clay Cty H	1,010	19.5(142)	414	4.8 (112)	485	2.7 (98)	0	* *	0	* *	1,279	98.7 (52)	1,668	89.2 (155)
Clinton Ct	443	20.1(140)	187	0.5 (139)	230	0.4 (141)	0	* *	0	* *	567	97.5 (80)	754	29.8 (68)
Corbin	1,089	20.5(138)	492	3.7 (122)	528	2.1 (111)	0	* *	0	* *	1,189	100. (1)	1,808	17.5 (39)
Crittenden	284	26.4(120)	126	2.4 (135)	133	0.8 (138)	0	* *	0	* *	285	96.8 (97)	442	14.7 (34)
Cumberland	280	21.4(136)	116	1.7 (137)	146	1.4 (127)	0	* *	0	* *	341	97.9 (69)	453	48.6 (115)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Daviess Co	2,614	27.8(114)	1,174	6.6 (88)	1,015	4.1 (60)	0	* *	0	* *	2,235	97.9 (69)	4,086	35.0 (78)
Dixie	2,318	38.2 (43)	991	9.7 (36)	888	3.0 (89)	0	* *	0	* *	1,438	98.3 (62)	3,155	0.2 (5)
Edmonson C	380	35.8 (61)	170	8.2 (59)	125	2.4 (105)	0	* *	0	* *	401	88.3 (148)	616	43.2 (96)
Elliott Ct	318	25.2(123)	144	8.3 (55)	160	5.6 (26)	0	* *	0	* *	408	95.6 (112)	518	36.9 (80)
Estill Cty	552	28.6(112)	253	5.1 (108)	274	1.5 (125)	0	* *	0	* *	672	96.3 (104)	944	26.4 (56)
Etown	1,642	30.5(103)	721	6.5 (90)	605	4.0 (64)	0	* *	0	* *	1,262	98.7 (52)	2,474	29.2 (65)
Evarts	269	7.1(156)	108	0.9 (138)	128	2.3 (106)	0	* *	0	* *	344	94.5 (129)	442	18.8 (43)
Fairdale	1,217	35.4 (67)	501	8.0 (64)	464	3.4 (77)	0	* *	0	* *	722	95.0 (119)	1,607	0.3 (7)
Fleming Co	488	30.7(100)	219	6.4 (92)	272	4.4 (53)	0	* *	0	* *	650	92.9 (137)	837	41.0 (90)
Floyd Cty	1,062	24.1(126)	462	7.6 (72)	532	4.1 (60)	0	* *	0	* *	1,076	99.9 (11)	1,625	52.5 (126)
Foust Hlth	160	30.6(102)	86	* *	86	* *	0	* *	0	* *	266	94.4 (130)	308	30.8 (70)
Franklin C	1,446	42.9 (24)	599	8.0 (64)	504	5.2 (32)	0	* *	0	* *	926	96.3 (104)	2,018	69.8 (148)
Ft Campbel	2,573	53.9 (7)	1,294	17.0 (8)	885	9.6 (6)	0	* *	0	* *	2,306	88.8 (147)	4,104	7.7 (29)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) the Breastfed At Least 6 Months analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Fulton	205	33.7 (79)	93	* *	91	* *	0	* *	0	* *	234	97.4 (81)	342	63.2 (140)
Gallatin C	392	29.3(106)	186	8.1 (61)	170	3.5 (74)	0	* *	0	* *	361	97.8 (72)	633	26.1 (55)
Garrard Ct	555	37.8 (44)	252	8.7 (46)	246	4.9 (37)	0	* *	0	* *	614	99.2 (32)	891	43.5 (98)
Goose Rock	8	* *	0	* *	5	* *	0	* *	0	* *	0	* *	0	* *
Grant Cty	1,047	36.2 (57)	520	8.3 (55)	556	3.6 (72)	0	* *	0	* *	1,120	97.4 (81)	1,724	63.7 (142)
Graves Cty	1,375	43.9 (19)	604	11.4 (26)	640	6.3 (21)	0	* *	0	* *	1,360	98.8 (46)	1,979	37.4 (83)
Grayson Ct	920	35.5 (65)	414	7.7 (71)	492	3.9 (67)	0	* *	0	* *	1,105	96.0 (107)	1,561	45.9 (110)
Green Cty	402	40.8 (31)	174	11.5 (24)	192	5.7 (25)	0	* *	0	* *	446	92.4 (138)	615	38.2 (84)
Greenup	820	33.5 (80)	329	5.8 (100)	328	3.0 (89)	0	* *	0	* *	773	98.1 (65)	1,275	29.3 (66)
Hancock Ct	235	40.0 (32)	126	13.5 (15)	125	4.0 (64)	0	* *	0	* *	286	96.5 (101)	396	31.8 (74)
Harlan Cty	750	23.1(131)	318	5.3 (105)	337	4.2 (59)	0	* *	0	* *	833	99.6 (18)	1,220	20.8 (48)
Harrison C	671	41.9 (28)	259	10.4 (32)	257	3.9 (67)	0	* *	0	* *	592	98.0 (68)	954	37.1 (82)
Hart Cty H	621	34.5 (72)	260	6.9 (84)	269	3.0 (89)	0	* *	0	* *	631	97.9 (69)	944	41.1 (91)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Henderson	1,432	29.7(105)	608	3.3 (128)	530	2.1 (111)	0	* *	0	* *	1,225	99.7 (14)	2,163	45.8 (108)
Henry Coun	445	36.0 (58)	199	9.0 (42)	194	5.2 (32)	0	* *	0	* *	407	99.3 (28)	656	28.8 (63)
Hickman	147	25.9(122)	71	* *	75	* *	0	* *	0	* *	179	94.4 (130)	257	36.2 (79)
Hickman Ct	143	36.4 (55)	59	* *	67	* *	0	* *	0	* *	126	99.2 (32)	209	51.2 (122)
Highview	1,580	56.1 (4)	715	19.4 (5)	635	10.2 (5)	0	* *	0	* *	1,197	92.4 (138)	2,258	0.4 (13)
Hindman	634	15.6(150)	267	3.4 (125)	255	1.6 (121)	0	* *	0	* *	710	98.5 (57)	974	31.4 (72)
Hopkins Ct	1,694	35.9 (60)	730	7.3 (75)	637	2.5 (102)	0	* *	0	* *	1,407	95.0 (119)	2,418	48.3 (113)
Hospital	2,324	37.2 (51)	36	* *	14	* *	0	* *	0	* *	0	* *	2,198	16.8 (38)
Iroquois	2,322	54.9 (5)	1,020	23.1 (2)	933	12.1 (4)	0	* *	0	* *	1,716	98.1 (65)	3,163	0.6 (15)
Jackson Ct	529	21.9(135)	255	2.7 (132)	308	1.3 (132)	0	* *	0	* *	682	99.7 (14)	906	48.2 (112)
Jessamine	1,534	46.7 (14)	669	17.5 (7)	611	8.5 (13)	0	* *	0	* *	1,277	97.0 (91)	2,327	31.5 (73)
Johnson Co	983	29.3(106)	400	5.5 (103)	458	4.1 (60)	0	* *	0	* *	1,134	100. (1)	1,498	43.2 (96)
JT Arnett	88	* *	45	* *	50	* *	0	* *	0	* *	160	98.8 (46)	176	48.3 (113)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Kenton Cty	2,521	37.1 (52)	1,211	5.5 (103)	1,056	3.5 (74)	0	* *	0	* *	1,906	98.9 (43)	3,891	56.1 (132)
Knox Cty	1,344	18.8(145)	582	2.6 (133)	627	1.1 (134)	0	* *	0	* *	1,627	97.7 (75)	2,454	0.9 (16)
L & N	1,824	34.2 (74)	796	9.5 (37)	689	4.1 (60)	0	* *	0	* *	1,271	94.8 (124)	2,667	0.5 (14)
Larue Cty	515	42.1 (27)	235	7.2 (78)	267	3.7 (71)	0	* *	0	* *	503	97.2 (87)	774	18.0 (41)
Laurel Cty	1,874	33.4 (82)	813	6.4 (92)	711	2.7 (98)	0	* *	0	* *	1,688	97.7 (75)	2,836	66.7 (144)
Lawrence C	620	25.0(124)	274	8.4 (52)	305	3.6 (72)	0	* *	0	* *	630	98.9 (43)	943	19.9 (47)
Lee Cty He	263	18.3(147)	121	6.6 (88)	111	4.5 (51)	0	* *	0	* *	366	98.4 (59)	471	27.4 (59)
Leslie Cty	506	28.9(109)	240	8.3 (55)	246	5.3 (31)	0	* *	0	* *	630	99.4 (27)	817	5.6 (26)
Letcher Ct	949	29.0(108)	416	5.3 (105)	320	2.8 (95)	0	* *	0	* *	755	94.7 (128)	1,368	14.9 (36)
Lewis Cty	588	32.7 (89)	238	6.7 (87)	284	3.2 (85)	0	* *	0	* *	620	96.5 (101)	876	40.4 (89)
Lex-Fay40A	760	44.7 (17)	205	11.2 (27)	370	4.9 (37)	0	* *	0	* *	0	* *	0	* *
Lex-Fay40C	1,920	71.9 (1)	1,020	20.1 (3)	695	14.0 (2)	0	* *	0	* *	1,905	95.0 (119)	3,363	0.3 (7)
Lex-Fay40D	1,320	43.9 (19)	538	10.2 (34)	477	4.6 (48)	0	* *	0	* *	867	97.7 (75)	1,814	0.3 (7)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Lex-Fay40E	28	* *	2	* *	18	* *	0	* *	0	* *
Lex-Fay40F	14	* *	4	* *	2	* *	0	* *	20	* *
Lex-Fay40G	813	52.5 (9)	367	10.4 (32)	364	4.7 (45)	0	* *	757	96.8 (97)
Lex-Fay40J	1,219	53.3 (8)	552	16.3 (10)	464	9.5 (7)	0	* *	978	90.8 (142)
Lex-Fay40W	1,033	62.5 (2)	427	24.4 (1)	338	18.3 (1)	0	* *	713	99.6 (18)
Lincoln Ct	835	28.3(113)	391	4.3 (114)	377	1.9 (116)	0	* *	820	98.7 (52)
Livingston	266	38.3 (42)	131	9.2 (41)	153	3.9 (67)	0	* *	302	94.0 (132)
Logan Cty	856	33.3 (84)	352	5.7 (102)	362	2.2 (107)	0	* *	670	100. (1)
Lynch	240	22.1(134)	118	3.4 (125)	135	2.2 (107)	0	* *	327	81.3 (153)
Lyon Cty	180	41.7 (29)	78	* *	80	* *	0	* *	178	97.2 (87)
Magoffin C	518	15.1(152)	218	2.8 (130)	255	0.4 (141)	0	* *	687	99.9 (11)
Marion Cty	718	37.7 (45)	316	8.2 (59)	310	3.5 (74)	0	* *	700	99.6 (18)
Marshal90A	833	34.2 (74)	356	9.3 (39)	393	3.1 (87)	0	* *	802	95.3 (117)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)		
Marshal90B	56	* *	28	* *	35	* *	0	* *	83	* *	102	27.5 (61)
Martin Cty	558	12.5(154)	233	2.6 (133)	278	1.4 (127)	0	* *	710	93.4 (135)	937	90.6 (156)
Mason Cty	642	27.1(118)	233	7.3 (75)	250	2.0 (115)	0	* *	502	99.8 (13)	942	52.8 (127)
McCracken	1,962	37.7 (45)	792	8.7 (46)	854	4.3 (55)	0	* *	1,717	96.4 (103)	2,862	12.4 (32)
McCreary C	806	21.3(137)	353	4.2 (116)	411	1.0 (135)	0	* *	1,079	95.0 (119)	1,402	44.3 (103)
McLean Ct	364	30.8 (98)	150	9.3 (39)	162	4.9 (37)	0	* *	355	97.7 (75)	576	53.3 (128)
Meade Cty	697	30.7(100)	321	5.9 (98)	281	1.8 (117)	0	* *	671	99.3 (28)	1,073	28.8 (63)
Menifee Ct	259	34.7 (69)	125	4.0 (117)	144	2.1 (111)	0	* *	386	99.0 (41)	471	29.7 (67)
Mercer Cty	603	31.8 (94)	275	10.9 (30)	266	4.5 (51)	0	* *	709	95.9 (109)	1,003	67.5 (145)
Metcalfe C	335	32.2 (90)	154	8.4 (52)	163	4.3 (55)	0	* *	368	95.4 (114)	516	50.0 (118)
Middletown	1,366	59.7 (3)	607	18.5 (6)	552	8.2 (16)	0	* *	813	99.6 (18)	1,836	0.1 (4)
Monroe Cnt	385	27.8(114)	164	4.9 (110)	162	1.2 (133)	0	* *	450	100. (1)	622	34.1 (76)
Montgomery	1,029	33.8 (78)	436	8.9 (43)	426	5.4 (28)	0	* *	1,005	97.0 (91)	1,593	50.4 (119)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Morgan Cty	503	24.7(125)	211	7.1 (79)	229	3.1 (87)	0	* *	0	* *	616	99.7 (14)	850	30.9 (71)
Muhlenberg	997	24.1(126)	434	7.1 (79)	430	2.8 (95)	0	* *	0	* *	932	99.5 (23)	1,493	58.7 (136)
Neighborho	1,403	48.2 (13)	580	20.0 (4)	546	9.5 (7)	0	* *	0	* *	907	95.8 (110)	1,846	1.6 (18)
Nelson Cty	1,148	35.7 (62)	538	7.1 (79)	532	3.4 (77)	0	* *	0	* *	1,086	98.6 (55)	1,823	93.3 (157)
Newburg	2,091	49.6 (11)	915	15.8 (11)	771	7.7 (17)	0	* *	0	* *	1,316	97.2 (87)	2,954	2.1 (19)
Nicholas C	270	22.2(133)	123	4.9 (110)	144	1.4 (127)	0	* *	0	* *	314	81.8 (152)	423	56.5 (134)
Oasis Hlth	139	28.8(111)	65	* *	70	* *	0	* *	0	* *	250	98.8 (46)	287	68.3 (146)
Ohio Cty	1,047	37.6 (47)	472	8.1 (61)	464	4.7 (45)	0	* *	0	* *	969	95.5 (113)	1,563	43.8 (102)
Oldham Cty	817	54.8 (6)	390	12.8 (17)	399	7.3 (18)	0	* *	0	* *	749	97.6 (79)	1,230	76.4 (153)
Olive Hill	530	35.5 (65)	252	8.7 (46)	266	5.6 (26)	0	* *	0	* *	612	95.8 (110)	867	46.8 (111)
Owen Cty	308	39.9 (33)	129	7.8 (67)	134	6.0 (23)	0	* *	0	* *	308	96.8 (97)	492	18.5 (42)
Owsley Cty	201	18.9(144)	94	* *	117	0.9 (137)	0	* *	0	* *	341	99.7 (14)	360	58.3 (135)
Park Duval	1,657	39.3 (34)	710	14.1 (13)	639	6.7 (20)	0	* *	0	* *	1,544	100. (1)	2,705	0.0 (1)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Pendleton	397	38.5 (40)	184	10.9 (30)	199	3.0 (89)	0	* *	0	* *	369	95.4 (114)	621	78.6 (154)
Perry Cty	1,153	27.2(117)	495	7.3 (75)	474	4.9 (37)	0	* *	0	* *	1,165	99.5 (23)	1,762	2.2 (20)
Phelps	179	8.4(155)	67	* *	72	* *	0	* *	0	* *	182	89.6 (145)	299	71.6 (150)
Pike Cty	1,508	23.4(129)	656	5.3 (105)	642	3.3 (83)	0	* *	0	* *	1,410	93.5 (134)	2,461	72.7 (151)
Portland	1,279	36.7 (54)	528	6.4 (92)	477	3.4 (77)	0	* *	0	* *	1,013	95.4 (114)	1,913	0.3 (7)
Powell Cty	572	33.9 (77)	252	2.8 (130)	280	1.8 (117)	0	* *	0	* *	677	86.7 (150)	919	56.4 (133)
Prenatal	47	* *	2	* *	1	* *	0	* *	0	* *	0	* *	4	* *
Prenatal	41	* *	1	* *	1	* *	0	* *	0	* *	0	* *	7	* *
Pulaski Ct	2,280	37.6 (47)	990	6.4 (92)	904	2.7 (98)	0	* *	0	* *	2,066	98.6 (55)	3,373	42.6 (95)
Radcliffe	1,857	40.9 (30)	831	8.8 (44)	745	4.8 (43)	0	* *	0	* *	1,665	96.9 (95)	2,950	69.4 (147)
Richmond	1,602	34.5 (72)	700	12.9 (16)	697	8.3 (15)	0	* *	0	* *	1,227	98.1 (65)	2,271	51.8 (123)
Robertson	111	33.3 (84)	50	* *	56	* *	0	* *	0	* *	140	99.3 (28)	173	61.3 (139)
Rockcastle	636	32.1 (91)	284	6.0 (96)	315	4.4 (53)	0	* *	0	* *	802	98.8 (46)	1,059	5.1 (25)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Rowan Cty	764	36.0 (58)	343	8.5 (51)	312	2.9 (94)	0	* *	0	* *	724	95.2 (118)	1,187	9.9 (30)
Russell Ct	666	30.0(104)	324	5.9 (98)	350	2.6 (101)	0	* *	0	* *	670	94.9 (123)	1,057	43.5 (98)
Scott Cty	1,225	44.7 (17)	529	10.0 (35)	463	5.4 (28)	0	* *	0	* *	859	94.8 (124)	1,681	49.7 (117)
Shelby Cty	1,071	42.9 (24)	481	17.0 (8)	473	12.7 (3)	0	* *	0	* *	917	98.8 (46)	1,602	5.6 (26)
Siler	21	* *	3	* *	13	* *	0	* *	0	* *	0	* *	0	* *
Simpson Ct	543	33.1 (86)	233	8.6 (49)	223	4.9 (37)	0	* *	0	* *	445	99.1 (37)	841	43.5 (98)
South Shor	158	31.6 (96)	74	* *	80	* *	0	* *	0	* *	236	99.2 (32)	317	32.8 (75)
Spencer Ct	338	31.4 (97)	160	11.9 (21)	161	8.7 (10)	0	* *	0	* *	307	99.0 (41)	529	2.3 (21)
TAPP-South	115	22.6(132)	42	* *	43	* *	0	* *	0	* *	14	* *	115	0.9 (16)
TAPP-West	122	38.5 (40)	51	* *	44	* *	0	* *	0	* *	18	* *	127	0.0 (1)
Taylor Cty	776	38.9 (38)	338	7.4 (73)	357	3.4 (77)	0	* *	0	* *	777	97.0 (91)	1,190	41.6 (93)
Todd Cty H	493	38.7 (39)	226	3.5 (123)	237	0.8 (138)	0	* *	0	* *	517	100. (1)	757	24.0 (51)
Trigg Cty	383	48.3 (12)	181	11.0 (28)	187	8.6 (11)	0	* *	0	* *	422	96.0 (107)	611	45.7 (107)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Trimble Ct	268	32.1 (91)	116	12.1 (20)	128	8.6 (11)	0	* *	0	* *	245	99.2 (32)	427	19.7 (46)
Union Cty	474	33.1 (86)	199	7.0 (83)	203	3.4 (77)	0	* *	0	* *	432	100. (1)	732	49.5 (116)
Wallins	93	* *	45	* *	55	* *	0	* *	0	* *	171	93.6 (133)	199	13.6 (33)
Washington	305	39.3 (34)	149	14.1 (13)	168	9.5 (7)	0	* *	0	* *	443	99.1 (37)	563	2.5 (22)
Wayne Cty	836	27.4(116)	360	5.8 (100)	399	2.5 (102)	0	* *	0	* *	987	97.1 (90)	1,330	66.2 (143)
Webster Ct	474	39.2 (36)	229	3.9 (118)	191	1.0 (135)	0	* *	0	* *	406	99.5 (23)	682	39.4 (88)
Wheelbrigh	255	15.3(151)	99	* *	132	1.5 (125)	0	* *	0	* *	350	100. (1)	422	53.8 (129)
Williamsbu	927	26.2(121)	419	8.1 (61)	412	3.2 (85)	0	* *	0	* *	1,135	100. (1)	1,557	19.6 (45)
Wolfe Cty	403	20.1(140)	200	6.0 (96)	229	2.2 (107)	0	* *	0	* *	591	99.5 (23)	703	63.3 (141)
Woodford C	585	44.8 (16)	261	11.5 (24)	257	5.8 (24)	0	* *	0	* *	609	97.4 (81)	921	15.3 (37)
Kentucky	135,102	36.2	58,207	9.3	56,337	4.6	0	*	0	*	121,765	96.8	203,472	31.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

