

**Table 4B**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Adair	598	88.1	3.0	5.0	0.0	0.0	3.8	0.0
Allen	750	92.8	2.3	3.3	0.0	0.3	1.3	0.0
Anderson	523	82.0	2.1	10.1	0.0	1.9	3.8	0.0
Ballard	257	88.3	5.4	1.9	0.4	1.6	2.3	0.0
Barren	1,512	87.7	4.0	6.4	0.0	0.7	1.2	0.0
Bath	538	92.9	1.1	2.8	0.0	0.9	2.2	0.0
Bell	1,804	97.0	2.2	0.6	0.1	0.1	0.2	0.0
Boone	2,525	71.9	3.5	22.4	0.0	0.9	1.3	0.0
Bourbon	610	73.8	6.4	18.4	0.0	0.2	1.3	0.0
Boyd	1,621	92.0	2.2	2.2	0.1	0.1	3.5	0.0
Boyle	842	85.3	8.9	5.3	0.0	0.0	0.5	0.0
Bracken	327	94.5	0.6	3.1	0.0	0.3	1.5	0.0
Breathitt	777	99.0	0.4	0.1	0.0	0.3	0.3	0.0
Breckinrid	669	92.7	4.5	0.7	0.0	0.3	1.8	0.0
Bullitt	1,606	92.8	0.7	1.7	0.0	1.0	3.7	0.0
Butler	563	90.4	0.4	8.0	0.2	1.1	0.0	0.0
Caldwell	487	87.9	8.4	1.4	0.0	0.6	1.6	0.0
Calloway	1,056	85.3	6.3	4.1	0.0	2.0	2.3	0.0
Campbell	2,014	89.5	5.8	3.6	0.1	0.4	0.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Carlisle	215	93.5	2.3	3.3	0.5	0.0	0.5	0.0
Carroll	561	77.0	1.1	18.9	0.0	0.0	3.0	0.0
Carter	1,453	93.4	0.6	5.3	0.1	0.2	0.4	0.0
Casey	626	89.0	0.0	10.1	0.0	0.0	1.0	0.0
Christian	5,250	62.6	24.0	7.5	0.2	2.3	3.4	0.0
Clark	1,115	86.5	7.0	5.5	0.1	0.6	0.4	0.0
Clay	1,251	98.1	0.3	1.5	0.0	0.1	0.0	0.0
Clinton	590	89.5	0.5	9.2	0.0	0.7	0.2	0.0
Crittenden	340	98.5	0.9	0.3	0.0	0.0	0.3	0.0
Cumberland	346	96.0	2.9	0.6	0.0	0.6	0.0	0.0
Daviess	3,299	77.7	8.5	8.1	0.0	0.4	5.3	0.0
Edmonson	428	97.0	0.0	1.9	0.0	0.0	1.2	0.0
Elliott	398	99.2	0.3	0.5	0.0	0.0	0.0	0.0
Estill	702	99.4	0.1	0.4	0.0	0.0	0.0	0.0
Fayette	7,000	36.9	28.0	30.1	0.3	1.3	3.4	0.0
Fleming	624	97.6	0.6	1.1	0.0	0.3	0.3	0.0
Floyd	2,095	98.5	0.5	0.6	0.0	0.0	0.4	0.0
Franklin	1,389	73.6	14.0	8.4	0.0	1.3	2.7	0.0
Fulton	420	51.9	37.6	1.9	0.0	0.7	7.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Gallatin	452	82.3	1.5	15.5	0.0	0.0	0.7	0.0
Garrard	660	89.5	2.3	4.8	0.2	0.5	2.7	0.0
Grant	1,212	92.9	0.4	5.4	0.0	0.2	1.2	0.0
Graves	1,488	66.2	7.7	22.3	0.1	0.1	3.6	0.0
Grayson	1,145	95.5	1.2	2.6	0.2	0.3	0.3	0.0
Green	475	94.5	2.3	3.2	0.0	0.0	0.0	0.0
Greenup	1,142	97.2	0.6	0.7	0.0	0.4	1.1	0.0
Hancock	276	92.8	0.7	2.9	0.4	0.0	3.3	0.0
Hardin	3,759	69.1	15.8	8.3	0.2	1.1	5.5	0.0
Harlan	1,717	94.3	2.0	1.7	0.0	0.0	2.0	0.0
Harrison	698	88.7	1.7	7.2	0.3	0.0	2.1	0.0
Hart	698	91.4	5.3	1.6	0.0	0.1	1.6	0.0
Henderson	1,522	80.0	12.9	4.3	0.0	1.2	1.6	0.0
Henry	477	87.2	2.5	6.9	0.0	3.1	0.2	0.0
Hickman	156	75.0	15.4	3.8	0.0	0.0	5.8	0.0
Hopkins	1,745	76.3	8.9	3.9	0.0	0.6	10.3	0.0
Jackson	656	98.3	0.2	1.2	0.0	0.2	0.2	0.0
Jefferson	19,349	42.7	42.6	10.5	0.1	1.5	2.6	0.0
Jessamine	1,650	84.8	4.2	7.8	0.0	1.0	2.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Johnson	1,133	98.9	0.1	0.2	0.0	0.3	0.5	0.0
Kenton	4,222	81.8	11.7	4.8	0.0	1.0	0.6	0.0
Knott	724	98.8	0.6	0.1	0.0	0.3	0.3	0.0
Knox	1,692	98.5	1.2	0.3	0.0	0.0	0.0	0.0
Larue	557	81.5	3.4	12.4	0.0	0.0	2.7	0.0
Laurel	1,990	98.4	0.5	0.7	0.1	0.4	0.0	0.0
Lawrence	713	98.6	0.1	0.1	0.0	0.0	1.1	0.0
Lee	348	97.1	1.1	1.7	0.0	0.0	0.0	0.0
Leslie	631	98.1	0.3	0.5	0.0	0.2	1.0	0.0
Letcher	978	98.5	0.9	0.5	0.0	0.1	0.0	0.0
Lewis	669	97.9	0.1	0.9	0.3	0.1	0.6	0.0
Lincoln	931	93.4	2.1	3.8	0.0	0.2	0.4	0.0
Livingston	308	95.8	0.0	2.6	0.0	0.0	1.6	0.0
Logan	863	79.8	11.4	6.5	0.3	0.1	1.9	0.0
Lyon	211	93.4	3.8	0.0	0.0	1.4	1.4	0.0
Madison	2,334	85.3	6.4	4.6	0.1	0.8	2.8	0.0
Magoffin	793	98.4	0.3	1.1	0.0	0.0	0.3	0.0
Marion	781	82.3	9.3	7.9	0.0	0.4	0.0	0.0
Marshall	1,006	98.2	0.5	0.9	0.0	0.2	0.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Martin	713	98.5	0.1	0.7	0.0	0.0	0.7	0.0
Mason	675	84.3	7.1	4.1	0.3	0.7	3.4	0.0
McCracken	2,055	59.6	29.4	5.4	0.0	0.8	4.8	0.0
McCreary	1,054	97.5	0.4	1.7	0.0	0.0	0.4	0.0
McLean	396	91.7	0.0	7.1	0.0	0.3	1.0	0.0
Meade	762	92.3	2.1	2.2	0.0	0.4	3.0	0.0
Menifee	360	97.5	0.8	1.4	0.0	0.3	0.0	0.0
Mercer	772	88.3	3.5	7.4	0.0	0.3	0.5	0.0
Metcalfe	387	96.9	1.8	1.0	0.0	0.3	0.0	0.0
Monroe	466	86.7	4.9	7.5	0.0	0.0	0.9	0.0
Montgomery	1,172	92.8	0.7	5.3	0.0	0.1	1.1	0.0
Morgan	627	99.7	0.0	0.3	0.0	0.0	0.0	0.0
Muhlenberg	1,073	90.5	3.5	1.8	0.0	0.4	3.8	0.0
Nelson	1,314	82.8	7.7	4.7	0.0	0.3	4.5	0.0
Nicholas	320	90.9	0.6	7.8	0.0	0.0	0.6	0.0
Ohio	1,109	85.2	0.4	13.7	0.1	0.2	0.5	0.0
Oldham	877	71.4	3.9	22.8	0.0	0.2	1.7	0.0
Owen	345	88.7	0.3	9.3	0.0	0.0	1.7	0.0
Owsley	279	97.1	1.1	0.4	0.0	0.0	1.4	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Pendleton	426	96.2	0.9	1.6	0.0	0.0	1.2	0.0
Perry	1,342	96.0	2.3	0.4	0.0	0.3	1.0	0.0
Pike	2,374	98.3	0.8	0.5	0.0	0.2	0.3	0.0
Powell	675	97.2	0.6	1.9	0.0	0.3	0.0	0.0
Pulaski	2,447	92.3	1.3	6.0	0.1	0.2	0.0	0.0
Robertson	132	96.2	0.8	2.3	0.0	0.0	0.8	0.0
Rockcastle	807	97.5	0.6	1.0	0.1	0.2	0.5	0.0
Rowan	860	96.7	1.5	0.6	0.1	1.0	0.0	0.0
Russell	750	86.1	0.3	12.3	0.0	0.7	0.7	0.0
Scott	1,200	79.7	7.1	9.8	0.0	3.2	0.3	0.0
Shelby	1,180	43.0	7.8	45.5	0.1	2.5	1.2	0.0
Simpson	588	81.0	11.1	4.3	0.2	0.9	2.7	0.0
Spencer	416	89.4	1.0	8.7	0.0	0.2	0.7	0.0
Taylor	865	85.2	4.7	3.6	0.1	0.3	6.0	0.0
Todd	553	67.5	14.3	10.7	0.0	4.3	3.3	0.0
Trigg	465	81.3	13.8	1.5	0.2	0.4	2.8	0.0
Trimble	275	95.3	0.0	2.2	0.0	1.8	0.7	0.0
Union	550	84.0	8.9	0.9	0.0	0.0	6.2	0.0
Warren	3,079	59.8	14.4	19.4	0.1	3.8	2.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Washington	417	72.2	10.1	13.2	0.0	0.0	4.6	0.0
Wayne	1,005	87.5	1.6	10.3	0.0	0.1	0.5	0.0
Webster	507	78.1	2.8	15.8	0.0	0.8	2.6	0.0
Whitley	2,467	98.4	0.6	0.7	0.0	0.2	0.0	0.0
Wolfe	541	99.1	0.0	0.2	0.0	0.0	0.7	0.0
Woodford	682	57.6	7.3	28.0	0.1	2.8	4.1	0.0
<b>Kentucky</b>	<b>146,701</b>	<b>77.5</b>	<b>11.8</b>	<b>7.8</b>	<b>0.1</b>	<b>0.8</b>	<b>2.0</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>7,599,318</b>	<b>31.5</b>	<b>18.5</b>	<b>41.1</b>	<b>1.0</b>	<b>2.5</b>	<b>1.5</b>	<b>3.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Adair	598	37.8	23.2	39.0
Allen	750	34.3	22.1	43.6
Anderson	523	40.5	18.7	40.7
Ballard	257	37.4	17.5	45.1
Barren	1,512	40.3	20.0	39.6
Bath	538	37.4	19.0	43.7
Bell	1,804	32.8	18.1	49.1
Boone	2,525	40.8	20.5	38.7
Bourbon	610	39.8	23.6	36.6
Boyd	1,621	41.9	20.1	38.0
Boyle	842	42.6	19.2	38.1
Bracken	327	45.6	16.2	38.2
Breathitt	777	31.9	20.2	47.9
Breckinrid	669	33.2	19.3	47.5
Bullitt	1,606	44.2	20.4	35.4
Butler	563	37.5	17.8	44.8
Caldwell	487	36.3	20.7	42.9
Calloway	1,056	37.0	21.7	41.3

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Campbell	2,014	40.4	21.3	38.4
Carlisle	215	30.2	19.5	50.2
Carroll	561	40.5	18.2	41.4
Carter	1,453	34.7	20.0	45.4
Casey	626	36.4	15.7	47.9
Christian	5,250	43.0	18.2	38.8
Clark	1,115	42.9	19.6	37.5
Clay	1,251	33.9	16.9	49.2
Clinton	590	34.6	18.5	46.9
Crittenden	340	39.1	19.1	41.8
Cumberland	346	32.1	22.0	46.0
Daviess	3,299	40.1	19.2	40.7
Edmonson	428	41.4	15.0	43.7
Elliott	398	32.2	16.6	51.3
Estill	702	31.9	20.2	47.9
Fayette	7,000	45.8	18.3	35.9
Fleming	624	32.4	18.9	48.7
Floyd	2,095	33.9	19.8	46.3

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2007 Pediatric Nutrition Surveillance (1)**  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years (2)**

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Franklin	1,389	47.8	19.6	32.6
Fulton	420	33.6	18.1	48.3
Gallatin	452	41.6	19.2	39.2
Garrard	660	37.3	18.8	43.9
Grant	1,212	34.2	22.7	43.1
Graves	1,488	35.4	21.8	42.8
Grayson	1,145	33.5	18.9	47.6
Green	475	33.3	17.3	49.5
Greenup	1,142	39.4	17.3	43.3
Hancock	276	36.6	15.9	47.5
Hardin	3,759	42.8	19.1	38.1
Harlan	1,717	33.7	19.2	47.1
Harrison	698	41.0	18.1	41.0
Hart	698	36.2	18.8	45.0
Henderson	1,522	43.4	18.1	38.5
Henry	477	41.5	19.1	39.4
Hickman	156	32.1	26.9	41.0
Hopkins	1,745	40.6	19.8	39.6

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Jackson	656	33.2	21.5	45.3
Jefferson	19,349	46.6	19.1	34.2
Jessamine	1,650	42.6	19.3	38.1
Johnson	1,133	33.4	18.2	48.5
Kenton	4,222	63.6	14.1	22.3
Knott	724	34.5	19.2	46.3
Knox	1,692	35.1	18.7	46.2
Larue	557	35.4	20.5	44.2
Laurel	1,990	40.8	18.2	41.0
Lawrence	713	35.1	20.9	44.0
Lee	348	33.3	16.7	50.0
Leslie	631	34.1	18.1	47.9
Letcher	978	43.6	18.9	37.5
Lewis	669	34.2	18.8	46.9
Lincoln	931	37.3	22.4	40.3
Livingston	308	29.9	22.1	48.1
Logan	863	41.7	20.5	37.8
Lyon	211	39.8	21.3	38.9

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Madison	2,334	41.0	21.2	37.7
Magoffin	793	30.4	20.3	49.3
Marion	781	40.6	17.8	41.6
Marshall	1,006	36.2	20.9	42.9
Martin	713	33.4	18.9	47.7
Mason	675	45.2	19.7	35.1
McCracken	2,055	38.2	21.2	40.7
McCreary	1,054	32.8	18.1	49.1
McLean	396	39.9	21.5	38.6
Meade	762	39.9	18.5	41.6
Menifee	360	30.8	16.4	52.8
Mercer	772	36.7	17.7	45.6
Metcalfe	387	34.6	18.3	47.0
Monroe	466	36.7	17.0	46.4
Montgomery	1,172	41.0	18.6	40.4
Morgan	627	34.1	19.0	46.9
Muhlenberg	1,073	38.8	20.6	40.6
Nelson	1,314	39.6	19.5	40.9

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Nicholas	320	31.9	20.6	47.5
Ohio	1,109	38.0	21.3	40.8
Oldham	877	36.6	22.5	40.9
Owen	345	37.1	20.9	42.0
Owsley	279	25.1	16.5	58.4
Pendleton	426	40.6	20.4	39.0
Perry	1,342	41.4	16.8	41.8
Pike	2,374	41.2	18.3	40.5
Powell	675	31.7	22.1	46.2
Pulaski	2,447	40.0	19.5	40.5
Robertson	132	29.5	22.0	48.5
Rockcastle	807	35.7	15.4	48.9
Rowan	860	40.6	19.4	40.0
Russell	750	36.7	20.7	42.7
Scott	1,200	44.6	21.3	34.2
Shelby	1,180	41.4	19.7	38.8
Simpson	588	43.2	19.6	37.2
Spencer	416	43.8	19.5	36.8

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Taylor	865	38.7	20.3	40.9
Todd	553	37.4	15.7	46.8
Trigg	465	35.7	18.9	45.4
Trimble	275	41.1	18.2	40.7
Union	550	42.0	18.4	39.6
Warren	3,079	46.0	19.0	35.0
Washington	417	29.3	20.9	49.9
Wayne	1,005	35.1	16.4	48.5
Webster	507	41.6	18.5	39.8
Whitley	2,467	35.2	19.7	45.1
Wolfe	541	29.4	19.6	51.0
Woodford	682	37.2	18.2	44.6
<b>Kentucky</b>	<b>146,701</b>	<b>40.7</b>	<b>19.2</b>	<b>40.1</b>
<b>Nation (Prior Year)</b>	<b>7,599,318</b>	<b>37.6</b>	<b>21.8</b>	<b>40.6</b>

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adair	152	11.8 (77)	7.2 (66)	575	5.4 (48)	7.1 (82)	10.3 (16)	229	9.2 (3)	15.3 (46)	360	8.6 (42)
Allen	163	6.1 (7)	8.0 (83)	724	7.3 (86)	8.4(103)	10.1 (14)	307	15.6 (38)	11.4 (11)	390	13.3 (78)
Anderson	126	15.1 (93)	4.0 (16)	493	7.1 (82)	8.3(101)	13.8 (62)	213	18.8 (84)	16.9 (67)	324	13.9 (82)
Ballard	65	* *	* *	240	8.8(100)	5.4 (44)	16.3 (90)	113	23.0(114)	14.2 (31)	176	14.8 (89)
Barren	373	8.8 (28)	8.8 (90)	1,456	5.6 (51)	6.3 (63)	12.2 (41)	573	16.6 (55)	18.5 (86)	957	8.3 (40)
Bath	136	11.0 (69)	13.2 (99)	513	10.1(111)	7.2 (84)	17.9(104)	228	23.2(115)	24.6(115)	323	8.7 (43)
Bell	348	9.8 (39)	7.2 (66)	1,706	5.2 (42)	4.5 (26)	18.4(108)	846	12.9 (16)	18.2 (81)	1,202	3.0 (5)
Boone	451	10.6 (57)	7.3 (71)	2,407	6.1 (64)	6.3 (63)	12.3 (42)	943	19.2 (89)	15.6 (51)	1,553	16.5 (98)
Bourbon	158	12.0 (80)	8.2 (87)	584	5.3 (43)	4.8 (36)	16.3 (90)	216	19.4 (91)	18.5 (86)	397	13.1 (77)
Boyd	403	13.9 (89)	4.0 (16)	1,554	4.6 (27)	11.1(114)	9.8 (13)	587	13.6 (19)	15.3 (46)	989	17.1(102)
Boyle	179	10.1 (46)	5.6 (34)	810	5.1 (38)	6.3 (63)	12.8 (50)	313	16.6 (55)	19.2 (92)	490	13.7 (81)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bracken	84	* *	* *	309	6.8 (77)	12.9(119)	16.5 (92)	116	20.7(101)	24.1(113)	205	6.3 (25)
Breathitt	146	5.5 (2)	4.8 (28)	722	4.8 (31)	4.6 (28)	18.0(105)	355	19.4 (91)	18.0 (79)	536	5.0 (16)
Breckinrid	123	9.8 (39)	4.9 (30)	649	6.2 (68)	3.1 (11)	12.9 (53)	313	13.4 (17)	11.2 (8)	491	6.9 (28)
Bullitt	427	11.9 (79)	7.3 (71)	1,542	6.4 (71)	4.7 (31)	12.8 (50)	559	17.4 (63)	14.5 (33)	910	18.6(104)
Butler	137	12.4 (82)	4.4 (22)	546	2.9 (4)	5.3 (41)	17.6(100)	242	19.4 (91)	21.9(110)	366	14.8 (89)
Caldwell	111	9.0 (30)	9.0 (92)	468	5.6 (51)	6.4 (69)	15.4 (84)	196	19.9 (95)	15.8 (54)	334	11.4 (64)
Calloway	226	5.8 (5)	10.6 (96)	1,026	4.3 (22)	4.7 (31)	10.9 (25)	425	16.5 (50)	11.8 (14)	683	7.5 (34)
Campbell	381	8.1 (20)	5.5 (33)	1,892	4.9 (35)	7.8 (92)	9.3 (8)	760	11.8 (9)	8.4 (3)	1,187	21.4(112)
Carlisle	40	* *	* *	204	6.9 (79)	4.4 (24)	15.7 (86)	107	21.5(110)	15.0 (39)	137	20.4(111)
Carroll	155	11.6 (74)	6.5 (51)	546	7.9 (92)	7.1 (82)	11.4 (31)	229	16.2 (45)	13.5 (28)	371	11.6 (68)
Carter	329	9.1 (32)	4.3 (21)	1,409	3.3 (8)	9.4(111)	12.9 (53)	629	16.1 (44)	17.3 (73)	936	14.5 (87)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Casey	147	10.2 (48)	9.5 (94)	607	7.2 (84)	6.3 (63)	11.9 (37)	290	20.7(101)	15.2 (43)	386	12.2 (71)
Christian	1,300	9.4 (35)	6.3 (47)	5,014	3.9 (16)	7.9 (96)	7.9 (1)	1,962	11.3 (6)	7.7 (1)	3,098	21.9(114)
Clark	278	13.3 (87)	6.1 (44)	1,069	5.8 (58)	4.6 (28)	15.2 (80)	415	22.4(112)	21.2(106)	649	12.6 (73)
Clay	276	13.0 (86)	4.7 (25)	1,215	4.0 (20)	8.2 (99)	15.2 (80)	593	21.4(108)	21.1(103)	851	5.2 (17)
Clinton	142	9.9 (42)	9.2 (93)	562	3.2 (7)	6.9 (78)	14.8 (76)	272	19.1 (87)	21.0(102)	390	3.1 (7)
Crittenden	79	* *	* *	328	6.1 (64)	5.5 (47)	13.7 (61)	143	18.2 (78)	9.8 (6)	216	15.7 (94)
Cumberland	77	* *	* *	339	5.0 (36)	8.6(107)	11.5 (33)	162	11.7 (8)	16.0 (57)	200	22.5(115)
Daviess	800	8.3 (22)	8.9 (91)	3,183	8.5 (96)	2.8 (9)	14.5 (73)	1,306	18.7 (83)	14.6 (35)	2,068	13.0 (76)
Edmonson	101	6.9 (10)	3.0 (6)	420	3.8 (15)	5.7 (49)	8.6 (3)	184	21.2(106)	13.0 (22)	253	4.3 (12)
Elliott	84	* *	* *	380	2.9 (4)	11.3(116)	10.3 (16)	195	20.5(100)	13.3 (26)	259	29.0(119)
Estill	145	11.7 (75)	3.4 (9)	680	5.1 (38)	4.7 (31)	11.8 (36)	320	21.3(107)	16.9 (67)	511	9.0 (45)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fayette	1,845	10.9 (66)	6.9 (60)	6,684	7.1 (82)	7.7 (91)	11.7 (34)	2,462	17.9 (73)	18.4 (84)	3,360	25.2 (117)
Fleming	147	13.6 (88)	6.1 (44)	603	6.3 (69)	7.8 (92)	13.9 (64)	291	15.5 (37)	14.8 (37)	416	14.4 (86)
Floyd	462	11.0 (69)	3.9 (14)	1,984	5.0 (36)	7.8 (92)	12.1 (39)	920	11.8 (9)	15.2 (43)	1,405	9.5 (49)
Franklin	391	12.8 (85)	3.3 (8)	1,324	11.1 (115)	6.2 (60)	15.3 (82)	442	20.8 (103)	21.5 (107)	789	21.4 (112)
Fulton	88	* *	* *	403	6.9 (79)	6.0 (57)	18.6 (109)	194	18.0 (75)	16.5 (60)	267	26.2 (118)
Gallatin	107	7.5 (16)	5.6 (34)	435	4.8 (31)	7.6 (89)	14.3 (71)	172	18.6 (82)	19.2 (92)	291	19.6 (109)
Garrard	145	7.6 (17)	3.4 (9)	621	8.1 (94)	6.4 (69)	13.5 (57)	288	10.8 (5)	17.0 (70)	419	15.0 (91)
Grant	226	10.6 (57)	6.6 (54)	1,164	4.6 (27)	5.2 (40)	10.9 (25)	506	16.2 (45)	11.5 (12)	859	7.3 (32)
Graves	333	6.3 (9)	7.2 (66)	1,442	3.9 (16)	6.4 (69)	14.2 (70)	626	19.2 (89)	17.4 (75)	921	19.4 (106)
Grayson	256	8.6 (26)	6.6 (54)	1,110	6.7 (76)	5.9 (56)	14.1 (66)	543	16.4 (48)	15.8 (54)	813	4.3 (12)
Green	106	5.7 (3)	6.6 (54)	468	5.1 (38)	3.4 (15)	10.3 (16)	227	18.9 (85)	11.9 (15)	310	10.6 (55)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Greenup	292	9.9 (42)	3.4 (9)	1,096	3.4 (9)	13.8(120)	10.5 (21)	471	15.3 (34)	16.6 (62)	680	5.7 (20)
Hancock	55	* *	* *	266	7.9 (92)	2.6 (6)	13.9 (64)	131	21.4(108)	16.8 (66)	197	3.0 (5)
Hardin	920	10.2 (48)	5.7 (39)	3,665	6.4 (71)	3.8 (18)	11.4 (31)	1,389	18.1 (76)	12.5 (18)	2,409	10.3 (52)
Harlan	375	6.9 (10)	7.2 (66)	1,645	3.9 (16)	8.1 (97)	13.2 (56)	771	17.5 (65)	20.1 (96)	1,070	8.2 (39)
Harrison	195	9.7 (38)	5.6 (34)	665	5.6 (51)	5.7 (49)	11.7 (34)	270	11.9 (11)	15.2 (43)	412	7.8 (37)
Hart	166	9.6 (37)	7.8 (79)	684	3.7 (12)	5.8 (53)	12.6 (45)	310	16.8 (58)	18.7 (88)	464	7.8 (37)
Henderson	408	15.7 (94)	2.9 (5)	1,484	5.9 (61)	8.9(108)	8.6 (3)	573	15.0 (31)	15.7 (53)	873	2.2 (2)
Henry	122	5.7 (3)	7.4 (75)	455	13.0(119)	6.2 (60)	20.0(115)	185	17.8 (71)	18.4 (84)	308	16.6 (99)
Hickman	31	* *	* *	153	7.2 (84)	7.2 (84)	19.6(113)	61	* *	* *	101	23.8(116)
Hopkins	402	10.7 (61)	8.0 (83)	1,685	9.0(102)	2.6 (6)	14.7 (75)	678	16.5 (50)	17.6 (77)	1,201	11.1 (60)
Jackson	135	12.6 (84)	7.4 (75)	632	3.5 (10)	4.7 (31)	15.5 (85)	294	15.3 (34)	20.4(100)	474	5.7 (20)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jefferson	5,185	11.3 (71)	5.4 (32)	18,270	5.8 (58)	6.5 (72)	12.5 (44)	6,454	14.8 (30)	12.6 (19)	11,013	16.3 (96)
Jessamine	406	10.1 (46)	7.1 (64)	1,587	5.7 (56)	6.9 (78)	9.1 (6)	613	12.1 (12)	11.3 (9)	967	17.0(101)
Johnson	230	11.7 (75)	2.6 (3)	1,094	5.8 (58)	6.6 (75)	19.6(113)	547	14.4 (22)	21.6(109)	763	19.0(105)
Kenton	1,997	9.0 (30)	5.6 (34)	3,951	5.3 (43)	7.6 (89)	8.9 (5)	925	17.5 (65)	17.1 (72)	1,620	13.9 (82)
Knott	160	11.3 (71)	4.4 (22)	660	11.1(115)	4.1 (22)	22.1(118)	312	14.4 (22)	21.5(107)	522	4.2 (11)
Knox	342	8.5 (25)	7.3 (71)	1,605	3.7 (12)	7.8 (92)	13.6 (59)	755	17.5 (65)	18.8 (90)	1,189	8.5 (41)
Larue	130	10.8 (64)	6.9 (60)	526	5.3 (43)	2.7 (8)	16.9 (94)	235	20.0 (97)	13.2 (24)	400	20.3(110)
Laurel	459	9.8 (39)	7.8 (79)	1,919	4.5 (24)	8.4(103)	12.7 (46)	789	18.4 (81)	16.5 (60)	1,264	6.8 (26)
Lawrence	176	16.5 (96)	2.8 (4)	678	7.7 (89)	9.3(110)	17.1 (97)	303	16.2 (45)	21.1(103)	442	11.5 (67)
Lee	53	* *	* *	336	1.5 (1)	5.4 (44)	9.2 (7)	171	15.2 (33)	8.2 (2)	253	8.7 (43)
Leslie	143	8.4 (24)	7.0 (63)	594	3.7 (12)	8.9(108)	13.6 (59)	282	13.5 (18)	13.5 (28)	455	12.1 (70)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Letcher	248	15.7 (94)	3.6 (13)	937	11.0(114)	2.2 (3)	17.6(100)	357	20.4 (99)	20.2 (99)	647	2.5 (3)
Lewis	143	9.1 (32)	4.2 (20)	640	4.4 (23)	11.1(114)	14.1 (66)	288	10.4 (4)	15.3 (46)	413	5.6 (19)
Lincoln	224	10.3 (51)	7.6 (78)	900	5.1 (38)	6.3 (63)	14.6 (74)	369	16.0 (42)	16.3 (58)	609	12.6 (73)
Livingston	58	* *	* *	291	6.5 (74)	3.1 (11)	18.2(106)	147	19.0 (86)	12.2 (17)	235	4.7 (14)
Logan	221	10.0 (44)	6.3 (47)	835	4.8 (31)	6.3 (63)	12.7 (46)	315	20.0 (97)	18.7 (88)	497	18.3(103)
Lyon	53	* *	* *	202	9.4(110)	5.4 (44)	19.3(112)	77	* *	* *	140	7.1 (30)
Madison	566	8.3 (22)	6.5 (51)	2,280	4.7 (30)	8.1 (97)	9.4 (10)	863	17.3 (62)	15.1 (41)	1,523	10.4 (53)
Magoffin	156	17.3 (98)	6.4 (50)	746	9.0(102)	4.6 (28)	20.1(116)	384	23.2(115)	22.9(112)	514	11.3 (62)
Marion	204	10.8 (64)	7.4 (75)	756	7.4 (87)	3.3 (13)	17.3 (98)	321	16.5 (50)	19.6 (95)	502	7.4 (33)
Marshall	247	7.7 (18)	8.1 (86)	949	11.7(118)	7.3 (87)	14.1 (66)	427	12.4 (13)	9.6 (5)	596	10.9 (59)
Martin	133	17.3 (98)	6.8 (59)	683	6.1 (64)	7.2 (84)	15.8 (88)	324	19.1 (87)	22.5(111)	510	10.4 (53)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Mason	171	5.8 (5)	10.5 (95)	637	8.8(100)	8.5(106)	15.1 (79)	231	15.6 (38)	15.6 (51)	369	16.3 (96)
McCracken	494	10.3 (51)	5.1 (31)	1,857	5.7 (56)	5.8 (53)	16.9 (94)	809	17.4 (63)	12.9 (21)	1,374	13.4 (80)
McCreary	217	10.6 (57)	6.9 (60)	1,016	6.4 (71)	5.6 (48)	14.4 (72)	513	17.7 (69)	20.7(101)	759	9.4 (48)
McLean	93	* *	* *	377	9.0(102)	4.5 (26)	10.6 (23)	151	17.9 (73)	15.9 (56)	243	0.8 (1)
Meade	180	10.0 (44)	6.1 (44)	740	7.6 (88)	5.1 (39)	13.5 (57)	313	14.4 (22)	15.0 (39)	512	10.7 (56)
Menifee	68	* *	* *	347	6.1 (64)	6.6 (75)	10.1 (14)	184	15.8 (41)	12.0 (16)	246	11.4 (64)
Mercer	168	14.9 (92)	3.0 (6)	738	6.8 (77)	3.9 (21)	10.4 (20)	346	14.7 (27)	13.3 (26)	538	9.3 (47)
Metcalfe	83	* *	* *	374	1.9 (3)	7.5 (88)	10.7 (24)	174	8.6 (2)	14.4 (32)	257	14.0 (84)
Monroe	110	10.9 (66)	7.3 (71)	445	6.3 (69)	8.3(101)	18.7(110)	200	16.5 (50)	26.5(116)	295	2.7 (4)
Montgomery	292	8.9 (29)	7.2 (66)	1,131	6.9 (79)	4.8 (36)	12.4 (43)	462	14.5 (25)	16.7 (64)	779	10.8 (58)
Morgan	114	6.1 (7)	7.9 (82)	604	4.5 (24)	6.8 (77)	12.7 (46)	285	17.2 (61)	18.2 (81)	420	16.7(100)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Muhlenberg	221	12.2 (81)	8.6 (89)	1,042	5.6 (51)	6.0 (57)	11.3 (29)	424	16.5 (50)	15.1 (41)	649	9.2 (46)
Nelson	310	10.3 (51)	5.8 (41)	1,278	8.3 (95)	5.8 (53)	12.8 (50)	515	14.2 (21)	11.7 (13)	831	11.2 (61)
Nicholas	65	* *	* *	302	6.0 (63)	11.9(117)	11.3 (29)	141	7.8 (1)	8.5 (4)	205	19.5(108)
Ohio	254	10.2 (48)	6.3 (47)	1,083	5.6 (51)	3.8 (18)	10.5 (21)	445	15.7 (40)	16.6 (62)	764	4.8 (15)
Oldham	199	9.5 (36)	6.0 (42)	851	9.0(102)	1.4 (1)	17.0 (96)	361	18.3 (80)	15.5 (50)	544	7.7 (35)
Owen	79	* *	* *	327	4.0 (20)	7.0 (80)	11.0 (27)	136	19.9 (95)	13.2 (24)	236	12.3 (72)
Owsley	49	* *	* *	261	7.7 (89)	3.4 (15)	26.1(120)	154	22.7(113)	26.6(117)	221	11.8 (69)
Pendleton	103	8.7 (27)	3.9 (14)	405	5.9 (61)	6.2 (60)	9.6 (12)	162	21.0(104)	14.8 (37)	255	11.4 (64)
Perry	330	11.8 (77)	4.5 (24)	1,268	10.4(113)	1.9 (2)	23.1(119)	547	22.1(111)	19.0 (91)	823	11.3 (62)
Pike	561	10.5 (55)	4.8 (28)	2,226	1.5 (1)	12.0(118)	10.3 (16)	883	11.4 (7)	12.8 (20)	1,454	6.9 (28)
Powell	132	9.1 (32)	2.3 (2)	655	6.6 (75)	4.1 (22)	15.7 (86)	308	18.2 (78)	21.1(103)	496	5.8 (23)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pulaski	586	10.9 (66)	5.6 (34)	2,367	3.1 (6)	7.0 (80)	7.9 (1)	968	14.7 (27)	11.3 (9)	1,520	6.2 (24)
Robertson	31	* *	* *	127	3.9 (16)	9.4(111)	9.4 (10)	67	* *	* *	94	* *
Rockcastle	183	7.1 (13)	7.1 (64)	786	5.3 (43)	6.1 (59)	14.8 (76)	388	16.0 (42)	17.0 (70)	580	4.1 (10)
Rowan	204	4.9 (1)	10.8 (97)	831	4.5 (24)	8.2 (99)	13.0 (55)	331	14.5 (25)	18.1 (80)	558	6.8 (26)
Russell	170	10.6 (57)	3.5 (12)	723	8.7 (99)	6.5 (72)	13.8 (62)	313	19.5 (94)	18.2 (81)	494	7.7 (35)
Scott	307	8.1 (20)	6.5 (51)	1,127	7.7 (89)	3.3 (13)	17.6(100)	397	15.1 (32)	17.4 (75)	700	9.9 (51)
Shelby	296	7.1 (13)	8.4 (88)	1,025	11.2(117)	4.4 (24)	19.1(111)	439	16.4 (48)	17.8 (78)	756	12.7 (75)
Simpson	149	10.7 (61)	6.7 (57)	568	5.3 (43)	5.3 (41)	12.0 (38)	219	12.8 (15)	16.4 (59)	349	15.8 (95)
Spencer	107	14.0 (90)	4.7 (25)	399	9.3(109)	5.3 (41)	18.3(107)	144	12.5 (14)	20.1 (96)	239	14.6 (88)
Taylor	213	7.0 (12)	8.0 (83)	837	4.8 (31)	5.0 (38)	11.1 (28)	344	15.4 (36)	13.1 (23)	515	7.2 (31)
Todd	117	17.1 (97)	1.7 (1)	529	9.1(106)	5.7 (49)	16.8 (93)	255	13.7 (20)	16.9 (67)	391	13.3 (78)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Trigg	105	14.3 (91)	6.7 (57)	442	8.6 (98)	3.4 (15)	15.8 (88)	205	21.0(104)	14.1 (30)	315	5.7 (20)
Trimble	69	* *	* *	272	8.5 (96)	11.0(113)	20.2(117)	111	17.1 (60)	24.3(114)	186	14.0 (84)
Union	129	12.4 (82)	4.7 (25)	535	9.2(107)	2.4 (5)	9.3 (8)	211	14.7 (27)	10.9 (7)	361	3.3 (8)
Warren	777	10.7 (61)	6.0 (42)	2,966	5.5 (50)	6.5 (72)	12.7 (46)	1,060	17.0 (59)	17.3 (73)	1,761	19.4(106)
Washington	74	* *	* *	406	10.3(112)	4.7 (31)	15.3 (82)	204	18.1 (76)	16.7 (64)	282	5.3 (18)
Wayne	219	7.8 (19)	4.1 (18)	975	3.6 (11)	5.7 (49)	12.1 (39)	470	17.7 (69)	15.3 (46)	682	9.8 (50)
Webster	123	11.4 (73)	4.1 (18)	494	13.6(120)	3.8 (18)	17.4 (99)	193	24.4(117)	14.5 (33)	350	4.0 (9)
Whitley	553	7.1 (13)	7.8 (79)	2,377	5.4 (48)	8.4(103)	14.1 (66)	1,083	17.6 (68)	19.2 (92)	1,741	15.4 (92)
Wolfe	105	10.5 (55)	5.7 (39)	527	4.6 (27)	2.3 (4)	17.6(100)	269	17.8 (71)	20.1 (96)	391	10.7 (56)
Woodford	156	10.3 (51)	12.2 (98)	660	9.2(107)	3.0 (10)	15.0 (78)	299	16.7 (57)	14.7 (36)	419	15.5 (93)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
<b>Kentucky</b>	<b>35,849</b>	<b>10.3</b>	<b>6.1</b>	<b>140,216</b>	<b>6.0</b>	<b>6.4</b>	<b>13.0</b>	<b>57,117</b>	<b>16.4</b>	<b>15.6</b>	<b>90,265</b>	<b>12.7</b>
<b>Nation (Prior Year)</b>	<b>1,842,970</b>	<b>9.2</b>	<b>6.6</b>	<b>7,192,043</b>	<b>6.4</b>	<b>4.7</b>	<b>13.8</b>	<b>2,945,212</b>	<b>16.4</b>	<b>14.8</b>	<b>4,521,591</b>	<b>14.0</b>

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Adair	152	29.6 (72)	56	* *	105	0.0 (70)	0	* *	0	* *	248	95.6 (60)	598	28.4 (37)
Allen	163	45.4 (9)	71	* *	141	3.5 (37)	0	* *	0	* *	352	88.4 (106)	750	46.7 (76)
Anderson	127	44.1 (11)	54	* *	71	* *	0	* *	0	* *	228	81.6 (115)	523	25.4 (31)
Ballard	65	* *	23	* *	43	* *	0	* *	0	* *	124	98.4 (28)	257	53.3 (93)
Barren	381	34.9 (47)	150	8.7 (13)	251	6.0 (14)	0	* *	0	* *	652	91.1 (95)	1,512	45.6 (73)
Bath	137	19.7 (91)	53	* *	89	* *	0	* *	0	* *	252	97.2 (45)	538	40.0 (54)
Bell	378	21.2 (87)	190	3.7 (35)	299	1.7 (62)	0	* *	0	* *	936	99.4 (12)	1,804	40.4 (55)
Boone	490	32.7 (56)	260	15.4 (4)	351	7.1 (9)	0	* *	0	* *	1,036	98.3 (30)	2,525	35.6 (46)
Bourbon	158	46.2 (8)	65	* *	126	5.6 (19)	0	* *	0	* *	239	99.2 (17)	610	6.2 (10)
Boyd	403	30.0 (71)	167	8.4 (14)	267	7.1 (9)	0	* *	0	* *	644	97.0 (46)	1,621	21.0 (24)
Boyle	202	20.3 (89)	72	* *	117	2.6 (52)	0	* *	0	* *	342	96.8 (49)	842	45.0 (71)
Bracken	84	* *	35	* *	51	* *	0	* *	0	* *	131	85.5 (111)	327	72.2 (113)
Breathitt	148	16.9 (97)	83	* *	139	1.4 (64)	0	* *	0	* *	397	98.7 (24)	777	56.4 (97)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Breckinrid	130	38.5 (30)	62	* *	90	* *	0	* *	0	* *	337	84.0 (114)	669	1.9 (4)
Bullitt	427	34.7 (49)	170	6.5 (25)	287	2.8 (48)	0	* *	0	* *	611	93.0 (85)	1,606	40.8 (58)
Butler	138	34.8 (48)	48	* *	78	* *	0	* *	0	* *	268	89.9 (102)	563	28.6 (38)
Caldwell	111	41.4 (20)	55	* *	94	* *	0	* *	0	* *	220	94.1 (77)	487	47.2 (77)
Calloway	227	59.5 (2)	104	16.3 (3)	180	10.6 (3)	0	* *	0	* *	468	92.7 (88)	1,056	16.9 (18)
Campbell	402	21.9 (83)	244	2.9 (37)	323	3.1 (41)	0	* *	0	* *	830	96.6 (52)	2,014	13.9 (16)
Carlisle	40	* *	15	* *	30	* *	0	* *	0	* *	115	98.3 (30)	215	51.6 (90)
Carroll	155	38.7 (28)	48	* *	79	* *	0	* *	0	* *	243	95.5 (63)	561	51.2 (89)
Carter	331	33.2 (53)	118	4.2 (34)	237	3.4 (38)	0	* *	0	* *	697	85.1 (112)	1,453	52.8 (92)
Casey	147	40.1 (22)	54	* *	85	* *	0	* *	0	* *	311	98.7 (24)	626	50.8 (88)
Christian	1,317	49.3 (6)	518	10.4 (10)	608	5.8 (17)	0	* *	0	* *	2,139	89.9 (102)	5,250	25.1 (29)
Clark	278	36.0 (42)	114	2.6 (40)	193	3.6 (34)	0	* *	0	* *	442	94.6 (71)	1,115	2.8 (7)
Clay	281	18.5 (93)	106	1.9 (41)	190	1.6 (63)	0	* *	0	* *	630	97.5 (40)	1,251	93.4 (119)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Clinton	142	21.8 (84)	54	* *	96	* *	0	* *	0	* *	301	95.3 (66)	590	38.1 (50)
Crittenden	79	* *	30	* *	59	* *	0	* *	0	* *	148	93.9 (79)	340	20.9 (23)
Cumberland	77	* *	42	* *	65	* *	0	* *	0	* *	173	96.0 (56)	346	58.1 (101)
Daviess	800	26.1 (77)	350	4.3 (33)	463	3.9 (29)	0	* *	0	* *	1,427	96.2 (54)	3,299	37.8 (49)
Edmonson	101	43.6 (12)	38	* *	34	* *	0	* *	0	* *	201	85.1 (112)	428	43.7 (67)
Elliott	84	* *	45	* *	63	* *	0	* *	0	* *	213	93.9 (79)	398	40.5 (56)
Estill	145	26.2 (76)	60	* *	94	* *	0	* *	0	* *	352	92.9 (86)	702	22.2 (27)
Fayette	1,847	56.1 (3)	727	17.6 (2)	939	10.1 (4)	0	* *	0	* *	2,672	95.5 (63)	7,000	0.2 (1)
Fleming	147	36.1 (41)	66	* *	103	1.0 (67)	0	* *	0	* *	321	85.7 (110)	624	43.8 (68)
Floyd	463	17.7 (95)	204	7.4 (21)	390	4.6 (24)	0	* *	0	* *	1,026	99.9 (8)	2,095	57.4 (98)
Franklin	391	38.9 (26)	154	9.1 (11)	213	4.2 (27)	0	* *	0	* *	484	95.2 (68)	1,389	78.0 (114)
Fulton	88	* *	38	* *	65	* *	0	* *	0	* *	208	92.3 (90)	420	57.9 (100)
Gallatin	107	30.8 (67)	52	* *	64	* *	0	* *	0	* *	189	95.8 (58)	452	29.9 (41)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Garrard	148	39.9 (23)	68	* *	103	5.8 (17)	0	* *	0	* *	311	98.4 (28)	660	43.5 (65)
Grant	228	32.5 (60)	127	6.3 (26)	211	2.4 (56)	0	* *	0	* *	562	94.8 (70)	1,212	61.6 (106)
Graves	335	43.0 (14)	142	14.8 (6)	253	8.3 (5)	0	* *	0	* *	685	97.5 (40)	1,488	37.4 (48)
Grayson	258	32.6 (59)	96	* *	181	2.8 (48)	0	* *	0	* *	583	92.5 (89)	1,145	67.7 (109)
Green	108	39.8 (25)	49	* *	78	* *	0	* *	0	* *	244	86.1 (109)	475	39.2 (52)
Greenup	292	36.0 (42)	91	* *	174	5.2 (21)	0	* *	0	* *	526	96.8 (49)	1,142	30.8 (43)
Hancock	55	* *	22	* *	29	* *	0	* *	0	* *	141	92.9 (86)	276	33.3 (45)
Hardin	922	37.3 (35)	398	7.8 (17)	535	5.0 (22)	0	* *	0	* *	1,517	95.6 (60)	3,759	49.2 (83)
Harlan	375	18.4 (94)	136	2.9 (37)	275	2.9 (44)	0	* *	0	* *	855	93.3 (83)	1,717	28.8 (39)
Harrison	196	36.2 (40)	58	* *	101	3.0 (43)	0	* *	0	* *	300	100. (1)	698	36.4 (47)
Hart	166	35.5 (45)	68	* *	90	* *	0	* *	0	* *	332	96.1 (55)	698	43.8 (68)
Henderson	408	30.4 (69)	145	5.5 (31)	179	2.2 (58)	0	* *	0	* *	619	99.4 (12)	1,522	49.9 (86)
Henry	122	32.8 (55)	50	* *	76	* *	0	* *	0	* *	201	98.5 (26)	477	24.5 (28)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)		
Hickman	31	* *	16	* *	27	* *	0	* *	67	* *	156	50.6 (87)
Hopkins	415	40.2 (21)	189	5.8 (30)	238	3.8 (30)	0	* *	723	90.3 (99)	1,745	47.9 (80)
Jackson	136	21.3 (85)	56	* *	116	0.9 (68)	0	* *	321	99.4 (12)	656	54.7 (96)
Jefferson	5,249	42.7 (17)	2,061	12.7 (8)	2,911	7.1 (9)	0	* *	6,983	94.4 (73)	19,349	0.9 (2)
Jessamine	406	45.1 (10)	189	15.3 (5)	244	8.2 (6)	0	* *	668	95.8 (58)	1,650	26.8 (35)
Johnson	230	33.0 (54)	101	6.9 (23)	188	5.9 (16)	0	* *	585	100. (1)	1,133	43.2 (64)
Kenton	2,054	34.6 (50)	305	7.5 (19)	407	4.9 (23)	0	* *	989	97.9 (38)	4,222	43.6 (66)
Knott	160	20.0 (90)	83	* *	103	2.9 (44)	0	* *	359	96.9 (47)	724	29.8 (40)
Knox	377	17.0 (96)	162	3.1 (36)	270	1.1 (66)	0	* *	827	95.4 (65)	1,692	1.0 (3)
Larue	130	37.7 (32)	64	* *	92	* *	0	* *	259	94.6 (71)	557	19.2 (21)
Laurel	461	35.4 (46)	218	6.0 (29)	281	2.5 (54)	0	* *	879	96.9 (47)	1,990	71.5 (112)
Lawrence	176	26.1 (77)	63	* *	120	2.5 (54)	0	* *	332	99.7 (9)	713	21.7 (26)
Lee	68	* *	30	* *	47	* *	0	* *	188	96.8 (49)	348	26.7 (34)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Leslie	144	23.6 (80)	59	* *	83	* *	0	* *	0	* *	321	99.1 (19)	631	6.5 (11)
Letcher	248	31.5 (65)	97	* *	110	0.9 (68)	0	* *	0	* *	396	89.9 (102)	978	16.9 (18)
Lewis	143	30.8 (67)	64	* *	107	2.8 (48)	0	* *	0	* *	339	93.5 (81)	669	41.1 (59)
Lincoln	224	26.8 (75)	93	* *	156	2.6 (52)	0	* *	0	* *	406	97.3 (43)	931	45.5 (72)
Livingston	58	* *	37	* *	51	* *	0	* *	0	* *	159	88.7 (105)	308	49.0 (81)
Logan	223	32.7 (56)	81	* *	137	2.9 (44)	0	* *	0	* *	342	100. (1)	863	11.9 (13)
Lyon	53	* *	22	* *	36	* *	0	* *	0	* *	89	* *	211	26.1 (32)
Madison	567	37.9 (31)	244	11.1 (9)	415	8.0 (7)	0	* *	0	* *	944	96.6 (52)	2,334	39.8 (53)
Magoffin	156	14.1 (99)	74	* *	132	2.3 (57)	0	* *	0	* *	422	99.5 (11)	793	45.6 (73)
Marion	204	41.7 (19)	88	* *	118	3.4 (38)	0	* *	0	* *	356	99.2 (17)	781	52.6 (91)
Marshall	250	35.6 (44)	95	* *	161	1.9 (59)	0	* *	0	* *	459	91.7 (94)	1,006	40.5 (56)
Martin	142	16.9 (97)	62	* *	108	1.9 (59)	0	* *	0	* *	358	86.9 (108)	713	92.1 (118)
Mason	175	28.6 (74)	65	* *	107	2.8 (48)	0	* *	0	* *	247	99.6 (10)	675	58.1 (101)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
McCracken	499	46.3 (7)	175	8.0 (16)	299	4.3 (26)	0	* *	0	* *	894	93.2 (84)	2,055	15.3 (17)
McCreary	220	23.2 (81)	96	* *	158	1.9 (59)	0	* *	0	* *	550	90.2 (100)	1,054	42.8 (63)
McLean	93	* *	30	* *	59	* *	0	* *	0	* *	169	95.3 (66)	396	46.0 (75)
Meade	181	36.5 (39)	81	* *	95	* *	0	* *	0	* *	332	98.5 (26)	762	25.1 (29)
Menifee	68	* *	37	* *	54	* *	0	* *	0	* *	202	98.0 (37)	360	30.6 (42)
Mercer	168	32.7 (56)	78	* *	94	* *	0	* *	0	* *	375	92.3 (90)	772	69.7 (111)
Metcalfe	83	* *	37	* *	64	* *	0	* *	0	* *	196	92.3 (90)	387	49.1 (82)
Monroe	110	33.6 (51)	47	* *	68	* *	0	* *	0	* *	233	100. (1)	466	44.2 (70)
Montgomery	292	32.2 (62)	135	8.9 (12)	169	7.1 (9)	0	* *	0	* *	501	94.2 (75)	1,172	54.3 (95)
Morgan	137	42.3 (18)	54	* *	105	3.8 (30)	0	* *	0	* *	305	99.3 (16)	627	27.4 (36)
Muhlenberg	221	21.3 (85)	101	6.9 (23)	161	3.7 (33)	0	* *	0	* *	464	98.9 (23)	1,073	59.2 (104)
Nelson	310	37.4 (34)	126	6.3 (26)	209	1.4 (64)	0	* *	0	* *	572	97.4 (42)	1,314	94.3 (120)
Nicholas	65	* *	28	* *	52	* *	0	* *	0	* *	161	72.7 (117)	320	60.9 (105)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Ohio	255	37.3 (35)	126	4.8 (32)	180	4.4 (25)	0	* *	0	* *	489	91.0 (96)	1,109	47.8 (79)
Oldham	199	52.8 (5)	89	* *	155	11.6 (2)	0	* *	0	* *	388	95.6 (60)	877	86.7 (117)
Owen	79	* *	37	* *	41	* *	0	* *	0	* *	151	93.4 (82)	345	17.7 (20)
Owsley	49	* *	20	* *	42	* *	0	* *	0	* *	171	99.4 (12)	279	57.7 (99)
Pendleton	103	32.0 (63)	43	* *	62	* *	0	* *	0	* *	176	90.9 (97)	426	78.2 (115)
Perry	345	29.3 (73)	145	7.6 (18)	186	7.0 (13)	0	* *	0	* *	601	99.0 (21)	1,342	2.1 (5)
Pike	567	19.6 (92)	252	6.3 (26)	356	4.2 (27)	0	* *	0	* *	1,016	88.0 (107)	2,374	78.5 (116)
Powell	132	37.1 (37)	67	* *	110	0.0 (70)	0	* *	0	* *	343	81.3 (116)	675	59.1 (103)
Pulaski	586	43.0 (14)	265	7.5 (19)	320	3.1 (41)	0	* *	0	* *	1,081	97.3 (43)	2,447	47.6 (78)
Robertson	31	* *	7	* *	18	* *	0	* *	0	* *	70	* *	132	63.6 (108)
Rockcastle	184	31.0 (66)	70	* *	108	5.6 (19)	0	* *	0	* *	425	98.1 (35)	807	6.6 (12)
Rowan	204	38.7 (28)	94	* *	130	3.8 (30)	0	* *	0	* *	370	90.5 (98)	860	12.0 (14)
Russell	172	25.0 (79)	86	* *	140	3.6 (34)	0	* *	0	* *	340	90.0 (101)	750	49.7 (84)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)				
Scott	307	38.8 (27)	148	7.4 (21)	167	6.0 (14)	0	* *	0	* *	448	96.0 (56)	1,200	49.7 (84)
Shelby	297	68.0 (1)	145	23.4 (1)	214	19.2 (1)	0	* *	0	* *	487	97.7 (39)	1,180	4.2 (9)
Simpson	151	32.5 (60)	66	* *	94	* *	0	* *	0	* *	234	98.3 (30)	588	42.7 (62)
Spencer	107	33.6 (51)	43	* *	60	* *	0	* *	0	* *	160	98.1 (35)	416	2.2 (6)
Taylor	213	39.9 (23)	79	* *	138	2.9 (44)	0	* *	0	* *	383	94.0 (78)	865	38.8 (51)
Todd	117	37.6 (33)	63	* *	85	* *	0	* *	0	* *	279	100. (1)	553	26.4 (33)
Trigg	105	53.3 (4)	44	* *	70	* *	0	* *	0	* *	219	92.2 (93)	465	41.9 (61)
Trimble	69	* *	33	* *	44	* *	0	* *	0	* *	117	98.3 (30)	275	20.4 (22)
Union	129	31.8 (64)	71	* *	86	* *	0	* *	0	* *	229	100. (1)	550	54.0 (94)
Warren	831	43.3 (13)	311	13.2 (7)	428	7.9 (8)	0	* *	0	* *	1,159	94.2 (75)	3,079	32.2 (44)
Washington	74	* *	39	* *	73	* *	0	* *	0	* *	228	98.2 (34)	417	3.4 (8)
Wayne	221	30.3 (70)	105	2.9 (37)	149	3.4 (38)	0	* *	0	* *	522	94.4 (73)	1,005	69.3 (110)
Webster	123	36.6 (38)	53	* *	68	* *	0	* *	0	* *	214	99.1 (19)	507	41.6 (60)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Whitley	553	20.8 (88)	232	8.2 (15)	361	3.6 (34)	0	* *	0	* *	1,197	100. (1)	2,467	21.2 (25)
Wolfe	105	22.9 (82)	50	* *	91	* *	0	* *	0	* *	295	99.0 (21)	541	62.7 (107)
Woodford	156	42.9 (16)	54	* *	87	* *	0	* *	0	* *	320	95.0 (69)	682	12.8 (15)
<b>Kentucky</b>	<b>36,347</b>	<b>36.3</b>	<b>14,725</b>	<b>8.6</b>	<b>21,872</b>	<b>5.0</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>62,567</b>	<b>94.9</b>	<b>146,701</b>	<b>33.1</b>
<b>Nation (Prior Year)</b>	<b>1,577,832</b>	<b>60.1</b>	<b>790,341</b>	<b>25.2</b>	<b>875,205</b>	<b>18.1</b>	<b>104,492</b>	<b>10.3</b>	<b>143,261</b>	<b>5.6</b>	<b>584,732</b>	<b>73.3</b>	<b>2,855,911</b>	<b>10.6</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adair	492	12.6 (106)	5.7 (48)	1,718	5.7 (37)	5.8 (77)	12.9 (25)	719	13.9 (9)	16.8 (51)	1,039	10.8 (60)
Allen	561	8.7 (26)	5.0 (22)	2,061	7.2 (69)	5.6 (72)	12.8 (24)	896	17.9 (51)	15.2 (30)	1,114	13.3 (82)
Anderson	371	13.2 (111)	5.1 (24)	1,359	7.7 (78)	6.9 (98)	15.4 (58)	557	20.3 (96)	17.4 (58)	929	12.2 (70)
Ballard	198	6.1 (2)	7.1 (83)	736	8.4 (84)	6.0 (85)	16.7 (75)	353	22.7 (116)	10.2 (4)	559	13.6 (85)
Barren	1,194	10.5 (78)	7.1 (83)	4,145	5.5 (30)	4.8 (52)	14.8 (49)	1,638	19.4 (83)	19.8 (88)	2,708	14.8 (93)
Bath	377	10.9 (84)	9.3 (114)	1,445	10.4 (104)	4.6 (44)	21.1 (114)	673	23.2 (117)	26.4 (119)	928	7.9 (32)
Bell	1,146	9.2 (44)	6.6 (70)	4,941	7.6 (76)	4.0 (32)	20.0 (109)	2,440	15.1 (17)	18.7 (77)	3,390	2.7 (3)
Boone	1,786	8.7 (26)	7.1 (83)	7,007	7.7 (78)	5.8 (77)	15.2 (56)	2,804	18.9 (72)	16.2 (43)	4,099	16.9 (101)
Bourbon	509	14.9 (115)	5.3 (34)	1,631	7.2 (69)	4.3 (39)	18.8 (95)	629	19.4 (83)	19.4 (86)	1,130	20.2 (113)
Boyd	1,347	11.6 (95)	4.9 (19)	4,512	5.6 (33)	9.6 (118)	11.4 (9)	1,734	16.6 (34)	15.6 (34)	2,905	17.0 (102)
Boyle	623	9.6 (56)	6.7 (75)	2,246	5.0 (23)	4.0 (32)	15.6 (63)	901	19.3 (81)	19.0 (81)	1,357	11.4 (65)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2005 - 2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>												
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight						Anemia Low Hb/Hct <sup>(8)</sup>		
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bracken	243	9.1 (42)	5.3 (34)	877	6.0 (46)	9.5(116)	18.9 (96)	334	20.4 (97)	26.0(118)	594	4.4 (10)
Breathitt	493	8.3 (19)	7.3 (88)	2,064	5.8 (41)	3.8 (29)	20.2(111)	1,006	16.1 (30)	20.7 (94)	1,491	5.8 (15)
Breckinrid	437	9.2 (44)	7.8 (98)	1,858	7.4 (73)	2.9 (14)	14.4 (39)	832	14.4 (12)	13.8 (17)	1,371	8.0 (34)
Bullitt	1,357	10.2 (70)	7.6 (94)	4,292	6.3 (52)	4.5 (42)	14.1 (35)	1,606	15.4 (23)	14.6 (24)	2,484	18.2(110)
Butler	404	9.7 (58)	5.2 (28)	1,587	5.1 (24)	3.4 (26)	18.3 (89)	728	20.6(101)	20.7 (94)	1,079	13.2 (79)
Caldwell	357	10.1 (64)	9.0(113)	1,333	7.3 (71)	6.2 (88)	18.2 (87)	583	20.2 (95)	17.8 (64)	951	10.3 (55)
Calloway	829	6.9 (7)	10.7(118)	3,081	5.1 (24)	3.9 (30)	12.6 (23)	1,245	17.3 (41)	13.7 (16)	2,005	9.1 (42)
Campbell	1,471	11.8 (99)	5.3 (34)	5,322	5.6 (33)	7.0(100)	11.3 (8)	2,087	12.2 (3)	9.3 (3)	3,258	18.0(108)
Carlisle	123	19.5(119)	7.3 (88)	612	10.6(107)	2.8 (12)	19.4(101)	314	24.8(119)	19.1 (84)	430	16.3(100)
Carroll	424	9.4 (51)	5.7 (48)	1,584	12.2(119)	4.7 (50)	18.2 (87)	667	20.5 (98)	22.2(108)	1,116	13.2 (79)
Carter	1,057	8.8 (30)	3.9 (8)	4,144	3.9 (8)	8.3(114)	14.0 (34)	1,903	17.4 (44)	18.1 (69)	2,757	13.7 (86)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2005 - 2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>												
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight						Anemia Low Hb/Hct <sup>(8)</sup>		
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Casey	397	11.1 (88)	7.8 (98)	1,752	9.1 (92)	4.9 (54)	13.1 (29)	869	19.1 (76)	15.0 (29)	1,196	11.5 (67)
Christian	3,751	10.1 (64)	6.9 (80)	14,188	4.2 (11)	7.4(105)	9.1 (1)	5,850	11.4 (2)	8.3 (2)	9,153	22.9(118)
Clark	863	10.3 (75)	5.2 (28)	2,997	6.3 (52)	4.0 (32)	16.2 (68)	1,191	20.7(103)	21.3(103)	1,898	14.5 (91)
Clay	911	11.3 (91)	4.3 (12)	3,650	4.6 (16)	7.8(111)	17.1 (81)	1,757	20.9(105)	22.9(112)	2,622	6.3 (22)
Clinton	394	11.2 (89)	8.4(108)	1,610	4.9 (22)	5.4 (67)	16.3 (70)	772	21.1(108)	18.8 (80)	1,111	4.2 (9)
Crittenden	245	8.6 (24)	4.9 (19)	889	4.4 (13)	6.4 (89)	14.5 (42)	394	19.8 (88)	10.2 (4)	605	12.6 (75)
Cumberland	245	12.7(107)	3.3 (4)	999	4.6 (16)	6.5 (93)	11.2 (7)	473	13.5 (7)	13.3 (13)	602	18.3(111)
Daviess	2,518	8.8 (30)	7.0 (81)	9,119	9.3 (95)	2.5 (4)	17.3 (82)	3,764	18.5 (63)	17.0 (54)	5,933	13.3 (82)
Edmonson	312	6.7 (5)	6.7 (75)	1,275	3.8 (4)	5.0 (56)	10.7 (5)	554	18.6 (64)	14.3 (21)	821	6.3 (22)
Elliott	272	11.0 (87)	5.5 (42)	1,130	4.0 (9)	7.3(104)	13.4 (30)	559	21.5(112)	17.4 (58)	768	26.2(120)
Estill	472	9.7 (58)	6.4 (63)	2,003	7.0 (65)	3.3 (23)	14.6 (43)	922	19.5 (85)	20.2 (91)	1,465	7.1 (26)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fayette	5,645	10.2 (70)	6.4 (63)	18,595	7.6 (76)	5.8 (77)	14.4 (39)	7,050	19.8 (88)	20.1 (90)	9,813	23.6 (119)
Fleming	425	14.1 (113)	7.5 (93)	1,786	6.3 (52)	6.7 (97)	15.5 (61)	880	15.6 (25)	16.1 (40)	1,321	14.2 (88)
Floyd	1,555	11.8 (99)	4.7 (15)	5,945	5.7 (37)	6.9 (98)	12.4 (19)	2,736	12.6 (5)	14.9 (28)	4,178	8.5 (38)
Franklin	1,197	10.9 (84)	6.0 (60)	3,731	8.9 (88)	5.9 (82)	16.2 (68)	1,257	22.5 (115)	20.8 (97)	2,304	20.8 (117)
Fulton	287	9.8 (60)	5.9 (55)	1,208	7.0 (65)	4.6 (44)	19.1 (98)	598	18.2 (60)	18.7 (77)	829	20.7 (115)
Gallatin	325	9.2 (44)	4.0 (10)	1,128	6.7 (62)	6.4 (89)	14.6 (43)	439	18.2 (60)	17.8 (64)	774	15.5 (96)
Garrard	456	10.7 (82)	5.7 (48)	1,804	8.6 (85)	4.9 (54)	15.4 (58)	850	16.7 (37)	17.8 (64)	1,188	17.2 (103)
Grant	825	10.1 (64)	7.0 (81)	3,482	4.8 (19)	5.4 (67)	11.6 (10)	1,566	15.3 (21)	11.4 (8)	2,593	9.4 (47)
Graves	1,111	7.9 (15)	5.5 (42)	4,230	5.1 (24)	5.3 (62)	16.3 (70)	1,901	19.3 (81)	18.1 (69)	2,752	17.6 (105)
Grayson	751	10.9 (84)	5.7 (48)	3,139	8.3 (83)	5.1 (57)	14.6 (43)	1,498	18.6 (64)	16.0 (39)	2,358	3.8 (6)
Green	318	10.4 (77)	7.9 (100)	1,293	8.7 (86)	3.0 (16)	16.6 (74)	622	19.1 (76)	16.7 (50)	869	10.9 (61)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2005 - 2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>												
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight							Anemia Low Hb/Hct <sup>(8)</sup>	
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>			Anemia Low Hb/Hct <sup>(8)</sup>	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Greenup	855	9.9 (62)	4.7 (15)	3,165	4.0 (9)	10.1(120)	12.5 (22)	1,373	17.7 (48)	17.0 (54)	1,969	6.0 (18)
Hancock	188	8.0 (16)	6.4 (63)	858	6.8 (64)	2.6 (7)	16.8 (76)	397	23.9(118)	16.9 (52)	648	5.1 (11)
Hardin	2,861	8.9 (36)	5.9 (55)	10,453	7.7 (78)	3.0 (16)	13.0 (27)	4,135	18.1 (57)	13.3 (13)	7,073	8.6 (40)
Harlan	1,208	9.5 (53)	9.3 (114)	4,862	5.6 (33)	7.8(111)	15.1 (54)	2,317	17.9 (51)	20.7 (94)	3,100	7.6 (31)
Harrison	567	12.9 (110)	3.9 (8)	1,873	6.1 (49)	5.6 (72)	12.3 (17)	800	13.6 (8)	13.8 (17)	1,184	10.5 (57)
Hart	511	9.0 (40)	7.4 (92)	1,943	3.8 (4)	5.3 (62)	13.7 (31)	851	18.3 (62)	17.5 (61)	1,307	7.1 (26)
Henderson	1,237	13.2 (111)	3.4 (5)	4,287	6.6 (60)	7.0(100)	11.9 (11)	1,686	19.0 (75)	21.1 (99)	2,372	3.4 (5)
Henry	374	7.8 (14)	8.0 (103)	1,334	11.0(110)	5.2 (58)	19.9(106)	555	18.9 (72)	17.5 (61)	911	14.2 (88)
Hickman	114	6.1 (2)	10.5 (117)	441	5.9 (44)	5.2 (58)	20.0(109)	173	25.4(120)	22.0(107)	289	18.0 (108)
Hopkins	1,397	10.2 (70)	6.7 (75)	4,938	10.3(103)	2.5 (4)	16.5 (72)	1,958	19.1 (76)	18.3 (72)	3,423	9.3 (45)
Jackson	458	9.6 (56)	7.2 (87)	1,973	6.2 (50)	4.3 (39)	16.5 (72)	963	17.2 (39)	18.6 (76)	1,495	4.1 (7)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2005 - 2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>													
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight							Anemia Low Hb/Hct <sup>(8)</sup>		
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>			(8)		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jefferson	15,689	11.7 (96)	5.8 (53)	50,678	6.5 (58)	5.6 (72)	14.4 (39)	18,606	15.7 (26)	14.5 (23)		31,045	14.6 (92)
Jessamine	1,232	10.1 (64)	7.3 (88)	4,315	5.7 (37)	6.0 (85)	9.9 (3)	1,694	14.3 (11)	12.0 (10)		2,693	17.3 (104)
Johnson	844	11.5 (93)	4.3 (12)	3,248	5.6 (33)	6.6 (94)	17.3 (82)	1,554	16.6 (34)	17.5 (61)		2,261	20.7 (115)
Kenton	4,987	9.2 (44)	6.4 (63)	9,965	6.0 (46)	6.4 (89)	12.4 (19)	2,610	21.7 (113)	23.3 (114)		4,495	13.9 (87)
Knott	564	14.4 (114)	4.8 (18)	2,050	11.7 (117)	2.9 (14)	24.9 (117)	961	17.9 (51)	22.6 (111)		1,580	6.5 (24)
Knox	1,140	8.5 (21)	7.6 (94)	4,670	4.5 (15)	5.5 (70)	17.0 (79)	2,217	18.8 (70)	22.2 (108)		3,290	9.5 (48)
Larue	409	8.8 (30)	6.6 (70)	1,548	6.3 (52)	2.5 (4)	18.7 (93)	682	17.6 (47)	16.1 (40)		1,140	17.8 (107)
Laurel	1,596	9.5 (53)	8.5 (109)	5,661	6.0 (46)	7.4 (105)	16.9 (78)	2,273	19.9 (91)	21.4 (104)		3,578	7.9 (32)
Lawrence	545	16.0 (118)	2.4 (1)	1,991	9.3 (95)	7.7 (109)	18.0 (86)	866	18.0 (54)	21.2 (100)		1,328	10.0 (52)
Lee	207	10.1 (64)	6.8 (79)	1,023	4.2 (11)	4.4 (41)	13.9 (33)	508	15.9 (29)	13.2 (12)		785	9.6 (49)
Leslie	412	10.7 (82)	7.3 (88)	1,781	3.8 (4)	6.4 (89)	17.7 (85)	872	15.1 (17)	19.7 (87)		1,401	12.2 (70)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2005 - 2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>												
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight						Anemia Low Hb/Hct <sup>(8)</sup>		
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Letcher	824	11.5 (93)	3.4 (5)	2,728	11.5(114)	1.8 (2)	19.9(106)	1,038	21.2(109)	20.2 (91)	1,870	2.0 (2)
Lewis	488	9.0 (40)	5.3 (34)	1,811	5.7 (37)	8.0(113)	14.2 (36)	791	15.8 (27)	17.3 (57)	1,051	10.2 (54)
Lincoln	708	8.6 (24)	8.1 (106)	2,682	6.2 (50)	5.8 (77)	17.4 (84)	1,142	18.7 (68)	19.3 (85)	1,880	9.2 (44)
Livingston	213	9.4 (51)	3.8 (7)	871	7.3 (71)	3.9 (30)	18.3 (89)	411	19.5 (85)	13.4 (15)	679	5.4 (14)
Logan	726	9.5 (53)	5.1 (24)	2,453	6.6 (60)	5.7 (76)	14.8 (49)	932	21.0(107)	18.1 (69)	1,462	20.1(112)
Lyon	149	7.4 (8)	5.4 (39)	558	10.8(108)	4.8 (52)	22.6(115)	243	22.2(114)	16.9 (52)	387	7.5 (29)
Madison	1,797	9.3 (49)	6.5 (69)	6,239	5.4 (29)	7.7(109)	11.0 (6)	2,390	18.8 (70)	16.2 (43)	4,171	9.3 (45)
Magoffin	551	15.4(116)	5.6 (45)	2,300	9.5 (98)	4.0 (32)	23.1(116)	1,145	20.5 (98)	25.8(117)	1,498	11.6 (68)
Marion	597	10.2 (70)	6.7 (75)	2,224	10.4(104)	3.1 (18)	19.0 (97)	954	18.7 (68)	19.0 (81)	1,508	8.6 (40)
Marshall	716	8.5 (21)	7.7 (97)	2,692	12.0(118)	6.6 (94)	14.6 (43)	1,204	12.5 (4)	10.7 (6)	1,724	12.2 (70)
Martin	503	9.9 (62)	5.2 (28)	2,045	7.4 (73)	5.6 (72)	20.5(112)	957	18.9 (72)	22.9(112)	1,529	8.2 (36)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2005 - 2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>												
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight						Anemia Low Hb/Hct <sup>(8)</sup>		
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>			Anemia Low Hb/Hct <sup>(8)</sup>	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Mason	570	8.9 (36)	8.8(111)	1,790	9.4 (97)	7.5(107)	16.1 (66)	657	17.0 (38)	15.2 (30)	1,041	16.2 (99)
McCracken	1,666	10.5 (78)	5.8 (53)	5,594	6.3 (52)	5.5 (70)	19.9(106)	2,383	18.0 (54)	15.2 (30)	4,021	12.8 (76)
McCreary	708	8.8 (30)	5.5 (42)	3,042	8.9 (88)	5.2 (58)	14.7 (48)	1,462	19.6 (87)	21.6(105)	2,207	7.4 (28)
McLean	306	12.7(107)	2.9 (2)	1,205	11.0(110)	4.1 (36)	15.9 (65)	552	18.1 (57)	21.2(100)	823	1.2 (1)
Meade	567	8.8 (30)	9.3(114)	2,238	9.0 (90)	4.1 (36)	16.8 (76)	976	16.2 (31)	15.2 (30)	1,596	11.0 (62)
Menifee	211	11.8 (99)	4.7 (15)	1,001	5.9 (44)	5.4 (67)	10.4 (4)	510	18.0 (54)	10.8 (7)	671	10.1 (53)
Mercer	511	10.6 (80)	5.3 (34)	2,114	8.2 (82)	3.1 (18)	13.0 (27)	970	16.6 (34)	14.4 (22)	1,546	8.0 (34)
Metcalfe	287	12.2(104)	6.6 (70)	1,165	3.8 (4)	7.1(102)	12.3 (17)	533	13.1 (6)	14.8 (27)	778	12.2 (70)
Monroe	332	8.4 (20)	6.6 (70)	1,325	5.8 (41)	6.0 (85)	18.7 (93)	590	18.1 (57)	24.2(115)	862	6.0 (18)
Montgomery	877	10.1 (64)	7.9(100)	3,161	8.0 (81)	3.3 (23)	14.6 (43)	1,364	15.5 (24)	16.6 (48)	2,231	10.6 (58)
Morgan	408	5.9 (1)	8.1(106)	1,752	5.5 (30)	5.8 (77)	15.1 (54)	846	17.3 (41)	21.2(100)	1,131	15.2 (94)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Muhlenberg	849	11.7 (96)	8.7(110)	3,122	4.7 (18)	4.6 (44)	12.4 (19)	1,296	17.3 (41)	14.7 (26)	1,898	9.1 (42)
Nelson	944	12.2(104)	4.3 (12)	3,653	10.4(104)	5.3 (62)	15.4 (58)	1,492	15.3 (21)	14.0 (19)	2,397	13.2 (79)
Nicholas	231	15.6(117)	5.6 (45)	906	4.4 (13)	9.7(119)	12.1 (12)	410	10.0 (1)	7.1 (1)	602	14.3 (90)
Ohio	834	9.2 (44)	6.6 (70)	3,140	7.5 (75)	2.7 (10)	12.2 (15)	1,315	16.5 (33)	17.1 (56)	2,194	5.1 (11)
Oldham	601	8.2 (18)	6.3 (62)	2,430	11.5(114)	1.3 (1)	18.6 (92)	1,049	17.2 (39)	16.6 (48)	1,532	9.6 (49)
Owen	249	6.8 (6)	6.4 (63)	1,021	4.8 (19)	6.6 (94)	12.1 (12)	438	15.1 (17)	16.2 (43)	723	11.6 (68)
Owsley	176	10.2 (70)	5.1 (24)	843	9.0 (90)	2.6 (7)	24.9(117)	468	21.4(111)	22.4(110)	695	13.1 (78)
Pendleton	330	8.8 (30)	5.2 (28)	1,293	7.1 (67)	5.3 (62)	12.1 (12)	555	20.7(103)	14.2 (20)	867	11.3 (63)
Perry	993	11.4 (92)	5.1 (24)	3,613	11.3(113)	2.0 (3)	28.1(120)	1,577	21.2(109)	25.6(116)	2,387	12.3 (74)
Pike	1,833	11.2 (89)	5.7 (48)	6,542	2.1 (1)	9.4(115)	12.9 (25)	2,585	14.7 (15)	16.1 (40)	4,248	6.2 (21)
Powell	469	8.5 (21)	4.9 (19)	1,973	5.8 (41)	3.1 (18)	15.3 (57)	953	20.5 (98)	19.9 (89)	1,479	5.2 (13)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pulaski	1,903	10.6 (80)	6.0 (60)	6,758	3.7 (3)	5.9 (82)	9.4 (2)	2,721	16.4 (32)	11.6 (9)	4,292	6.1 (20)
Robertson	89	* *	* *	383	6.5 (58)	7.6(108)	15.7 (64)	194	20.1 (93)	16.5 (47)	293	7.5 (29)
Rockcastle	541	8.9 (36)	5.2 (28)	2,246	9.1 (92)	4.7 (50)	19.5(102)	1,060	19.1 (76)	19.0 (81)	1,665	8.5 (38)
Rowan	641	7.5 (9)	12.6(119)	2,348	3.5 (2)	5.9 (82)	12.2 (15)	970	14.1 (10)	15.9 (38)	1,548	8.3 (37)
Russell	542	7.6 (10)	5.4 (39)	2,167	9.6 (99)	4.6 (44)	14.9 (52)	955	20.6(101)	20.5 (93)	1,408	5.8 (15)
Scott	938	10.3 (75)	5.4 (39)	3,013	7.1 (67)	3.4 (26)	19.6(105)	1,108	14.4 (12)	18.7 (77)	1,916	11.4 (65)
Shelby	896	9.3 (49)	7.1 (83)	2,966	16.8(120)	2.6 (7)	27.8(119)	1,220	20.1 (93)	27.0(120)	2,095	12.9 (77)
Simpson	437	8.0 (16)	8.9(112)	1,538	5.5 (30)	4.6 (44)	13.7 (31)	591	17.8 (49)	15.6 (34)	969	15.2 (94)
Spencer	287	8.7 (26)	5.9 (55)	1,015	9.2 (94)	4.2 (38)	19.1 (98)	388	15.2 (20)	18.3 (72)	622	13.5 (84)
Taylor	640	7.7 (12)	8.0(103)	2,428	5.3 (27)	3.1 (18)	14.2 (36)	1,069	17.5 (45)	15.7 (37)	1,491	5.9 (17)
Todd	396	11.9(102)	3.0 (3)	1,542	9.9(102)	5.3 (62)	19.1 (98)	705	14.6 (14)	16.2 (43)	1,136	15.8 (98)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Trigg	305	12.8 (109)	5.6 (45)	1,226	9.6 (99)	3.1 (18)	16.1 (66)	559	20.9(105)	12.9 (11)	904	6.9 (25)
Trimble	231	8.7 (26)	5.2 (28)	832	9.7(101)	9.5(116)	19.5(102)	342	17.5 (45)	18.4 (75)	574	20.2(113)
Union	391	12.0(103)	4.1 (11)	1,457	10.8(108)	2.8 (12)	14.8 (49)	614	15.8 (27)	15.6 (34)	1,018	3.3 (4)
Warren	2,482	9.8 (60)	7.6 (94)	8,264	5.3 (27)	5.2 (58)	14.3 (38)	2,943	18.6 (64)	17.4 (58)	4,938	17.6(105)
Washington	251	6.4 (4)	6.4 (63)	1,167	11.2(112)	3.3 (23)	18.3 (89)	591	20.0 (92)	18.3 (72)	812	9.9 (51)
Wayne	710	7.7 (12)	5.9 (55)	2,853	4.8 (19)	4.6 (44)	15.5 (61)	1,323	17.8 (49)	18.0 (67)	1,969	10.3 (55)
Webster	382	8.9 (36)	5.0 (22)	1,398	11.5(114)	4.5 (42)	19.5(102)	550	19.8 (88)	18.0 (67)	979	4.1 (7)
Whitley	1,814	7.6 (10)	8.0(103)	7,097	6.7 (62)	7.2(103)	17.0 (79)	3,178	18.6 (64)	21.0 (98)	5,209	11.3 (63)
Wolfe	353	9.1 (42)	5.9 (55)	1,591	6.4 (57)	2.7 (10)	20.5(112)	806	19.1 (76)	21.6(105)	1,202	10.6 (58)
Woodford	453	11.7 (96)	7.9(100)	1,869	8.8 (87)	3.7 (28)	14.9 (52)	844	14.9 (16)	14.6 (24)	1,167	15.7 (97)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
<b>Kentucky</b>	<b>112,375</b>	<b>10.2</b>	<b>6.3</b>	<b>401,249</b>	<b>6.8</b>	<b>5.4</b>	<b>15.1</b>	<b>166,121</b>	<b>17.5</b>	<b>17.0</b>	<b>260,109</b>	<b>12.3</b>

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Adair	572	30.8 (75)	216	6.5 (72)	243	2.5 (83)	0	* *	0	* *	505	97.8 (56)	835	27.4 (36)
Allen	692	42.6 (16)	301	8.0 (46)	323	4.3 (43)	0	* *	0	* *	678	89.2 (115)	1,000	45.2 (78)
Anderson	470	46.6 (6)	215	7.4 (54)	213	2.8 (76)	0	* *	0	* *	437	90.4 (113)	712	26.5 (34)
Ballard	234	34.6 (53)	85	* *	117	5.1 (25)	0	* *	0	* *	247	99.2 (25)	369	50.4 (89)
Barren	1,476	37.5 (34)	631	8.4 (35)	624	5.0 (26)	0	* *	0	* *	1,267	91.7 (112)	2,095	44.5 (76)
Bath	427	19.0(113)	164	4.3 (94)	193	1.6 (100)	0	* *	0	* *	498	98.4 (46)	727	41.4 (62)
Bell	1,408	20.8(106)	603	3.5 (103)	693	1.3 (107)	0	* *	0	* *	1,791	98.2 (50)	2,349	31.5 (46)
Boone	2,253	32.9 (67)	1,086	11.6 (14)	942	6.3 (13)	0	* *	0	* *	2,065	99.1 (29)	3,662	34.4 (50)
Bourbon	586	37.5 (34)	246	6.9 (65)	277	4.3 (43)	0	* *	0	* *	460	99.6 (12)	851	6.2 (12)
Boyd	1,580	33.4 (60)	653	7.8 (48)	663	5.4 (19)	0	* *	0	* *	1,265	98.5 (44)	2,279	23.8 (28)
Boyle	754	20.2(108)	288	9.4 (25)	302	4.6 (36)	0	* *	0	* *	652	98.3 (48)	1,172	37.0 (53)
Bracken	291	28.9 (85)	130	3.8 (100)	140	2.1 (90)	0	* *	0	* *	253	84.6 (119)	470	58.9 (106)
Breathitt	562	16.5(118)	260	3.8 (100)	283	1.8 (95)	0	* *	0	* *	764	96.6 (80)	1,030	60.3 (107)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Breckinrid	552	35.7 (47)	284	8.8 (30)	260	4.6 (36)	0	* *	0	* *	627	88.2 (117)	873	2.6 (7)
Bullitt	1,618	36.3 (39)	648	7.1 (60)	668	3.0 (70)	0	* *	0	* *	1,144	96.2 (86)	2,248	43.5 (69)
Butler	477	31.7 (73)	216	5.1 (88)	222	1.8 (95)	0	* *	0	* *	522	94.8 (101)	736	26.0 (31)
Caldwell	420	35.7 (47)	200	3.0 (107)	216	1.4 (103)	0	* *	0	* *	414	96.9 (77)	642	45.8 (80)
Calloway	1,069	51.7 (3)	471	14.2 (4)	518	7.3 (10)	0	* *	0	* *	914	93.2 (108)	1,472	19.4 (23)
Campbell	1,821	26.6 (93)	836	6.9 (65)	739	3.4 (60)	0	* *	0	* *	1,574	98.2 (50)	2,816	14.7 (16)
Carlisle	163	43.6 (12)	86	* *	99	* *	0	* *	0	* *	228	99.1 (29)	283	52.3 (96)
Carroll	490	35.1 (51)	205	8.3 (38)	235	4.7 (34)	0	* *	0	* *	487	97.3 (67)	797	52.3 (96)
Carter	1,268	34.3 (56)	551	10.0 (22)	589	4.8 (31)	0	* *	0	* *	1,394	92.5 (110)	2,007	50.8 (92)
Casey	451	34.6 (53)	219	7.8 (48)	247	4.9 (27)	0	* *	0	* *	614	99.3 (21)	839	53.9 (100)
Christian	4,865	43.7 (11)	2,288	13.3 (8)	1,647	7.5 (9)	0	* *	0	* *	4,097	90.1 (114)	7,435	21.4 (26)
Clark	1,056	37.0 (36)	474	7.8 (48)	480	3.3 (64)	0	* *	0	* *	898	97.3 (67)	1,565	3.6 (8)
Clay	1,018	19.4(112)	414	4.8 (93)	490	2.7 (79)	0	* *	0	* *	1,279	98.7 (40)	1,668	89.2 (118)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Clinton	443	20.1(109)	187	0.5 (114)	230	0.4 (116)	0	* *	0	* *	567	97.5 (64)	754	29.8 (42)
Crittenden	284	26.4 (94)	126	2.4 (112)	133	0.8 (114)	0	* *	0	* *	285	96.8 (78)	442	14.7 (16)
Cumberland	280	21.4(103)	116	1.7 (113)	146	1.4 (103)	0	* *	0	* *	341	97.9 (54)	453	48.6 (85)
Daviess	2,913	28.0 (89)	1,325	6.6 (70)	1,171	4.1 (47)	0	* *	0	* *	2,751	97.6 (61)	4,681	36.8 (51)
Edmonson	380	35.8 (46)	170	8.2 (42)	125	2.4 (87)	0	* *	0	* *	401	88.3 (116)	616	43.2 (67)
Elliott	318	25.2 (96)	144	8.3 (38)	160	5.6 (18)	0	* *	0	* *	408	95.6 (92)	518	36.9 (52)
Estill	552	28.6 (87)	253	5.1 (88)	274	1.5 (102)	0	* *	0	* *	672	96.3 (84)	944	26.4 (33)
Fayette	7,107	56.8 (1)	3,115	16.6 (3)	2,728	9.7 (2)	0	* *	0	* *	5,240	95.5 (93)	9,601	0.3 (1)
Fleming	488	30.7 (77)	219	6.4 (73)	272	4.4 (40)	0	* *	0	* *	650	92.9 (109)	837	41.0 (60)
Floyd	1,721	20.7(107)	736	5.8 (81)	880	3.1 (68)	0	* *	0	* *	2,019	99.6 (12)	2,755	57.5 (103)
Franklin	1,446	42.9 (14)	599	8.0 (46)	504	5.2 (23)	0	* *	0	* *	926	96.3 (84)	2,018	69.8 (114)
Fulton	352	30.4 (79)	164	3.7 (102)	166	1.8 (95)	0	* *	0	* *	413	96.1 (87)	599	51.6 (95)
Gallatin	392	29.3 (82)	186	8.1 (44)	170	3.5 (57)	0	* *	0	* *	361	97.8 (56)	633	26.1 (32)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Garrard	555	37.8 (29)	252	8.7 (31)	246	4.9 (27)	0	* *	0	* *	614	99.2 (25)	891	43.5 (69)
Grant	1,047	36.2 (40)	520	8.3 (38)	556	3.6 (55)	0	* *	0	* *	1,120	97.4 (65)	1,724	63.7 (110)
Graves	1,375	43.9 (10)	604	11.4 (17)	640	6.3 (13)	0	* *	0	* *	1,360	98.8 (37)	1,979	37.4 (55)
Grayson	920	35.5 (50)	414	7.7 (52)	492	3.9 (50)	0	* *	0	* *	1,105	96.0 (88)	1,561	45.9 (82)
Green	402	40.8 (20)	174	11.5 (15)	192	5.7 (17)	0	* *	0	* *	446	92.4 (111)	615	38.2 (57)
Greenup	978	33.2 (64)	403	6.7 (68)	408	3.7 (53)	0	* *	0	* *	1,009	98.3 (48)	1,592	30.0 (43)
Hancock	235	40.0 (21)	126	13.5 (7)	125	4.0 (49)	0	* *	0	* *	286	96.5 (81)	396	31.8 (48)
Hardin	3,499	36.0 (42)	1,552	7.7 (52)	1,350	4.4 (40)	0	* *	0	* *	2,927	97.6 (61)	5,424	51.1 (93)
Harlan	1,362	19.7(111)	592	4.2 (96)	664	3.0 (70)	0	* *	0	* *	1,675	94.4 (104)	2,276	21.5 (27)
Harrison	671	41.9 (18)	259	10.4 (21)	257	3.9 (50)	0	* *	0	* *	592	98.0 (53)	954	37.1 (54)
Hart	621	34.5 (55)	260	6.9 (65)	269	3.0 (70)	0	* *	0	* *	631	97.9 (54)	944	41.1 (61)
Henderson	1,432	29.7 (81)	608	3.3 (106)	530	2.1 (90)	0	* *	0	* *	1,225	99.7 (8)	2,163	45.8 (80)
Henry	445	36.0 (42)	199	9.0 (28)	194	5.2 (23)	0	* *	0	* *	407	99.3 (21)	656	28.8 (39)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Hickman	143	36.4 (38)	59	* *	67	* *	0	* *	0	* *	126	99.2 (25)	209	51.2 (94)
Hopkins	1,694	35.9 (45)	730	7.3 (56)	637	2.5 (83)	0	* *	0	* *	1,407	95.0 (98)	2,418	48.3 (84)
Jackson	529	21.9(102)	255	2.7 (109)	308	1.3 (107)	0	* *	0	* *	682	99.7 (8)	906	48.2 (83)
Jefferson	19,454	44.2 (9)	8,370	14.0 (6)	7,469	6.5 (12)	0	* *	0	* *	13,608	97.1 (71)	27,670	1.2 (3)
Jessamine	1,534	46.7 (5)	669	17.5 (1)	611	8.5 (7)	0	* *	0	* *	1,277	97.0 (73)	2,327	31.5 (46)
Johnson	983	29.3 (82)	400	5.5 (86)	458	4.1 (47)	0	* *	0	* *	1,134	100. (1)	1,498	43.2 (67)
Kenton	5,246	36.1 (41)	1,247	5.6 (85)	1,070	3.5 (57)	0	* *	0	* *	1,906	98.9 (35)	6,091	41.9 (64)
Knott	634	15.6(119)	267	3.4 (105)	255	1.6 (100)	0	* *	0	* *	710	98.5 (44)	974	31.4 (45)
Knox	1,344	18.8(115)	582	2.6 (110)	627	1.1 (110)	0	* *	0	* *	1,627	97.7 (58)	2,454	0.9 (2)
Larue	515	42.1 (17)	235	7.2 (58)	267	3.7 (53)	0	* *	0	* *	503	97.2 (69)	774	18.0 (20)
Laurel	1,874	33.4 (60)	813	6.4 (73)	711	2.7 (79)	0	* *	0	* *	1,688	97.7 (58)	2,836	66.7 (112)
Lawrence	620	25.0 (97)	274	8.4 (35)	305	3.6 (55)	0	* *	0	* *	630	98.9 (35)	943	19.9 (25)
Lee	263	18.3(116)	121	6.6 (70)	111	4.5 (38)	0	* *	0	* *	366	98.4 (46)	471	27.4 (36)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Leslie	506	28.9 (85)	240	8.3 (38)	246	5.3 (22)	0	* *	0	* *	630	99.4 (20)	817	5.6 (10)
Letcher	949	29.0 (84)	416	5.3 (87)	320	2.8 (76)	0	* *	0	* *	755	94.7 (103)	1,368	14.9 (18)
Lewis	588	32.7 (68)	238	6.7 (68)	284	3.2 (67)	0	* *	0	* *	620	96.5 (81)	876	40.4 (59)
Lincoln	835	28.3 (88)	391	4.3 (94)	377	1.9 (94)	0	* *	0	* *	820	98.7 (40)	1,313	44.9 (77)
Livingston	266	38.3 (28)	131	9.2 (27)	153	3.9 (50)	0	* *	0	* *	302	94.0 (105)	420	28.1 (38)
Logan	856	33.3 (62)	352	5.7 (83)	362	2.2 (88)	0	* *	0	* *	670	100. (1)	1,183	12.3 (14)
Lyon	180	41.7 (19)	78	* *	80	* *	0	* *	0	* *	178	97.2 (69)	278	27.3 (35)
Madison	2,165	36.9 (37)	969	12.8 (9)	947	8.3 (8)	0	* *	0	* *	1,786	98.2 (50)	3,165	44.1 (74)
Magoffin	606	18.0(117)	263	6.1 (76)	305	3.3 (64)	0	* *	0	* *	847	99.6 (12)	1,063	43.1 (66)
Marion	718	37.7 (30)	316	8.2 (42)	310	3.5 (57)	0	* *	0	* *	700	99.6 (12)	1,125	50.6 (91)
Marshall	889	34.3 (56)	384	9.9 (24)	428	3.3 (64)	0	* *	0	* *	885	95.7 (91)	1,347	37.8 (56)
Martin	558	12.5(120)	233	2.6 (110)	278	1.4 (103)	0	* *	0	* *	710	93.4 (106)	937	90.6 (119)
Mason	642	27.1 (92)	233	7.3 (56)	250	2.0 (93)	0	* *	0	* *	502	99.8 (7)	942	52.8 (98)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
McCracken	1,962	37.7 (30)	792	8.7 (31)	854	4.3 (43)	0	* *	0	* *	1,717	96.4 (83)	2,862	12.4 (15)
McCreary	806	21.3(104)	353	4.2 (96)	411	1.0 (111)	0	* *	0	* *	1,079	95.0 (98)	1,402	44.3 (75)
McLean	364	30.8 (75)	150	9.3 (26)	162	4.9 (27)	0	* *	0	* *	355	97.7 (58)	576	53.3 (99)
Meade	697	30.7 (77)	321	5.9 (79)	281	1.8 (95)	0	* *	0	* *	671	99.3 (21)	1,073	28.8 (39)
Menifee	259	34.7 (52)	125	4.0 (98)	144	2.1 (90)	0	* *	0	* *	386	99.0 (33)	471	29.7 (41)
Mercer	603	31.8 (72)	275	10.9 (19)	266	4.5 (38)	0	* *	0	* *	709	95.9 (90)	1,003	67.5 (113)
Metcalfe	335	32.2 (69)	154	8.4 (35)	163	4.3 (43)	0	* *	0	* *	368	95.4 (95)	516	50.0 (88)
Monroe	385	27.8 (90)	164	4.9 (91)	162	1.2 (109)	0	* *	0	* *	450	100. (1)	622	34.1 (49)
Montgomery	1,029	33.8 (59)	436	8.9 (29)	426	5.4 (19)	0	* *	0	* *	1,005	97.0 (73)	1,593	50.4 (89)
Morgan	503	24.7 (98)	211	7.1 (60)	229	3.1 (68)	0	* *	0	* *	616	99.7 (8)	850	30.9 (44)
Muhlenberg	997	24.1 (99)	434	7.1 (60)	430	2.8 (76)	0	* *	0	* *	932	99.5 (16)	1,493	58.7 (105)
Nelson	1,148	35.7 (47)	538	7.1 (60)	532	3.4 (60)	0	* *	0	* *	1,086	98.6 (42)	1,823	93.3 (120)
Nicholas	270	22.2(101)	123	4.9 (91)	144	1.4 (103)	0	* *	0	* *	314	81.8 (120)	423	56.5 (102)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Ohio	1,047	37.6 (32)	472	8.1 (44)	464	4.7 (34)	0	* *	0	* *	969	95.5 (93)	1,563	43.8 (73)
Oldham	817	54.8 (2)	390	12.8 (9)	399	7.3 (10)	0	* *	0	* *	749	97.6 (61)	1,230	76.4 (116)
Owen	308	39.9 (22)	129	7.8 (48)	134	6.0 (15)	0	* *	0	* *	308	96.8 (78)	492	18.5 (21)
Owsley	201	18.9(114)	94	* *	117	0.9 (113)	0	* *	0	* *	341	99.7 (8)	360	58.3 (104)
Pendleton	397	38.5 (27)	184	10.9 (19)	199	3.0 (70)	0	* *	0	* *	369	95.4 (95)	621	78.6 (117)
Perry	1,200	26.4 (94)	497	7.2 (58)	475	4.8 (31)	0	* *	0	* *	1,165	99.5 (16)	1,766	2.2 (4)
Pike	2,066	21.2(105)	904	5.1 (88)	896	2.9 (74)	0	* *	0	* *	1,994	93.4 (106)	3,395	72.9 (115)
Powell	572	33.9 (58)	252	2.8 (108)	280	1.8 (95)	0	* *	0	* *	677	86.7 (118)	919	56.4 (101)
Pulaski	2,280	37.6 (32)	990	6.4 (73)	904	2.7 (79)	0	* *	0	* *	2,066	98.6 (42)	3,373	42.6 (65)
Robertson	111	33.3 (62)	50	* *	56	* *	0	* *	0	* *	140	99.3 (21)	173	61.3 (108)
Rockcastle	636	32.1 (70)	284	6.0 (77)	315	4.4 (40)	0	* *	0	* *	802	98.8 (37)	1,059	5.1 (9)
Rowan	764	36.0 (42)	343	8.5 (34)	312	2.9 (74)	0	* *	0	* *	724	95.2 (97)	1,187	9.9 (13)
Russell	666	30.0 (80)	324	5.9 (79)	350	2.6 (82)	0	* *	0	* *	670	94.9 (100)	1,057	43.5 (69)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Scott	1,225	44.7 (8)	529	10.0 (22)	463	5.4 (19)	0	* *	0	* *	859	94.8 (101)	1,681	49.7 (87)
Shelby	1,071	42.9 (14)	481	17.0 (2)	473	12.7 (1)	0	* *	0	* *	917	98.8 (37)	1,602	5.6 (10)
Simpson	543	33.1 (65)	233	8.6 (33)	223	4.9 (27)	0	* *	0	* *	445	99.1 (29)	841	43.5 (69)
Spencer	338	31.4 (74)	160	11.9 (12)	161	8.7 (4)	0	* *	0	* *	307	99.0 (33)	529	2.3 (5)
Taylor	776	38.9 (25)	338	7.4 (54)	357	3.4 (60)	0	* *	0	* *	777	97.0 (73)	1,190	41.6 (63)
Todd	493	38.7 (26)	226	3.5 (103)	237	0.8 (114)	0	* *	0	* *	517	100. (1)	757	24.0 (29)
Trigg	383	48.3 (4)	181	11.0 (18)	187	8.6 (5)	0	* *	0	* *	422	96.0 (88)	611	45.7 (79)
Trimble	268	32.1 (70)	116	12.1 (11)	128	8.6 (5)	0	* *	0	* *	245	99.2 (25)	427	19.7 (24)
Union	474	33.1 (65)	199	7.0 (64)	203	3.4 (60)	0	* *	0	* *	432	100. (1)	732	49.5 (86)
Warren	3,045	43.0 (13)	1,302	11.8 (13)	1,061	4.8 (31)	0	* *	0	* *	2,248	97.0 (73)	4,266	25.7 (30)
Washington	305	39.3 (23)	149	14.1 (5)	168	9.5 (3)	0	* *	0	* *	443	99.1 (29)	563	2.5 (6)
Wayne	836	27.4 (91)	360	5.8 (81)	399	2.5 (83)	0	* *	0	* *	987	97.1 (71)	1,330	66.2 (111)
Webster	474	39.2 (24)	229	3.9 (99)	191	1.0 (111)	0	* *	0	* *	406	99.5 (16)	682	39.4 (58)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Whitley	2,078	22.7(100)	915	5.7 (83)	954	2.5 (83)	0	* *	0	* *	2,324	100. (1)	3,372	18.5 (21)
Wolfe	403	20.1(109)	200	6.0 (77)	229	2.2 (88)	0	* *	0	* *	591	99.5 (16)	703	63.3 (109)
Woodford	585	44.8 (7)	261	11.5 (15)	257	5.8 (16)	0	* *	0	* *	609	97.4 (65)	921	15.3 (19)
<b>Kentucky</b>	<b>135,102</b>	<b>36.2</b>	<b>58,207</b>	<b>9.3</b>	<b>56,337</b>	<b>4.6</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>121,765</b>	<b>96.8</b>	<b>203,472</b>	<b>31.6</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

