

**Table 4F**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**

**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by Local Agency</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
3 Rivers	1,784	85.2	1.0	12.1	0.0	0.0	1.7	0.0
Allen	750	92.8	2.3	3.3	0.0	0.3	1.3	0.0
Anderson	523	82.0	2.1	10.1	0.0	1.9	3.8	0.0
Barren Riv	8,118	77.2	8.8	10.4	0.1	1.7	1.8	0.0
Bourbon	610	73.8	6.4	18.4	0.0	0.2	1.3	0.0
Boyd	1,621	92.0	2.2	2.2	0.1	0.1	3.5	0.0
Boyle	842	85.3	8.9	5.3	0.0	0.0	0.5	0.0
Bracken	327	94.5	0.6	3.1	0.0	0.3	1.5	0.0
Breathitt	777	99.0	0.4	0.1	0.0	0.3	0.3	0.0
Breckinrid	669	92.7	4.5	0.7	0.0	0.3	1.8	0.0
Buffalo Tr	807	86.2	6.1	3.8	0.2	0.6	3.0	0.0
Bullitt	1,606	92.8	0.7	1.7	0.0	1.0	3.7	0.0
C & Y	1,605	2.5	95.3	0.9	0.3	0.9	0.1	0.0
Christian	5,250	62.6	24.0	7.5	0.2	2.3	3.4	0.0
Clark	1,115	86.5	7.0	5.5	0.1	0.6	0.4	0.0
Cumb Val	6,235	96.7	1.3	1.2	0.0	0.1	0.7	0.0
Estill	702	99.4	0.1	0.4	0.0	0.0	0.0	0.0
Fayette	7,000	36.9	28.0	30.1	0.3	1.3	3.4	0.0
Fleming	624	97.6	0.6	1.1	0.0	0.3	0.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4F**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**

**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by Local Agency</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Floyd	2,095	98.5	0.5	0.6	0.0	0.0	0.4	0.0
Franklin	1,389	73.6	14.0	8.4	0.0	1.3	2.7	0.0
Garrard	660	89.5	2.3	4.8	0.2	0.5	2.7	0.0
Gateway	2,385	96.8	0.9	1.1	0.0	0.6	0.5	0.0
Green Riv	7,659	81.0	7.1	7.9	0.0	0.5	3.5	0.0
Greenup	1,142	97.2	0.6	0.7	0.0	0.4	1.1	0.0
Hopkins	1,745	76.3	8.9	3.9	0.0	0.6	10.3	0.0
Jefferson	15,858	50.4	34.3	10.5	0.1	1.7	3.0	0.0
Jessamine	1,650	84.8	4.2	7.8	0.0	1.0	2.2	0.0
Johnson	1,133	98.9	0.1	0.2	0.0	0.3	0.5	0.0
Knox	1,692	98.5	1.2	0.3	0.0	0.0	0.0	0.0
KY River	4,843	97.7	1.1	0.5	0.0	0.2	0.6	0.0
Lake Cumb	8,756	90.7	1.6	6.3	0.0	0.2	1.1	0.0
Laurel	1,990	98.4	0.5	0.7	0.1	0.4	0.0	0.0
Lawrence	713	98.6	0.1	0.1	0.0	0.0	1.1	0.0
Lewis	669	97.9	0.1	0.9	0.3	0.1	0.6	0.0
Lincoln	931	93.4	2.1	3.8	0.0	0.2	0.4	0.0
Lincoln Tr	8,735	78.7	9.8	6.9	0.1	0.6	3.7	0.0
Little San	1,851	94.7	0.5	4.3	0.1	0.2	0.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4F**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**

**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by Local Agency</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Madison	2,334	85.3	6.4	4.6	0.1	0.8	2.8	0.0
Magoffin	793	98.4	0.3	1.1	0.0	0.0	0.3	0.0
Marshall	1,006	98.2	0.5	0.9	0.0	0.2	0.2	0.0
Martin	713	98.5	0.1	0.7	0.0	0.0	0.7	0.0
Mercer	772	88.3	3.5	7.4	0.0	0.3	0.5	0.0
Monroe	466	86.7	4.9	7.5	0.0	0.0	0.9	0.0
Montgomery	1,172	92.8	0.7	5.3	0.0	0.1	1.1	0.0
Muhlenberg	1,073	90.5	3.5	1.8	0.0	0.4	3.8	0.0
N Central	2,348	66.3	4.6	26.1	0.0	2.1	0.9	0.0
N KY	9,973	82.2	7.1	9.1	0.1	0.7	0.8	0.0
Oldham	877	71.4	3.9	22.8	0.0	0.2	1.7	0.0
Park DuV	1,886	11.7	67.5	18.6	0.0	0.6	1.6	0.0
Pennyrile	2,867	88.4	6.4	2.3	0.0	1.0	1.9	0.0
Pike	2,374	98.3	0.8	0.5	0.0	0.2	0.3	0.0
Powell	675	97.2	0.6	1.9	0.0	0.3	0.0	0.0
Purchase	4,591	64.7	20.0	10.2	0.1	0.6	4.4	0.0
Todd	553	67.5	14.3	10.7	0.0	4.3	3.3	0.0
WEDCO	2,218	84.1	4.5	8.7	0.1	1.7	0.9	0.0
Whitley	2,467	98.4	0.6	0.7	0.0	0.2	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4F**  
**2007 Pediatric Nutrition Surveillance** (1)

**Kentucky**  
**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution by Local Agency</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Woodford	682	57.6	7.3	28.0	0.1	2.8	4.1	0.0
<b>Kentucky</b>	<b>146,701</b>	<b>77.5</b>	<b>11.8</b>	<b>7.8</b>	<b>0.1</b>	<b>0.8</b>	<b>2.0</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>7,599,318</b>	<b>31.5</b>	<b>18.5</b>	<b>41.1</b>	<b>1.0</b>	<b>2.5</b>	<b>1.5</b>	<b>3.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5F**  
**2007 Pediatric Nutrition Surveillance (1)**  
**Kentucky**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years (2)**

<b>Comparison of Age Distribution by Local Agency</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
3 Rivers	1,784	40.1	19.5	40.4
Allen	750	34.3	22.1	43.6
Anderson	523	40.5	18.7	40.7
Barren Riv	8,118	42.1	19.0	38.9
Bourbon	610	39.8	23.6	36.6
Boyd	1,621	41.9	20.1	38.0
Boyle	842	42.6	19.2	38.1
Bracken	327	45.6	16.2	38.2
Breathitt	777	31.9	20.2	47.9
Breckinrid	669	33.2	19.3	47.5
Buffalo Tr	807	42.6	20.1	37.3
Bullitt	1,606	44.2	20.4	35.4
C & Y	1,605	48.6	18.0	33.4
Christian	5,250	43.0	18.2	38.8
Clark	1,115	42.9	19.6	37.5
Cumb Val	6,235	33.7	18.1	48.2
Estill	702	31.9	20.2	47.9
Fayette	7,000	45.8	18.3	35.9

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5F**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by Local Agency</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Fleming	624	32.4	18.9	48.7
Floyd	2,095	33.9	19.8	46.3
Franklin	1,389	47.8	19.6	32.6
Garrard	660	37.3	18.8	43.9
Gateway	2,385	36.7	18.7	44.6
Green Riv	7,659	40.6	19.2	40.3
Greenup	1,142	39.4	17.3	43.3
Hopkins	1,745	40.6	19.8	39.6
Jefferson	15,858	47.1	19.2	33.6
Jessamine	1,650	42.6	19.3	38.1
Johnson	1,133	33.4	18.2	48.5
Knox	1,692	35.1	18.7	46.2
KY River	4,843	37.0	18.0	45.0
Lake Cumb	8,756	36.7	19.1	44.2
Laurel	1,990	40.8	18.2	41.0
Lawrence	713	35.1	20.9	44.0
Lewis	669	34.2	18.8	46.9
Lincoln	931	37.3	22.4	40.3

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5F**  
**2007 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by Local Agency</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Lincoln Tr	8,735	39.6	19.1	41.3
Little San	1,851	34.1	19.2	46.6
Madison	2,334	41.0	21.2	37.7
Magoffin	793	30.4	20.3	49.3
Marshall	1,006	36.2	20.9	42.9
Martin	713	33.4	18.9	47.7
Mercer	772	36.7	17.7	45.6
Monroe	466	36.7	17.0	46.4
Montgomery	1,172	41.0	18.6	40.4
Muhlenberg	1,073	38.8	20.6	40.6
N Central	2,348	41.8	19.4	38.8
N KY	9,973	49.6	18.2	32.2
Oldham	877	36.6	22.5	40.9
Park DuV	1,886	40.7	19.6	39.7
Pennyrile	2,867	36.4	20.8	42.8
Pike	2,374	41.2	18.3	40.5
Powell	675	31.7	22.1	46.2
Purchase	4,591	36.2	21.0	42.8

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5F**  
**2007 Pediatric Nutrition Surveillance (1)**  
**Kentucky**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years (2)**

<b>Comparison of Age Distribution by Local Agency</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Todd	553	37.4	15.7	46.8
WEDCO	2,218	41.6	20.2	38.2
Whitley	2,467	35.2	19.7	45.1
Woodford	682	37.2	18.2	44.6
<b>Kentucky</b>	<b>146,701</b>	<b>40.7</b>	<b>19.2</b>	<b>40.1</b>
<b>Nation (Prior Year)</b>	<b>7,599,318</b>	<b>37.6</b>	<b>21.8</b>	<b>40.6</b>

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3 Rivers	444	9.5 (19)	5.2 (21)	1,713	5.9 (27)	7.0 (35)	11.6 (12)	699	18.6 (47)	15.2 (20)	1,153	13.7 (37)
Allen	163	6.1 (2)	8.0 (49)	724	7.3 (44)	8.4 (48)	10.1 (5)	307	15.6 (19)	11.4 (5)	390	13.3 (35)
Anderson	126	15.1 (52)	4.0 (13)	493	7.1 (41)	8.3 (46)	13.8 (30)	213	18.8 (48)	16.9 (33)	324	13.9 (39)
Barren Riv	2,007	9.9 (24)	6.4 (32)	7,849	4.8 (11)	6.2 (23)	12.6 (20)	3,077	16.9 (33)	17.7 (38)	4,904	14.3 (41)
Bourbon	158	12.0 (44)	8.2 (52)	584	5.3 (18)	4.8 (15)	16.3 (48)	216	19.4 (52)	18.5 (42)	397	13.1 (34)
Boyd	403	13.9 (49)	4.0 (13)	1,554	4.6 (9)	11.1 (54)	9.8 (4)	587	13.6 (10)	15.3 (22)	989	17.1 (50)
Boyle	179	10.1 (27)	5.6 (22)	810	5.1 (15)	6.3 (25)	12.8 (22)	313	16.6 (30)	19.2 (47)	490	13.7 (37)
Bracken	84	* *	* *	309	6.8 (36)	12.9 (57)	16.5 (49)	116	20.7 (54)	24.1 (57)	205	6.3 (7)
Breathitt	146	5.5 (1)	4.8 (16)	722	4.8 (11)	4.6 (10)	18.0 (53)	355	19.4 (52)	18.0 (40)	536	5.0 (2)
Breckinrid	123	9.8 (22)	4.9 (19)	649	6.2 (31)	3.1 (4)	12.9 (24)	313	13.4 (9)	11.2 (3)	491	6.9 (9)
Buffalo Tr	202	6.9 (3)	9.9 (56)	764	8.0 (47)	8.6 (51)	14.1 (32)	298	16.1 (21)	15.1 (16)	463	14.7 (43)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bullitt	427	11.9 (43)	7.3 (42)	1,542	6.4 (34)	4.7 (13)	12.8 (22)	559	17.4 (37)	14.5 (12)	910	18.6 (53)
C & Y	481	14.3 (50)	2.5 (3)	1,496	7.8 (46)	6.8 (33)	14.1 (32)	530	16.8 (32)	17.7 (38)	902	26.6 (58)
Christian	1,300	9.4 (18)	6.3 (30)	5,014	3.9 (5)	7.9 (44)	7.9 (1)	1,962	11.3 (3)	7.7 (1)	3,098	21.9 (56)
Clark	278	13.3 (47)	6.1 (27)	1,069	5.8 (25)	4.6 (10)	15.2 (42)	415	22.4 (57)	21.2 (52)	649	12.6 (32)
Cumb Val	1,317	9.6 (21)	6.7 (37)	5,984	4.4 (6)	6.5 (30)	15.5 (44)	2,892	16.5 (25)	19.4 (49)	4,177	5.2 (3)
Estill	145	11.7 (41)	3.4 (8)	680	5.1 (15)	4.7 (13)	11.8 (14)	320	21.3 (56)	16.9 (33)	511	9.0 (17)
Fayette	1,845	10.9 (37)	6.9 (39)	6,684	7.1 (41)	7.7 (40)	11.7 (13)	2,462	17.9 (42)	18.4 (41)	3,360	25.2 (57)
Fleming	147	13.6 (48)	6.1 (27)	603	6.3 (32)	7.8 (41)	13.9 (31)	291	15.5 (18)	14.8 (14)	416	14.4 (42)
Floyd	462	11.0 (39)	3.9 (12)	1,984	5.0 (14)	7.8 (41)	12.1 (15)	920	11.8 (5)	15.2 (20)	1,405	9.5 (20)
Franklin	391	12.8 (46)	3.3 (7)	1,324	11.1 (57)	6.2 (23)	15.3 (43)	442	20.8 (55)	21.5 (53)	789	21.4 (55)
Garrard	145	7.6 (5)	3.4 (8)	621	8.1 (49)	6.4 (28)	13.5 (27)	288	10.8 (2)	17.0 (36)	419	15.0 (44)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Gateway	522	7.7 (6)	9.8 (55)	2,295	6.0 (28)	7.4 (39)	13.6 (28)	1,028	17.4 (37)	18.5 (42)	1,547	10.6 (24)
Green Riv	1,862	10.7 (35)	6.4 (32)	7,422	8.0 (47)	4.3 (8)	12.3 (17)	3,010	17.7 (41)	15.0 (15)	4,856	7.4 (11)
Greenup	292	9.9 (24)	3.4 (8)	1,096	3.4 (3)	13.8 (58)	10.5 (9)	471	15.3 (17)	16.6 (31)	680	5.7 (5)
Hopkins	402	10.7 (35)	8.0 (49)	1,685	9.0 (51)	2.6 (2)	14.7 (39)	678	16.5 (25)	17.6 (37)	1,201	11.1 (28)
Jefferson	4,237	10.5 (33)	5.9 (23)	15,003	5.5 (21)	6.4 (28)	12.2 (16)	5,194	14.7 (15)	11.6 (6)	8,899	15.8 (48)
Jessamine	406	10.1 (27)	7.1 (40)	1,587	5.7 (24)	6.9 (34)	9.1 (2)	613	12.1 (6)	11.3 (4)	967	17.0 (49)
Johnson	230	11.7 (41)	2.6 (4)	1,094	5.8 (25)	6.6 (31)	19.6 (57)	547	14.4 (13)	21.6 (54)	763	19.0 (54)
Knox	342	8.5 (10)	7.3 (42)	1,605	3.7 (4)	7.8 (41)	13.6 (28)	755	17.5 (39)	18.8 (45)	1,189	8.5 (15)
KY River	1,088	11.5 (40)	5.1 (20)	4,583	8.3 (50)	3.6 (5)	19.1 (55)	2,092	18.5 (46)	18.6 (44)	3,312	8.3 (13)
Lake Cumb	2,029	10.1 (27)	6.4 (32)	8,469	4.8 (11)	6.3 (25)	11.2 (10)	3,788	16.5 (25)	15.3 (22)	5,616	8.5 (15)
Laurel	459	9.8 (22)	7.8 (47)	1,919	4.5 (8)	8.4 (48)	12.7 (21)	789	18.4 (45)	16.5 (30)	1,264	6.8 (8)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lawrence	176	16.5 (54)	2.8 (5)	678	7.7 (45)	9.3 (52)	17.1 (52)	303	16.2 (22)	21.1 (50)	442	11.5 (30)
Lewis	143	9.1 (14)	4.2 (15)	640	4.4 (6)	11.1 (54)	14.1 (32)	288	10.4 (1)	15.3 (22)	413	5.6 (4)
Lincoln	224	10.3 (31)	7.6 (46)	900	5.1 (15)	6.3 (25)	14.6 (38)	369	16.0 (20)	16.3 (28)	609	12.6 (32)
Lincoln Tr	2,074	10.0 (26)	6.2 (29)	8,481	7.1 (41)	4.4 (9)	13.2 (25)	3,520	16.9 (33)	14.1 (11)	5,749	9.8 (21)
Little San	413	10.2 (30)	4.8 (16)	1,789	3.2 (2)	9.8 (53)	12.4 (18)	824	17.1 (35)	16.4 (29)	1,195	17.7 (52)
Madison	566	8.3 (9)	6.5 (36)	2,280	4.7 (10)	8.1 (45)	9.4 (3)	863	17.3 (36)	15.1 (16)	1,523	10.4 (22)
Magoffin	156	17.3 (56)	6.4 (32)	746	9.0 (51)	4.6 (10)	20.1 (58)	384	23.2 (58)	22.9 (56)	514	11.3 (29)
Marshall	247	7.7 (6)	8.1 (51)	949	11.7 (58)	7.3 (38)	14.1 (32)	427	12.4 (7)	9.6 (2)	596	10.9 (27)
Martin	133	17.3 (56)	6.8 (38)	683	6.1 (30)	7.2 (37)	15.8 (46)	324	19.1 (51)	22.5 (55)	510	10.4 (22)
Mercer	168	14.9 (51)	3.0 (6)	738	6.8 (36)	3.9 (6)	10.4 (8)	346	14.7 (15)	13.3 (9)	538	9.3 (19)
Monroe	110	10.9 (37)	7.3 (42)	445	6.3 (32)	8.3 (46)	18.7 (54)	200	16.5 (25)	26.5 (58)	295	2.7 (1)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montgomery	292	8.9 (13)	7.2 (41)	1,131	6.9 (39)	4.8 (15)	12.4 (18)	462	14.5 (14)	16.7 (32)	779	10.8 (26)
Muhlenberg	221	12.2 (45)	8.6 (54)	1,042	5.6 (23)	6.0 (21)	11.3 (11)	424	16.5 (25)	15.1 (16)	649	9.2 (18)
N Central	594	7.7 (6)	7.4 (45)	2,151	10.9 (56)	5.8 (20)	19.3 (56)	879	16.2 (22)	19.1 (46)	1,489	14.0 (40)
N KY	3,055	9.3 (17)	5.9 (23)	9,414	5.3 (18)	7.0 (35)	10.1 (5)	3,134	16.4 (24)	13.6 (10)	5,219	15.3 (45)
Oldham	199	9.5 (19)	6.0 (26)	851	9.0 (51)	1.4 (1)	17.0 (51)	361	18.3 (44)	15.5 (26)	544	7.7 (12)
Park DuV	467	15.6 (53)	3.6 (11)	1,771	6.9 (39)	6.7 (32)	13.3 (26)	730	14.1 (12)	15.5 (26)	1,212	12.2 (31)
Pennyrile	632	8.7 (11)	8.2 (52)	2,757	6.0 (28)	4.8 (15)	14.2 (37)	1,193	18.9 (50)	13.0 (8)	1,923	8.4 (14)
Pike	561	10.5 (33)	4.8 (16)	2,226	1.5 (1)	12.0 (56)	10.3 (7)	883	11.4 (4)	12.8 (7)	1,454	6.9 (9)
Powell	132	9.1 (14)	2.3 (2)	655	6.6 (35)	4.1 (7)	15.7 (45)	308	18.2 (43)	21.1 (50)	496	5.8 (6)
Purchase	1,051	8.8 (12)	5.9 (23)	4,299	5.5 (21)	6.0 (21)	16.2 (47)	1,910	18.8 (48)	15.3 (22)	2,976	17.2 (51)
Todd	117	17.1 (55)	1.7 (1)	529	9.1 (54)	5.7 (19)	16.8 (50)	255	13.7 (11)	16.9 (33)	391	13.3 (35)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
WEDCO	567	9.2 (16)	6.3 (30)	2,094	6.8 (36)	5.3 (18)	14.8 (40)	808	12.7 (8)	15.1 (16)	1,317	10.7 (25)
Whitley	553	7.1 (4)	7.8 (47)	2,377	5.4 (20)	8.4 (48)	14.1 (32)	1,083	17.6 (40)	19.2 (47)	1,741	15.4 (46)
Woodford	156	10.3 (31)	12.2 (57)	660	9.2 (55)	3.0 (3)	15.0 (41)	299	16.7 (31)	14.7 (13)	419	15.5 (47)
<b>Kentucky</b>	<b>35,849</b>	<b>10.3</b>	<b>6.1</b>	<b>140,216</b>	<b>6.0</b>	<b>6.4</b>	<b>13.0</b>	<b>57,117</b>	<b>16.4</b>	<b>15.6</b>	<b>90,265</b>	<b>12.7</b>
<b>Nation (Prior Year)</b>	<b>1,842,970</b>	<b>9.2</b>	<b>6.6</b>	<b>7,192,043</b>	<b>6.4</b>	<b>4.7</b>	<b>13.8</b>	<b>2,945,212</b>	<b>16.4</b>	<b>14.8</b>	<b>4,521,591</b>	<b>14.0</b>

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7F**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
3 Rivers	444	36.7 (22)	180	7.8 (16)	246	4.9 (18)	0	* *	0	* *	759	94.1 (38)	1,784	45.7 (39)
Allen	163	45.4 (7)	71	* *	141	3.5 (34)	0	* *	0	* *	352	88.4 (50)	750	46.7 (40)
Anderson	127	44.1 (10)	54	* *	71	* *	0	* *	0	* *	228	81.6 (57)	523	25.4 (18)
Barren Riv	2,074	38.2 (17)	799	9.3 (9)	1,176	5.9 (10)	0	* *	0	* *	3,384	93.7 (39)	8,118	35.5 (24)
Bourbon	158	46.2 (6)	65	* *	126	5.6 (14)	0	* *	0	* *	239	99.2 (11)	610	6.2 (8)
Boyd	403	30.0 (40)	167	8.4 (13)	267	7.1 (8)	0	* *	0	* *	644	97.0 (19)	1,621	21.0 (11)
Boyle	202	20.3 (51)	72	* *	117	2.6 (38)	0	* *	0	* *	342	96.8 (22)	842	45.0 (35)
Bracken	84	* *	35	* *	51	* *	0	* *	0	* *	131	85.5 (55)	327	72.2 (54)
Breathitt	148	16.9 (55)	83	* *	139	1.4 (47)	0	* *	0	* *	397	98.7 (13)	777	56.4 (47)
Breckinrid	130	38.5 (16)	62	* *	90	* *	0	* *	0	* *	337	84.0 (56)	669	1.9 (6)
Buffalo Tr	206	28.6 (43)	72	* *	125	4.0 (25)	0	* *	0	* *	317	99.7 (8)	807	59.0 (49)
Bullitt	427	34.7 (30)	170	6.5 (23)	287	2.8 (35)	0	* *	0	* *	611	93.0 (43)	1,606	40.8 (28)
C & Y	483	30.0 (40)	167	3.6 (31)	207	2.4 (42)	0	* *	0	* *	574	100. (1)	1,605	0.1 (2)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Christian	1,317	49.3 (4)	518	10.4 (8)	608	5.8 (12)	0	* *	0	* *	2,139	89.9 (49)	5,250	25.1 (16)
Clark	278	36.0 (25)	114	2.6 (34)	193	3.6 (31)	0	* *	0	* *	442	94.6 (35)	1,115	2.8 (7)
Cumb Val	1,354	21.2 (49)	558	3.4 (32)	988	2.3 (43)	0	* *	0	* *	3,167	97.2 (17)	6,235	45.0 (35)
Estill	145	26.2 (45)	60	* *	94	* *	0	* *	0	* *	352	92.9 (44)	702	22.2 (15)
Fayette	1,847	56.1 (1)	727	17.6 (1)	939	10.1 (3)	0	* *	0	* *	2,672	95.5 (30)	7,000	0.2 (3)
Fleming	147	36.1 (24)	66	* *	103	1.0 (49)	0	* *	0	* *	321	85.7 (54)	624	43.8 (33)
Floyd	463	17.7 (53)	204	7.4 (18)	390	4.6 (19)	0	* *	0	* *	1,026	99.9 (7)	2,095	57.4 (48)
Franklin	391	38.9 (15)	154	9.1 (11)	213	4.2 (22)	0	* *	0	* *	484	95.2 (33)	1,389	78.0 (55)
Garrard	148	39.9 (14)	68	* *	103	5.8 (12)	0	* *	0	* *	311	98.4 (14)	660	43.5 (32)
Gateway	546	33.7 (32)	238	7.6 (17)	378	3.7 (28)	0	* *	0	* *	1,129	95.7 (28)	2,385	25.2 (17)
Green Riv	1,863	30.2 (39)	797	4.8 (29)	1,064	3.6 (31)	0	* *	0	* *	3,288	96.3 (25)	7,659	43.3 (31)
Greenup	292	36.0 (25)	91	* *	174	5.2 (17)	0	* *	0	* *	526	96.8 (22)	1,142	30.8 (22)
Hopkins	415	40.2 (13)	189	5.8 (27)	238	3.8 (27)	0	* *	0	* *	723	90.3 (48)	1,745	47.9 (43)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7F**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Jefferson	4,299	44.8 (9)	1,707	13.2 (5)	2,442	7.3 (7)	0	* *	0	* *	5,609	93.1 (42)	15,858	1.1 (5)
Jessamine	406	45.1 (8)	189	15.3 (4)	244	8.2 (5)	0	* *	0	* *	668	95.8 (27)	1,650	26.8 (20)
Johnson	230	33.0 (34)	101	6.9 (19)	188	5.9 (10)	0	* *	0	* *	585	100. (1)	1,133	43.2 (30)
Knox	377	17.0 (54)	162	3.1 (33)	270	1.1 (48)	0	* *	0	* *	827	95.4 (31)	1,692	1.0 (4)
KY River	1,119	25.6 (47)	484	6.8 (21)	662	4.5 (21)	0	* *	0	* *	2,331	97.0 (19)	4,843	21.5 (13)
Lake Cumb	2,038	34.0 (31)	886	5.6 (28)	1,334	2.7 (37)	0	* *	0	* *	4,153	94.2 (36)	8,756	47.1 (41)
Laurel	461	35.4 (29)	218	6.0 (25)	281	2.5 (40)	0	* *	0	* *	879	96.9 (21)	1,990	71.5 (53)
Lawrence	176	26.1 (46)	63	* *	120	2.5 (40)	0	* *	0	* *	332	99.7 (8)	713	21.7 (14)
Lewis	143	30.8 (38)	64	* *	107	2.8 (35)	0	* *	0	* *	339	93.5 (40)	669	41.1 (29)
Lincoln	224	26.8 (44)	93	* *	156	2.6 (38)	0	* *	0	* *	406	97.3 (16)	931	45.5 (37)
Lincoln Tr	2,079	36.9 (21)	892	6.8 (21)	1,303	3.9 (26)	0	* *	0	* *	3,847	96.0 (26)	8,735	52.5 (45)
Little San	415	29.9 (42)	163	4.3 (30)	300	3.7 (28)	0	* *	0	* *	910	87.1 (52)	1,851	50.1 (44)
Madison	567	37.9 (18)	244	11.1 (6)	415	8.0 (6)	0	* *	0	* *	944	96.6 (24)	2,334	39.8 (26)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Magoffin	156	14.1 (57)	74	* *	132	2.3 (43)	0	* *	0	* *	422	99.5 (10)	793	45.6 (38)
Marshall	250	35.6 (28)	95	* *	161	1.9 (45)	0	* *	0	* *	459	91.7 (47)	1,006	40.5 (27)
Martin	142	16.9 (55)	62	* *	108	1.9 (45)	0	* *	0	* *	358	86.9 (53)	713	92.1 (58)
Mercer	168	32.7 (35)	78	* *	94	* *	0	* *	0	* *	375	92.3 (46)	772	69.7 (52)
Monroe	110	33.6 (33)	47	* *	68	* *	0	* *	0	* *	233	100. (1)	466	44.2 (34)
Montgomery	292	32.2 (37)	135	8.9 (12)	169	7.1 (8)	0	* *	0	* *	501	94.2 (36)	1,172	54.3 (46)
Muhlenberg	221	21.3 (48)	101	6.9 (19)	161	3.7 (28)	0	* *	0	* *	464	98.9 (12)	1,073	59.2 (51)
N Central	595	49.7 (3)	271	17.3 (2)	394	14.2 (1)	0	* *	0	* *	965	98.0 (15)	2,348	9.9 (9)
N KY	3,174	32.5 (36)	936	8.3 (14)	1,292	4.6 (19)	0	* *	0	* *	3,417	97.2 (17)	9,973	37.8 (25)
Oldham	199	52.8 (2)	89	* *	155	11.6 (2)	0	* *	0	* *	388	95.6 (29)	877	86.7 (57)
Park DuV	467	36.4 (23)	187	16.0 (3)	262	9.2 (4)	0	* *	0	* *	800	100. (1)	1,886	0.0 (1)
Pennyrile	633	48.0 (5)	292	9.2 (10)	490	5.5 (15)	0	* *	0	* *	1,303	92.6 (45)	2,867	30.7 (21)
Pike	567	19.6 (52)	252	6.3 (24)	356	4.2 (22)	0	* *	0	* *	1,016	88.0 (51)	2,374	78.5 (56)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Powell	132	37.1 (20)	67	* *	110	0.0 (50)	0	* *	0	* *	343	81.3 (58)	675	59.1 (50)
Purchase	1,058	43.6 (11)	409	10.5 (7)	717	5.3 (16)	0	* *	0	* *	2,093	95.3 (32)	4,591	31.4 (23)
Todd	117	37.6 (19)	63	* *	85	* *	0	* *	0	* *	279	100. (1)	553	26.4 (19)
WEDCO	568	35.9 (27)	234	6.0 (25)	320	4.1 (24)	0	* *	0	* *	909	93.2 (41)	2,218	47.1 (41)
Whitley	553	20.8 (50)	232	8.2 (15)	361	3.6 (31)	0	* *	0	* *	1,197	100. (1)	2,467	21.2 (12)
Woodford	156	42.9 (12)	54	* *	87	* *	0	* *	0	* *	320	95.0 (34)	682	12.8 (10)
<b>Kentucky</b>	<b>36,347</b>	<b>36.3</b>	<b>14,725</b>	<b>8.6</b>	<b>21,872</b>	<b>5.0</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>62,567</b>	<b>94.9</b>	<b>146,701</b>	<b>33.1</b>
<b>Nation (Prior Year)</b>	<b>1,577,832</b>	<b>60.1</b>	<b>790,341</b>	<b>25.2</b>	<b>875,205</b>	<b>18.1</b>	<b>104,492</b>	<b>10.3</b>	<b>143,261</b>	<b>5.6</b>	<b>584,732</b>	<b>73.3</b>	<b>2,855,911</b>	<b>10.6</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3 Rivers	1,328	8.7 (10)	5.3 (17)	5,026	8.2 (43)	5.6 (30)	14.6 (20)	2,099	19.0 (43)	17.9 (33)	3,480	12.9 (36)
Allen	561	8.7 (10)	5.0 (11)	2,061	7.2 (34)	5.6 (30)	12.8 (8)	896	17.9 (29)	15.2 (14)	1,114	13.3 (37)
Anderson	371	13.2 (53)	5.1 (13)	1,359	7.7 (39)	6.9 (45)	15.4 (29)	557	20.3 (53)	17.4 (29)	929	12.2 (33)
Barren Riv	6,353	9.6 (22)	7.1 (42)	22,370	5.2 (8)	5.1 (23)	14.3 (17)	8,770	18.8 (39)	17.7 (31)	14,062	14.9 (43)
Bourbon	509	14.9 (55)	5.3 (17)	1,631	7.2 (34)	4.3 (16)	18.8 (51)	629	19.4 (49)	19.4 (40)	1,130	20.2 (53)
Boyd	1,347	11.6 (46)	4.9 (9)	4,512	5.6 (10)	9.6 (57)	11.4 (4)	1,734	16.6 (17)	15.6 (16)	2,905	17.0 (49)
Boyle	623	9.6 (22)	6.7 (37)	2,246	5.0 (7)	4.0 (13)	15.6 (33)	901	19.3 (46)	19.0 (38)	1,357	11.4 (30)
Bracken	243	9.1 (15)	5.3 (17)	877	6.0 (19)	9.5 (56)	18.9 (52)	334	20.4 (54)	26.0 (58)	594	4.4 (1)
Breathitt	493	8.3 (3)	7.3 (43)	2,064	5.8 (15)	3.8 (12)	20.2 (54)	1,006	16.1 (15)	20.7 (46)	1,491	5.8 (4)
Breckinrid	437	9.2 (16)	7.8 (49)	1,858	7.4 (36)	2.9 (3)	14.4 (18)	832	14.4 (6)	13.8 (5)	1,371	8.0 (11)
Buffalo Tr	659	9.4 (19)	8.3 (55)	2,173	8.9 (49)	7.5 (50)	16.1 (35)	851	17.7 (24)	15.5 (15)	1,334	14.3 (40)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bullitt	1,357	10.2 (34)	7.6 (46)	4,292	6.3 (25)	4.5 (18)	14.1 (14)	1,606	15.4 (10)	14.6 (8)	2,484	18.2 (52)
C & Y	1,280	12.7 (52)	3.2 (3)	3,988	7.7 (39)	5.5 (27)	16.9 (40)	1,506	18.1 (32)	19.7 (41)	1,752	25.3 (58)
Christian	3,751	10.1 (31)	6.9 (40)	14,188	4.2 (4)	7.4 (48)	9.1 (1)	5,850	11.4 (1)	8.3 (1)	9,153	22.9 (56)
Clark	863	10.3 (38)	5.2 (15)	2,997	6.3 (25)	4.0 (13)	16.2 (37)	1,191	20.7 (57)	21.3 (50)	1,898	14.5 (42)
Cumb Val	4,264	9.7 (26)	6.8 (39)	17,672	6.5 (30)	6.0 (37)	17.6 (46)	8,537	17.8 (28)	20.1 (43)	12,272	5.7 (3)
Estill	472	9.7 (26)	6.4 (32)	2,003	7.0 (33)	3.3 (7)	14.6 (20)	922	19.5 (50)	20.2 (45)	1,465	7.1 (8)
Fayette	5,645	10.2 (34)	6.4 (32)	18,595	7.6 (38)	5.8 (34)	14.4 (18)	7,050	19.8 (51)	20.1 (43)	9,813	23.6 (57)
Fleming	425	14.1 (54)	7.5 (45)	1,786	6.3 (25)	6.7 (44)	15.5 (32)	880	15.6 (13)	16.1 (18)	1,321	14.2 (38)
Floyd	1,555	11.8 (49)	4.7 (7)	5,945	5.7 (12)	6.9 (45)	12.4 (5)	2,736	12.6 (3)	14.9 (11)	4,178	8.5 (15)
Franklin	1,197	10.9 (41)	6.0 (26)	3,731	8.9 (49)	5.9 (36)	16.2 (37)	1,257	22.5 (58)	20.8 (47)	2,304	20.8 (55)
Garrard	456	10.7 (40)	5.7 (24)	1,804	8.6 (45)	4.9 (21)	15.4 (29)	850	16.7 (20)	17.8 (32)	1,188	17.2 (50)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Gateway	1,637	8.4 (4)	9.7 (58)	6,546	5.9 (18)	5.5 (27)	14.7 (24)	2,999	17.7 (24)	18.9 (37)	4,278	10.3 (27)
Green Riv	5,856	10.2 (34)	5.6 (22)	21,464	8.8 (47)	3.7 (9)	15.4 (29)	8,878	18.4 (35)	18.0 (34)	13,967	7.9 (9)
Greenup	855	9.9 (29)	4.7 (7)	3,165	4.0 (3)	10.1 (58)	12.5 (7)	1,373	17.7 (24)	17.0 (26)	1,969	6.0 (5)
Hopkins	1,397	10.2 (34)	6.7 (37)	4,938	10.3 (55)	2.5 (2)	16.5 (39)	1,958	19.1 (44)	18.3 (36)	3,423	9.3 (20)
Jefferson	13,047	11.1 (42)	6.3 (29)	41,803	6.2 (22)	5.6 (30)	14.2 (15)	15,051	15.4 (10)	13.6 (4)	25,856	14.2 (38)
Jessamine	1,232	10.1 (31)	7.3 (43)	4,315	5.7 (12)	6.0 (37)	9.9 (2)	1,694	14.3 (5)	12.0 (3)	2,693	17.3 (51)
Johnson	844	11.5 (45)	4.3 (6)	3,248	5.6 (10)	6.6 (42)	17.3 (44)	1,554	16.6 (17)	17.5 (30)	2,261	20.7 (54)
Knox	1,140	8.5 (6)	7.6 (46)	4,670	4.5 (5)	5.5 (27)	17.0 (42)	2,217	18.8 (39)	22.2 (53)	3,290	9.5 (22)
KY River	3,529	11.4 (44)	5.1 (13)	13,629	9.2 (51)	2.9 (3)	22.5 (56)	6,230	19.2 (45)	21.6 (52)	9,920	9.1 (17)
Lake Cumb	6,349	9.8 (28)	6.3 (29)	24,620	6.1 (21)	5.0 (22)	13.1 (12)	10,985	17.9 (29)	16.4 (22)	16,184	8.0 (11)
Laurel	1,596	9.5 (20)	8.5 (56)	5,661	6.0 (19)	7.4 (48)	16.9 (40)	2,273	19.9 (52)	21.4 (51)	3,578	7.9 (9)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Lawrence	545	16.0 (57)	2.4 (1)	1,991	9.3 (52)	7.7 (51)	18.0 (47)	866	18.0 (31)	21.2 (49)	1,328	10.0 (25)
Lewis	488	9.0 (14)	5.3 (17)	1,811	5.7 (12)	8.0 (53)	14.2 (15)	791	15.8 (14)	17.3 (27)	1,051	10.2 (26)
Lincoln	708	8.6 (9)	8.1 (54)	2,682	6.2 (22)	5.8 (34)	17.4 (45)	1,142	18.7 (37)	19.3 (39)	1,880	9.2 (19)
Lincoln Tr	6,380	9.6 (22)	6.1 (28)	24,422	8.6 (45)	3.7 (9)	15.1 (27)	10,328	17.7 (24)	14.9 (11)	16,884	9.5 (22)
Little San	1,329	9.3 (17)	4.2 (5)	5,274	3.9 (2)	8.0 (53)	13.8 (13)	2,462	18.3 (34)	18.0 (34)	3,525	16.4 (48)
Madison	1,797	9.3 (17)	6.5 (35)	6,239	5.4 (9)	7.7 (51)	11.0 (3)	2,390	18.8 (39)	16.2 (20)	4,171	9.3 (20)
Magoffin	551	15.4 (56)	5.6 (22)	2,300	9.5 (53)	4.0 (13)	23.1 (57)	1,145	20.5 (55)	25.8 (57)	1,498	11.6 (31)
Marshall	716	8.5 (6)	7.7 (48)	2,692	12.0 (57)	6.6 (42)	14.6 (20)	1,204	12.5 (2)	10.7 (2)	1,724	12.2 (33)
Martin	503	9.9 (29)	5.2 (15)	2,045	7.4 (36)	5.6 (30)	20.5 (55)	957	18.9 (42)	22.9 (55)	1,529	8.2 (14)
Mercer	511	10.6 (39)	5.3 (17)	2,114	8.2 (43)	3.1 (5)	13.0 (11)	970	16.6 (17)	14.4 (7)	1,546	8.0 (11)
Monroe	332	8.4 (4)	6.6 (36)	1,325	5.8 (15)	6.0 (37)	18.7 (50)	590	18.1 (32)	24.2 (56)	862	6.0 (5)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montgomery	877	10.1 (31)	7.9 (50)	3,161	8.0 (42)	3.3 (7)	14.6 (20)	1,364	15.5 (12)	16.6 (23)	2,231	10.6 (28)
Muhlenberg	849	11.7 (47)	8.7 (57)	3,122	4.7 (6)	4.6 (20)	12.4 (5)	1,296	17.3 (22)	14.7 (10)	1,898	9.1 (17)
N Central	1,788	8.8 (12)	6.9 (40)	6,147	13.3 (58)	4.4 (17)	23.5 (58)	2,505	18.7 (37)	22.4 (54)	4,202	14.3 (40)
N KY	9,069	9.6 (22)	6.4 (32)	25,776	6.2 (22)	6.3 (41)	12.8 (8)	9,067	17.5 (23)	15.8 (17)	14,445	14.9 (43)
Oldham	601	8.2 (2)	6.3 (29)	2,430	11.5 (56)	1.3 (1)	18.6 (49)	1,049	17.2 (21)	16.6 (23)	1,532	9.6 (24)
Park DuV	1,362	16.1 (58)	4.1 (4)	4,887	7.7 (39)	6.0 (37)	14.8 (25)	2,049	16.1 (15)	17.3 (27)	3,437	12.5 (35)
Pennyrile	2,098	8.8 (12)	7.9 (50)	7,958	6.7 (31)	4.5 (18)	15.6 (33)	3,435	19.3 (46)	14.0 (6)	5,531	8.8 (16)
Pike	1,833	11.2 (43)	5.7 (24)	6,542	2.1 (1)	9.4 (55)	12.9 (10)	2,585	14.7 (8)	16.1 (18)	4,248	6.2 (7)
Powell	469	8.5 (6)	4.9 (9)	1,973	5.8 (15)	3.1 (5)	15.3 (28)	953	20.5 (55)	19.9 (42)	1,479	5.2 (2)
Purchase	3,499	9.5 (20)	6.0 (26)	12,821	6.3 (25)	5.2 (25)	18.5 (48)	5,722	19.3 (46)	16.7 (25)	8,880	15.4 (45)
Todd	396	11.9 (50)	3.0 (2)	1,542	9.9 (54)	5.3 (26)	19.1 (53)	705	14.6 (7)	16.2 (20)	1,136	15.8 (47)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
WEDCO	1,736	11.9 (50)	5.0 (11)	5,792	6.4 (29)	5.1 (23)	16.1 (35)	2,318	13.4 (4)	14.9 (11)	3,702	11.6 (31)
Whitley	1,814	7.6 (1)	8.0 (53)	7,097	6.7 (31)	7.2 (47)	17.0 (42)	3,178	18.6 (36)	21.0 (48)	5,209	11.3 (29)
Woodford	453	11.7 (47)	7.9 (50)	1,869	8.8 (47)	3.7 (9)	14.9 (26)	844	14.9 (9)	14.6 (8)	1,167	15.7 (46)
<b>Kentucky</b>	<b>112,375</b>	<b>10.2</b>	<b>6.3</b>	<b>401,249</b>	<b>6.8</b>	<b>5.4</b>	<b>15.1</b>	<b>166,121</b>	<b>17.5</b>	<b>17.0</b>	<b>260,109</b>	<b>12.3</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7F**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
3 Rivers	1,587	35.5 (25)	704	8.8 (19)	738	4.2 (25)	0	* *	0	* *	1,525	96.9 (35)	2,543	45.7 (41)
Allen	692	42.6 (10)	301	8.0 (25)	323	4.3 (21)	0	* *	0	* *	678	89.2 (55)	1,000	45.2 (40)
Anderson	470	46.6 (4)	215	7.4 (30)	213	2.8 (41)	0	* *	0	* *	437	90.4 (53)	712	26.5 (19)
Barren Riv	7,733	38.0 (16)	3,318	9.1 (16)	3,049	4.0 (28)	0	* *	0	* *	6,552	95.7 (43)	11,197	32.5 (24)
Bourbon	586	37.5 (18)	246	6.9 (34)	277	4.3 (21)	0	* *	0	* *	460	99.6 (8)	851	6.2 (8)
Boyd	1,580	33.4 (31)	653	7.8 (27)	663	5.4 (10)	0	* *	0	* *	1,265	98.5 (17)	2,279	23.8 (15)
Boyle	754	20.2 (54)	288	9.4 (14)	302	4.6 (16)	0	* *	0	* *	652	98.3 (19)	1,172	37.0 (26)
Bracken	291	28.9 (42)	130	3.8 (53)	140	2.1 (49)	0	* *	0	* *	253	84.6 (58)	470	58.9 (51)
Breathitt	562	16.5 (57)	260	3.8 (53)	283	1.8 (51)	0	* *	0	* *	764	96.6 (36)	1,030	60.3 (52)
Breckinrid	552	35.7 (24)	284	8.8 (19)	260	4.6 (16)	0	* *	0	* *	627	88.2 (56)	873	2.6 (6)
Buffalo Tr	753	28.0 (45)	283	8.1 (23)	306	3.6 (30)	0	* *	0	* *	642	99.7 (7)	1,115	54.1 (47)
Bullitt	1,618	36.3 (21)	648	7.1 (32)	668	3.0 (39)	0	* *	0	* *	1,144	96.2 (41)	2,248	43.5 (35)
C & Y	1,449	34.2 (27)	586	4.8 (50)	496	1.6 (53)	0	* *	0	* *	1,099	100. (1)	2,264	0.0 (1)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Christian	4,865	43.7 (8)	2,288	13.3 (6)	1,647	7.5 (5)	0	* *	0	* *	4,097	90.1 (54)	7,435	21.4 (14)
Clark	1,056	37.0 (19)	474	7.8 (27)	480	3.3 (34)	0	* *	0	* *	898	97.3 (31)	1,565	3.6 (7)
Cumb Val	4,953	21.8 (51)	2,148	4.2 (52)	2,470	2.4 (48)	0	* *	0	* *	6,229	97.5 (29)	8,258	38.9 (29)
Estill	552	28.6 (43)	253	5.1 (47)	274	1.5 (54)	0	* *	0	* *	672	96.3 (39)	944	26.4 (18)
Fayette	7,107	56.8 (1)	3,115	16.6 (2)	2,728	9.7 (2)	0	* *	0	* *	5,240	95.5 (45)	9,601	0.3 (3)
Fleming	488	30.7 (39)	219	6.4 (38)	272	4.4 (20)	0	* *	0	* *	650	92.9 (52)	837	41.0 (31)
Floyd	1,721	20.7 (53)	736	5.8 (44)	880	3.1 (38)	0	* *	0	* *	2,019	99.6 (8)	2,755	57.5 (49)
Franklin	1,446	42.9 (9)	599	8.0 (25)	504	5.2 (13)	0	* *	0	* *	926	96.3 (39)	2,018	69.8 (55)
Garrard	555	37.8 (17)	252	8.7 (21)	246	4.9 (14)	0	* *	0	* *	614	99.2 (12)	891	43.5 (35)
Gateway	1,953	29.2 (41)	843	6.6 (37)	878	2.5 (45)	0	* *	0	* *	2,224	97.8 (24)	3,235	25.4 (17)
Green Riv	6,939	31.5 (38)	3,109	6.4 (38)	2,846	3.6 (30)	0	* *	0	* *	6,424	97.9 (22)	10,793	41.4 (32)
Greenup	978	33.2 (33)	403	6.7 (35)	408	3.7 (29)	0	* *	0	* *	1,009	98.3 (19)	1,592	30.0 (22)
Hopkins	1,694	35.9 (23)	730	7.3 (31)	637	2.5 (45)	0	* *	0	* *	1,407	95.0 (47)	2,418	48.3 (44)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Jefferson	16,348	45.6 (5)	7,074	14.7 (3)	6,334	6.9 (7)	0	* *	0	* *	10,965	96.5 (37)	22,701	1.5 (5)
Jessamine	1,534	46.7 (3)	669	17.5 (1)	611	8.5 (3)	0	* *	0	* *	1,277	97.0 (32)	2,327	31.5 (23)
Johnson	983	29.3 (40)	400	5.5 (46)	458	4.1 (26)	0	* *	0	* *	1,134	100. (1)	1,498	43.2 (34)
Knox	1,344	18.8 (55)	582	2.6 (57)	627	1.1 (57)	0	* *	0	* *	1,627	97.7 (25)	2,454	0.9 (4)
KY River	4,156	24.2 (48)	1,835	6.0 (42)	1,753	3.4 (33)	0	* *	0	* *	4,558	98.4 (18)	6,459	21.3 (13)
Lake Cumb	7,512	32.0 (36)	3,277	6.0 (42)	3,479	2.6 (44)	0	* *	0	* *	8,052	97.0 (32)	11,848	44.3 (38)
Laurel	1,874	33.4 (31)	813	6.4 (38)	711	2.7 (43)	0	* *	0	* *	1,688	97.7 (25)	2,836	66.7 (53)
Lawrence	620	25.0 (47)	274	8.4 (22)	305	3.6 (30)	0	* *	0	* *	630	98.9 (14)	943	19.9 (12)
Lewis	588	32.7 (34)	238	6.7 (35)	284	3.2 (37)	0	* *	0	* *	620	96.5 (37)	876	40.4 (30)
Lincoln	835	28.3 (44)	391	4.3 (51)	377	1.9 (50)	0	* *	0	* *	820	98.7 (15)	1,313	44.9 (39)
Lincoln Tr	7,802	36.1 (22)	3,525	7.7 (29)	3,400	4.1 (26)	0	* *	0	* *	7,435	97.9 (22)	12,343	50.4 (45)
Little San	1,586	32.5 (35)	695	9.6 (13)	749	4.9 (14)	0	* *	0	* *	1,802	93.2 (51)	2,525	47.9 (43)
Madison	2,165	36.9 (20)	969	12.8 (7)	947	8.3 (4)	0	* *	0	* *	1,786	98.2 (21)	3,165	44.1 (37)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Magoffin	606	18.0 (56)	263	6.1 (41)	305	3.3 (34)	0	* *	0	* *	847	99.6 (8)	1,063	43.1 (33)
Marshall	889	34.3 (26)	384	9.9 (11)	428	3.3 (34)	0	* *	0	* *	885	95.7 (43)	1,347	37.8 (28)
Martin	558	12.5 (58)	233	2.6 (57)	278	1.4 (55)	0	* *	0	* *	710	93.4 (49)	937	90.6 (58)
Mercer	603	31.8 (37)	275	10.9 (10)	266	4.5 (19)	0	* *	0	* *	709	95.9 (42)	1,003	67.5 (54)
Monroe	385	27.8 (46)	164	4.9 (49)	162	1.2 (56)	0	* *	0	* *	450	100. (1)	622	34.1 (25)
Montgomery	1,029	33.8 (29)	436	8.9 (17)	426	5.4 (10)	0	* *	0	* *	1,005	97.0 (32)	1,593	50.4 (45)
Muhlenberg	997	24.1 (49)	434	7.1 (32)	430	2.8 (41)	0	* *	0	* *	932	99.5 (11)	1,493	58.7 (50)
N Central	2,122	38.2 (15)	956	13.9 (5)	956	9.9 (1)	0	* *	0	* *	1,876	99.0 (13)	3,214	11.6 (9)
N KY	10,367	33.8 (29)	3,689	8.1 (23)	3,307	4.3 (21)	0	* *	0	* *	6,665	98.6 (16)	14,293	37.2 (27)
Oldham	817	54.8 (2)	390	12.8 (7)	399	7.3 (6)	0	* *	0	* *	749	97.6 (27)	1,230	76.4 (57)
Park DuV	1,657	39.3 (12)	710	14.1 (4)	639	6.7 (8)	0	* *	0	* *	1,544	100. (1)	2,705	0.0 (1)
Pennyrile	2,602	43.8 (7)	1,187	9.9 (11)	1,287	5.3 (12)	0	* *	0	* *	2,515	95.1 (46)	3,865	28.9 (20)
Pike	2,066	21.2 (52)	904	5.1 (47)	896	2.9 (40)	0	* *	0	* *	1,994	93.4 (49)	3,395	72.9 (56)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2005 - 2007 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Powell	572	33.9 (28)	252	2.8 (56)	280	1.8 (51)	0	* *	0	* *	677	86.7 (57)	919	56.4 (48)
Purchase	4,229	39.1 (13)	1,790	8.9 (17)	1,943	4.6 (16)	0	* *	0	* *	4,091	97.6 (27)	6,301	29.3 (21)
Todd	493	38.7 (14)	226	3.5 (55)	237	0.8 (58)	0	* *	0	* *	517	100. (1)	757	24.0 (16)
WEDCO	2,166	41.0 (11)	911	9.4 (14)	864	4.3 (21)	0	* *	0	* *	1,765	93.5 (48)	3,058	46.7 (42)
Whitley	2,078	22.7 (50)	915	5.7 (45)	954	2.5 (45)	0	* *	0	* *	2,324	100. (1)	3,372	18.5 (11)
Woodford	585	44.8 (6)	261	11.5 (9)	257	5.8 (9)	0	* *	0	* *	609	97.4 (30)	921	15.3 (10)
<b>Kentucky</b>	<b>135,102</b>	<b>36.2</b>	<b>58,207</b>	<b>9.3</b>	<b>56,337</b>	<b>4.6</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>121,765</b>	<b>96.8</b>	<b>203,472</b>	<b>31.6</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

