

**Table 4G**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by Metro Area**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by Metro Area</b>								
<b>Metro Area</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Lou/Jeff	2,167	10.7	68.3	17.7	0.0	1.7	1.6	0.0
Metro-Unk	170,160	77.2	11.1	8.1	0.1	0.8	2.8	0.0
Unknown Metro A.	30	*	*	*	*	*	*	*
<b>Kentucky</b>	<b>172,357</b>	<b>76.4</b>	<b>11.8</b>	<b>8.2</b>	<b>0.1</b>	<b>0.8</b>	<b>2.7</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>7,995,600</b>	<b>31.6</b>	<b>19.4</b>	<b>40.9</b>	<b>1.0</b>	<b>2.5</b>	<b>1.8</b>	<b>2.7</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5G**  
**2008 Pediatric Nutrition Surveillance (1)**  
**Kentucky**  
**Comparison of Age Distribution by Metro Area**  
**Children Aged < 5 Years (2)**

<b>Comparison of Age Distribution by Metro Area</b>				
<b>Metro Area</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Lou/Jeff	2,167	41.3	23.6	35.1
Metro-Unk	170,160	43.2	19.4	37.4
Unknown Metro A.	30	*	*	*
<b>Kentucky</b>	<b>172,357</b>	<b>43.1</b>	<b>19.5</b>	<b>37.4</b>
<b>Nation (Prior Year)</b>	<b>7,995,600</b>	<b>37.6</b>	<b>22.1</b>	<b>40.3</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 6G**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Metro Area**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Metro Area</b> (3,4)												
<b>Metro Area</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Lou/Jeff	438	15.8 (2)	4.1 (1)	2,027	7.2 (2)	5.7 (1)	12.5 (1)	747	16.3 (1)	14.6 (1)	1,306	10.6 (1)
Metro-Unk	42,255	9.8 (1)	6.2 (2)	162,614	6.0 (1)	6.6 (2)	13.1 (2)	62,069	16.6 (2)	15.7 (2)	97,945	12.3 (2)
Unknown Metro A.	8	* *	* *	26	* *	* *	* *	16	* *	* *	22	* *
<b>Kentucky</b>	<b>42,701</b>	<b>9.8</b>	<b>6.1</b>	<b>164,667</b>	<b>6.0</b>	<b>6.6</b>	<b>13.1</b>	<b>62,832</b>	<b>16.6</b>	<b>15.7</b>	<b>99,273</b>	<b>12.3</b>
<b>Nation (Prior Year)</b>	<b>1,953,242</b>	<b>9.1</b>	<b>6.4</b>	<b>7,526,585</b>	<b>6.2</b>	<b>4.5</b>	<b>13.9</b>	<b>3,058,130</b>	<b>16.4</b>	<b>14.9</b>	<b>4,759,588</b>	<b>15.0</b>

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7G**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area**  
(4,5)

Metro Area	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household					
	Number  (Rank)	% Ever Breastfed  (Rank)	Number Breastfed At Least 6 Months  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	% Breastfed At Least 3 Months  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	%  (Rank)				
Lou/Jeff	437	43.0 (1)	377	20.2 (1)	334	8.1 (1)	0	* *	812	100. (1)	2,167	0.0 (1)		
Metro-Unk	43,047	36.3 (2)	26,153	10.6 (2)	24,395	5.4 (2)	0	* *	67,769	89.7 (2)	170,160	28.7 (2)		
Unknown Metro A.	8	* *	3	* *	2	* *	0	* *	19	* *	30	* *		
<b>Kentucky</b>	<b>43,492</b>	<b>36.3</b>	<b>26,533</b>	<b>10.8</b>	<b>24,731</b>	<b>5.4</b>	<b>0</b>	<b>*</b>	<b>68,600</b>	<b>89.8</b>	<b>172,357</b>	<b>28.3</b>		
<b>Nation (Prior Year)</b>	<b>1,747,004</b>	<b>59.8</b>	<b>874,434</b>	<b>25.4</b>	<b>979,105</b>	<b>17.5</b>	<b>127,047</b>	<b>10.2</b>	<b>182,064</b>	<b>5.2</b>	<b>687,613</b>	<b>75.0</b>	<b>3,047,308</b>	<b>11.3</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6G**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Metro Area**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Metro Area</b> (3,4)												
<b>Metro Area</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% >95th (Rank)	Number	% (Rank)
Lou/Jeff	1,350	15.6 (2)	4.3 (1)	5,416	7.2 (2)	6.2 (2)	13.1 (1)	2,159	16.0 (1)	15.4 (1)	3,659	12.2 (1)
Metro-Unk	112,451	10.0 (1)	6.2 (2)	428,782	6.3 (1)	6.1 (1)	13.7 (2)	171,551	16.9 (2)	16.2 (2)	270,258	12.4 (2)
Unknown Metro A.	8	* *	* *	26	* *	* *	* *	16	* *	* *	22	* *
<b>Kentucky</b>	<b>113,809</b>	<b>10.1</b>	<b>6.1</b>	<b>434,224</b>	<b>6.3</b>	<b>6.1</b>	<b>13.7</b>	<b>173,726</b>	<b>16.9</b>	<b>16.2</b>	<b>273,939</b>	<b>12.4</b>

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7G**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area**  
(4,5)

Metro Area	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household					
	Number  (Rank)	% Ever Breastfed  (Rank)	Number Breastfed At Least 6 Months  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	% Breastfed At Least 3 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)				
Lou/Jeff	1,782	41.0 (1)	1,272	14.5 (1)	846	8.6 (1)	0	* *	0	* *	2,356	100. (1)	3,641	0.0 (1)
Metro-Unk	137,885	39.1 (2)	90,699	8.7 (2)	64,570	5.5 (2)	0	* *	0	* *	187,990	94.2 (2)	270,416	29.2 (2)
Unknown Metro A.	12	* *	5	* *	4	* *	0	* *	0	* *	19	* *	16	* *
<b>Kentucky</b>	<b>139,679</b>	<b>39.1</b>	<b>91,976</b>	<b>8.8</b>	<b>65,420</b>	<b>5.6</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>190,365</b>	<b>94.3</b>	<b>274,073</b>	<b>28.8</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

