

Table 4A
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adair Coun	794	85.1	2.0	6.4	0.0	0.1	6.3	0.0
Allen Coun	1,004	90.6	1.8	4.6	0.0	0.3	2.7	0.0
Anderson C	740	85.3	1.9	3.2	0.0	1.8	7.8	0.0
Ashland-Bo	1,918	88.8	1.8	2.9	0.1	0.1	6.4	0.0
Ballard Co	319	86.2	4.7	2.2	0.0	0.6	6.3	0.0
Bar-Riv-Wa	3,440	60.7	12.7	18.4	0.5	4.3	3.4	0.0
Barren Cty	1,768	85.1	4.9	7.8	0.0	0.2	2.0	0.0
Bath Count	663	93.5	1.1	3.5	0.0	0.8	1.2	0.0
Belfry	494	98.0	0.8	0.4	0.0	0.2	0.6	0.0
Bell Cty M	942	98.3	1.0	0.5	0.0	0.0	0.2	0.0
Bell Cty P	1,113	93.5	3.0	1.5	0.1	0.2	1.7	0.0
Berea	892	90.8	3.3	5.5	0.0	0.0	0.4	0.0
Betsy Lane	675	96.6	0.1	1.8	0.0	0.0	1.5	0.0
Boone Coun	3,320	72.8	5.7	18.7	0.4	1.0	1.4	0.0
Bourbon Ct	865	64.9	7.9	23.8	0.1	0.1	3.2	0.0
Boyle Coun	1,030	79.5	13.3	6.3	0.0	0.1	0.8	0.0
Bracken Co	439	94.5	0.7	3.4	0.0	0.0	1.4	0.0
Breathitt	831	98.4	0.2	0.5	0.0	0.6	0.2	0.0
Breckinrid	794	92.7	2.9	1.6	0.0	0.0	2.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Bridges	736	17.4	68.5	4.5	0.0	2.3	7.3	0.0
Bullitt Co	2,159	90.7	1.2	3.4	0.0	0.6	4.2	0.0
Butler Cty	588	88.9	0.5	9.4	0.0	0.5	0.7	0.0
C & Y	2,088	1.7	96.4	1.1	0.2	0.7	0.0	0.0
Caldwell C	622	81.5	9.8	1.9	0.0	0.8	5.9	0.0
Calloway C	1,391	82.5	4.7	6.6	0.1	1.8	4.3	0.0
Campbell C	2,340	87.6	6.2	4.7	0.0	0.5	0.9	0.0
Carlisle C	269	91.1	0.4	3.3	0.4	0.4	4.5	0.0
Carroll Ct	800	72.4	0.6	21.6	0.1	0.3	5.0	0.0
Carter Cty	928	92.3	1.0	5.2	0.1	0.5	0.9	0.0
Casey Cty	765	87.8	0.1	10.7	0.0	0.1	1.2	0.0
Christian	3,244	50.7	37.4	6.0	0.0	0.6	5.2	0.0
Clark Coun	1,528	84.7	7.0	6.9	0.1	0.5	0.8	0.0
Clay Cty H	1,463	97.7	0.4	1.6	0.0	0.1	0.2	0.0
Clinton Ct	729	90.0	0.1	9.6	0.0	0.1	0.1	0.0
Corbin	1,676	97.9	0.4	1.1	0.0	0.3	0.3	0.0
Crittenden	373	95.7	1.6	0.5	0.3	0.0	1.9	0.0
Cumberland	394	95.4	2.8	1.5	0.0	0.0	0.3	0.0
Daviess Co	3,464	74.8	5.9	11.3	0.0	0.5	7.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Dixie	2,996	74.8	14.9	5.3	0.0	0.4	4.6	0.0
Edmonson C	498	93.8	0.2	2.2	0.0	0.0	3.8	0.0
Elliott Ct	466	98.7	0.0	0.9	0.0	0.0	0.4	0.0
Estill Cty	819	98.7	0.6	0.5	0.0	0.0	0.2	0.0
Etown	2,348	79.6	9.7	5.2	0.1	0.6	4.7	0.0
Fairdale	1,597	74.1	7.1	10.5	0.1	5.3	2.9	0.0
Fleming Co	776	95.5	0.5	2.8	0.0	0.4	0.8	0.0
Floyd Cty	1,470	97.0	0.4	2.2	0.1	0.1	0.2	0.0
Foust Hlth	383	57.7	23.8	9.1	0.0	0.3	9.1	0.0
Franklin C	1,747	69.0	15.1	8.8	0.1	1.7	5.4	0.0
Ft Campbel	3,382	65.0	13.7	14.4	0.4	2.5	4.0	0.0
Fulton	274	52.6	39.8	1.5	0.0	0.7	5.5	0.0
Gallatin C	588	81.6	1.2	14.5	0.0	0.0	2.7	0.0
Garrard Ct	807	89.6	2.7	4.1	0.2	0.2	3.1	0.0
Grant Cty	1,587	94.4	0.6	3.9	0.0	0.1	0.9	0.0
Graves Cty	1,849	63.5	8.3	22.4	0.1	0.1	5.6	0.0
Grayson Ct	1,329	94.7	0.5	3.0	0.2	0.3	1.4	0.0
Green Cty	596	92.6	2.5	3.0	0.0	0.0	1.8	0.0
Greenup	1,045	96.2	0.5	0.9	0.0	0.8	1.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Hancock Ct	346	88.7	0.6	3.8	0.3	1.7	4.9	0.0
Harlan Cty	1,640	92.6	2.2	2.8	0.1	0.0	2.4	0.0
Harrison C	905	90.1	1.9	5.5	0.2	0.1	2.2	0.0
Hart Cty H	820	86.7	4.1	2.8	0.0	0.1	6.2	0.0
Henderson	1,871	75.8	11.6	3.4	0.0	1.0	8.2	0.0
Henry Coun	637	87.6	3.5	4.7	0.0	2.4	1.9	0.0
Hickman	218	50.0	34.9	3.7	0.0	0.5	11.0	0.0
Hickman Ct	206	71.4	14.6	2.4	0.0	0.0	11.7	0.0
Highview	1,579	60.7	15.3	19.4	0.2	1.4	3.0	0.0
Hindman	913	98.4	0.4	0.5	0.0	0.2	0.4	0.0
Hopkins Ct	2,161	75.6	9.4	3.9	0.0	0.3	10.9	0.0
Hospital	1,338	83.9	7.3	6.7	0.0	0.8	1.3	0.0
Iroquois	2,923	33.7	32.9	24.6	0.1	2.3	6.4	0.0
Jackson Ct	745	97.6	0.3	1.7	0.0	0.1	0.3	0.0
Jessamine	2,226	83.3	4.5	6.8	0.0	1.6	3.9	0.0
Johnson Co	1,284	97.8	0.3	0.2	0.0	0.5	1.2	0.0
Kenton Cty	3,756	74.5	12.5	8.6	0.1	0.6	3.7	0.0
Knox Cty	1,995	97.4	1.3	0.8	0.0	0.2	0.3	0.0
L & N	2,561	16.3	78.4	2.1	0.0	1.1	2.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Larue Cty	673	81.0	2.8	10.8	0.0	0.0	5.3	0.0
Laurel Cty	2,648	98.1	0.9	0.6	0.0	0.1	0.2	0.0
Lawrence C	893	98.9	0.2	0.1	0.0	0.0	0.8	0.0
Lee Cty He	422	97.4	0.7	1.2	0.0	0.5	0.2	0.0
Leslie Cty	769	97.4	0.1	0.5	0.0	0.0	2.0	0.0
Letcher Ct	1,142	98.8	0.8	0.4	0.0	0.0	0.1	0.0
Lewis Cty	742	98.7	0.1	0.3	0.1	0.3	0.5	0.0
Lex-Fay40A	4	*	*	*	*	*	*	*
Lex-Fay40C	3,901	33.9	22.9	40.0	0.1	1.0	2.1	0.0
Lex-Fay40F	2,723	48.0	24.3	16.2	0.3	1.9	9.3	0.0
Lex-Fay40G	1,274	36.3	29.9	20.9	0.1	1.4	11.4	0.0
Lex-Fay40W	1,387	21.8	34.8	40.7	0.1	0.4	2.2	0.0
Lincoln Ct	1,109	92.4	2.3	2.9	0.0	0.2	2.3	0.0
Livingston	386	94.3	0.5	2.8	0.0	0.0	2.3	0.0
Logan Cty	1,020	76.5	10.8	7.6	0.2	0.1	4.8	0.0
Lynch	363	88.4	5.0	1.1	0.0	0.0	5.5	0.0
Lyon Cty	268	93.3	1.5	0.7	0.0	1.1	3.4	0.0
Magoffin C	823	98.4	0.1	1.2	0.0	0.0	0.2	0.0
Marion Cty	1,018	78.9	9.5	9.7	0.0	0.5	1.4	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Marshal90A	1,148	98.0	0.7	0.6	0.0	0.4	0.3	0.0
Marshal90B	67	*	*	*	*	*	*	*
Martin Cty	796	98.1	0.0	1.3	0.0	0.0	0.6	0.0
Mason Cty	871	78.9	6.8	6.2	0.2	0.5	7.5	0.0
McCracken	2,375	57.1	25.3	6.8	0.0	1.2	9.6	0.0
McCreary C	1,213	97.5	0.2	1.9	0.0	0.0	0.3	0.0
McLean Ct	441	93.0	0.0	5.2	0.0	0.0	1.8	0.0
Meade Cty	905	89.6	2.2	3.0	0.0	0.0	5.2	0.0
Menifee Ct	394	97.5	1.3	1.0	0.0	0.3	0.0	0.0
Mercer Cty	975	85.4	3.3	9.1	0.0	0.4	1.7	0.0
Metcalfe C	467	96.8	1.3	1.3	0.0	0.6	0.0	0.0
Middletown	1,938	59.8	18.5	15.0	0.1	1.5	5.1	0.0
Monroe Cnt	516	85.3	4.8	8.9	0.0	0.0	1.0	0.0
Montgomery	1,469	89.8	1.2	6.7	0.0	0.2	2.0	0.0
Morgan Cty	742	99.3	0.4	0.1	0.0	0.0	0.1	0.0
Muhlenberg	1,318	91.8	2.7	1.6	0.0	0.0	3.9	0.0
Neighborho	1,709	55.6	27.8	5.3	0.3	4.5	6.4	0.0
Nelson Cty	1,705	81.7	5.5	6.4	0.0	0.2	6.2	0.0
Newburg	2,847	29.6	44.2	18.8	0.0	1.4	6.1	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Nicholas C	382	92.7	0.5	5.5	0.0	0.0	1.3	0.0
Oasis Hlth	259	73.7	13.1	4.2	0.0	0.8	8.1	0.0
Ohio Cty	1,285	79.8	1.1	18.4	0.0	0.0	0.6	0.0
Oldham Cty	978	70.4	4.2	21.8	0.0	0.7	2.9	0.0
Olive Hill	758	95.4	0.4	3.8	0.0	0.1	0.3	0.0
Owen Cty	462	87.4	0.2	10.6	0.0	0.2	1.5	0.0
Owsley Cty	363	97.5	0.3	0.3	0.0	0.0	1.9	0.0
Park Duval	2,141	9.5	70.6	15.7	0.0	1.9	2.3	0.0
Pendleton	563	95.2	1.1	2.7	0.0	0.4	0.7	0.0
Perry Cty	1,689	96.6	1.7	0.5	0.0	0.2	1.1	0.0
Pike Cty	2,240	98.5	0.4	0.7	0.0	0.2	0.1	0.0
Portland	1,568	41.6	48.4	3.4	0.1	1.4	5.0	0.0
Powell Cty	770	96.0	1.2	2.1	0.3	0.5	0.0	0.0
Pulaski Ct	2,927	90.4	1.4	7.2	0.1	0.4	0.5	0.0
Radcliffe	2,415	57.7	19.3	12.3	0.2	1.2	9.3	0.0
Richmond	2,088	80.0	6.5	6.2	0.0	0.4	6.8	0.0
Robertson	183	92.3	0.0	6.6	0.0	0.0	1.1	0.0
Rockcastle	939	96.4	0.2	2.0	0.0	0.1	1.3	0.0
Rowan Cty	1,094	96.2	1.7	0.4	0.0	1.6	0.1	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Russell Ct	986	84.7	0.7	13.8	0.0	0.2	0.6	0.0
Scott Cty	1,437	78.3	6.5	13.9	0.0	1.3	0.1	0.0
Shelby Cty	1,465	47.4	8.7	40.1	0.0	2.1	1.7	0.0
Simpson Ct	788	80.1	11.2	4.1	0.0	0.0	4.7	0.0
South Shor	249	96.4	0.0	0.0	0.0	0.0	3.6	0.0
Spencer Ct	448	87.1	2.2	9.2	0.0	0.2	1.3	0.0
TAPP-South	2	*	*	*	*	*	*	*
Taylor Cty	1,080	81.1	4.7	4.9	0.0	0.4	8.9	0.0
Todd Cty H	669	67.9	13.2	14.1	0.0	1.3	3.6	0.0
Trigg Cty	566	80.9	10.4	1.1	0.0	0.0	7.6	0.0
Trimble Ct	403	91.8	0.0	5.5	0.0	1.7	1.0	0.0
Union Cty	647	83.6	8.0	1.4	0.0	0.0	7.0	0.0
Washington	490	68.2	9.8	16.3	0.0	0.0	5.7	0.0
Wayne Cty	1,245	86.4	1.4	10.9	0.0	0.2	1.0	0.0
Webster Ct	585	71.6	2.1	23.8	0.0	0.2	2.4	0.0
Webster Prov	64	*	*	*	*	*	*	*
Wheelbrigh	378	97.9	1.1	1.1	0.0	0.0	0.0	0.0
Williamsbu	1,479	97.2	1.0	1.5	0.0	0.2	0.1	0.0
Wolfe Cty	582	98.6	0.0	0.3	0.0	0.0	1.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Woodford C	864	57.6	4.7	31.4	0.0	0.8	5.4	0.0
Kentucky	181,271	75.3	11.9	8.6	0.1	0.8	3.3	0.0
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adair Coun	794	41.2	17.9	40.9
Allen Coun	1,004	38.2	19.3	42.4
Anderson C	740	39.9	22.4	37.7
Ashland-Bo	1,918	43.3	19.2	37.5
Ballard Co	319	37.9	24.5	37.6
Bar-Riv-Wa	3,440	43.3	20.1	36.6
Barren Cty	1,768	39.7	20.0	40.3
Bath Count	663	35.6	18.9	45.6
Belfry	494	41.9	19.2	38.9
Bell Cty M	942	35.4	18.9	45.8
Bell Cty P	1,113	38.6	17.5	43.8
Berea	892	43.9	17.3	38.8
Betsy Lane	675	36.3	17.8	45.9
Boone Coun	3,320	40.8	20.5	38.6
Bourbon Ct	865	42.2	22.0	35.8
Boyle Coun	1,030	40.8	20.1	39.1
Bracken Co	439	40.1	20.5	39.4
Breathitt	831	33.5	19.1	47.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Breckinrid	794	39.4	18.3	42.3
Bridges	736	37.5	16.3	46.2
Bullitt Co	2,159	43.3	20.1	36.6
Butler Cty	588	34.5	21.6	43.9
C & Y	2,088	48.8	21.4	29.8
Caldwell C	622	43.7	17.7	38.6
Calloway C	1,391	43.1	20.3	36.7
Campbell C	2,340	38.2	22.8	38.9
Carlisle C	269	36.4	19.0	44.6
Carroll Ct	800	42.0	19.6	38.4
Carter Cty	928	37.2	21.6	41.3
Casey Cty	765	36.5	18.7	44.8
Christian	3,244	45.4	21.0	33.6
Clark Coun	1,528	43.9	19.6	36.5
Clay Cty H	1,463	37.9	18.5	43.6
Clinton Ct	729	35.3	20.9	43.9
Corbin	1,676	42.5	18.3	39.2
Crittenden	373	37.0	20.9	42.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Cumberland	394	31.7	19.3	49.0
Daviess Co	3,464	46.1	17.7	36.3
Dixie	2,996	44.8	20.8	34.4
Edmonson C	498	39.0	21.5	39.6
Elliott Ct	466	34.3	18.7	47.0
Estill Cty	819	33.6	21.5	44.9
Etown	2,348	38.7	21.2	40.1
Fairdale	1,597	44.7	21.9	33.4
Fleming Co	776	36.5	19.2	44.3
Floyd Cty	1,470	40.1	19.6	40.3
Foust Hlth	383	27.7	23.0	49.3
Franklin C	1,747	43.6	20.8	35.7
Ft Campbel	3,382	34.4	22.4	43.2
Fulton	274	35.8	19.0	45.3
Gallatin C	588	35.5	18.4	46.1
Garrard Ct	807	38.7	17.8	43.5
Grant Cty	1,587	34.6	22.1	43.3
Graves Cty	1,849	39.8	19.6	40.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Grayson Ct	1,329	35.2	19.4	45.4
Green Cty	596	37.1	20.1	42.8
Greenup	1,045	39.2	22.0	38.8
Hancock Ct	346	35.8	21.7	42.5
Harlan Cty	1,640	37.9	17.3	44.8
Harrison C	905	38.8	19.7	41.5
Hart Cty H	820	39.4	22.0	38.7
Henderson	1,871	45.3	18.7	36.0
Henry Coun	637	41.4	19.5	39.1
Hickman	218	33.5	21.1	45.4
Hickman Ct	206	42.7	17.5	39.8
Highview	1,579	41.7	21.3	36.9
Hindman	913	38.9	17.6	43.5
Hopkins Ct	2,161	42.1	17.5	40.4
Hospital	1,338	100.0	0.0	0.0
Iroquois	2,923	45.1	20.4	34.6
Jackson Ct	745	36.4	17.7	45.9
Jessamine	2,226	39.8	20.8	39.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Johnson Co	1,284	39.0	17.8	43.1
Kenton Cty	3,756	44.1	21.0	34.9
Knox Cty	1,995	37.2	18.0	44.8
L & N	2,561	43.8	20.3	35.8
Larue Cty	673	39.5	18.0	42.5
Laurel Cty	2,648	43.9	17.8	38.3
Lawrence C	893	38.5	19.6	41.9
Lee Cty He	422	37.4	14.7	47.9
Leslie Cty	769	39.4	20.4	40.2
Letcher Ct	1,142	44.4	17.5	38.1
Lewis Cty	742	38.3	18.5	43.3
Lex-Fay40A	4	*	*	*
Lex-Fay40C	3,901	46.9	16.7	36.3
Lex-Fay40F	2,723	43.7	20.5	35.8
Lex-Fay40G	1,274	36.7	23.0	40.3
Lex-Fay40W	1,387	37.8	19.5	42.8
Lincoln Ct	1,109	38.9	19.8	41.3
Livingston	386	33.7	18.1	48.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Logan Cty	1,020	37.0	19.2	43.8
Lynch	363	38.6	20.7	40.8
Lyon Cty	268	35.4	22.4	42.2
Magoffin C	823	35.6	16.2	48.2
Marion Cty	1,018	40.2	19.0	40.9
Marshal90A	1,148	41.2	19.8	39.0
Marshal90B	67	*	*	*
Martin Cty	796	37.9	20.9	41.2
Mason Cty	871	44.0	18.3	37.8
McCracken	2,375	42.5	18.8	38.7
McCreary C	1,213	36.9	18.5	44.7
McLean Ct	441	35.6	18.6	45.8
Meade Cty	905	41.9	21.1	37.0
Menifee Ct	394	35.8	20.3	43.9
Mercer Cty	975	37.7	19.0	43.3
Metcalfe C	467	33.4	19.7	46.9
Middletown	1,938	42.9	20.3	36.8
Monroe Cnt	516	34.1	20.7	45.2

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Montgomery	1,469	38.4	19.4	42.2
Morgan Cty	742	35.3	16.6	48.1
Muhlenberg	1,318	39.7	17.2	43.1
Neighborho	1,709	43.1	21.9	34.9
Nelson Cty	1,705	41.1	19.9	39.0
Newburg	2,847	44.3	19.8	36.0
Nicholas C	382	40.8	17.0	42.1
Oasis Hlth	259	31.7	20.5	47.9
Ohio Cty	1,285	40.2	17.4	42.4
Oldham Cty	978	40.9	19.0	40.1
Olive Hill	758	32.7	21.4	45.9
Owen Cty	462	41.6	20.1	38.3
Owsley Cty	363	34.4	18.2	47.4
Park Duval	2,141	36.5	22.4	41.1
Pendleton	563	39.1	22.7	38.2
Perry Cty	1,689	42.3	20.7	37.1
Pike Cty	2,240	43.6	19.9	36.5
Portland	1,568	43.4	20.2	36.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Powell Cty	770	37.5	16.8	45.7
Pulaski Ct	2,927	42.3	18.3	39.4
Radcliffe	2,415	36.5	21.3	42.2
Richmond	2,088	42.9	20.2	37.0
Robertson	183	34.4	18.6	47.0
Rockcastle	939	38.0	18.5	43.5
Rowan Cty	1,094	41.7	18.8	39.5
Russell Ct	986	40.7	22.4	36.9
Scott Cty	1,437	39.9	20.0	40.1
Shelby Cty	1,465	37.3	20.4	42.3
Simpson Ct	788	41.2	23.1	35.7
South Shor	249	38.2	20.5	41.4
Spencer Ct	448	31.3	20.3	48.4
TAPP-South	2	*	*	*
Taylor Cty	1,080	41.8	19.4	38.8
Todd Cty H	669	36.2	16.6	47.2
Trigg Cty	566	40.3	19.6	40.1
Trimble Ct	403	40.2	19.6	40.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Union Cty	647	40.3	19.6	40.0
Washington	490	34.3	19.6	46.1
Wayne Cty	1,245	40.2	18.6	41.2
Webster Ct	585	39.5	20.7	39.8
Webster Prov	64	*	*	*
Wheelbrigh	378	33.6	21.2	45.2
Williamsbu	1,479	40.4	17.5	42.1
Wolfe Cty	582	32.1	20.1	47.8
Woodford C	864	39.9	20.0	40.0
Kentucky	181,271	41.0	19.6	39.4
Nation (Prior Year)	8,164,612	35.8	23.0	41.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Adair Coun	191	6.8 (12)	6.3 (63)	777	5.9 (73)	5.3 (55)	11.8 (35)	322	14.6 (35)	14.3 (47)		461	12.1 (86)
Allen Coun	240	9.6 (63)	4.6 (26)	981	6.4 (88)	5.1 (51)	12.4 (48)	416	16.8 (77)	15.1 (60)		525	18.7 (128)
Anderson C	156	8.3 (32)	5.8 (52)	708	6.8(100)	6.4 (77)	13.8 (79)	270	18.1 (98)	16.7 (84)		458	15.9 (117)
Ashland-Bo	441	12.2 (101)	3.6 (15)	1,858	2.8 (8)	12.4(144)	8.2 (3)	701	17.0 (81)	15.1 (60)		1,118	14.1 (104)
Ballard Co	81	* *	* *	282	9.2(128)	5.3 (55)	17.0(123)	116	15.5 (49)	9.5 (8)		200	9.0 (53)
Bar-Riv-Wa	640	10.9 (87)	5.0 (35)	3,295	4.7 (47)	7.3(101)	13.9 (84)	1,196	15.0 (41)	17.1 (95)		1,902	9.1 (54)
Barren Cty	310	6.5 (11)	12.6 (123)	1,711	4.3 (33)	5.3 (55)	12.8 (54)	663	16.7 (71)	18.3(103)		1,037	9.2 (55)
Bath Count	131	6.9 (14)	8.4 (100)	637	9.6(134)	7.2 (99)	19.0(136)	289	19.7(119)	25.3(140)		423	11.3 (76)
Belfry	103	15.5 (121)	1.9 (2)	453	4.2 (30)	13.0(146)	8.8 (7)	168	8.3 (5)	7.7 (4)		280	12.9 (92)
Bell Cty M	181	17.7 (123)	2.8 (8)	895	5.9 (73)	4.1 (29)	15.2(103)	419	18.1 (98)	17.4 (97)		650	2.6 (4)
Bell Cty P	234	8.5 (36)	3.8 (16)	1,071	5.2 (58)	3.0 (7)	16.0(111)	468	17.5 (90)	22.2(130)		690	4.8 (15)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Berea	213	15.0 (119)	10.3 (115)	864	3.4 (14)	7.6 (109)	9.4 (9)	335	14.3 (26)	13.4 (35)	544	3.7 (9)
Betsy Lane	140	9.3 (55)	5.7 (51)	624	1.8 (2)	11.5 (141)	7.4 (2)	284	7.0 (4)	7.4 (2)	438	3.7 (9)
Boone Coun	628	10.0 (74)	8.0 (95)	3,180	5.3 (62)	6.6 (83)	13.7 (75)	1,246	14.4 (31)	15.1 (60)	1,940	15.4 (114)
Bourbon Ct	223	9.9 (70)	7.2 (80)	831	4.7 (47)	5.1 (51)	18.2 (132)	294	14.3 (26)	18.0 (101)	551	13.8 (100)
Boyle Coun	243	8.6 (40)	6.2 (59)	987	5.1 (56)	5.3 (55)	13.2 (62)	392	15.1 (43)	13.3 (33)	610	14.1 (104)
Bracken Co	110	6.4 (10)	6.4 (68)	419	4.5 (43)	9.8 (130)	14.1 (88)	158	21.5 (137)	20.3 (122)	280	2.9 (6)
Breathitt	148	7.4 (20)	3.4 (13)	773	3.8 (23)	4.1 (29)	13.7 (75)	362	14.9 (38)	13.3 (33)	540	3.9 (12)
Breckinrid	183	8.7 (41)	5.5 (47)	776	6.7 (95)	2.3 (2)	10.8 (22)	318	17.0 (81)	10.7 (13)	509	5.5 (27)
Bridges	170	11.8 (97)	5.3 (42)	709	4.5 (43)	7.5 (106)	14.7 (95)	327	15.0 (41)	15.9 (71)	465	13.8 (100)
Bullitt Co	548	11.5 (95)	4.9 (33)	2,086	5.7 (70)	4.6 (39)	12.8 (54)	764	17.7 (94)	13.9 (42)	1,210	10.2 (66)
Butler Cty	107	8.4 (35)	8.4 (100)	572	4.0 (26)	6.3 (75)	16.3 (115)	255	22.0 (140)	18.8 (108)	391	5.1 (18)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
C & Y	467	13.9 (115)	2.1 (3)	1,977	6.7 (95)	6.6 (83)	13.9 (84)	600	20.3(128)	16.5 (77)	1,154	35.8 (148)
Caldwell C	168	6.0 (8)	8.9 (110)	593	4.9 (51)	4.0 (28)	15.9 (110)	231	16.0 (60)	12.1 (25)	363	13.8 (100)
Calloway C	376	8.0 (28)	7.7 (89)	1,336	6.8 (100)	3.9 (26)	13.6 (73)	493	15.8 (58)	13.8 (38)	802	5.1 (18)
Campbell C	387	9.6 (63)	3.9 (17)	2,131	4.3 (33)	7.0 (91)	10.6 (18)	863	11.8 (14)	10.3 (12)	1,390	13.2 (97)
Carlisle C	61	* *	* *	252	4.4 (39)	3.6 (20)	12.7 (52)	117	21.4 (135)	14.5 (50)	183	13.1 (95)
Carroll Ct	214	7.0 (16)	11.7 (121)	780	5.4 (64)	7.7 (114)	16.3 (115)	294	21.8 (138)	22.8 (135)	517	14.1 (104)
Carter Cty	182	9.9 (70)	2.7 (7)	893	4.5 (43)	12.5 (145)	11.4 (29)	358	15.4 (47)	16.5 (77)	544	8.3 (43)
Casey Cty	173	5.8 (6)	8.1 (98)	740	6.5 (91)	5.0 (47)	12.3 (45)	342	14.3 (26)	15.2 (64)	470	11.5 (79)
Christian	853	12.4 (102)	3.2 (11)	3,067	4.3 (33)	5.7 (64)	10.4 (16)	1,055	16.5 (67)	12.0 (22)	1,767	24.4 (138)
Clark Coun	424	9.7 (67)	4.0 (19)	1,479	5.5 (65)	3.5 (18)	14.5 (90)	535	18.9 (108)	17.9 (100)	871	12.9 (92)
Clay Cty H	351	9.1 (49)	5.1 (39)	1,411	5.0 (54)	6.5 (79)	17.2 (125)	598	18.1 (98)	22.7 (133)	923	5.2 (20)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clinton Ct	142	7.7 (27)	12.0(122)	703	6.8(100)	7.1 (96)	17.8(128)	299	21.1(134)	23.1(138)	466	3.2 (7)
Corbin	453	7.5 (22)	8.4(100)	1,628	3.6 (20)	7.0 (91)	14.8 (97)	639	20.3(128)	21.6(126)	1,005	8.6 (49)
Crittenden	92	* *	* *	356	6.2 (82)	3.1 (8)	12.1 (42)	157	23.6(144)	12.7 (29)	252	20.2(133)
Cumberland	86	* *	* *	381	5.2 (58)	4.5 (36)	13.1 (58)	191	15.7 (55)	21.5(125)	267	10.5 (72)
Daviess Co	946	9.2 (51)	6.0 (53)	3,398	8.9(126)	4.5 (36)	13.3 (66)	1,204	18.9(108)	16.2 (75)	1,921	9.8 (62)
Dixie	765	8.0 (28)	6.7 (71)	2,878	6.2 (82)	9.5(128)	13.2 (62)	990	9.1 (6)	7.6 (3)	1,706	11.0 (73)
Edmonson C	84	* *	* *	482	3.3 (13)	9.1(127)	14.5 (90)	190	15.8 (58)	19.5(116)	302	6.6 (33)
Elliott Ct	107	13.1(109)	11.2(120)	454	2.4 (5)	7.5(106)	11.5 (31)	203	15.3 (45)	16.7 (84)	289	14.9(112)
Estill Cty	147	12.9(107)	5.4 (44)	807	6.1 (77)	4.7 (41)	13.4 (70)	360	14.7 (37)	18.9(110)	558	8.4 (44)
Etown	479	5.2 (2)	7.5 (85)	2,273	9.3(130)	3.3 (13)	16.6(121)	896	14.3 (26)	12.4 (26)	1,483	14.8(110)
Fairdale	377	6.9 (14)	8.5(103)	1,536	6.1 (77)	5.6 (62)	13.2 (62)	510	16.9 (79)	13.9 (42)	919	11.4 (77)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fleming Co	190	12.1 (100)	7.4 (81)	748	6.4 (88)	10.3(134)	12.0 (40)	330	15.5 (49)	13.6 (36)	493	19.1(131)
Floyd Cty	404	9.4 (60)	4.2 (20)	1,421	6.3 (85)	7.0 (91)	11.3 (28)	568	12.0 (15)	16.5 (77)	881	7.0 (35)
Foust Hlth	67	* *	* *	377	4.8 (50)	5.0 (47)	14.6 (94)	185	20.5(131)	18.4(105)	285	13.0 (94)
Franklin C	421	12.8(106)	5.2 (41)	1,690	11.3(142)	4.2 (32)	16.6(121)	593	19.1(111)	19.4(113)	945	16.7(121)
Ft Campbel	606	9.2 (51)	7.8 (91)	3,299	4.4 (39)	7.6(109)	10.2 (14)	1,416	17.6 (92)	9.9 (10)	2,253	28.1(144)
Fulton	54	* *	* *	261	5.7 (70)	8.4(123)	18.0(131)	124	18.5(104)	18.5(106)	187	17.6(124)
Gallatin C	137	11.7 (96)	6.6 (69)	570	6.5 (91)	6.7 (87)	17.7(127)	261	22.2(141)	26.1(142)	404	15.3(113)
Garrard Ct	160	12.5(104)	5.0 (35)	786	5.1 (56)	5.9 (69)	12.3 (45)	334	20.4(130)	18.0(101)	511	14.1(104)
Grant Cty	272	9.2 (51)	7.4 (81)	1,521	3.7 (21)	6.1 (72)	9.5 (11)	660	16.2 (64)	11.5 (15)	1,051	14.8(110)
Graves Cty	475	9.5 (61)	4.6 (26)	1,787	4.1 (28)	7.3(101)	15.4(107)	730	21.0(133)	17.0 (92)	1,154	18.4(126)
Grayson Ct	251	9.6 (63)	9.2(111)	1,284	9.2(128)	5.4 (59)	14.0 (86)	582	19.1(111)	16.0 (72)	872	4.6 (14)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Green Cty	150	5.3 (3)	12.7 (124)	588	4.3 (33)	3.7 (23)	14.8 (97)	247	20.2(126)	18.6(107)	380	13.9(103)
Greenup	209	9.6 (63)	4.8 (31)	1,020	3.4 (14)	10.9(137)	11.9 (37)	403	17.9 (96)	19.4(113)	627	6.2 (30)
Hancock Ct	73	* *	* *	333	7.2(108)	6.9 (90)	15.6(108)	141	18.4(103)	22.7(133)	234	11.1 (74)
Harlan Cty	393	7.6 (24)	7.6 (87)	1,561	3.5 (17)	14.0(148)	13.8 (79)	702	19.7(119)	22.4(132)	808	9.7 (60)
Harrison C	225	13.3(112)	6.2 (59)	862	4.3 (33)	2.7 (4)	13.1 (58)	367	17.2 (85)	16.9 (91)	545	9.7 (60)
Hart Cty H	162	8.0 (28)	8.0 (95)	800	3.9 (25)	4.5 (36)	13.3 (66)	307	16.9 (79)	14.7 (57)	514	7.6 (39)
Henderson	533	9.9 (70)	2.6 (5)	1,829	5.2 (58)	8.7(125)	8.5 (4)	647	16.1 (62)	14.1 (46)	995	2.1 (3)
Henry Coun	183	6.0 (8)	4.4 (24)	624	6.7 (95)	5.6 (62)	15.2(103)	237	16.5 (67)	16.0 (72)	403	17.9(125)
Hickman	50	* *	* *	207	14.5(149)	8.7(125)	24.2(147)	97	* *	* *	149	18.8(129)
Hickman Ct	50	* *	* *	199	6.5 (91)	8.0(116)	22.1(143)	78	* *	* *	136	18.4(126)
Highview	258	8.5 (36)	6.2 (59)	1,500	11.6(143)	6.6 (83)	16.2(114)	587	13.1 (21)	11.8 (17)	903	19.0(130)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Hindman	219	8.7 (41)	5.0 (35)	858	13.2(147)	4.9 (44)	19.3(140)	385	14.3 (26)	17.1 (95)		586	5.8 (28)
Hopkins Ct	517	13.0(108)	7.7 (89)	2,089	7.2(108)	4.9 (44)	12.2 (44)	850	19.5(117)	16.5 (77)		1,373	10.1 (65)
Hospital	1,330	7.4 (20)	7.4 (81)	1,208	0.2 (1)	11.1(138)	3.7 (1)	0	* *	* *		0	* *
Iroquois	657	7.6 (24)	4.9 (33)	2,793	3.0 (9)	6.8 (88)	11.2 (26)	958	18.1 (98)	13.8 (38)		1,704	16.8(122)
Jackson Ct	190	8.9 (47)	6.3 (63)	728	3.7 (21)	7.6(109)	12.4 (48)	335	12.5 (19)	18.8(108)		487	5.3 (22)
Jessamine	492	10.6 (85)	5.3 (42)	2,145	6.8(100)	7.3(101)	11.0 (23)	849	16.0 (60)	13.2 (31)		1,388	13.1 (95)
Johnson Co	325	13.5(113)	2.2 (4)	1,213	6.2 (82)	7.2 (99)	19.0(136)	533	19.1(111)	22.9(137)		778	9.8 (62)
Kenton Cty	588	9.7 (67)	7.0 (75)	3,560	4.9 (51)	5.8 (66)	11.9 (37)	1,272	17.5 (90)	14.5 (50)		2,016	10.4 (71)
Knox Cty	444	8.3 (32)	6.1 (56)	1,924	6.0 (75)	5.8 (66)	13.5 (72)	839	15.6 (54)	19.5(116)		1,322	9.9 (64)
L & N	546	11.0 (89)	5.1 (39)	2,399	5.6 (68)	7.5(106)	12.0 (40)	871	17.3 (86)	13.9 (42)		1,550	16.1(119)
Larue Cty	153	5.9 (7)	9.2(111)	652	7.2(108)	3.2 (10)	22.4(144)	268	19.8(121)	22.0(127)		447	15.9(117)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Laurel Cty	633	8.5 (36)	10.9(118)	2,563	4.3 (33)	7.1 (96)	13.3 (66)	969	14.0 (25)	17.0 (92)	1,481	7.0 (35)
Lawrence C	231	19.0(124)	5.6 (50)	859	4.4 (39)	11.3(139)	12.7 (52)	367	19.9(122)	16.6 (82)	518	6.9 (34)
Lee Cty He	67	* *	* *	398	5.5 (65)	10.1(131)	11.1 (24)	189	9.5 (7)	13.8 (38)	257	22.6(136)
Leslie Cty	179	7.3 (19)	7.8 (91)	732	3.0 (9)	14.3(149)	13.7 (75)	301	10.3 (10)	12.0 (22)	426	9.4 (58)
Letcher Ct	299	14.7(118)	5.0 (35)	1,098	8.4(119)	3.9 (26)	15.1(101)	420	21.4(135)	14.5 (50)	561	2.0 (2)
Lewis Cty	180	11.1 (90)	6.1 (56)	718	4.2 (30)	7.1 (96)	12.3 (45)	300	13.3 (23)	15.3 (65)	424	13.4 (98)
Lex-Fay40A	0	* *	* *	5	* *	* *	* *	4	* *	* *	5	* *
Lex-Fay40C	1,057	10.6 (85)	5.5 (47)	3,675	6.6 (94)	6.4 (77)	16.4(119)	1,357	19.3(116)	22.0(127)	2,070	30.4(146)
Lex-Fay40F	606	10.9 (87)	5.4 (44)	2,633	6.8(100)	6.6 (83)	10.7 (20)	944	19.2(114)	14.6 (55)	1,536	26.3(141)
Lex-Fay40G	241	8.7 (41)	7.1 (76)	1,212	8.5(121)	6.5 (79)	17.1(124)	478	15.5 (49)	19.5(116)	827	33.3(147)
Lex-Fay40W	279	9.3 (55)	8.2 (99)	1,310	11.1(141)	6.0 (71)	16.3(115)	567	18.0 (97)	19.6(119)	566	24.4(138)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lincoln Ct	273	10.3 (78)	5.5 (47)	1,055	3.0 (9)	8.6(124)	10.7 (20)	447	17.7 (94)	11.9 (21)	733	9.3 (57)
Livingston	89	* *	* *	373	10.7(138)	4.6 (39)	17.2(125)	181	9.9 (9)	8.8 (7)	228	6.1 (29)
Logan Cty	216	8.3 (32)	6.9 (73)	987	4.9 (51)	5.0 (47)	13.8 (79)	410	16.8 (77)	19.8(120)	631	26.3(141)
Lynch	82	* *	* *	348	6.9(106)	8.3(120)	11.5 (31)	143	5.6 (2)	17.5 (98)	154	8.4 (44)
Lyon Cty	64	* *	* *	263	9.1(127)	3.8 (24)	24.7(148)	114	10.5 (11)	28.9(145)	189	3.2 (7)
Magoffin C	175	12.6(105)	2.9 (9)	778	10.8(140)	5.7 (64)	22.8(145)	379	22.4(142)	26.6(143)	496	10.3 (68)
Marion Cty	251	11.2 (92)	10.4(116)	1,005	8.7(125)	3.2 (10)	19.1(139)	395	16.7 (71)	20.0(121)	628	7.0 (35)
Marshal90A	306	9.2 (51)	3.9 (17)	1,083	12.1(145)	8.2(119)	14.8 (97)	423	10.9 (12)	8.5 (5)	695	14.1(104)
Marshal90B	10	* *	* *	65	* *	* *	* *	27	* *	* *	48	* *
Martin Cty	132	24.2(125)	1.5 (1)	751	8.1(118)	6.3 (75)	16.5(120)	320	14.4 (31)	15.6 (68)	529	5.3 (22)
Mason Cty	238	14.3(116)	6.3 (63)	820	9.5(132)	11.3(139)	14.8 (97)	311	15.1 (43)	17.0 (92)	502	9.2 (55)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
McCracken	661	9.5 (61)	6.1 (56)	2,156	6.1 (77)	4.1 (29)	18.5(133)	874	15.7 (55)	14.3 (47)	1,396	15.6(115)
McCreary C	271	10.3 (78)	6.3 (63)	1,176	4.7 (47)	6.5 (79)	12.4 (48)	522	15.3 (45)	19.2(112)	793	5.2 (20)
McLean Ct	96	* *	* *	430	12.3(146)	2.8 (6)	14.7 (95)	202	21.8(138)	13.9 (42)	286	1.0 (1)
Meade Cty	218	10.1 (75)	11.0(119)	882	7.4(113)	4.8 (42)	14.4 (89)	327	12.2 (16)	9.5 (8)	554	11.2 (75)
Menifee Ct	79	* *	* *	375	1.9 (3)	5.9 (69)	13.3 (66)	166	15.7 (55)	15.1 (60)	257	12.5 (89)
Mercer Cty	213	8.5 (36)	8.0 (95)	944	6.7 (95)	5.4 (59)	13.8 (79)	412	16.5 (67)	16.7 (84)	640	11.7 (81)
Metcalfe C	94	* *	* *	452	5.3 (62)	7.7(114)	11.7 (33)	209	16.7 (71)	15.3 (65)	314	11.8 (82)
Middletown	492	9.1 (49)	7.1 (76)	1,872	7.6(114)	5.2 (53)	10.6 (18)	684	16.7 (71)	11.5 (15)	1,149	11.9 (84)
Monroe Cnt	105	16.2(122)	10.5(117)	503	7.2(108)	4.8 (42)	18.5(133)	216	25.0(145)	22.2(130)	347	3.7 (9)
Montgomery	295	10.5 (83)	8.5(103)	1,419	5.6 (68)	3.6 (20)	13.7 (75)	598	19.9(122)	16.6 (82)	952	6.5 (32)
Morgan Cty	117	14.5(117)	4.3 (22)	687	3.5 (17)	7.3(101)	13.2 (62)	341	16.7 (71)	16.1 (74)	498	17.1(123)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Muhlenberg	341	7.6 (24)	9.4 (114)	1,283	5.5 (65)	5.8 (66)	11.1 (24)	540	20.0 (125)	15.7 (70)	752	8.5 (46)
Neighborho	383	10.2 (77)	7.8 (91)	1,606	2.7 (6)	10.5 (136)	8.6 (5)	568	12.3 (17)	8.5 (5)	929	5.4 (25)
Nelson Cty	353	9.9 (70)	4.8 (31)	1,669	8.4 (119)	5.2 (53)	13.6 (73)	652	16.6 (70)	11.8 (17)	1,066	12.2 (87)
Newburg	707	8.9 (47)	7.1 (76)	2,660	5.0 (54)	13.8 (147)	11.8 (35)	941	6.7 (3)	5.6 (1)	1,629	25.2 (140)
Nicholas C	103	8.7 (41)	2.9 (9)	347	6.3 (85)	10.1 (131)	11.2 (26)	153	3.9 (1)	11.8 (17)	236	8.5 (46)
Oasis Hlth	48	* *	* *	239	13.4 (148)	3.3 (13)	13.4 (70)	121	14.9 (38)	12.4 (26)	168	28.6 (145)
Ohio Cty	320	8.8 (46)	4.7 (29)	1,245	4.5 (43)	3.6 (20)	10.0 (13)	525	18.7 (106)	15.6 (68)	771	4.9 (16)
Oldham Cty	254	9.8 (69)	3.5 (14)	954	7.9 (116)	3.8 (24)	14.0 (86)	373	18.5 (104)	16.4 (76)	540	10.2 (66)
Olive Hill	144	11.8 (97)	7.6 (87)	743	2.7 (6)	8.3 (120)	12.9 (56)	345	16.2 (64)	19.4 (113)	493	11.4 (77)
Owen Cty	107	7.5 (22)	9.3 (113)	443	6.3 (85)	6.8 (88)	13.8 (79)	174	16.1 (62)	16.7 (84)	313	16.3 (120)
Owsley Cty	88	* *	* *	335	10.7 (138)	2.7 (4)	30.7 (149)	164	17.1 (83)	25.6 (141)	251	11.6 (80)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Park Duval	401	15.0 (119)	4.2 (20)	2,043	8.0(117)	7.0 (91)	12.1 (42)	825	16.7 (71)	13.2 (31)	1,411	8.5 (46)
Pendleton	134	11.9 (99)	4.5 (25)	545	6.1 (77)	6.1 (72)	10.3 (15)	206	18.9(108)	14.6 (55)	331	21.8(135)
Perry Cty	388	12.4 (102)	2.6 (5)	1,601	8.5(121)	3.3 (13)	22.8(145)	597	17.1 (83)	22.8(135)	944	8.7 (50)
Pike Cty	553	10.3 (78)	8.7(107)	2,132	4.4 (39)	10.4(135)	12.9 (56)	768	13.9 (24)	12.6 (28)	1,217	12.7 (91)
Portland	384	11.2 (92)	6.0 (53)	1,494	6.8(100)	7.6(109)	15.1(101)	547	14.4 (31)	16.5 (77)	904	27.5(143)
Powell Cty	183	13.1(109)	7.1 (76)	729	8.5(121)	4.3 (35)	16.0(111)	326	14.4 (31)	20.9(123)	521	5.4 (25)
Pulaski Ct	648	9.3 (55)	6.2 (59)	2,827	3.4 (14)	7.4(105)	9.4 (9)	1,091	13.0 (20)	13.1 (30)	1,741	5.3 (22)
Radcliffe	537	9.3 (55)	7.8 (91)	2,358	3.8 (23)	4.2 (32)	8.9 (8)	979	15.4 (47)	10.1 (11)	1,564	12.6 (90)
Richmond	565	10.1 (75)	4.6 (26)	2,039	4.0 (26)	9.6(129)	10.4 (16)	747	16.3 (66)	16.7 (84)	1,249	8.2 (42)
Robertson	37	* *	* *	171	3.5 (17)	7.0 (91)	9.9 (12)	81	* *	* *	126	6.3 (31)
Rockcastle	223	10.3 (78)	5.4 (44)	903	6.0 (75)	5.0 (47)	15.7(109)	390	19.2(114)	16.7 (84)	593	10.3 (68)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Rowan Cty	252	8.7 (41)	8.7 (107)	1,059	3.1 (12)	8.1(118)	11.7 (33)	412	18.7(106)	15.0 (59)	661	7.0 (35)
Russell Ct	235	11.1 (90)	6.0 (53)	940	7.6(114)	8.0(116)	11.9 (37)	340	17.6 (92)	22.1(129)	567	7.8 (41)
Scott Cty	336	13.7 (114)	8.6 (106)	1,342	8.5(121)	3.4 (17)	18.8(135)	550	17.3 (86)	12.0 (22)	875	20.6 (134)
Shelby Cty	313	10.5 (83)	6.7 (71)	1,402	9.6(134)	4.2 (32)	17.8(128)	595	15.5 (49)	14.3 (47)	908	12.3 (88)
Simpson Ct	171	7.0 (16)	8.8(109)	758	6.7 (95)	8.3(120)	12.4 (48)	271	18.1 (98)	17.7 (99)	467	19.9(132)
South Shor	49	* *	* *	244	4.1 (28)	11.5(141)	13.1 (58)	102	19.6(118)	13.7 (37)	156	2.6 (4)
Spencer Ct	81	* *	* *	432	9.5(132)	4.9 (44)	20.4(141)	203	12.3 (17)	21.2(124)	289	14.2(109)
TAPP-South	0	* *	* *	2	* *	* *	* *	0	* *	* *	0	* *
Taylor Cty	279	6.8 (12)	7.5 (85)	1,042	5.7 (70)	6.1 (72)	15.2(103)	398	17.3 (86)	16.8 (90)	649	13.7 (99)
Todd Cty H	125	4.8 (1)	12.8(125)	632	10.0(137)	6.5 (79)	19.0(136)	289	11.4 (13)	14.5 (50)	468	9.6 (59)
Trigg Cty	154	10.4 (82)	3.2 (11)	543	7.0(107)	3.5 (18)	14.5 (90)	221	14.9 (38)	14.5 (50)	343	8.7 (50)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Trimble Ct	106	5.7 (4)	4.7 (29)	396	7.3(112)	10.1(131)	11.4 (29)	153	13.1 (21)	11.1 (14)	251	23.9(137)
Union Cty	158	5.7 (4)	6.3 (63)	633	9.6(134)	3.3 (13)	13.1 (58)	246	14.6 (35)	13.8 (38)	417	5.0 (17)
Washington	93	* *	* *	486	6.4 (88)	3.1 (8)	16.3(115)	213	20.2(126)	18.3(103)	304	11.8 (82)
Wayne Cty	320	8.1 (31)	6.9 (73)	1,202	4.2 (30)	5.4 (59)	16.1(113)	480	17.3 (86)	23.8(139)	751	15.6(115)
Webster Ct	140	7.1 (18)	4.3 (22)	572	11.9(144)	1.0 (1)	21.9(142)	221	19.9(122)	19.0(111)	390	4.1 (13)
Webster Prov	14	* *	* *	63	* *	* *	* *	32	* *	* *	44	* *
Wheelbrigh	86	* *	* *	360	2.2 (4)	11.7(143)	8.6 (5)	169	9.5 (7)	11.8 (17)	252	10.3 (68)
Williamsbu	364	13.2(111)	6.6 (69)	1,434	6.1 (77)	7.6(109)	17.9(130)	596	22.7(143)	27.2(144)	934	8.8 (52)
Wolfe Cty	118	9.3 (55)	8.5(103)	558	5.2 (58)	2.3 (2)	14.5 (90)	265	15.5 (49)	14.7 (57)	378	7.7 (40)
Woodford C	215	11.2 (92)	7.4 (81)	836	9.4(131)	3.2 (10)	15.3(106)	340	20.6(132)	15.3 (65)	563	11.9 (84)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Kentucky	42,298	9.9	6.3	173,809	6.0	6.6	13.5	68,450	16.4	15.8	107,861	12.9
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,996	16.5	14.8	4,916,523	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Adair Coun	191	35.1 (67)	128	11.7 (37)	121	4.1 (52)	0	* *	0	* *	356	91.0 (75)	794	24.3 (62)
Allen Coun	231	49.8 (12)	117	13.7 (23)	157	5.1 (38)	0	* *	0	* *	461	80.5(135)	1,004	33.6 (89)
Anderson C	154	39.0 (45)	128	13.3 (25)	133	4.5 (44)	0	* *	0	* *	300	82.3(131)	740	23.8 (57)
Ashland-Bo	437	23.6(105)	267	7.5 (68)	235	7.7 (21)	0	* *	0	* *	782	96.5 (31)	1,918	54.8 (134)
Ballard Co	81	* *	46	* *	62	* *	0	* *	0	* *	135	92.6 (66)	319	43.3 (107)
Bar-Riv-Wa	707	46.8 (18)	406	14.0 (22)	407	8.6 (17)	0	* *	0	* *	1,298	89.1 (93)	3,440	7.4 (28)
Barren Cty	292	34.2 (70)	180	10.0 (45)	199	5.5 (33)	0	* *	0	* *	740	90.8 (76)	1,767	21.6 (53)
Bath Count	131	17.6(122)	83	* *	92	* *	0	* *	0	* *	327	99.4 (14)	663	45.9 (113)
Belfry	104	19.2(121)	62	* *	65	* *	0	* *	0	* *	203	67.5(146)	494	64.8 (142)
Bell Cty M	206	23.3(107)	103	8.7 (58)	128	0.8 (95)	0	* *	0	* *	470	93.8 (57)	942	37.0 (98)
Bell Cty P	265	21.9(112)	144	2.1 (90)	161	1.2 (92)	0	* *	0	* *	526	98.5 (16)	1,113	33.2 (83)
Berea	211	47.4 (17)	134	19.4 (11)	115	10.4 (9)	0	* *	0	* *	372	95.2 (45)	892	17.0 (45)
Betsy Lane	139	13.7(125)	103	1.9 (91)	100	0.0(100)	0	* *	0	* *	335	100.0 (1)	675	70.8 (145)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Boone Coun	667	36.6 (59)	482	13.3 (25)	476	5.5 (33)	0	* *	0	* *	1,356	88.5 (99)	3,320	40.2 (104)
Bourbon Ct	219	43.8 (30)	142	12.0 (34)	148	7.4 (22)	0	* *	0	* *	342	93.9 (55)	865	33.2 (83)
Boyle Coun	245	24.9 (97)	134	6.7 (73)	141	4.3 (47)	0	* *	0	* *	435	95.9 (36)	1,030	48.3 (122)
Bracken Co	109	28.4 (88)	62	* *	56	* *	0	* *	0	* *	185	89.2 (91)	439	63.3 (141)
Breathitt	148	20.9(118)	110	5.5 (79)	133	0.8 (95)	0	* *	0	* *	420	78.8(140)	831	51.6 (126)
Breckinrid	180	38.3 (48)	97	* *	97	* *	0	* *	0	* *	358	86.0(118)	794	2.8 (20)
Bridges	175	40.0 (40)	88	* *	89	* *	0	* *	0	* *	359	85.8(120)	736	4.1 (24)
Bullitt Co	544	39.3 (43)	314	9.2 (54)	353	3.4 (62)	0	* *	0	* *	866	91.1 (74)	2,159	23.8 (57)
Butler Cty	107	35.5 (66)	60	* *	78	* *	0	* *	0	* *	281	88.6 (97)	588	18.2 (47)
C & Y	469	36.0 (62)	366	2.7 (88)	274	1.8 (86)	0	* *	0	* *	671	100.0 (1)	2,088	0.0 (1)
Caldwell C	166	36.7 (57)	106	8.5 (60)	104	1.9 (84)	0	* *	0	* *	256	73.0(145)	622	33.1 (82)
Calloway C	372	64.5 (3)	195	24.6 (4)	206	9.7 (12)	0	* *	0	* *	545	95.8 (38)	1,391	10.1 (32)
Campbell C	453	25.4 (93)	369	8.7 (58)	341	4.4 (46)	0	* *	0	* *	981	92.9 (63)	2,340	24.2 (60)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Carlisle C	60	* *	41	* *	50	* *	0	* *	0	* *	125	85.6(122)	269	28.6 (70)
Carroll Ct	209	30.1 (84)	110	10.0 (45)	128	7.0 (23)	0	* *	0	* *	325	85.5(123)	800	34.0 (91)
Carter Cty	181	33.1 (73)	125	10.4 (43)	126	2.4 (74)	0	* *	0	* *	412	90.3 (84)	928	52.3 (127)
Casey Cty	173	39.9 (41)	99	* *	115	4.3 (47)	0	* *	0	* *	374	91.2 (72)	765	31.6 (76)
Christian	868	36.1 (61)	528	12.5 (31)	431	6.0 (30)	0	* *	0	* *	1,177	86.4(117)	3,244	41.7 (106)
Clark Coun	420	36.7 (57)	226	8.0 (64)	212	4.2 (50)	0	* *	0	* *	598	97.8 (24)	1,528	0.7 (15)
Clay Cty H	348	21.8(113)	181	3.9 (86)	215	2.8 (72)	0	* *	0	* *	648	88.3(104)	1,463	74.7 (146)
Clinton Ct	142	23.2(108)	113	0.9 (92)	116	1.7 (88)	0	* *	0	* *	344	88.4(101)	729	46.6 (120)
Corbin	450	19.6(120)	236	9.7 (49)	240	3.8 (58)	0	* *	0	* *	709	89.8 (85)	1,676	9.2 (31)
Crittenden	91	* *	45	* *	56	* *	0	* *	0	* *	171	87.1(114)	373	21.7 (54)
Cumberland	85	* *	46	* *	49	* *	0	* *	0	* *	214	93.0 (62)	394	29.9 (73)
Daviess Co	925	32.0 (77)	450	7.3 (70)	419	2.1 (79)	0	* *	0	* *	1,336	92.4 (68)	3,464	21.1 (51)
Dixie	774	45.7 (20)	428	12.1 (33)	433	3.9 (56)	0	* *	0	* *	1,076	96.8 (29)	2,996	0.2 (5)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Edmonson C	85	* *	82	* *	46	* *	0	* *	0	* *	209	88.5 (99)	498	32.3 (79)
Elliott Ct	107	21.5(115)	58	* *	60	* *	0	* *	0	* *	234	95.7 (39)	466	43.8 (109)
Estill Cty	146	34.9 (69)	94	* *	112	0.9 (93)	0	* *	0	* *	397	88.4(101)	819	25.3 (64)
Etown	485	37.5 (53)	260	8.8 (56)	352	4.8 (41)	0	* *	0	* *	998	91.8 (69)	2,348	32.7 (80)
Fairdale	401	22.9(109)	272	11.0 (40)	227	0.4 (99)	0	* *	0	* *	568	84.2(125)	1,597	0.4 (10)
Fleming Co	185	20.5(119)	89	* *	110	3.6 (60)	0	* *	0	* *	372	86.8(115)	776	26.9 (68)
Floyd Cty	397	21.7(114)	174	8.0 (64)	215	3.3 (66)	0	* *	0	* *	639	99.8 (9)	1,470	48.8 (123)
Foust Hlth	65	* *	34	* *	47	* *	0	* *	0	* *	203	88.2(107)	383	18.5 (48)
Franklin C	417	45.3 (22)	216	15.3 (18)	222	5.4 (35)	0	* *	0	* *	665	88.3(104)	1,747	46.5 (119)
Ft Campbell	603	73.6 (1)	383	22.5 (8)	454	12.6 (4)	0	* *	0	* *	1,515	81.7(133)	3,382	3.0 (21)
Fulton	54	* *	33	* *	39	* *	0	* *	0	* *	131	76.3(144)	274	53.6 (131)
Gallatin C	136	36.0 (62)	78	* *	76	* *	0	* *	0	* *	293	89.8 (85)	588	84.2 (147)
Garrard Ct	165	43.6 (31)	108	6.5 (75)	106	5.7 (32)	0	* *	0	* *	372	97.8 (24)	807	33.2 (83)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Grant Cty	285	36.8 (56)	237	16.5 (16)	279	6.5 (27)	0	* *	0	* *	741	88.1(108)	1,587	50.0 (125)
Graves Cty	476	38.0 (49)	253	11.9 (35)	300	4.0 (54)	0	* *	0	* *	805	97.9 (22)	1,849	31.5 (75)
Grayson Ct	259	30.5 (83)	181	10.5 (42)	201	6.0 (30)	0	* *	0	* *	652	76.5(143)	1,329	60.8 (139)
Green Cty	152	53.9 (9)	80	* *	93	* *	0	* *	0	* *	280	90.4 (82)	596	24.2 (60)
Greenup	209	25.8 (92)	154	11.0 (40)	177	2.3 (75)	0	* *	0	* *	433	93.3 (60)	1,045	21.1 (51)
Hancock Ct	73	* *	42	* *	46	* *	0	* *	0	* *	157	87.9(110)	346	26.3 (67)
Harlan Cty	392	24.5 (98)	183	4.4 (83)	234	2.1 (79)	0	* *	0	* *	786	90.5 (80)	1,640	26.2 (66)
Harrison C	221	44.3 (26)	121	8.3 (62)	110	9.1 (15)	0	* *	0	* *	411	97.3 (26)	905	22.3 (55)
Hart Cty H	162	30.9 (80)	119	14.3 (21)	112	3.6 (60)	0	* *	0	* *	342	89.2 (91)	820	23.5 (56)
Henderson	505	24.0(102)	234	8.5 (60)	224	4.0 (54)	0	* *	0	* *	711	87.2(113)	1,871	31.6 (76)
Henry Coun	181	32.6 (74)	81	* *	98	* *	0	* *	0	* *	272	97.1 (28)	637	8.0 (30)
Hickman	50	* *	26	* *	35	* *	0	* *	0	* *	107	79.4(139)	218	52.8 (129)
Hickman Ct	49	* *	28	* *	40	* *	0	* *	0	* *	90	* *	206	33.5 (88)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Highview	259	44.0 (28)	207	16.9 (14)	183	9.8 (11)	0	* *	0	* *	632	94.5 (48)	1,579	0.2 (5)
Hindman	215	24.2(101)	97	* *	114	1.8 (86)	0	* *	0	* *	429	96.5 (31)	913	16.0 (41)
Hopkins Ct	511	41.9 (35)	259	7.7 (67)	235	3.4 (62)	0	* *	0	* *	930	84.0(126)	2,161	46.0 (116)
Hospital	1,330	37.6 (51)	15	* *	0	* *	0	* *	0	* *	0	* *	1,338	16.9 (44)
Iroquois	666	61.4 (5)	539	23.6 (5)	423	8.3 (19)	0	* *	0	* *	1,044	95.3 (43)	2,923	0.3 (8)
Jackson Ct	186	31.7 (78)	86	* *	95	* *	0	* *	0	* *	370	92.7 (64)	745	67.5 (144)
Jessamine	489	42.9 (32)	313	20.1 (10)	303	10.6 (8)	0	* *	0	* *	935	93.6 (59)	2,226	16.8 (43)
Johnson Co	321	25.2 (94)	171	5.3 (80)	171	0.6 (97)	0	* *	0	* *	590	99.5 (13)	1,284	36.7 (97)
Kenton Cty	765	30.6 (82)	662	9.5 (51)	501	3.0 (70)	0	* *	0	* *	1,415	96.0 (35)	3,756	53.1 (130)
Knox Cty	481	24.3(100)	240	6.7 (73)	264	2.3 (75)	0	* *	0	* *	957	94.5 (48)	1,995	0.7 (15)
L & N	617	44.4 (25)	383	11.5 (38)	372	4.6 (42)	0	* *	0	* *	966	85.8(120)	2,561	0.5 (13)
Larue Cty	152	46.7 (19)	101	9.9 (47)	89	* *	0	* *	0	* *	306	84.0(126)	673	12.2 (34)
Laurel Cty	660	33.6 (72)	413	7.3 (70)	361	3.9 (56)	0	* *	0	* *	1,077	94.8 (47)	2,648	47.8 (121)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Lawrence C	231	21.2(116)	113	2.7 (88)	111	0.9 (93)	0	* *	0	* *	411	96.6 (30)	893	25.8 (65)
Lee Cty He	91	* *	56	* *	42	* *	0	* *	0	* *	215	87.4(112)	422	14.9 (38)
Leslie Cty	180	23.9(103)	107	6.5 (75)	103	1.9 (84)	0	* *	0	* *	341	99.7 (11)	769	3.3 (22)
Letcher Ct	292	32.2 (75)	135	15.6 (17)	101	10.9 (7)	0	* *	0	* *	467	90.6 (78)	1,142	7.5 (29)
Lewis Cty	176	37.5 (53)	70	* *	100	2.0 (82)	0	* *	0	* *	344	87.5(111)	742	62.3 (140)
Lex-Fay40A	0	* *	0	* *	0	* *	0	* *	0	* *	3	* *	4	* *
Lex-Fay40C	1,091	66.4 (2)	587	43.1 (1)	474	21.7 (1)	0	* *	0	* *	1,505	88.6 (97)	3,901	0.4 (10)
Lex-Fay40F	604	63.6 (4)	495	23.6 (5)	383	12.5 (5)	0	* *	0	* *	1,032	88.4(101)	2,723	0.4 (10)
Lex-Fay40G	242	41.3 (36)	165	13.3 (25)	193	6.2 (28)	0	* *	0	* *	547	93.2 (61)	1,274	0.2 (5)
Lex-Fay40W	278	57.9 (7)	180	28.9 (3)	176	15.9 (3)	0	* *	0	* *	633	95.7 (39)	1,387	0.3 (8)
Lincoln Ct	271	23.6(105)	149	7.4 (69)	163	3.1 (68)	0	* *	0	* *	509	98.4 (18)	1,109	46.1 (117)
Livingston	89	* *	39	* *	51	* *	0	* *	0	* *	197	80.2(136)	386	39.9 (102)
Logan Cty	218	36.2 (60)	108	9.3 (53)	141	1.4 (91)	0	* *	0	* *	464	91.8 (69)	1,020	27.5 (69)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Lynch	82	* *	46	* *	70	* *	0	* *	0	* *	157	86.0(118)	363	44.1 (110)
Lyon Cty	62	* *	26	* *	37	* *	0	* *	0	* *	123	99.2 (15)	268	37.3 (99)
Magoffin C	175	17.1(123)	94	* *	101	0.0 (100)	0	* *	0	* *	422	100.0 (1)	823	29.2 (71)
Marion Cty	250	36.0 (62)	114	8.8 (56)	131	5.3 (37)	0	* *	0	* *	450	99.8 (9)	1,018	58.4 (136)
Marshal90A	307	47.6 (16)	172	12.8 (29)	167	6.6 (25)	0	* *	0	* *	479	82.3(131)	1,148	34.0 (91)
Marshal90B	9	* *	8	* *	14	* *	0	* *	0	* *	32	* *	67	* *
Martin Cty	186	14.0(124)	88	* *	134	2.2 (77)	0	* *	0	* *	366	88.8 (96)	796	41.6 (105)
Mason Cty	248	22.2(110)	111	4.5 (82)	134	2.2 (77)	0	* *	0	* *	354	97.2 (27)	871	58.8 (138)
McCracken	659	45.5 (21)	357	13.7 (23)	352	5.4 (35)	0	* *	0	* *	973	88.0(109)	2,375	18.8 (49)
McCreary C	280	25.0 (95)	148	4.7 (81)	153	2.0 (82)	0	* *	0	* *	599	86.6(116)	1,213	29.3 (72)
McLean Ct	95	* *	50	* *	50	* *	0	* *	0	* *	216	94.0 (53)	441	33.6 (89)
Meade Cty	217	24.4 (99)	98	* *	121	5.0 (39)	0	* *	0	* *	361	83.1(128)	905	45.2 (111)
Menifee Ct	79	* *	63	* *	70	* *	0	* *	0	* *	185	94.1 (52)	394	13.7 (37)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Mercer Cty	212	40.6 (38)	119	10.1 (44)	122	3.3 (66)	0	* *	0	* *	457	91.2 (72)	975	34.2 (94)
Metcalfe C	93	* *	53	* *	48	* *	0	* *	0	* *	232	94.0 (53)	467	34.0 (91)
Middletown	491	59.7 (6)	300	22.0 (9)	283	9.2 (14)	0	* *	0	* *	743	95.7 (39)	1,938	0.1 (2)
Monroe Cnt	104	31.7 (78)	50	* *	78	* *	0	* *	0	* *	242	100.0 (1)	516	24.4 (63)
Montgomery	293	38.6 (46)	228	11.8 (36)	177	4.5 (44)	0	* *	0	* *	663	89.6 (87)	1,469	38.1 (100)
Morgan Cty	163	30.1 (84)	89	* *	82	* *	0	* *	0	* *	340	100.0 (1)	742	12.5 (36)
Muhlenberg	337	23.7(104)	179	3.9 (86)	177	3.4 (62)	0	* *	0	* *	608	80.1(137)	1,318	53.7 (132)
Neighborho	386	47.7 (15)	265	30.6 (2)	243	16.0 (2)	0	* *	0	* *	644	93.9 (55)	1,709	0.6 (14)
Nelson Cty	354	42.1 (34)	199	6.0 (78)	231	4.3 (47)	0	* *	0	* *	731	95.9 (36)	1,705	87.9 (149)
Newburg	720	51.8 (11)	407	22.6 (7)	398	8.5 (18)	0	* *	0	* *	1,094	90.4 (82)	2,847	1.2 (18)
Nicholas C	100	21.0(117)	58	* *	59	* *	0	* *	0	* *	175	98.3 (20)	382	49.5 (124)
Oasis Hlth	48	* *	33	* *	34	* *	0	* *	0	* *	131	77.9(141)	259	15.1 (39)
Ohio Cty	317	44.2 (27)	183	17.5 (13)	165	7.9 (20)	0	* *	0	* *	575	77.2(142)	1,285	45.8 (112)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Oldham Cty	246	49.2 (13)	100	15.0 (19)	123	4.9 (40)	0	* *	0	* *	413	94.9 (46)	978	87.8 (148)
Olive Hill	144	27.1 (90)	93	* *	115	2.6 (73)	0	* *	0	* *	383	94.3 (50)	758	43.3 (107)
Owen Cty	106	37.7 (50)	61	* *	56	* *	0	* *	0	* *	194	97.9 (22)	462	45.9 (113)
Owsley Cty	84	* *	32	* *	51	* *	0	* *	0	* *	186	96.2 (33)	363	30.0 (74)
Park Duval	404	37.6 (51)	276	16.7 (15)	298	9.1 (15)	0	* *	0	* *	943	99.9 (8)	2,141	0.1 (2)
Pendleton	134	47.8 (14)	74	* *	78	* *	0	* *	0	* *	229	94.3 (50)	563	34.5 (95)
Perry Cty	429	32.2 (75)	207	4.3 (84)	262	3.4 (62)	0	* *	0	* *	668	89.5 (89)	1,689	0.9 (17)
Pike Cty	576	25.0 (95)	309	8.1 (63)	290	2.1 (79)	0	* *	0	* *	893	83.0(129)	2,240	67.3 (143)
Portland	387	38.5 (47)	211	12.8 (29)	196	6.1 (29)	0	* *	0	* *	620	91.5 (71)	1,568	0.1 (2)
Powell Cty	184	42.9 (32)	102	9.8 (48)	119	1.7 (88)	0	* *	0	* *	369	89.4 (90)	770	33.2 (83)
Pulaski Ct	648	39.7 (42)	479	11.3 (39)	368	6.8 (24)	0	* *	0	* *	1,234	92.7 (64)	2,927	35.1 (96)
Radcliffe	533	41.3 (36)	253	9.5 (51)	353	3.7 (59)	0	* *	0	* *	1,074	90.5 (80)	2,415	54.7 (133)
Richmond	564	35.6 (65)	312	6.1 (77)	327	4.6 (42)	0	* *	0	* *	838	90.6 (78)	2,088	20.1 (50)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Robertson	37	* *	19	* *	29	* *	0	* *	0	* *	93	* *	183	56.8 (135)
Rockcastle	220	45.0 (23)	114	9.6 (50)	135	9.6 (13)	0	* *	0	* *	441	89.6 (87)	939	7.3 (27)
Rowan Cty	252	33.7 (71)	156	12.2 (32)	136	1.5 (90)	0	* *	0	* *	473	79.9(138)	1,094	4.7 (25)
Russell Ct	236	37.3 (55)	167	7.2 (72)	172	2.9 (71)	0	* *	0	* *	392	85.5(123)	986	31.8 (78)
Scott Cty	335	44.8 (24)	171	14.6 (20)	189	11.1 (6)	0	* *	0	* *	608	98.5 (16)	1,437	24.0 (59)
Shelby Cty	311	55.3 (8)	159	18.9 (12)	242	10.3 (10)	0	* *	0	* *	668	88.3(104)	1,465	3.3 (22)
Simpson Ct	171	26.3 (91)	93	* *	120	4.2 (50)	0	* *	0	* *	297	98.0 (21)	788	46.3 (118)
South Shor	49	* *	30	* *	27	* *	0	* *	0	* *	107	100.0 (1)	249	17.3 (46)
Spencer Ct	80	* *	32	* *	62	* *	0	* *	0	* *	233	95.3 (43)	448	1.8 (19)
TAPP-South	0	* *	0	* *	0	* *	0	* *	0	* *	0	* *	2	* *
Taylor Cty	278	28.8 (87)	166	7.8 (66)	171	4.1 (52)	0	* *	0	* *	455	92.5 (67)	1,080	38.2 (101)
Todd Cty H	125	44.0 (28)	86	* *	80	* *	0	* *	0	* *	334	96.1 (34)	669	11.4 (33)
Trigg Cty	155	40.6 (38)	73	* *	88	* *	0	* *	0	* *	244	88.9 (94)	566	39.9 (102)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Trimble Ct	106	29.2 (86)	65	* *	63	* *	0	* *	0	* *	169	81.7(133)	403	7.2 (26)
Union Cty	151	35.1 (67)	72	* *	83	* *	0	* *	0	* *	279	88.9 (94)	647	32.8 (81)
Washington	92	* *	58	* *	71	* *	0	* *	0	* *	233	99.6 (12)	490	15.7 (40)
Wayne Cty	326	27.6 (89)	191	8.9 (55)	163	3.1 (68)	0	* *	0	* *	555	93.7 (58)	1,245	52.3 (127)
Webster Ct	135	39.3 (43)	55	* *	76	* *	0	* *	0	* *	258	82.9(130)	585	33.3 (87)
Webster Prov	14	* *	7	* *	4	* *	0	* *	0	* *	32	* *	64	* *
Wheelbrigh	85	* *	46	* *	62	* *	0	* *	0	* *	195	100.0 (1)	378	58.5 (137)
Williamsbu	359	22.0(111)	195	4.1 (85)	186	0.5 (98)	0	* *	0	* *	667	95.5 (42)	1,479	12.4 (35)
Wolfe Cty	117	30.8 (81)	62	* *	77	* *	0	* *	0	* *	303	90.8 (76)	582	45.9 (113)
Woodford C	209	53.1 (10)	107	13.1 (28)	106	6.6 (25)	0	* *	0	* *	370	98.4 (18)	864	16.4 (42)
Kentucky	42,953	37.8	24,535	12.2	24,834	5.4	0	*	0	*	76,373	91.1	181,270	26.9
Nation (Prior Year)	1,719,083	62.0	848,761	26.9	1,038,203	19.1	144,421	12.9	206,416	7.2	744,697	74.8	3,277,352	10.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adair Coun	537	8.2 (28)	6.9(104)	2,113	5.3 (64)	6.2 (74)	10.7 (22)	852	11.9 (11)	14.9 (52)	1,282	10.1 (61)
Allen Coun	648	7.7 (21)	6.3 (88)	2,630	6.3 (97)	6.7 (88)	10.7 (22)	1,123	14.7 (28)	13.3 (33)	1,331	16.6(120)
Anderson C	445	11.5(120)	5.2 (44)	1,809	6.8(110)	7.0 (95)	13.7 (88)	713	21.2(148)	17.7(106)	1,170	14.7(110)
Ashland-Bo	1,314	13.1(139)	4.3 (18)	5,181	3.5 (17)	11.4(148)	8.9 (8)	1,930	15.8 (46)	15.3 (63)	3,141	17.0(125)
Ballard Co	238	9.7 (73)	6.7 (97)	795	9.1(138)	5.0 (47)	16.2(129)	328	18.9(123)	10.7 (10)	556	11.0 (75)
Bar-Riv-Wa	2,229	11.2(115)	5.7 (61)	9,640	5.1 (60)	7.1 (98)	13.0 (68)	3,475	16.8 (82)	17.4(102)	5,664	15.7(119)
Barren Cty	1,203	9.4 (63)	8.6(135)	4,995	4.9 (52)	5.7 (61)	12.3 (50)	1,907	16.6 (73)	18.4(117)	3,037	8.8 (48)
Bath Count	401	10.5 (92)	9.5(147)	1,745	9.9(144)	6.9 (91)	18.7(145)	757	21.1(147)	24.3(150)	1,132	10.5 (68)
Belfry	322	12.4(135)	4.3 (18)	1,314	2.7 (6)	12.1(151)	11.0 (29)	514	13.0 (16)	15.0 (57)	816	8.9 (50)
Bell Cty M	565	14.9(145)	4.4 (23)	2,562	6.0 (82)	3.5 (18)	18.2(141)	1,221	16.4 (66)	20.3(134)	1,855	2.7 (5)
Bell Cty P	629	10.0 (81)	5.6 (59)	2,981	5.5 (74)	4.1 (26)	15.2(116)	1,372	15.3 (35)	18.2(112)	2,033	3.7 (7)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Berea	555	9.9 (78)	8.8 (140)	2,261	4.2 (34)	7.9 (121)	9.5 (10)	885	14.7 (28)	14.1 (39)	1,482	5.1 (18)
Betsy Lane	427	11.2 (115)	4.9 (37)	1,773	1.9 (4)	11.4 (148)	7.7 (2)	832	7.8 (3)	8.9 (4)	1,261	5.2 (20)
Boone Coun	1,679	11.0 (107)	7.6 (114)	8,455	6.0 (82)	6.3 (77)	13.2 (73)	3,251	16.3 (64)	14.9 (52)	5,287	15.4 (116)
Bourbon Ct	631	8.9 (42)	7.0 (106)	2,157	5.4 (71)	5.1 (48)	17.4 (135)	757	18.8 (120)	18.9 (119)	1,408	12.1 (87)
Boyle Coun	664	9.9 (78)	6.8 (101)	2,749	5.3 (64)	5.7 (61)	13.2 (73)	1,037	15.3 (35)	14.9 (52)	1,650	13.6 (102)
Bracken Co	289	10.0 (81)	5.9 (69)	1,112	6.2 (93)	11.3 (146)	14.1 (97)	415	25.3 (153)	20.7 (136)	729	4.8 (13)
Breathitt	474	7.4 (13)	4.2 (13)	2,272	4.4 (36)	4.4 (37)	16.4 (131)	1,081	16.5 (69)	16.2 (84)	1,609	5.4 (23)
Breckinrid	493	9.1 (51)	5.5 (54)	2,160	6.0 (82)	2.5 (4)	11.6 (38)	948	15.3 (35)	11.5 (18)	1,483	6.6 (32)
Bridges	438	10.0 (81)	4.8 (33)	2,015	5.6 (76)	6.6 (85)	14.9 (109)	842	16.6 (73)	15.0 (57)	1,239	19.9 (137)
Bullitt Co	1,480	10.5 (92)	6.1 (77)	5,489	5.9 (80)	4.5 (41)	13.0 (68)	1,990	17.9 (107)	14.7 (49)	3,166	12.7 (94)
Butler Cty	373	10.5 (92)	5.9 (69)	1,691	3.7 (21)	6.1 (73)	16.3 (130)	738	20.2 (139)	20.7 (136)	1,132	9.2 (52)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
C & Y	1,491	14.0 (143)	2.3 (2)	5,340	6.9(112)	6.6 (85)	13.7 (88)	1,674	18.6(115)	16.9 (93)	3,095	32.0 (154)
Caldwell C	460	7.8 (23)	7.2 (110)	1,643	5.1 (60)	6.0 (69)	14.7(105)	640	16.7 (78)	13.8 (37)	1,036	12.5 (91)
Calloway C	951	6.9 (10)	9.1 (144)	3,574	5.1 (60)	4.4 (37)	12.4 (55)	1,362	16.7 (78)	12.6 (29)	2,195	6.8 (34)
Campbell C	1,158	10.2 (88)	5.4 (50)	6,141	4.6 (43)	7.3(105)	9.6 (13)	2,428	11.4 (9)	9.3 (5)	3,910	16.6 (120)
Carlisle C	170	8.8 (38)	5.3 (49)	687	4.9 (52)	3.5 (18)	14.1 (97)	328	22.0(149)	15.9 (76)	468	17.5 (128)
Carroll Ct	582	8.4 (32)	8.2 (128)	1,998	6.1 (89)	7.5(113)	13.4 (80)	764	19.2(128)	19.4(125)	1,287	13.1 (96)
Carter Cty	581	12.0 (125)	4.5 (28)	2,593	3.6 (19)	11.3(146)	12.1 (46)	1,088	16.2 (59)	17.6(105)	1,629	9.3 (53)
Casey Cty	477	8.8 (38)	8.2 (128)	2,014	6.9(112)	6.0 (69)	11.9 (43)	915	16.1 (54)	15.2 (61)	1,265	10.8 (71)
Christian	2,144	12.0 (125)	2.9 (4)	7,872	4.7 (45)	5.7 (61)	10.4 (19)	2,793	16.5 (69)	12.3 (25)	4,558	21.0 (142)
Clark Coun	1,065	9.3 (57)	5.5 (54)	3,867	5.4 (71)	4.1 (26)	15.1(110)	1,426	20.4(144)	19.3(123)	2,280	11.8 (85)
Clay Cty H	1,006	9.9 (78)	5.9 (69)	4,044	4.4 (36)	7.4(110)	15.5(121)	1,789	19.9(133)	21.7(143)	2,722	4.8 (13)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clinton Ct	437	9.6 (70)	8.5 (134)	1,949	5.0 (56)	7.1 (98)	16.1 (126)	851	20.3 (142)	22.0 (144)	1,278	4.1 (9)
Corbin	1,181	7.7 (21)	7.6 (114)	4,429	4.9 (52)	7.5 (113)	14.0 (93)	1,774	18.1 (109)	19.6 (128)	2,875	12.5 (91)
Crittenden	254	10.6 (97)	2.0 (1)	1,029	5.7 (77)	4.4 (37)	12.9 (62)	446	20.2 (139)	11.9 (21)	719	19.1 (135)
Cumberland	241	12.4 (135)	3.7 (10)	1,084	5.0 (56)	7.0 (95)	12.3 (50)	500	16.2 (59)	19.4 (125)	710	14.2 (107)
Daviess Co	2,641	7.5 (16)	7.6 (114)	9,386	8.9 (136)	4.2 (33)	13.6 (84)	3,402	18.9 (123)	15.5 (66)	5,452	10.2 (63)
Dixie	2,111	9.0 (45)	6.7 (97)	7,509	6.6 (106)	7.2 (102)	13.5 (83)	2,505	11.0 (7)	9.9 (6)	4,177	10.8 (71)
Edmonson C	286	8.4 (32)	3.1 (6)	1,388	3.3 (13)	7.8 (119)	11.7 (40)	569	17.9 (107)	16.7 (90)	859	4.9 (15)
Elliott Ct	297	10.4 (90)	7.4 (113)	1,287	2.7 (6)	8.9 (131)	11.0 (29)	594	17.8 (104)	14.6 (47)	809	20.6 (141)
Estill Cty	478	10.9 (106)	4.6 (30)	2,291	5.3 (64)	4.6 (44)	12.4 (55)	1,022	17.1 (91)	18.3 (113)	1,581	8.9 (50)
Etown	1,418	7.3 (12)	6.5 (91)	5,965	9.1 (138)	3.2 (14)	16.1 (126)	2,278	16.5 (69)	14.3 (41)	3,834	10.4 (66)
Evarts	69	* *	* *	374	3.2 (9)	5.6 (57)	13.6 (84)	164	15.9 (48)	21.3 (140)	239	2.1 (2)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fairdale	997	8.5 (36)	7.7 (119)	3,819	5.3 (64)	5.2 (50)	13.4 (80)	1,220	16.7 (78)	14.4 (42)	2,278	11.6 (82)
Fleming Co	506	10.7 (101)	7.7 (119)	2,042	6.5 (105)	9.8 (138)	13.6 (84)	934	14.1 (22)	15.6 (71)	1,372	16.9 (123)
Floyd Cty	1,071	9.8 (75)	4.1 (12)	3,929	6.9 (112)	6.8 (89)	12.2 (47)	1,618	13.0 (16)	16.0 (80)	2,486	8.2 (44)
Foust Hlth	178	10.1 (85)	6.2 (83)	950	4.8 (49)	4.1 (26)	15.2 (116)	477	18.7 (118)	18.9 (119)	734	16.8 (122)
Franklin C	1,201	12.3 (133)	4.3 (18)	4,629	11.2 (151)	5.2 (50)	16.1 (126)	1,622	20.1 (137)	20.4 (135)	2,713	18.8 (134)
Ft Campbel	1,866	7.4 (13)	8.9 (141)	8,930	3.6 (19)	9.1 (134)	7.8 (3)	3,711	12.3 (13)	7.3 (2)	5,718	27.1 (151)
Fulton	165	13.3 (141)	4.2 (13)	716	6.1 (89)	7.4 (110)	17.6 (137)	336	17.0 (87)	17.9 (108)	493	19.5 (136)
Gallatin C	367	8.2 (28)	7.6 (114)	1,577	5.3 (64)	7.3 (105)	16.6 (132)	656	20.9 (145)	23.3 (147)	1,089	17.7 (129)
Garrard Ct	481	10.8 (103)	4.8 (33)	2,128	6.0 (82)	5.5 (55)	12.9 (62)	914	15.9 (48)	17.1 (96)	1,364	14.8 (111)
Grant Cty	818	9.0 (45)	7.0 (106)	4,084	4.0 (26)	5.8 (65)	9.7 (15)	1,752	16.7 (78)	11.4 (17)	2,858	11.5 (80)
Graves Cty	1,299	8.2 (28)	6.0 (73)	4,958	4.5 (40)	8.1 (126)	14.5 (100)	2,049	20.3 (142)	17.1 (96)	3,144	18.7 (133)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grayson Ct	753	9.6 (70)	7.0(106)	3,670	7.8(122)	5.4 (53)	13.8 (91)	1,694	17.8(104)	15.5 (66)	2,538	5.0 (17)
Green Cty	398	5.8 (2)	9.3(146)	1,605	4.5 (40)	4.0 (25)	12.5 (57)	691	19.8(131)	16.2 (84)	1,012	13.1 (96)
Greenup	724	10.5 (92)	5.0 (39)	2,896	3.3 (13)	12.4(154)	11.0 (29)	1,136	15.6 (43)	18.3(113)	1,728	6.1 (28)
Hancock Ct	196	9.2 (55)	6.1 (77)	920	7.3(118)	3.9 (24)	14.6(102)	409	22.0(149)	18.3(113)	652	7.8 (39)
Harlan Cty	1,049	9.3 (57)	8.6(135)	3,988	4.3 (35)	11.1(144)	14.5(100)	1,751	20.2(139)	22.4(145)	2,121	9.4 (54)
Harrison C	608	12.2(130)	5.4 (50)	2,316	4.7 (45)	4.1 (26)	12.3 (50)	950	16.0 (51)	14.7 (49)	1,445	10.2 (63)
Hart Cty H	531	8.1 (26)	8.1(126)	2,276	4.0 (26)	5.8 (65)	12.3 (50)	924	15.6 (43)	16.9 (93)	1,462	8.5 (45)
Henderson	1,456	12.1(128)	2.9 (4)	5,073	5.7 (77)	9.3(137)	8.5 (5)	1,801	14.1 (22)	14.9 (52)	2,759	2.1 (2)
Henry Coun	448	5.8 (2)	6.0 (73)	1,621	9.8(143)	6.4 (79)	17.5(136)	634	16.9 (85)	17.0 (95)	1,074	16.9(123)
Hickman	139	18.0(150)	7.9(123)	586	10.4(148)	8.0(124)	18.8(147)	269	18.2(110)	17.5(104)	409	23.2(143)
Hickman Ct	145	7.6 (18)	6.2 (83)	529	7.0(116)	8.5(129)	20.6(151)	200	17.0 (87)	31.5(154)	346	17.3(126)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Highview	1,081	10.1 (85)	6.1 (77)	4,673	8.6(132)	5.9 (67)	15.4(119)	1,758	12.9 (14)	10.8 (13)	2,699	20.2(139)
Hindman	616	13.6(142)	4.2 (13)	2,316	13.0(154)	4.2 (33)	21.2(153)	1,021	14.6 (27)	20.2(133)	1,662	5.2 (20)
Hopkins Ct	1,458	11.5(120)	6.7 (97)	5,862	7.9(124)	3.7 (20)	13.1 (71)	2,341	18.8(120)	16.5 (87)	3,894	10.5 (68)
Hospital	4,258	7.6 (18)	6.1 (77)	3,875	0.5 (1)	12.1(151)	2.9 (1)	0	* *	* *	1	* *
Iroquois	1,916	9.3 (57)	5.7 (61)	7,522	3.2 (9)	5.7 (61)	11.6 (38)	2,685	18.2(110)	13.1 (32)	4,679	15.6(118)
Jackson Ct	492	9.3 (57)	7.7(119)	2,070	3.5 (17)	6.2 (74)	13.6 (84)	946	14.4 (26)	18.9(119)	1,464	5.3 (22)
Jessamine	1,402	9.0 (45)	6.1 (77)	5,740	6.2 (93)	6.8 (89)	10.3 (18)	2,198	15.2 (34)	12.3 (25)	3,556	13.3(101)
Johnson Co	915	12.2(130)	3.4 (8)	3,534	6.4(101)	6.5 (83)	18.5(144)	1,599	17.4 (97)	21.5(141)	2,294	13.2 (99)
JT Arnett	33	* *	* *	221	3.2 (9)	4.5 (41)	17.6(137)	125	16.0 (51)	13.6 (35)	161	4.3 (10)
Kenton Cty	1,488	11.0(107)	6.8(101)	9,409	6.0 (82)	5.6 (57)	11.8 (42)	3,342	17.6(100)	15.3 (63)	5,603	11.7 (83)
Knox Cty	1,232	9.3 (57)	6.2 (83)	5,546	4.7 (45)	6.9 (91)	13.8 (91)	2,461	16.2 (59)	19.8(132)	3,860	8.8 (48)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
L & N	1,594	12.5 (137)	4.6 (30)	6,300	5.3 (64)	7.1 (98)	12.0 (45)	2,123	18.6(115)	14.6 (47)	3,860	15.0(112)
Larue Cty	439	9.8 (75)	8.9(141)	1,817	6.6(106)	3.3 (15)	20.3(150)	775	19.6(130)	18.8(118)	1,301	18.1(130)
Laurel Cty	1,700	8.8 (38)	9.9(148)	6,840	4.4 (36)	7.4(110)	13.1 (71)	2,694	16.3 (64)	17.2 (99)	4,163	6.3 (30)
Lawrence C	613	19.9(151)	4.2 (13)	2,318	5.7 (77)	10.4(142)	14.4 (99)	980	18.6(115)	19.3(123)	1,447	9.5 (56)
Lee Cty He	190	9.5 (67)	3.2 (7)	1,119	4.0 (26)	7.5(113)	9.8 (17)	548	11.7 (10)	10.4 (8)	767	15.0(112)
Leslie Cty	470	7.9 (24)	7.9(123)	1,987	3.7 (21)	12.4(154)	13.2 (73)	859	10.8 (6)	10.7 (10)	1,279	12.0 (86)
Letcher Ct	845	14.0(143)	4.7 (32)	3,133	10.1(145)	2.9 (8)	17.0(133)	1,185	20.0(135)	17.4(102)	1,806	2.2 (4)
Lewis Cty	500	9.8 (75)	5.4 (50)	2,068	4.8 (49)	10.0(139)	13.2 (73)	912	12.2 (12)	15.5 (66)	1,323	7.8 (39)
Lex-Fay40A	0	* *	* *	5	* *	* *	* *	4	* *	* *	5	* *
Lex-Fay40C	2,350	9.3 (57)	6.7 (97)	8,736	6.0 (82)	6.4 (79)	15.8(123)	3,267	19.1(127)	22.9(146)	5,084	26.8(150)
Lex-Fay40D	776	11.5(120)	5.8 (64)	2,718	6.3 (97)	7.8(119)	9.5 (10)	908	15.9 (48)	10.8 (13)	1,438	27.8(152)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lex-Fay40F	1,113	11.1 (112)	5.8 (64)	4,382	6.9(112)	7.1 (98)	10.7 (22)	1,577	19.2(128)	14.4 (42)	2,428	25.1 (146)
Lex-Fay40G	752	10.4 (90)	6.4 (89)	3,066	7.0(116)	7.3(105)	15.1(110)	1,128	17.5 (99)	20.7(136)	1,848	30.5 (153)
Lex-Fay40J	287	9.1 (51)	4.2 (13)	1,133	6.2 (93)	7.3(105)	8.6 (6)	453	17.2 (93)	11.5 (18)	650	26.6 (149)
Lex-Fay40W	795	9.4 (63)	8.3 (131)	3,291	14.3(156)	6.9 (91)	14.8(107)	1,345	18.7(118)	19.0(122)	958	25.3 (147)
Lincoln Ct	754	9.5 (67)	6.6 (94)	3,018	4.1 (31)	7.2(102)	12.3 (50)	1,249	16.8 (82)	13.7 (36)	2,064	11.7 (83)
Livingston	229	6.6 (7)	6.6 (94)	1,016	8.6(132)	3.1 (11)	18.8(147)	488	16.6 (73)	10.7 (10)	703	5.1 (18)
Logan Cty	687	9.0 (45)	4.9 (37)	2,839	5.0 (56)	6.0 (69)	13.2 (73)	1,114	17.2 (93)	19.6(128)	1,716	23.3 (144)
Lynch	257	17.9 (149)	5.1 (42)	996	6.4(101)	7.9(121)	10.5 (20)	430	13.5 (18)	16.5 (87)	575	11.1 (77)
Lyon Cty	174	6.9 (10)	8.6 (135)	686	9.6(142)	3.8 (23)	22.7(156)	278	18.3(113)	24.8(151)	490	4.7 (12)
Magoffin C	488	12.5 (137)	4.3 (18)	2,144	10.6(150)	5.6 (57)	21.9(155)	1,045	24.4(152)	25.6(152)	1,365	12.4 (90)
Marion Cty	708	10.2 (88)	8.6 (135)	2,744	8.2(126)	3.4 (16)	19.0(149)	1,095	16.6 (73)	19.6(128)	1,738	6.3 (30)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Marshal90A	812	8.3 (31)	6.0 (73)	3,014	12.1(153)	8.0(124)	14.7(105)	1,245	10.0 (4)	8.7 (3)	1,911	13.1 (96)
Marshal90B	39	* *	* *	214	15.0(157)	2.8 (6)	21.5(154)	101	28.7(154)	17.8(107)	151	18.5(132)
Martin Cty	444	17.3(148)	3.4 (8)	2,212	7.8(122)	6.6 (85)	15.4(119)	975	16.4 (66)	18.3(113)	1,547	8.6 (46)
Mason Cty	650	11.4(118)	6.2 (83)	2,210	9.4(141)	10.0(139)	15.2(116)	772	15.7 (45)	16.7 (90)	1,318	13.6(102)
McCracken	1,807	9.7 (73)	5.5 (54)	6,181	6.1 (89)	4.5 (41)	18.0(140)	2,563	16.1 (54)	13.5 (34)	4,193	13.7(104)
McCreary C	735	11.0(107)	5.2 (44)	3,353	5.3 (64)	6.2 (74)	12.2 (47)	1,576	16.1 (54)	18.1(110)	2,351	7.4 (37)
McLean Ct	263	6.8 (9)	6.8(101)	1,220	10.4(148)	3.4 (16)	13.2 (73)	543	18.4(114)	15.8 (75)	826	1.1 (1)
Meade Cty	598	9.4 (63)	11.0(151)	2,479	8.1(125)	4.8 (45)	14.8(107)	954	13.8 (20)	11.8 (20)	1,615	11.0 (75)
Menifee Ct	249	12.0(125)	7.2(110)	1,107	3.7 (21)	7.0 (95)	12.6 (58)	528	16.1 (54)	14.8 (51)	726	11.3 (79)
Mercer Cty	596	11.6(124)	6.2 (83)	2,522	6.7(109)	4.4 (37)	12.9 (62)	1,131	15.5 (41)	15.7 (73)	1,757	9.4 (54)
Metcalfe C	266	6.0 (4)	5.6 (59)	1,266	3.4 (15)	7.6(117)	11.0 (29)	584	13.9 (21)	14.4 (42)	851	12.6 (93)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Middletown	1,191	8.8 (38)	7.6 (114)	4,601	6.0 (82)	5.2 (50)	11.5 (37)	1,634	16.0 (51)	11.9 (21)	2,773	12.8 (95)
Monroe Cnt	336	10.7 (101)	8.6 (135)	1,440	6.3 (97)	6.5 (83)	18.7 (145)	614	19.9 (133)	23.3 (147)	962	3.2 (6)
Montgomery	913	10.6 (97)	7.3 (112)	3,911	6.3 (97)	4.3 (36)	13.3 (79)	1,576	16.9 (85)	15.9 (76)	2,630	7.8 (39)
Morgan Cty	362	10.8 (103)	6.9 (104)	1,975	3.9 (24)	6.9 (91)	11.9 (43)	944	16.4 (66)	16.3 (86)	1,398	17.3 (126)
Muhlenberg	916	8.0 (25)	9.2 (145)	3,595	5.5 (74)	6.0 (69)	11.4 (35)	1,465	17.7 (102)	15.4 (65)	2,143	8.0 (42)
Neighborhood	1,120	10.8 (103)	6.6 (94)	4,295	4.1 (31)	9.0 (133)	9.1 (9)	1,493	14.2 (24)	10.6 (9)	2,429	5.8 (27)
Nelson Cty	1,026	11.1 (112)	5.2 (44)	4,487	8.4 (128)	5.4 (53)	13.0 (68)	1,752	15.4 (39)	11.9 (21)	2,863	11.5 (80)
Newburg	1,940	10.6 (97)	6.5 (91)	6,882	4.7 (45)	12.6 (156)	11.7 (40)	2,324	6.5 (2)	6.1 (1)	4,080	20.2 (139)
Nicholas C	260	12.3 (133)	5.0 (39)	971	6.1 (89)	10.1 (141)	10.7 (22)	426	6.1 (1)	10.1 (7)	636	14.6 (109)
Oasis Hlth	122	15.6 (147)	8.2 (128)	642	11.8 (152)	3.1 (11)	14.0 (93)	335	14.3 (25)	12.5 (28)	454	23.3 (144)
Ohio Cty	900	8.1 (26)	5.9 (69)	3,592	4.9 (52)	3.7 (20)	10.7 (22)	1,486	17.1 (91)	15.6 (71)	2,324	4.9 (15)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Oldham Cty	695	9.1 (51)	4.5 (28)	2,739	8.5(130)	2.3 (2)	15.8(123)	1,110	17.8(104)	15.9 (76)	1,597	9.9 (60)
Olive Hill	436	8.5 (36)	5.7 (61)	2,074	3.4 (15)	8.5(129)	12.9 (62)	920	16.2 (59)	17.3(100)	1,336	13.8(105)
Owen Cty	287	11.1(112)	5.2 (44)	1,145	4.8 (49)	7.3(105)	14.0 (93)	458	20.1(137)	18.1(110)	809	14.2(107)
Owsley Cty	210	11.0(107)	4.3 (18)	880	8.5(130)	3.0 (9)	29.7(158)	464	20.0(135)	26.9(153)	679	10.9 (73)
Park Duval	1,306	15.5(146)	4.0 (11)	5,841	7.4(119)	6.4 (79)	12.6 (58)	2,302	15.8 (46)	14.4 (42)	3,929	10.4 (66)
Pendleton	365	10.1 (85)	4.4 (23)	1,430	6.6(106)	6.4 (79)	10.8 (27)	535	18.9(123)	15.1 (60)	897	15.4(116)
Perry Cty	1,102	12.1(128)	4.4 (23)	4,299	9.2(140)	2.6 (5)	23.0(157)	1,669	18.8(120)	21.6(142)	2,614	10.1 (61)
Phelps	75	* *	* *	384	1.0 (2)	9.1(134)	10.9 (28)	149	14.8 (31)	16.1 (81)	221	9.5 (56)
Pike Cty	1,478	11.3(117)	6.0 (73)	5,691	2.9 (8)	12.3(153)	10.5 (20)	2,074	11.2 (8)	10.8 (13)	3,384	9.8 (59)
Portland	1,103	11.5(120)	4.4 (23)	4,231	6.4(101)	6.3 (77)	13.7 (88)	1,535	17.3 (95)	14.0 (38)	2,524	26.2(148)
Powell Cty	508	12.2(130)	5.5 (54)	2,127	6.4(101)	4.1 (26)	15.1(110)	962	16.6 (73)	19.4(125)	1,521	5.5 (24)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pulaski Ct	1,942	9.6 (70)	5.8 (64)	8,052	3.2 (9)	7.2(102)	8.4 (4)	3,120	14.7 (28)	11.9 (21)	4,930	5.7 (26)
Radcliffe	1,519	9.2 (55)	6.5 (91)	6,486	4.6 (43)	4.1 (26)	9.6 (13)	2,608	15.3 (35)	11.1 (16)	4,251	12.3 (89)
Richmond	1,594	9.0 (45)	5.0 (39)	5,726	4.5 (40)	9.2(136)	9.5 (10)	2,045	17.0 (87)	15.5 (66)	3,523	10.2 (63)
Robertson	117	6.0 (4)	5.1 (42)	455	4.4 (36)	7.7(118)	9.7 (15)	209	12.9 (14)	12.4 (27)	309	6.1 (28)
Rockcastle	641	9.0 (45)	5.8 (64)	2,612	5.2 (63)	5.9 (67)	14.6(102)	1,169	18.2(110)	16.8 (92)	1,776	7.4 (37)
Rowan Cty	713	6.7 (8)	10.4(150)	2,865	3.9 (24)	8.3(127)	12.2 (47)	1,116	16.8 (82)	16.1 (81)	1,839	7.2 (35)
Russell Ct	662	10.0 (81)	4.8 (33)	2,588	8.6(132)	7.5(113)	13.4 (80)	1,004	18.9(123)	21.1(139)	1,601	6.6 (32)
Scott Cty	977	9.4 (63)	8.1(126)	3,760	8.2(126)	3.7 (20)	18.3(142)	1,419	15.4 (39)	14.5 (46)	2,351	15.1(114)
Shelby Cty	957	7.6 (18)	8.4(133)	3,680	10.3(147)	4.1 (26)	18.3(142)	1,533	16.1 (54)	15.9 (76)	2,464	13.8(105)
Simpson Ct	526	8.4 (32)	6.1 (77)	2,026	6.2 (93)	7.9(121)	11.0 (29)	717	16.2 (59)	15.5 (66)	1,189	18.4(131)
South Shor	140	6.4 (6)	6.4 (89)	684	4.1 (31)	11.1(144)	12.9 (62)	319	17.6(100)	15.0 (57)	437	4.3 (10)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Spencer Ct	282	8.9 (42)	7.1 (109)	1,290	8.4(128)	4.8 (45)	17.3(134)	539	13.7 (19)	18.0(109)	831	15.3(115)
TAPP-South	63	* *	* *	178	24.2(158)	8.4(128)	12.9 (62)	12	* *	* *	76	* *
TAPP-West	60	* *	* *	176	4.0 (26)	16.5(158)	11.4 (35)	17	* *	* *	64	* *
Taylor Cty	818	7.5 (16)	7.9(123)	2,901	5.0 (56)	5.1 (48)	12.7 (60)	1,112	16.5 (69)	14.9 (52)	1,751	9.5 (56)
Todd Cty H	391	9.5 (67)	7.7(119)	1,787	10.1(145)	5.5 (55)	17.9(139)	814	15.0 (33)	15.2 (61)	1,300	10.6 (70)
Trigg Cty	401	10.5 (92)	5.5 (54)	1,511	7.7(120)	3.0 (9)	15.1(110)	652	17.0 (87)	14.1 (39)	1,004	7.3 (36)
Trimble Ct	269	7.4 (13)	5.2 (44)	1,012	6.8(110)	11.4(148)	14.6(102)	399	14.8 (31)	16.5 (87)	668	19.9(137)
Union Cty	450	8.9 (42)	5.8 (64)	1,770	8.9(136)	2.8 (6)	11.2 (34)	676	15.5 (41)	13.0 (30)	1,159	5.6 (25)
Wallins	18	* *	* *	110	1.8 (3)	12.7(157)	12.7 (60)	61	* *	* *	73	* *
Washington	262	5.7 (1)	9.9(148)	1,332	7.7(120)	4.2 (33)	15.1(110)	622	19.8(131)	16.1 (81)	856	8.1 (43)
Wayne Cty	820	8.4 (32)	5.4 (50)	3,328	4.0 (26)	5.6 (57)	14.0 (93)	1,432	17.4 (97)	19.7(131)	2,139	12.2 (88)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Webster Ct	386	9.1 (51)	4.4 (23)	1,616	13.0(154)	2.2 (1)	20.6(151)	625	21.0(146)	17.3(100)	1,122	3.9 (8)
Webster Prov	22	* *	* *	89	* *	* *	* *	48	* *	* *	66	* *
Wheelbrigh	252	13.1 (139)	2.8 (3)	1,022	1.9 (4)	10.7(143)	8.6 (6)	478	10.5 (5)	13.0 (30)	685	11.2 (78)
Williamsbu	1,005	11.4 (118)	4.8 (33)	3,951	5.9 (80)	8.9(131)	16.0(125)	1,719	22.0(149)	24.2(149)	2,717	10.9 (73)
Wolfe Cty	349	10.6 (97)	8.3(131)	1,654	5.4 (71)	2.4 (3)	15.6(122)	812	17.7(102)	17.1 (96)	1,137	8.6 (46)
Woodford C	562	11.0(107)	8.9(141)	2,292	8.7(135)	3.1 (11)	15.1(110)	962	17.3 (95)	15.7 (73)	1,515	13.2 (99)
Kentucky	120,848	10.0	6.2	478,692	6.0	6.5	13.2	188,399	16.5	15.7	297,399	12.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Adair Coun	727	34.9 (81)	472	8.1 (50)	387	2.6 (101)	0	* *	0	* *	938	92.4 (77)	1,285	24.8 (62)
Allen Coun	837	46.5 (19)	529	10.4 (20)	495	4.6 (46)	0	* *	0	* *	1,240	84.5(136)	1,588	31.7 (80)
Anderson C	638	40.9 (38)	466	7.5 (62)	353	4.2 (53)	0	* *	0	* *	785	79.9(150)	1,164	23.0 (60)
Ashland-Bo	1,768	29.3(109)	1,224	8.2 (49)	907	6.6 (22)	0	* *	0	* *	2,130	95.3 (42)	3,288	32.1 (82)
Ballard Co	281	37.7 (65)	194	9.8 (28)	171	4.1 (57)	0	* *	0	* *	367	94.3 (56)	507	41.8 (118)
Bar-Riv-Wa	3,202	46.0 (21)	2,301	10.8 (19)	1,664	6.9 (20)	0	* *	0	* *	3,782	89.4(106)	6,169	22.8 (59)
Barren Cty	1,596	33.3 (96)	1,077	7.0 (74)	860	4.8 (38)	0	* *	0	* *	2,131	90.8 (87)	3,010	28.6 (70)
Bath Count	552	17.0(146)	397	4.5 (119)	316	2.8 (96)	0	* *	0	* *	844	97.9 (22)	1,043	38.1 (108)
Belfry	458	16.6(147)	324	1.2 (149)	243	0.4 (148)	0	* *	0	* *	611	79.5(153)	879	67.6 (152)
Bell Cty M	718	18.9(143)	489	4.7 (116)	443	1.8 (126)	0	* *	0	* *	1,361	96.1 (36)	1,496	29.6 (74)
Bell Cty P	907	22.3(133)	586	2.6 (141)	539	0.7 (143)	0	* *	0	* *	1,535	99.5 (10)	1,793	32.3 (83)
Berea	763	47.3 (17)	537	10.2 (24)	402	6.0 (24)	0	* *	0	* *	972	95.9 (37)	1,403	17.7 (45)
Betsy Lane	544	14.2(150)	350	2.0 (147)	325	0.3 (149)	0	* *	0	* *	977	100.0 (1)	1,049	69.6 (153)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Boone Coun	2,680	36.3 (72)	2,074	9.0 (35)	1,539	5.6 (28)	0	* *	0	* *	3,552	92.8 (70)	5,523	34.5 (92)
Bourbon Ct	809	43.9 (28)	531	7.2 (68)	455	5.1 (34)	0	* *	0	* *	860	92.4 (77)	1,357	20.6 (54)
Boyle Coun	917	22.6(130)	620	5.6 (97)	486	2.9 (94)	0	* *	0	* *	1,133	95.5 (40)	1,716	39.6 (110)
Bracken Co	393	28.8(110)	263	5.3 (103)	199	1.5 (131)	0	* *	0	* *	470	87.2(116)	699	62.8 (150)
Breathitt	658	18.5(144)	511	2.9 (139)	442	0.9 (141)	0	* *	0	* *	1,226	86.1(125)	1,389	51.1 (135)
Breckinrid	676	35.2 (80)	415	8.9 (36)	332	6.0 (24)	0	* *	0	* *	1,034	83.8(141)	1,333	2.4 (24)
Bridges	556	41.0 (36)	447	12.8 (16)	374	8.0 (15)	0	* *	0	* *	931	87.9(114)	1,201	7.9 (30)
Bullitt Co	1,987	35.7 (78)	1,356	5.9 (91)	1,122	3.1 (88)	0	* *	0	* *	2,208	90.7 (88)	3,524	27.4 (68)
Butler Cty	456	33.8 (92)	346	4.3 (121)	301	1.7 (129)	0	* *	0	* *	816	87.1(118)	952	21.5 (55)
C & Y	2,091	32.7 (98)	1,570	3.3 (133)	842	2.1 (114)	0	* *	0	* *	1,848	100.0 (1)	3,519	0.1 (3)
Caldwell C	563	44.2 (27)	382	6.0 (87)	326	1.8 (126)	0	* *	0	* *	716	79.9(150)	1,028	33.7 (91)
Calloway C	1,280	59.0 (7)	826	16.0 (10)	684	9.1 (7)	0	* *	0	* *	1,495	94.9 (50)	2,320	11.9 (35)
Campbell C	1,984	25.7(122)	1,624	4.6 (118)	1,218	3.4 (74)	0	* *	0	* *	2,690	93.1 (66)	4,065	18.0 (46)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Carlisle C	220	49.5 (13)	138	4.3 (121)	122	0.0 (150)	0	* *	0	* *	355	91.0 (85)	437	31.8 (81)
Carroll Ct	747	32.1(102)	429	8.4 (46)	361	5.8 (27)	0	* *	0	* *	819	90.5 (91)	1,295	37.6 (106)
Carter Cty	803	36.7 (68)	566	7.4 (65)	462	3.5 (71)	0	* *	0	* *	1,218	81.6(146)	1,578	50.8 (133)
Casey Cty	629	37.8 (63)	449	6.9 (77)	371	4.6 (46)	0	* *	0	* *	993	92.5 (76)	1,225	41.1 (113)
Christian	3,025	38.2 (57)	2,139	7.5 (62)	1,431	4.3 (52)	0	* *	0	* *	3,059	86.6(123)	5,365	43.7 (122)
Clark Coun	1,411	37.5 (66)	926	7.5 (62)	709	4.5 (49)	0	* *	0	* *	1,556	95.2 (44)	2,476	1.9 (22)
Clay Cty H	1,311	20.4(138)	850	3.1 (137)	761	1.8 (126)	0	* *	0	* *	1,898	92.3 (79)	2,424	77.5 (155)
Clinton Ct	625	19.8(142)	461	2.6 (141)	382	1.3 (134)	0	* *	0	* *	947	91.6 (82)	1,165	43.2 (121)
Corbin	1,543	20.5(137)	941	5.8 (92)	768	3.3 (79)	0	* *	0	* *	1,970	96.3 (34)	2,763	10.7 (34)
Crittenden	315	35.9 (75)	225	2.2 (146)	211	0.5 (145)	0	* *	0	* *	477	88.3(111)	616	20.1 (53)
Cumberland	312	20.8(136)	228	2.6 (141)	197	1.0 (139)	0	* *	0	* *	558	93.5 (63)	617	41.5 (116)
Daviess Co	3,357	33.8 (92)	2,089	5.4 (99)	1,562	2.0 (119)	0	* *	0	* *	3,717	92.7 (72)	5,987	24.9 (63)
Dixie	2,683	41.6 (33)	1,908	7.8 (56)	1,379	3.7 (69)	0	* *	0	* *	2,572	95.1 (48)	4,804	0.2 (4)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Edmonson C	440	40.7 (42)	327	10.4 (20)	205	3.9 (65)	0	* *	0	* *	620	84.5(136)	824	37.1 (104)
Elliott Ct	385	23.4(128)	271	4.8 (113)	219	3.2 (85)	0	* *	0	* *	673	94.4 (54)	741	35.2 (93)
Estill Cty	666	27.8(114)	451	3.8 (126)	365	2.5 (102)	0	* *	0	* *	1,127	89.4(106)	1,332	25.1 (64)
Etown	1,909	36.5 (70)	1,326	6.0 (87)	1,078	3.8 (67)	0	* *	0	* *	2,490	94.0 (59)	3,649	32.6 (84)
Evarts	33	* *	44	* *	55	* *	0	* *	0	* *	184	90.2 (95)	217	30.4 (76)
Fairdale	1,448	31.6(103)	1,083	6.0 (87)	784	2.3 (108)	0	* *	0	* *	1,352	84.8(133)	2,528	0.5 (13)
Fleming Co	633	27.5(116)	384	5.2 (106)	379	2.1 (114)	0	* *	0	* *	1,039	84.5(136)	1,220	29.0 (72)
Floyd Cty	1,287	20.4(138)	764	7.1 (71)	728	4.8 (38)	0	* *	0	* *	1,787	99.9 (7)	2,394	49.5 (128)
Foust Hlth	275	25.8(121)	196	5.1 (108)	159	2.5 (102)	0	* *	0	* *	523	88.5(109)	563	22.4 (57)
Franklin C	1,655	45.2 (23)	1,121	8.9 (36)	832	4.1 (57)	0	* *	0	* *	1,785	90.5 (91)	2,974	56.1 (146)
Ft Campbel	2,871	67.1 (2)	2,099	17.8 (7)	1,481	9.0 (8)	0	* *	0	* *	3,973	85.5(129)	6,315	4.3 (27)
Fulton	218	37.2 (67)	139	6.5 (82)	129	0.8 (142)	0	* *	0	* *	364	83.2(142)	431	54.1 (142)
Gallatin C	493	38.1 (58)	367	11.2 (18)	291	4.1 (57)	0	* *	0	* *	730	91.8 (81)	941	50.6 (132)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Garrard Ct	679	34.6 (85)	484	5.4 (99)	384	3.9 (65)	0	* *	0	* *	1,000	98.0 (21)	1,307	36.3 (101)
Grant Cty	1,281	38.5 (54)	978	8.1 (50)	840	3.2 (85)	0	* *	0	* *	1,946	89.6(103)	2,575	50.2 (130)
Graves Cty	1,630	39.5 (51)	1,036	8.6 (44)	957	4.7 (44)	0	* *	0	* *	2,244	97.4 (28)	3,030	30.9 (78)
Grayson Ct	1,116	33.5 (95)	827	8.1 (50)	681	4.1 (57)	0	* *	0	* *	1,844	79.6(152)	2,158	58.0 (147)
Green Cty	503	43.3 (29)	328	6.4 (84)	287	2.1 (114)	0	* *	0	* *	765	85.9(126)	942	28.7 (71)
Greenup	972	32.3(101)	677	7.4 (65)	537	3.0 (92)	0	* *	0	* *	1,237	95.2 (44)	1,816	22.5 (58)
Hancock Ct	283	44.5 (25)	194	9.8 (28)	145	4.8 (38)	0	* *	0	* *	448	86.8(121)	578	27.5 (69)
Harlan Cty	1,395	23.2(129)	802	3.4 (129)	731	2.3 (108)	0	* *	0	* *	1,938	94.5 (51)	2,414	22.0 (56)
Harrison C	817	40.9 (38)	539	9.5 (32)	429	6.1 (23)	0	* *	0	* *	1,061	97.7 (24)	1,475	25.8 (66)
Hart Cty H	750	38.0 (59)	529	7.6 (59)	405	4.7 (44)	0	* *	0	* *	1,007	90.7 (88)	1,370	30.7 (77)
Henderson	1,852	28.1(111)	1,057	5.0 (112)	785	3.3 (79)	0	* *	0	* *	1,949	91.9 (80)	3,288	35.3 (95)
Henry Coun	593	38.4 (55)	376	8.8 (40)	327	5.2 (33)	0	* *	0	* *	698	97.1 (30)	1,046	13.0 (36)
Hickman	190	29.5(107)	130	5.4 (99)	123	2.4 (106)	0	* *	0	* *	290	81.7(145)	353	41.6 (117)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Hickman Ct	188	31.4(104)	117	5.1 (108)	110	2.7 (98)	0	* *	0	* *	225	96.9 (31)	332	35.2 (93)
Highview	1,530	52.0 (11)	1,186	15.0 (12)	777	8.9 (9)	0	* *	0	* *	1,895	87.2(116)	3,007	0.3 (5)
Hindman	787	22.6(130)	494	2.8 (140)	379	2.1 (114)	0	* *	0	* *	1,161	96.2 (35)	1,447	19.4 (51)
Hopkins Ct	1,981	39.3 (52)	1,216	6.7 (80)	920	3.3 (79)	0	* *	0	* *	2,536	84.1(140)	3,617	44.4 (124)
Hospital	3,269	36.2 (74)	545	8.8 (40)	179	10.1 (6)	0	* *	0	* *	0	* *	3,279	16.5 (44)
Iroquois	2,845	56.8 (9)	2,075	17.8 (7)	1,379	8.6 (11)	0	* *	0	* *	2,897	94.0 (59)	4,886	0.4 (9)
Jackson Ct	615	28.0(112)	389	5.7 (95)	376	3.2 (85)	0	* *	0	* *	1,035	95.8 (39)	1,209	55.8 (145)
Jessamine	1,969	43.1 (31)	1,402	14.3 (13)	1,028	8.0 (15)	0	* *	0	* *	2,411	94.3 (56)	3,665	18.6 (48)
Johnson Co	1,137	26.9(117)	675	4.0 (124)	604	2.8 (96)	0	* *	0	* *	1,751	99.5 (10)	2,161	35.6 (96)
JT Arnett	18	* *	20	* *	28	* *	0	* *	0	* *	139	92.8 (70)	108	50.0 (129)
Kenton Cty	3,460	32.7 (98)	2,752	5.8 (92)	1,745	2.5 (102)	0	* *	0	* *	3,630	95.9 (37)	6,516	52.0 (138)
Knox Cty	1,730	20.1(140)	1,109	3.2 (135)	944	1.2 (138)	0	* *	0	* *	2,735	94.4 (54)	3,286	0.7 (17)
L & N	2,468	41.0 (36)	1,765	8.0 (53)	1,208	3.5 (71)	0	* *	0	* *	2,352	85.5(129)	4,247	0.5 (13)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Larue Cty	604	42.1 (32)	422	7.1 (71)	337	2.7 (98)	0	* *	0	* *	866	86.3(124)	1,133	15.4 (41)
Laurel Cty	2,354	36.5 (70)	1,618	6.9 (77)	1,179	3.1 (88)	0	* *	0	* *	2,974	95.2 (44)	4,197	50.4 (131)
Lawrence C	770	20.0(141)	467	3.4 (129)	410	1.7 (129)	0	* *	0	* *	1,089	98.6 (15)	1,427	19.7 (52)
Lee Cty He	322	24.8(126)	202	6.9 (77)	176	3.4 (74)	0	* *	0	* *	609	90.0(100)	657	16.3 (43)
Leslie Cty	661	24.7(127)	452	7.1 (71)	323	3.4 (74)	0	* *	0	* *	976	99.4 (12)	1,204	3.7 (26)
Letcher Ct	1,069	34.7 (84)	631	8.7 (42)	410	4.6 (46)	0	* *	0	* *	1,309	88.3(111)	1,968	10.3 (32)
Lewis Cty	622	33.9 (91)	384	4.7 (116)	368	1.9 (122)	0	* *	0	* *	1,036	89.0(108)	1,233	52.8 (139)
Lex-Fay40A	2	* *	2	* *	2	* *	0	* *	0	* *	3	* *	2	* *
Lex-Fay40C	3,243	70.0 (1)	2,166	30.6 (1)	1,569	17.7 (1)	0	* *	0	* *	3,609	91.4 (83)	5,845	0.3 (5)
Lex-Fay40D	684	46.6 (18)	656	9.9 (27)	477	4.8 (38)	0	* *	0	* *	986	93.8 (61)	1,621	0.6 (16)
Lex-Fay40F	2,040	60.4 (4)	1,359	18.7 (6)	802	10.8 (5)	0	* *	0	* *	1,721	87.8(115)	2,985	0.5 (13)
Lex-Fay40G	973	48.5 (15)	748	10.2 (24)	587	4.9 (36)	0	* *	0	* *	1,266	95.2 (44)	1,829	0.3 (5)
Lex-Fay40J	113	59.3 (6)	168	19.6 (5)	138	7.2 (19)	0	* *	0	* *	481	90.4 (94)	756	0.4 (9)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Lex-Fay40W	1,041	59.9 (5)	753	23.6 (2)	553	17.0 (3)	0	* *	0	* *	1,499	97.6 (26)	1,958	0.4 (9)
Lincoln Ct	978	26.1(120)	645	4.8 (113)	564	2.0 (119)	0	* *	0	* *	1,387	97.8 (23)	1,813	40.8 (112)
Livingston	282	46.1 (20)	184	5.4 (99)	174	2.3 (108)	0	* *	0	* *	536	80.4(149)	594	35.9 (97)
Logan Cty	927	33.1 (97)	621	5.3 (103)	494	2.2 (112)	0	* *	0	* *	1,226	95.4 (41)	1,757	19.2 (50)
Lynch	342	22.2(135)	195	1.0 (150)	191	0.5 (145)	0	* *	0	* *	481	80.5(148)	643	32.7 (86)
Lyon Cty	218	45.9 (22)	140	11.4 (17)	135	3.0 (92)	0	* *	0	* *	308	96.4 (33)	413	29.1 (73)
Magoffin C	646	14.7(148)	431	3.2 (135)	364	0.5 (145)	0	* *	0	* *	1,158	99.9 (7)	1,276	31.4 (79)
Marion Cty	914	38.0 (59)	571	7.4 (65)	470	4.0 (61)	0	* *	0	* *	1,215	98.9 (14)	1,617	50.8 (133)
Marshal90A	1,054	45.2 (23)	688	8.7 (42)	579	4.0 (61)	0	* *	0	* *	1,355	82.0(144)	1,923	32.7 (86)
Marshal90B	52	* *	45	* *	43	* *	0	* *	0	* *	115	87.0(119)	122	18.0 (46)
Martin Cty	707	14.3(149)	403	2.5 (144)	394	1.3 (134)	0	* *	0	* *	1,083	85.0(131)	1,367	53.0 (140)
Mason Cty	829	25.3(125)	481	3.3 (133)	423	1.9 (122)	0	* *	0	* *	869	98.5 (17)	1,428	55.1 (144)
McCracken	2,274	44.5 (25)	1,438	9.5 (32)	1,172	4.2 (53)	0	* *	0	* *	2,829	89.5(104)	4,161	14.9 (39)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
McCreary C	1,017	27.9(113)	715	3.4 (129)	589	2.0 (119)	0	* *	0	* *	1,736	86.7(122)	1,974	33.0 (88)
McLean Ct	345	35.9 (75)	251	7.2 (68)	215	3.3 (79)	0	* *	0	* *	589	89.8(102)	746	37.8 (107)
Meade Cty	857	33.8 (92)	553	6.5 (82)	423	4.0 (61)	0	* *	0	* *	1,042	87.0(119)	1,567	36.1 (99)
Menifee Ct	319	36.7 (68)	229	8.3 (47)	199	5.5 (30)	0	* *	0	* *	585	95.0 (49)	639	18.9 (49)
Mercer Cty	736	40.5 (46)	529	7.6 (59)	429	3.3 (79)	0	* *	0	* *	1,228	91.0 (85)	1,538	44.3 (123)
Metcalfe C	358	34.4 (87)	263	7.6 (59)	212	3.8 (67)	0	* *	0	* *	643	90.2 (95)	744	36.7 (102)
Middletown	1,684	57.9 (8)	1,220	15.9 (11)	887	8.5 (13)	0	* *	0	* *	1,756	97.3 (29)	3,112	0.3 (5)
Monroe Cnt	398	26.9(117)	273	1.5 (148)	260	1.5 (131)	0	* *	0	* *	702	100.0 (1)	817	30.0 (75)
Montgomery	1,274	35.3 (79)	943	8.3 (47)	704	4.4 (50)	0	* *	0	* *	1,744	89.5(104)	2,346	41.2 (114)
Morgan Cty	600	34.0 (90)	394	14.0 (15)	327	7.6 (17)	0	* *	0	* *	968	99.7 (9)	1,180	15.9 (42)
Muhlenberg	1,175	25.7(122)	765	3.9 (125)	628	2.4 (106)	0	* *	0	* *	1,621	85.7(127)	2,194	51.7 (137)
Neighorho	1,604	51.1 (12)	1,173	21.5 (4)	798	13.3 (4)	0	* *	0	* *	1,653	91.2 (84)	2,851	0.8 (18)
Nelson Cty	1,483	37.9 (62)	997	6.6 (81)	786	3.4 (74)	0	* *	0	* *	1,947	94.2 (58)	2,717	86.2 (157)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Newburg	2,607	55.0 (10)	1,919	16.9 (9)	1,344	8.6 (11)	0	* *	0	* *	2,608	90.5 (91)	4,527	1.5 (21)
Nicholas C	341	22.3(133)	205	3.4 (129)	176	0.6 (144)	0	* *	0	* *	483	88.0(113)	614	48.5 (126)
Oasis Hlth	173	34.1 (89)	129	3.1 (137)	106	1.9 (122)	0	* *	0	* *	365	84.7(135)	390	37.4 (105)
Ohio Cty	1,142	40.6 (44)	756	7.0 (74)	628	3.3 (79)	0	* *	0	* *	1,626	80.8(147)	2,208	44.5 (125)
Oldham Cty	883	48.7 (14)	543	10.3 (22)	476	8.2 (14)	0	* *	0	* *	1,200	93.8 (61)	1,736	82.3 (156)
Olive Hill	614	29.5(107)	432	5.6 (97)	385	3.1 (88)	0	* *	0	* *	1,016	93.0 (67)	1,203	42.3 (119)
Owen Cty	392	38.0 (59)	272	4.4 (120)	192	4.2 (53)	0	* *	0	* *	508	95.3 (42)	743	27.2 (67)
Owsley Cty	263	18.3(145)	158	8.9 (36)	149	3.4 (74)	0	* *	0	* *	516	98.1 (20)	523	36.1 (99)
Park Duval	1,934	39.8 (48)	1,515	14.3 (13)	1,046	8.9 (9)	0	* *	0	* *	2,555	100.0 (1)	3,774	0.0 (1)
Pendleton	490	38.4 (55)	346	5.2 (106)	265	2.3 (108)	0	* *	0	* *	596	90.1 (97)	922	51.2 (136)
Perry Cty	1,536	31.1(105)	977	5.1 (108)	798	3.5 (71)	0	* *	0	* *	1,863	93.5 (63)	2,691	1.4 (20)
Phelps	79	* *	66	* *	46	* *	0	* *	0	* *	158	77.8(154)	236	75.4 (154)
Pike Cty	2,067	25.5(124)	1,412	4.2 (123)	1,003	2.5 (102)	0	* *	0	* *	2,417	84.2(139)	3,632	67.5 (151)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Portland	1,525	39.7 (49)	1,094	7.2 (68)	767	4.4 (50)	0	* *	0	* *	1,683	89.9(101)	2,720	0.4 (9)
Powell Cty	633	40.9 (38)	436	5.7 (95)	385	1.3 (134)	0	* *	0	* *	1,067	85.0(131)	1,251	41.3 (115)
Pulaski Ct	2,697	41.4 (34)	1,917	8.9 (36)	1,290	4.8 (38)	0	* *	0	* *	3,471	94.5 (51)	4,988	40.3 (111)
Radcliffe	2,066	43.3 (29)	1,425	8.0 (53)	1,207	4.0 (61)	0	* *	0	* *	2,835	90.7 (88)	4,311	54.5 (143)
Richmond	2,037	34.2 (88)	1,308	7.8 (56)	1,083	6.0 (24)	0	* *	0	* *	2,247	92.6 (73)	3,614	25.1 (64)
Robertson	152	34.9 (81)	91	* *	87	* *	0	* *	0	* *	227	100.0 (1)	270	58.1 (148)
Rockcastle	818	39.2 (53)	498	9.2 (34)	440	6.8 (21)	0	* *	0	* *	1,291	92.6 (73)	1,576	5.1 (28)
Rowan Cty	942	39.6 (50)	666	7.8 (56)	493	2.2 (112)	0	* *	0	* *	1,262	83.0(143)	1,730	7.2 (29)
Russell Ct	925	36.3 (72)	627	5.1 (108)	520	2.9 (94)	0	* *	0	* *	1,122	84.8(133)	1,600	36.8 (103)
Scott Cty	1,273	40.8 (41)	919	10.3 (22)	675	7.3 (18)	0	* *	0	* *	1,577	97.5 (27)	2,386	32.6 (84)
Shelby Cty	1,149	64.7 (3)	836	23.3 (3)	795	17.6 (2)	0	* *	0	* *	1,720	90.1 (97)	2,257	3.4 (25)
Simpson Ct	745	29.7(106)	505	9.7 (30)	397	5.0 (35)	0	* *	0	* *	780	98.5 (17)	1,292	43.0 (120)
South Shor	207	34.8 (83)	139	8.6 (44)	108	5.6 (28)	0	* *	0	* *	340	99.1 (13)	439	23.5 (61)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Spencer Ct	345	40.6 (44)	277	7.9 (55)	253	5.5 (30)	0	* *	0	* *	600	93.0 (67)	730	1.9 (22)
TAPP-South	62	* *	48	* *	37	* *	0	* *	0	* *	19	* *	104	1.0 (19)
TAPP-West	67	* *	46	* *	32	* *	0	* *	0	* *	18	* *	110	0.0 (1)
Taylor Cty	1,019	34.6 (85)	644	6.4 (84)	544	4.2 (53)	0	* *	0	* *	1,247	92.9 (69)	1,789	35.9 (97)
Todd Cty H	545	40.0 (47)	392	9.7 (30)	312	1.9 (122)	0	* *	0	* *	917	98.6 (15)	1,098	14.9 (39)
Trigg Cty	499	40.7 (42)	300	5.3 (103)	252	4.8 (38)	0	* *	0	* *	699	90.1 (97)	963	33.6 (90)
Trimble Ct	358	32.4(100)	235	6.0 (87)	185	4.9 (36)	0	* *	0	* *	433	85.7(127)	626	10.5 (33)
Union Cty	585	35.9 (75)	383	6.3 (86)	298	2.7 (98)	0	* *	0	* *	752	94.5 (51)	1,111	38.4 (109)
Wallins	4	* *	6	* *	9	* *	0	* *	0	* *	66	* *	67	* *
Washington	381	37.8 (63)	254	10.2 (24)	218	5.5 (30)	0	* *	0	* *	687	97.7 (24)	791	8.7 (31)
Wayne Cty	1,065	27.7(115)	718	5.8 (92)	556	3.1 (88)	0	* *	0	* *	1,604	92.6 (73)	1,947	59.6 (149)
Webster Ct	523	41.1 (35)	348	3.7 (127)	290	2.1 (114)	0	* *	0	* *	698	88.5(109)	999	33.3 (89)
Webster Prov	38	* *	21	* *	16	* *	0	* *	0	* *	51	* *	56	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Wheelbrigh	301	10.3(151)	207	2.4 (145)	202	1.0 (139)	0	* *	0	* *	531	100.0 (1)	583	54.0 (141)
Williamsbu	1,306	22.4(132)	790	3.5 (128)	614	1.3 (134)	0	* *	0	* *	1,912	98.4 (19)	2,349	13.3 (37)
Wolfe Cty	449	26.9(117)	313	4.8 (113)	282	1.4 (133)	0	* *	0	* *	900	93.4 (65)	918	48.8 (127)
Woodford C	754	47.6 (16)	472	7.0 (74)	392	3.6 (70)	0	* *	0	* *	1,041	96.9 (31)	1,439	13.4 (38)
Kentucky	162,955	37.9	110,354	8.8	85,298	4.8	0	*	0	*	207,540	91.8	301,960	27.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

