

Table 4B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adair	794	85.1	2.0	6.4	0.0	0.1	6.3	0.0
Allen	1,004	90.6	1.8	4.6	0.0	0.3	2.7	0.0
Anderson	740	85.3	1.9	3.2	0.0	1.8	7.8	0.0
Ballard	319	86.2	4.7	2.2	0.0	0.6	6.3	0.0
Barren	1,768	85.1	4.9	7.8	0.0	0.2	2.0	0.0
Bath	663	93.5	1.1	3.5	0.0	0.8	1.2	0.0
Bell	2,055	95.7	2.0	1.1	0.0	0.1	1.0	0.0
Boone	3,320	72.8	5.7	18.7	0.4	1.0	1.4	0.0
Bourbon	865	64.9	7.9	23.8	0.1	0.1	3.2	0.0
Boyd	1,918	88.8	1.8	2.9	0.1	0.1	6.4	0.0
Boyle	1,030	79.5	13.3	6.3	0.0	0.1	0.8	0.0
Bracken	439	94.5	0.7	3.4	0.0	0.0	1.4	0.0
Breathitt	831	98.4	0.2	0.5	0.0	0.6	0.2	0.0
Breckinrid	794	92.7	2.9	1.6	0.0	0.0	2.8	0.0
Bullitt	2,159	90.7	1.2	3.4	0.0	0.6	4.2	0.0
Butler	588	88.9	0.5	9.4	0.0	0.5	0.7	0.0
Caldwell	622	81.5	9.8	1.9	0.0	0.8	5.9	0.0
Calloway	1,391	82.5	4.7	6.6	0.1	1.8	4.3	0.0
Campbell	2,340	87.6	6.2	4.7	0.0	0.5	0.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Carlisle	269	91.1	0.4	3.3	0.4	0.4	4.5	0.0
Carroll	800	72.4	0.6	21.6	0.1	0.3	5.0	0.0
Carter	1,686	93.7	0.7	4.6	0.1	0.4	0.6	0.0
Casey	765	87.8	0.1	10.7	0.0	0.1	1.2	0.0
Christian	6,626	58.0	25.3	10.3	0.2	1.6	4.6	0.0
Clark	1,528	84.7	7.0	6.9	0.1	0.5	0.8	0.0
Clay	1,463	97.7	0.4	1.6	0.0	0.1	0.2	0.0
Clinton	729	90.0	0.1	9.6	0.0	0.1	0.1	0.0
Crittenden	373	95.7	1.6	0.5	0.3	0.0	1.9	0.0
Cumberland	394	95.4	2.8	1.5	0.0	0.0	0.3	0.0
Daviess	4,106	73.2	8.0	10.7	0.0	0.5	7.7	0.0
Edmonson	498	93.8	0.2	2.2	0.0	0.0	3.8	0.0
Elliott	466	98.7	0.0	0.9	0.0	0.0	0.4	0.0
Estill	819	98.7	0.6	0.5	0.0	0.0	0.2	0.0
Fayette	9,289	36.6	26.0	30.5	0.2	1.3	5.5	0.0
Fleming	776	95.5	0.5	2.8	0.0	0.4	0.8	0.0
Floyd	2,523	97.0	0.4	1.9	0.0	0.0	0.5	0.0
Franklin	1,747	69.0	15.1	8.8	0.1	1.7	5.4	0.0
Fulton	492	51.4	37.6	2.4	0.0	0.6	7.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Gallatin	588	81.6	1.2	14.5	0.0	0.0	2.7	0.0
Garrard	807	89.6	2.7	4.1	0.2	0.2	3.1	0.0
Grant	1,587	94.4	0.6	3.9	0.0	0.1	0.9	0.0
Graves	1,849	63.5	8.3	22.4	0.1	0.1	5.6	0.0
Grayson	1,329	94.7	0.5	3.0	0.2	0.3	1.4	0.0
Green	596	92.6	2.5	3.0	0.0	0.0	1.8	0.0
Greenup	1,294	96.2	0.4	0.7	0.0	0.6	2.1	0.0
Hancock	346	88.7	0.6	3.8	0.3	1.7	4.9	0.0
Hardin	4,763	68.5	14.6	8.8	0.1	0.9	7.0	0.0
Harlan	2,003	91.8	2.7	2.5	0.0	0.0	2.9	0.0
Harrison	905	90.1	1.9	5.5	0.2	0.1	2.2	0.0
Hart	820	86.7	4.1	2.8	0.0	0.1	6.2	0.0
Henderson	1,871	75.8	11.6	3.4	0.0	1.0	8.2	0.0
Henry	637	87.6	3.5	4.7	0.0	2.4	1.9	0.0
Hickman	206	71.4	14.6	2.4	0.0	0.0	11.7	0.0
Hopkins	2,161	75.6	9.4	3.9	0.0	0.3	10.9	0.0
Jackson	745	97.6	0.3	1.7	0.0	0.1	0.3	0.0
Jefferson	24,685	39.5	43.1	11.2	0.1	1.8	4.2	0.0
Jessamine	2,226	83.3	4.5	6.8	0.0	1.6	3.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Johnson	1,284	97.8	0.3	0.2	0.0	0.5	1.2	0.0
Kenton	5,094	77.0	11.2	8.1	0.0	0.7	3.1	0.0
Knott	913	98.4	0.4	0.5	0.0	0.2	0.4	0.0
Knox	1,995	97.4	1.3	0.8	0.0	0.2	0.3	0.0
Larue	673	81.0	2.8	10.8	0.0	0.0	5.3	0.0
Laurel	2,648	98.1	0.9	0.6	0.0	0.1	0.2	0.0
Lawrence	893	98.9	0.2	0.1	0.0	0.0	0.8	0.0
Lee	422	97.4	0.7	1.2	0.0	0.5	0.2	0.0
Leslie	769	97.4	0.1	0.5	0.0	0.0	2.0	0.0
Letcher	1,142	98.8	0.8	0.4	0.0	0.0	0.1	0.0
Lewis	742	98.7	0.1	0.3	0.1	0.3	0.5	0.0
Lincoln	1,109	92.4	2.3	2.9	0.0	0.2	2.3	0.0
Livingston	386	94.3	0.5	2.8	0.0	0.0	2.3	0.0
Logan	1,020	76.5	10.8	7.6	0.2	0.1	4.8	0.0
Lyon	268	93.3	1.5	0.7	0.0	1.1	3.4	0.0
Madison	2,980	83.3	5.5	6.0	0.0	0.3	4.9	0.0
Magoffin	823	98.4	0.1	1.2	0.0	0.0	0.2	0.0
Marion	1,018	78.9	9.5	9.7	0.0	0.5	1.4	0.0
Marshall	1,215	97.9	0.7	0.7	0.0	0.4	0.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Martin	796	98.1	0.0	1.3	0.0	0.0	0.6	0.0
Mason	871	78.9	6.8	6.2	0.2	0.5	7.5	0.0
McCracken	2,375	57.1	25.3	6.8	0.0	1.2	9.6	0.0
McCreary	1,213	97.5	0.2	1.9	0.0	0.0	0.3	0.0
McLean	441	93.0	0.0	5.2	0.0	0.0	1.8	0.0
Meade	905	89.6	2.2	3.0	0.0	0.0	5.2	0.0
Menifee	394	97.5	1.3	1.0	0.0	0.3	0.0	0.0
Mercer	975	85.4	3.3	9.1	0.0	0.4	1.7	0.0
Metcalfe	467	96.8	1.3	1.3	0.0	0.6	0.0	0.0
Monroe	516	85.3	4.8	8.9	0.0	0.0	1.0	0.0
Montgomery	1,469	89.8	1.2	6.7	0.0	0.2	2.0	0.0
Morgan	742	99.3	0.4	0.1	0.0	0.0	0.1	0.0
Muhlenberg	1,318	91.8	2.7	1.6	0.0	0.0	3.9	0.0
Nelson	1,705	81.7	5.5	6.4	0.0	0.2	6.2	0.0
Nicholas	382	92.7	0.5	5.5	0.0	0.0	1.3	0.0
Ohio	1,285	79.8	1.1	18.4	0.0	0.0	0.6	0.0
Oldham	978	70.4	4.2	21.8	0.0	0.7	2.9	0.0
Owen	462	87.4	0.2	10.6	0.0	0.2	1.5	0.0
Owsley	363	97.5	0.3	0.3	0.0	0.0	1.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Pendleton	563	95.2	1.1	2.7	0.0	0.4	0.7	0.0
Perry	1,689	96.6	1.7	0.5	0.0	0.2	1.1	0.0
Pike	2,734	98.4	0.5	0.7	0.0	0.2	0.2	0.0
Powell	770	96.0	1.2	2.1	0.3	0.5	0.0	0.0
Pulaski	2,927	90.4	1.4	7.2	0.1	0.4	0.5	0.0
Robertson	183	92.3	0.0	6.6	0.0	0.0	1.1	0.0
Rockcastle	939	96.4	0.2	2.0	0.0	0.1	1.3	0.0
Rowan	1,094	96.2	1.7	0.4	0.0	1.6	0.1	0.0
Russell	986	84.7	0.7	13.8	0.0	0.2	0.6	0.0
Scott	1,437	78.3	6.5	13.9	0.0	1.3	0.1	0.0
Shelby	1,465	47.4	8.7	40.1	0.0	2.1	1.7	0.0
Simpson	788	80.1	11.2	4.1	0.0	0.0	4.7	0.0
Spencer	448	87.1	2.2	9.2	0.0	0.2	1.3	0.0
Taylor	1,080	81.1	4.7	4.9	0.0	0.4	8.9	0.0
Todd	669	67.9	13.2	14.1	0.0	1.3	3.6	0.0
Trigg	566	80.9	10.4	1.1	0.0	0.0	7.6	0.0
Trimble	403	91.8	0.0	5.5	0.0	1.7	1.0	0.0
Union	647	83.6	8.0	1.4	0.0	0.0	7.0	0.0
Warren	3,440	60.7	12.7	18.4	0.5	4.3	3.4	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Washington	490	68.2	9.8	16.3	0.0	0.0	5.7	0.0
Wayne	1,245	86.4	1.4	10.9	0.0	0.2	1.0	0.0
Webster	649	72.9	2.5	21.6	0.0	0.2	2.9	0.0
Whitley	3,155	97.6	0.7	1.3	0.0	0.3	0.2	0.0
Wolfe	582	98.6	0.0	0.3	0.0	0.0	1.0	0.0
Woodford	864	57.6	4.7	31.4	0.0	0.8	5.4	0.0
Kentucky	181,271	75.3	11.9	8.6	0.1	0.8	3.3	0.0
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adair	794	41.2	17.9	40.9
Allen	1,004	38.2	19.3	42.4
Anderson	740	39.9	22.4	37.7
Ballard	319	37.9	24.5	37.6
Barren	1,768	39.7	20.0	40.3
Bath	663	35.6	18.9	45.6
Bell	2,055	37.1	18.2	44.7
Boone	3,320	40.8	20.5	38.6
Bourbon	865	42.2	22.0	35.8
Boyd	1,918	43.3	19.2	37.5
Boyle	1,030	40.8	20.1	39.1
Bracken	439	40.1	20.5	39.4
Breathitt	831	33.5	19.1	47.4
Breckinrid	794	39.4	18.3	42.3
Bullitt	2,159	43.3	20.1	36.6
Butler	588	34.5	21.6	43.9
Caldwell	622	43.7	17.7	38.6
Calloway	1,391	43.1	20.3	36.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Campbell	2,340	38.2	22.8	38.9
Carlisle	269	36.4	19.0	44.6
Carroll	800	42.0	19.6	38.4
Carter	1,686	35.2	21.5	43.4
Casey	765	36.5	18.7	44.8
Christian	6,626	39.8	21.7	38.5
Clark	1,528	43.9	19.6	36.5
Clay	1,463	37.9	18.5	43.6
Clinton	729	35.3	20.9	43.9
Crittenden	373	37.0	20.9	42.1
Cumberland	394	31.7	19.3	49.0
Daviess	4,106	43.4	18.3	38.2
Edmonson	498	39.0	21.5	39.6
Elliott	466	34.3	18.7	47.0
Estill	819	33.6	21.5	44.9
Fayette	9,289	43.2	19.1	37.7
Fleming	776	36.5	19.2	44.3
Floyd	2,523	38.1	19.3	42.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Franklin	1,747	43.6	20.8	35.7
Fulton	492	34.8	19.9	45.3
Gallatin	588	35.5	18.4	46.1
Garrard	807	38.7	17.8	43.5
Grant	1,587	34.6	22.1	43.3
Graves	1,849	39.8	19.6	40.6
Grayson	1,329	35.2	19.4	45.4
Green	596	37.1	20.1	42.8
Greenup	1,294	39.0	21.7	39.3
Hancock	346	35.8	21.7	42.5
Hardin	4,763	37.6	21.3	41.2
Harlan	2,003	38.0	17.9	44.0
Harrison	905	38.8	19.7	41.5
Hart	820	39.4	22.0	38.7
Henderson	1,871	45.3	18.7	36.0
Henry	637	41.4	19.5	39.1
Hickman	206	42.7	17.5	39.8
Hopkins	2,161	42.1	17.5	40.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Jackson	745	36.4	17.7	45.9
Jefferson	24,685	43.5	20.7	35.7
Jessamine	2,226	39.8	20.8	39.4
Johnson	1,284	39.0	17.8	43.1
Kenton	5,094	58.8	15.4	25.7
Knott	913	38.9	17.6	43.5
Knox	1,995	37.2	18.0	44.8
Larue	673	39.5	18.0	42.5
Laurel	2,648	43.9	17.8	38.3
Lawrence	893	38.5	19.6	41.9
Lee	422	37.4	14.7	47.9
Leslie	769	39.4	20.4	40.2
Letcher	1,142	44.4	17.5	38.1
Lewis	742	38.3	18.5	43.3
Lincoln	1,109	38.9	19.8	41.3
Livingston	386	33.7	18.1	48.2
Logan	1,020	37.0	19.2	43.8
Lyon	268	35.4	22.4	42.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Madison	2,980	43.2	19.3	37.5
Magoffin	823	35.6	16.2	48.2
Marion	1,018	40.2	19.0	40.9
Marshall	1,215	40.5	20.1	39.4
Martin	796	37.9	20.9	41.2
Mason	871	44.0	18.3	37.8
McCracken	2,375	42.5	18.8	38.7
McCreary	1,213	36.9	18.5	44.7
McLean	441	35.6	18.6	45.8
Meade	905	41.9	21.1	37.0
Menifee	394	35.8	20.3	43.9
Mercer	975	37.7	19.0	43.3
Metcalfe	467	33.4	19.7	46.9
Monroe	516	34.1	20.7	45.2
Montgomery	1,469	38.4	19.4	42.2
Morgan	742	35.3	16.6	48.1
Muhlenberg	1,318	39.7	17.2	43.1
Nelson	1,705	41.1	19.9	39.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Nicholas	382	40.8	17.0	42.1
Ohio	1,285	40.2	17.4	42.4
Oldham	978	40.9	19.0	40.1
Owen	462	41.6	20.1	38.3
Owsley	363	34.4	18.2	47.4
Pendleton	563	39.1	22.7	38.2
Perry	1,689	42.3	20.7	37.1
Pike	2,734	43.3	19.8	36.9
Powell	770	37.5	16.8	45.7
Pulaski	2,927	42.3	18.3	39.4
Robertson	183	34.4	18.6	47.0
Rockcastle	939	38.0	18.5	43.5
Rowan	1,094	41.7	18.8	39.5
Russell	986	40.7	22.4	36.9
Scott	1,437	39.9	20.0	40.1
Shelby	1,465	37.3	20.4	42.3
Simpson	788	41.2	23.1	35.7
Spencer	448	31.3	20.3	48.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Taylor	1,080	41.8	19.4	38.8
Todd	669	36.2	16.6	47.2
Trigg	566	40.3	19.6	40.1
Trimble	403	40.2	19.6	40.2
Union	647	40.3	19.6	40.0
Warren	3,440	43.3	20.1	36.6
Washington	490	34.3	19.6	46.1
Wayne	1,245	40.2	18.6	41.2
Webster	649	39.3	19.9	40.8
Whitley	3,155	41.5	17.9	40.5
Wolfe	582	32.1	20.1	47.8
Woodford	864	39.9	20.0	40.0
Kentucky	181,271	41.0	19.6	39.4
Nation (Prior Year)	8,164,612	35.8	23.0	41.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Adair	191	6.8 (11)	6.3 (53)	777	5.9 (58)	5.3 (50)	11.8 (23)	322	14.6 (25)	14.3 (32)	461	12.1 (73)
Allen	240	9.6 (48)	4.6 (20)	981	6.4 (69)	5.1 (47)	12.4 (34)	416	16.8 (60)	15.1 (44)	525	18.7 (110)
Anderson	156	8.3 (27)	5.8 (40)	708	6.8 (80)	6.4 (68)	13.8 (62)	270	18.1 (79)	16.7 (64)	458	15.9 (100)
Ballard	81	* *	* *	282	9.2 (103)	5.3 (50)	17.0 (97)	116	15.5 (36)	9.5 (3)	200	9.0 (44)
Barren	310	6.5 (10)	12.6 (101)	1,711	4.3 (24)	5.3 (50)	12.8 (42)	663	16.7 (56)	18.3 (82)	1,037	9.2 (46)
Bath	131	6.9 (13)	8.4 (82)	637	9.6 (108)	7.2 (84)	19.0 (107)	289	19.7 (96)	25.3 (114)	423	11.3 (65)
Bell	415	12.5 (86)	3.4 (8)	1,966	5.5 (51)	3.5 (15)	15.6 (85)	887	17.8 (78)	20.0 (96)	1,340	3.7 (7)
Boone	628	10.0 (59)	8.0 (78)	3,180	5.3 (48)	6.6 (73)	13.7 (58)	1,246	14.4 (21)	15.1 (44)	1,940	15.4 (97)
Bourbon	223	9.9 (54)	7.2 (65)	831	4.7 (36)	5.1 (47)	18.2 (103)	294	14.3 (18)	18.0 (79)	551	13.8 (85)
Boyd	441	12.2 (84)	3.6 (11)	1,858	2.8 (3)	12.4 (118)	8.2 (1)	701	17.0 (63)	15.1 (44)	1,118	14.1 (88)
Boyle	243	8.6 (33)	6.2 (49)	987	5.1 (43)	5.3 (50)	13.2 (47)	392	15.1 (32)	13.3 (23)	610	14.1 (88)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Bracken	110	6.4 (9)	6.4 (58)	419	4.5 (33)	9.8(108)	14.1 (69)	158	21.5(110)	20.3 (98)	280	2.9 (4)
Breathitt	148	7.4 (17)	3.4 (8)	773	3.8 (16)	4.1 (28)	13.7 (58)	362	14.9 (28)	13.3 (23)	540	3.9 (9)
Breckinrid	183	8.7 (34)	5.5 (37)	776	6.7 (76)	2.3 (2)	10.8 (14)	318	17.0 (63)	10.7 (6)	509	5.5 (21)
Bullitt	548	11.5 (80)	4.9 (25)	2,086	5.7 (56)	4.6 (36)	12.8 (42)	764	17.7 (76)	13.9 (29)	1,210	10.2 (57)
Butler	107	8.4 (30)	8.4 (82)	572	4.0 (19)	6.3 (66)	16.3 (91)	255	22.0(114)	18.8 (85)	391	5.1 (13)
Caldwell	168	6.0 (7)	8.9 (89)	593	4.9 (40)	4.0 (27)	15.9 (88)	231	16.0 (48)	12.1 (18)	363	13.8 (85)
Calloway	376	8.0 (23)	7.7 (74)	1,336	6.8 (80)	3.9 (25)	13.6 (56)	493	15.8 (45)	13.8 (26)	802	5.1 (13)
Campbell	387	9.6 (48)	3.9 (12)	2,131	4.3 (24)	7.0 (78)	10.6 (12)	863	11.8 (9)	10.3 (5)	1,390	13.2 (81)
Carlisle	61	* *	* *	252	4.4 (29)	3.6 (18)	12.7 (39)	117	21.4(108)	14.5 (35)	183	13.1 (79)
Carroll	214	7.0 (14)	11.7 (99)	780	5.4 (50)	7.7 (94)	16.3 (91)	294	21.8(112)	22.8(108)	517	14.1 (88)
Carter	326	10.7 (71)	4.9 (25)	1,636	3.7 (12)	10.6(113)	12.1 (26)	703	15.8 (45)	17.9 (77)	1,037	9.7 (52)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Casey	173	5.8 (5)	8.1 (81)	740	6.5 (72)	5.0 (44)	12.3 (31)	342	14.3 (18)	15.2 (48)	470	11.5 (66)
Christian	1,459	11.1 (73)	5.1 (31)	6,366	4.4 (29)	6.7 (74)	10.3 (10)	2,471	17.1 (65)	10.8 (7)	4,020	26.5 (119)
Clark	424	9.7 (52)	4.0 (14)	1,479	5.5 (51)	3.5 (15)	14.5 (71)	535	18.9 (89)	17.9 (77)	871	12.9 (78)
Clay	351	9.1 (42)	5.1 (31)	1,411	5.0 (42)	6.5 (69)	17.2 (98)	598	18.1 (79)	22.7 (106)	923	5.2 (15)
Clinton	142	7.7 (21)	12.0 (100)	703	6.8 (80)	7.1 (80)	17.8 (101)	299	21.1 (107)	23.1 (111)	466	3.2 (5)
Crittenden	92	* *	* *	356	6.2 (65)	3.1 (7)	12.1 (26)	157	23.6 (117)	12.7 (19)	252	20.2 (113)
Cumberland	86	* *	* *	381	5.2 (45)	4.5 (33)	13.1 (44)	191	15.7 (41)	21.5 (101)	267	10.5 (62)
Daviess	1,061	9.6 (48)	5.9 (42)	4,014	8.8 (101)	4.5 (33)	13.5 (54)	1,510	18.7 (86)	16.2 (59)	2,374	11.5 (66)
Edmonson	84	* *	* *	482	3.3 (7)	9.1 (107)	14.5 (71)	190	15.8 (45)	19.5 (91)	302	6.6 (27)
Elliott	107	13.1 (92)	11.2 (98)	454	2.4 (2)	7.5 (92)	11.5 (20)	203	15.3 (34)	16.7 (64)	289	14.9 (94)
Estill	147	12.9 (90)	5.4 (35)	807	6.1 (62)	4.7 (38)	13.4 (52)	360	14.7 (27)	18.9 (87)	558	8.4 (38)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fayette	2,183	10.3 (62)	6.0 (44)	8,835	7.6 (91)	6.5 (69)	14.8 (76)	3,350	18.5 (84)	19.1 (88)	5,004	28.9 (120)
Fleming	190	12.1 (83)	7.4 (68)	748	6.4 (69)	10.3 (112)	12.0 (25)	330	15.5 (36)	13.6 (25)	493	19.1 (111)
Floyd	630	10.3 (62)	4.0 (14)	2,405	4.5 (33)	8.9 (105)	9.9 (6)	1,021	10.2 (4)	13.2 (21)	1,571	6.6 (27)
Franklin	421	12.8 (89)	5.2 (33)	1,690	11.3 (117)	4.2 (30)	16.6 (96)	593	19.1 (91)	19.4 (90)	945	16.7 (103)
Fulton	104	14.4 (98)	6.7 (60)	468	9.6 (108)	8.5 (102)	20.7 (113)	221	17.6 (74)	19.5 (91)	336	18.2 (107)
Gallatin	137	11.7 (81)	6.6 (59)	570	6.5 (72)	6.7 (74)	17.7 (100)	261	22.2 (115)	26.1 (116)	404	15.3 (96)
Garrard	160	12.5 (86)	5.0 (27)	786	5.1 (43)	5.9 (61)	12.3 (31)	334	20.4 (104)	18.0 (79)	511	14.1 (88)
Grant	272	9.2 (43)	7.4 (68)	1,521	3.7 (12)	6.1 (63)	9.5 (4)	660	16.2 (52)	11.5 (10)	1,051	14.8 (93)
Graves	475	9.5 (46)	4.6 (20)	1,787	4.1 (20)	7.3 (86)	15.4 (84)	730	21.0 (106)	17.0 (71)	1,154	18.4 (108)
Grayson	251	9.6 (48)	9.2 (90)	1,284	9.2 (103)	5.4 (54)	14.0 (67)	582	19.1 (91)	16.0 (56)	872	4.6 (10)
Green	150	5.3 (2)	12.7 (102)	588	4.3 (24)	3.7 (21)	14.8 (76)	247	20.2 (102)	18.6 (84)	380	13.9 (87)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Greenup	258	8.9 (39)	5.8 (40)	1,264	3.6 (11)	11.0(115)	12.1 (26)	505	18.2 (82)	18.2 (81)		783	5.5 (21)
Hancock	73	* *	* *	333	7.2 (85)	6.9 (77)	15.6 (85)	141	18.4 (83)	22.7(106)		234	11.1 (63)
Hardin	1,016	7.4 (17)	7.7 (74)	4,631	6.5 (72)	3.8 (22)	12.7 (39)	1,875	14.9 (28)	11.2 (9)		3,047	13.7 (83)
Harlan	475	9.9 (54)	7.2 (65)	1,909	4.1 (20)	13.0(119)	13.4 (52)	845	17.3 (69)	21.5(101)		962	9.5 (50)
Harrison	225	13.3 (94)	6.2 (49)	862	4.3 (24)	2.7 (4)	13.1 (44)	367	17.2 (68)	16.9 (70)		545	9.7 (52)
Hart	162	8.0 (23)	8.0 (78)	800	3.9 (18)	4.5 (33)	13.3 (49)	307	16.9 (62)	14.7 (41)		514	7.6 (34)
Henderson	533	9.9 (54)	2.6 (3)	1,829	5.2 (45)	8.7(104)	8.5 (2)	647	16.1 (50)	14.1 (31)		995	2.1 (3)
Henry	183	6.0 (7)	4.4 (18)	624	6.7 (76)	5.6 (57)	15.2 (81)	237	16.5 (53)	16.0 (56)		403	17.9(106)
Hickman	50	* *	* *	199	6.5 (72)	8.0 (97)	22.1(115)	78	* *	* *		136	18.4(108)
Hopkins	517	13.0 (91)	7.7 (74)	2,089	7.2 (85)	4.9 (41)	12.2 (29)	850	19.5 (95)	16.5 (61)		1,373	10.1 (56)
Jackson	190	8.9 (39)	6.3 (53)	728	3.7 (12)	7.6 (93)	12.4 (34)	335	12.5 (12)	18.8 (85)		487	5.3 (17)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Jefferson	5,607	9.9 (54)	5.9 (42)	23,469	6.0 (59)	8.1 (99)	12.5 (38)	8,408	14.4 (21)	11.9 (14)	14,423	16.9 (104)
Jessamine	492	10.6 (70)	5.3 (34)	2,145	6.8 (80)	7.3 (86)	11.0 (15)	849	16.0 (48)	13.2 (21)	1,388	13.1 (79)
Johnson	325	13.5 (95)	2.2 (2)	1,213	6.2 (65)	7.2 (84)	19.0 (107)	533	19.1 (91)	22.9 (110)	778	9.8 (54)
Kenton	1,918	8.1 (25)	7.2 (65)	4,768	3.7 (12)	7.1 (80)	9.8 (5)	1,272	17.5 (73)	14.5 (35)	2,016	10.4 (61)
Knott	219	8.7 (34)	5.0 (27)	858	13.2 (120)	4.9 (41)	19.3 (111)	385	14.3 (18)	17.1 (74)	586	5.8 (23)
Knox	444	8.3 (27)	6.1 (46)	1,924	6.0 (59)	5.8 (59)	13.5 (54)	839	15.6 (40)	19.5 (91)	1,322	9.9 (55)
Larue	153	5.9 (6)	9.2 (90)	652	7.2 (85)	3.2 (9)	22.4 (116)	268	19.8 (97)	22.0 (103)	447	15.9 (100)
Laurel	633	8.5 (31)	10.9 (96)	2,563	4.3 (24)	7.1 (80)	13.3 (49)	969	14.0 (17)	17.0 (71)	1,481	7.0 (31)
Lawrence	231	19.0 (102)	5.6 (39)	859	4.4 (29)	11.3 (116)	12.7 (39)	367	19.9 (99)	16.6 (62)	518	6.9 (30)
Lee	67	* *	* *	398	5.5 (51)	10.1 (109)	11.1 (16)	189	9.5 (2)	13.8 (26)	257	22.6 (116)
Leslie	179	7.3 (16)	7.8 (77)	732	3.0 (4)	14.3 (120)	13.7 (58)	301	10.3 (5)	12.0 (16)	426	9.4 (49)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Letcher	299	14.7 (100)	5.0 (27)	1,098	8.4 (95)	3.9 (25)	15.1 (79)	420	21.4(108)	14.5 (35)	561	2.0 (2)
Lewis	180	11.1 (73)	6.1 (46)	718	4.2 (22)	7.1 (80)	12.3 (31)	300	13.3 (16)	15.3 (49)	424	13.4 (82)
Lincoln	273	10.3 (62)	5.5 (37)	1,055	3.0 (4)	8.6(103)	10.7 (13)	447	17.7 (76)	11.9 (14)	733	9.3 (48)
Livingston	89	* *	* *	373	10.7(113)	4.6 (36)	17.2 (98)	181	9.9 (3)	8.8 (2)	228	6.1 (24)
Logan	216	8.3 (27)	6.9 (62)	987	4.9 (40)	5.0 (44)	13.8 (62)	410	16.8 (60)	19.8 (94)	631	26.3(118)
Lyon	64	* *	* *	263	9.1(102)	3.8 (22)	24.7(119)	114	10.5 (6)	28.9(118)	189	3.2 (5)
Madison	778	11.4 (79)	6.2 (49)	2,903	3.8 (16)	9.0(106)	10.1 (9)	1,082	15.7 (41)	15.7 (54)	1,793	6.8 (29)
Magoffin	175	12.6 (88)	2.9 (5)	778	10.8(115)	5.7 (58)	22.8(117)	379	22.4(116)	26.6(117)	496	10.3 (59)
Marion	251	11.2 (77)	10.4 (94)	1,005	8.7(100)	3.2 (9)	19.1(110)	395	16.7 (56)	20.0 (96)	628	7.0 (31)
Marshall	316	8.9 (39)	4.1 (16)	1,148	12.2(118)	7.8 (96)	15.1 (79)	450	11.6 (8)	8.4 (1)	743	15.2 (95)
Martin	132	24.2(103)	1.5 (1)	751	8.1 (94)	6.3 (66)	16.5 (95)	320	14.4 (21)	15.6 (52)	529	5.3 (17)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Mason	238	14.3 (97)	6.3 (53)	820	9.5(106)	11.3(116)	14.8 (76)	311	15.1 (32)	17.0 (71)	502	9.2 (46)
McCracken	661	9.5 (46)	6.1 (46)	2,156	6.1 (62)	4.1 (28)	18.5(104)	874	15.7 (41)	14.3 (32)	1,396	15.6 (98)
McCreary	271	10.3 (62)	6.3 (53)	1,176	4.7 (36)	6.5 (69)	12.4 (34)	522	15.3 (34)	19.2 (89)	793	5.2 (15)
McLean	96	* *	* *	430	12.3(119)	2.8 (6)	14.7 (75)	202	21.8(112)	13.9 (29)	286	1.0 (1)
Meade	218	10.1 (61)	11.0 (97)	882	7.4 (90)	4.8 (39)	14.4 (70)	327	12.2 (10)	9.5 (3)	554	11.2 (64)
Menifee	79	* *	* *	375	1.9 (1)	5.9 (61)	13.3 (49)	166	15.7 (41)	15.1 (44)	257	12.5 (76)
Mercer	213	8.5 (31)	8.0 (78)	944	6.7 (76)	5.4 (54)	13.8 (62)	412	16.5 (53)	16.7 (64)	640	11.7 (69)
Metcalfe	94	* *	* *	452	5.3 (48)	7.7 (94)	11.7 (21)	209	16.7 (56)	15.3 (49)	314	11.8 (70)
Monroe	105	16.2(101)	10.5 (95)	503	7.2 (85)	4.8 (39)	18.5(104)	216	25.0(118)	22.2(105)	347	3.7 (7)
Montgomery	295	10.5 (68)	8.5 (84)	1,419	5.6 (55)	3.6 (18)	13.7 (58)	598	19.9 (99)	16.6 (62)	952	6.5 (26)
Morgan	117	14.5 (99)	4.3 (17)	687	3.5 (9)	7.3 (86)	13.2 (47)	341	16.7 (56)	16.1 (58)	498	17.1(105)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Muhlenberg	341	7.6 (20)	9.4 (93)	1,283	5.5 (51)	5.8 (59)	11.1 (16)	540	20.0(101)	15.7 (54)	752	8.5 (39)
Nelson	353	9.9 (54)	4.8 (24)	1,669	8.4 (95)	5.2 (49)	13.6 (56)	652	16.6 (55)	11.8 (11)	1,066	12.2 (74)
Nicholas	103	8.7 (34)	2.9 (5)	347	6.3 (67)	10.1(109)	11.2 (18)	153	3.9 (1)	11.8 (11)	236	8.5 (39)
Ohio	320	8.8 (38)	4.7 (22)	1,245	4.5 (33)	3.6 (18)	10.0 (8)	525	18.7 (86)	15.6 (52)	771	4.9 (11)
Oldham	254	9.8 (53)	3.5 (10)	954	7.9 (93)	3.8 (22)	14.0 (67)	373	18.5 (84)	16.4 (60)	540	10.2 (57)
Owen	107	7.5 (19)	9.3 (92)	443	6.3 (67)	6.8 (76)	13.8 (62)	174	16.1 (50)	16.7 (64)	313	16.3(102)
Owsley	88	* *	* *	335	10.7(113)	2.7 (4)	30.7(120)	164	17.1 (65)	25.6(115)	251	11.6 (68)
Pendleton	134	11.9 (82)	4.5 (19)	545	6.1 (62)	6.1 (63)	10.3 (10)	206	18.9 (89)	14.6 (40)	331	21.8(115)
Perry	388	12.4 (85)	2.6 (3)	1,601	8.5 (97)	3.3 (12)	22.8(117)	597	17.1 (65)	22.8(108)	944	8.7 (41)
Pike	656	11.1 (73)	7.6 (72)	2,585	4.4 (29)	10.9(114)	12.2 (29)	936	12.9 (13)	11.8 (11)	1,497	12.7 (77)
Powell	183	13.1 (92)	7.1 (64)	729	8.5 (97)	4.3 (32)	16.0 (89)	326	14.4 (21)	20.9 (99)	521	5.4 (20)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Pulaski	648	9.3 (44)	6.2 (49)	2,827	3.4 (8)	7.4 (91)	9.4 (3)	1,091	13.0 (14)	13.1 (20)	1,741	5.3 (17)
Robertson	37	* *	* *	171	3.5 (9)	7.0 (78)	9.9 (6)	81	* *	* *	126	6.3 (25)
Rockcastle	223	10.3 (62)	5.4 (35)	903	6.0 (59)	5.0 (44)	15.7 (87)	390	19.2 (94)	16.7 (64)	593	10.3 (59)
Rowan	252	8.7 (34)	8.7 (87)	1,059	3.1 (6)	8.1 (99)	11.7 (21)	412	18.7 (86)	15.0 (43)	661	7.0 (31)
Russell	235	11.1 (73)	6.0 (44)	940	7.6 (91)	8.0 (97)	11.9 (24)	340	17.6 (74)	22.1(104)	567	7.8 (36)
Scott	336	13.7 (96)	8.6 (86)	1,342	8.5 (97)	3.4 (14)	18.8(106)	550	17.3 (69)	12.0 (16)	875	20.6(114)
Shelby	313	10.5 (68)	6.7 (60)	1,402	9.6(108)	4.2 (30)	17.8(101)	595	15.5 (36)	14.3 (32)	908	12.3 (75)
Simpson	171	7.0 (14)	8.8 (88)	758	6.7 (76)	8.3(101)	12.4 (34)	271	18.1 (79)	17.7 (76)	467	19.9(112)
Spencer	81	* *	* *	432	9.5(106)	4.9 (41)	20.4(112)	203	12.3 (11)	21.2(100)	289	14.2 (92)
Taylor	279	6.8 (11)	7.5 (71)	1,042	5.7 (56)	6.1 (63)	15.2 (81)	398	17.3 (69)	16.8 (69)	649	13.7 (83)
Todd	125	4.8 (1)	12.8(103)	632	10.0(112)	6.5 (69)	19.0(107)	289	11.4 (7)	14.5 (35)	468	9.6 (51)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Trigg	154	10.4 (67)	3.2 (7)	543	7.0 (84)	3.5 (15)	14.5 (71)	221	14.9 (28)	14.5 (35)	343	8.7 (41)
Trimble	106	5.7 (3)	4.7 (22)	396	7.3 (89)	10.1(109)	11.4 (19)	153	13.1 (15)	11.1 (8)	251	23.9(117)
Union	158	5.7 (3)	6.3 (53)	633	9.6(108)	3.3 (12)	13.1 (44)	246	14.6 (25)	13.8 (26)	417	5.0 (12)
Warren	640	10.9 (72)	5.0 (27)	3,295	4.7 (36)	7.3 (86)	13.9 (66)	1,196	15.0 (31)	17.1 (74)	1,902	9.1 (45)
Washington	93	* *	* *	486	6.4 (69)	3.1 (7)	16.3 (91)	213	20.2(102)	18.3 (82)	304	11.8 (70)
Wayne	320	8.1 (25)	6.9 (62)	1,202	4.2 (22)	5.4 (54)	16.1 (90)	480	17.3 (69)	23.8(112)	751	15.6 (98)
Webster	154	7.8 (22)	3.9 (12)	635	11.0(116)	1.4 (1)	21.3(114)	253	19.8 (97)	19.8 (94)	434	7.8 (36)
Whitley	817	10.0 (59)	7.6 (72)	3,062	4.8 (39)	7.3 (86)	16.3 (91)	1,235	21.5(110)	24.3(113)	1,939	8.7 (41)
Wolfe	118	9.3 (44)	8.5 (84)	558	5.2 (45)	2.3 (2)	14.5 (71)	265	15.5 (36)	14.7 (41)	378	7.7 (35)
Woodford	215	11.2 (77)	7.4 (68)	836	9.4(105)	3.2 (9)	15.3 (83)	340	20.6(105)	15.3 (49)	563	11.9 (72)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Kentucky	42,298	9.9	6.3	173,809	6.0	6.6	13.5	68,450	16.4	15.8	107,861	12.9
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,996	16.5	14.8	4,916,523	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Adair	191	35.1 (50)	128	11.7 (25)	121	4.1 (40)	0	* *	0	* *	356	91.0 (61)	794	24.3 (42)
Allen	231	49.8 (7)	117	13.7 (15)	157	5.1 (28)	0	* *	0	* *	461	80.5(109)	1,004	33.6 (67)
Anderson	154	39.0 (34)	128	13.3 (17)	133	4.5 (31)	0	* *	0	* *	300	82.3(106)	740	23.8 (37)
Ballard	81	* *	46	* *	62	* *	0	* *	0	* *	135	92.6 (51)	319	43.3 (84)
Barren	292	34.2 (54)	180	10.0 (31)	199	5.5 (23)	0	* *	0	* *	740	90.8 (62)	1,767	21.6 (32)
Bath	131	17.6(101)	83	* *	92	* *	0	* *	0	* *	327	99.4 (9)	663	45.9 (90)
Bell	471	22.5 (91)	247	4.9 (65)	289	1.0 (76)	0	* *	0	* *	996	96.3 (26)	2,055	34.9 (74)
Boone	667	36.6 (45)	482	13.3 (17)	476	5.5 (23)	0	* *	0	* *	1,356	88.5 (81)	3,320	40.2 (82)
Bourbon	219	43.8 (21)	142	12.0 (22)	148	7.4 (13)	0	* *	0	* *	342	93.9 (43)	865	33.2 (63)
Boyd	437	23.6 (87)	267	7.5 (50)	235	7.7 (12)	0	* *	0	* *	782	96.5 (24)	1,918	54.8 (107)
Boyle	245	24.9 (79)	134	6.7 (56)	141	4.3 (34)	0	* *	0	* *	435	95.9 (30)	1,030	48.3 (100)
Bracken	109	28.4 (71)	62	* *	56	* *	0	* *	0	* *	185	89.2 (74)	439	63.3 (114)
Breathitt	148	20.9 (97)	110	5.5 (63)	133	0.8 (79)	0	* *	0	* *	420	78.8(114)	831	51.6 (103)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Breckinrid	180	38.3 (37)	97	* *	97	* *	0	* *	0	* *	358	86.0 (97)	794	2.8 (7)
Bullitt	544	39.3 (33)	314	9.2 (38)	353	3.4 (47)	0	* *	0	* *	866	91.1 (59)	2,159	23.8 (37)
Butler	107	35.5 (49)	60	* *	78	* *	0	* *	0	* *	281	88.6 (80)	588	18.2 (27)
Caldwell	166	36.7 (43)	106	8.5 (43)	104	1.9 (66)	0	* *	0	* *	256	73.0(118)	622	33.1 (62)
Calloway	372	64.5 (1)	195	24.6 (2)	206	9.7 (6)	0	* *	0	* *	545	95.8 (32)	1,391	10.1 (16)
Campbell	453	25.4 (76)	369	8.7 (42)	341	4.4 (33)	0	* *	0	* *	981	92.9 (48)	2,340	24.2 (40)
Carlisle	60	* *	41	* *	50	* *	0	* *	0	* *	125	85.6 (98)	269	28.6 (49)
Carroll	209	30.1 (67)	110	10.0 (31)	128	7.0 (15)	0	* *	0	* *	325	85.5 (99)	800	34.0 (69)
Carter	325	30.5 (65)	218	8.3 (45)	241	2.5 (58)	0	* *	0	* *	795	92.2 (54)	1,686	48.2 (99)
Casey	173	39.9 (30)	99	* *	115	4.3 (34)	0	* *	0	* *	374	91.2 (57)	765	31.6 (56)
Christian	1,471	51.5 (6)	911	16.7 (6)	885	9.4 (8)	0	* *	0	* *	2,692	83.8(103)	6,626	21.9 (34)
Clark	420	36.7 (43)	226	8.0 (47)	212	4.2 (38)	0	* *	0	* *	598	97.8 (18)	1,528	0.7 (3)
Clay	348	21.8 (93)	181	3.9 (69)	215	2.8 (57)	0	* *	0	* *	648	88.3 (85)	1,463	74.7 (117)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Clinton	142	23.2 (89)	113	0.9 (73)	116	1.7 (70)	0	* *	0	* *	344	88.4 (83)	729	46.6 (97)
Crittenden	91	* *	45	* *	56	* *	0	* *	0	* *	171	87.1 (94)	373	21.7 (33)
Cumberland	85	* *	46	* *	49	* *	0	* *	0	* *	214	93.0 (47)	394	29.9 (53)
Daviess	1,038	31.7 (60)	517	7.4 (51)	500	1.8 (68)	0	* *	0	* *	1,670	90.8 (62)	4,106	20.5 (31)
Edmonson	85	* *	82	* *	46	* *	0	* *	0	* *	209	88.5 (81)	498	32.3 (59)
Elliott	107	21.5 (94)	58	* *	60	* *	0	* *	0	* *	234	95.7 (33)	466	43.8 (86)
Estill	146	34.9 (53)	94	* *	112	0.9 (77)	0	* *	0	* *	397	88.4 (83)	819	25.3 (44)
Fayette	2,215	61.8 (2)	1,427	31.1 (1)	1,226	15.6 (1)	0	* *	0	* *	3,720	90.5 (66)	9,289	0.3 (1)
Fleming	185	20.5 (99)	89	* *	110	3.6 (45)	0	* *	0	* *	372	86.8 (95)	776	26.9 (47)
Floyd	621	17.9(100)	323	5.9 (62)	377	2.1 (63)	0	* *	0	* *	1,169	99.9 (4)	2,523	56.2 (108)
Franklin	417	45.3 (15)	216	15.3 (10)	222	5.4 (25)	0	* *	0	* *	665	88.3 (85)	1,747	46.5 (96)
Fulton	104	27.9 (72)	59	* *	74	* *	0	* *	0	* *	238	77.7(115)	492	53.3 (105)
Gallatin	136	36.0 (47)	78	* *	76	* *	0	* *	0	* *	293	89.8 (68)	588	84.2 (118)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Garrard	165	43.6 (22)	108	6.5 (59)	106	5.7 (22)	0	* *	0	* *	372	97.8 (18)	807	33.2 (63)
Grant	285	36.8 (42)	237	16.5 (8)	279	6.5 (18)	0	* *	0	* *	741	88.1 (88)	1,587	50.0 (102)
Graves	476	38.0 (38)	253	11.9 (23)	300	4.0 (42)	0	* *	0	* *	805	97.9 (16)	1,849	31.5 (55)
Grayson	259	30.5 (65)	181	10.5 (28)	201	6.0 (21)	0	* *	0	* *	652	76.5(117)	1,329	60.8 (112)
Green	152	53.9 (4)	80	* *	93	* *	0	* *	0	* *	280	90.4 (67)	596	24.2 (40)
Greenup	258	26.4 (74)	184	10.9 (27)	204	3.4 (47)	0	* *	0	* *	540	94.6 (37)	1,294	20.4 (30)
Hancock	73	* *	42	* *	46	* *	0	* *	0	* *	157	87.9 (90)	346	26.3 (46)
Hardin	1,018	39.5 (32)	513	9.2 (38)	705	4.3 (34)	0	* *	0	* *	2,072	91.1 (59)	4,763	43.8 (86)
Harlan	474	23.2 (89)	229	3.5 (71)	304	1.6 (73)	0	* *	0	* *	943	89.7 (69)	2,003	29.4 (52)
Harrison	221	44.3 (18)	121	8.3 (45)	110	9.1 (9)	0	* *	0	* *	411	97.3 (20)	905	22.3 (35)
Hart	162	30.9 (63)	119	14.3 (13)	112	3.6 (45)	0	* *	0	* *	342	89.2 (74)	820	23.5 (36)
Henderson	505	24.0 (84)	234	8.5 (43)	224	4.0 (42)	0	* *	0	* *	711	87.2 (93)	1,871	31.6 (56)
Henry	181	32.6 (57)	81	* *	98	* *	0	* *	0	* *	272	97.1 (22)	637	8.0 (15)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
County	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Hickman	49	* *	28	* *	40	* *	0	* *	90	* *	206	33.5 (66)
Hopkins	511	41.9 (26)	259	7.7 (49)	235	3.4 (47)	0	* *	930	84.0(101)	2,161	46.0 (93)
Jackson	186	31.7 (60)	86	* *	95	* *	0	* *	370	92.7 (49)	745	67.5 (116)
Jefferson	5,749	45.8 (13)	3,742	16.7 (6)	3,419	7.1 (14)	0	* *	9,360	93.3 (46)	24,685	0.5 (2)
Jessamine	489	42.9 (23)	313	20.1 (3)	303	10.6 (4)	0	* *	935	93.6 (45)	2,226	16.8 (26)
Johnson	321	25.2 (77)	171	5.3 (64)	171	0.6 (80)	0	* *	590	99.5 (8)	1,284	36.7 (76)
Kenton	2,095	35.0 (52)	677	9.6 (35)	501	3.0 (55)	0	* *	1,415	96.0 (29)	5,094	43.6 (85)
Knott	215	24.2 (82)	97	* *	114	1.8 (68)	0	* *	429	96.5 (24)	913	16.0 (24)
Knox	481	24.3 (81)	240	6.7 (56)	264	2.3 (59)	0	* *	957	94.5 (38)	1,995	0.7 (3)
Larue	152	46.7 (12)	101	9.9 (33)	89	* *	0	* *	306	84.0(101)	673	12.2 (19)
Laurel	660	33.6 (56)	413	7.3 (53)	361	3.9 (44)	0	* *	1,077	94.8 (36)	2,648	47.8 (98)
Lawrence	231	21.2 (95)	113	2.7 (72)	111	0.9 (77)	0	* *	411	96.6 (23)	893	25.8 (45)
Lee	91	* *	56	* *	42	* *	0	* *	215	87.4 (92)	422	14.9 (22)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Leslie	180	23.9 (85)	107	6.5 (59)	103	1.9 (66)	0	* *	0	* *	341	99.7 (6)	769	3.3 (8)
Letcher	292	32.2 (58)	135	15.6 (9)	101	10.9 (3)	0	* *	0	* *	467	90.6 (65)	1,142	7.5 (14)
Lewis	176	37.5 (40)	70	* *	100	2.0 (64)	0	* *	0	* *	344	87.5 (91)	742	62.3 (113)
Lincoln	271	23.6 (87)	149	7.4 (51)	163	3.1 (53)	0	* *	0	* *	509	98.4 (12)	1,109	46.1 (94)
Livingston	89	* *	39	* *	51	* *	0	* *	0	* *	197	80.2(110)	386	39.9 (80)
Logan	218	36.2 (46)	108	9.3 (37)	141	1.4 (75)	0	* *	0	* *	464	91.8 (56)	1,020	27.5 (48)
Lyon	62	* *	26	* *	37	* *	0	* *	0	* *	123	99.2 (10)	268	37.3 (77)
Madison	775	38.8 (35)	446	10.1 (29)	442	6.1 (19)	0	* *	0	* *	1,210	92.0 (55)	2,980	19.2 (29)
Magoffin	175	17.1(102)	94	* *	101	0.0 (81)	0	* *	0	* *	422	100.0 (1)	823	29.2 (50)
Marion	250	36.0 (47)	114	8.8 (41)	131	5.3 (27)	0	* *	0	* *	450	99.8 (5)	1,018	58.4 (110)
Marshall	316	47.2 (10)	180	13.3 (17)	181	6.1 (19)	0	* *	0	* *	511	81.4(108)	1,215	32.8 (60)
Martin	186	14.0(103)	88	* *	134	2.2 (61)	0	* *	0	* *	366	88.8 (79)	796	41.6 (83)
Mason	248	22.2 (92)	111	4.5 (67)	134	2.2 (61)	0	* *	0	* *	354	97.2 (21)	871	58.8 (111)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
McCracken	659	45.5 (14)	357	13.7 (15)	352	5.4 (25)	0	* *	0	* *	973	88.0 (89)	2,375	18.8 (28)
McCreary	280	25.0 (78)	148	4.7 (66)	153	2.0 (64)	0	* *	0	* *	599	86.6 (96)	1,213	29.3 (51)
McLean	95	* *	50	* *	50	* *	0	* *	0	* *	216	94.0 (41)	441	33.6 (67)
Meade	217	24.4 (80)	98	* *	121	5.0 (29)	0	* *	0	* *	361	83.1(104)	905	45.2 (88)
Menifee	79	* *	63	* *	70	* *	0	* *	0	* *	185	94.1 (40)	394	13.7 (21)
Mercer	212	40.6 (28)	119	10.1 (29)	122	3.3 (52)	0	* *	0	* *	457	91.2 (57)	975	34.2 (71)
Metcalfe	93	* *	53	* *	48	* *	0	* *	0	* *	232	94.0 (41)	467	34.0 (69)
Monroe	104	31.7 (60)	50	* *	78	* *	0	* *	0	* *	242	100.0 (1)	516	24.4 (43)
Montgomery	293	38.6 (36)	228	11.8 (24)	177	4.5 (31)	0	* *	0	* *	663	89.6 (70)	1,469	38.1 (78)
Morgan	163	30.1 (67)	89	* *	82	* *	0	* *	0	* *	340	100.0 (1)	742	12.5 (20)
Muhlenberg	337	23.7 (86)	179	3.9 (69)	177	3.4 (47)	0	* *	0	* *	608	80.1(111)	1,318	53.7 (106)
Nelson	354	42.1 (25)	199	6.0 (61)	231	4.3 (34)	0	* *	0	* *	731	95.9 (30)	1,705	87.9 (120)
Nicholas	100	21.0 (96)	58	* *	59	* *	0	* *	0	* *	175	98.3 (14)	382	49.5 (101)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Ohio	317	44.2 (19)	183	17.5 (5)	165	7.9 (11)	0	* *	0	* *	575	77.2(116)	1,285	45.8 (89)
Oldham	246	49.2 (8)	100	15.0 (11)	123	4.9 (30)	0	* *	0	* *	413	94.9 (35)	978	87.8 (119)
Owen	106	37.7 (39)	61	* *	56	* *	0	* *	0	* *	194	97.9 (16)	462	45.9 (90)
Owsley	84	* *	32	* *	51	* *	0	* *	0	* *	186	96.2 (27)	363	30.0 (54)
Pendleton	134	47.8 (9)	74	* *	78	* *	0	* *	0	* *	229	94.3 (39)	563	34.5 (73)
Perry	429	32.2 (58)	207	4.3 (68)	262	3.4 (47)	0	* *	0	* *	668	89.5 (72)	1,689	0.9 (5)
Pike	680	24.1 (83)	371	6.7 (56)	355	1.7 (70)	0	* *	0	* *	1,096	80.1(111)	2,734	66.8 (115)
Powell	184	42.9 (23)	102	9.8 (34)	119	1.7 (70)	0	* *	0	* *	369	89.4 (73)	770	33.2 (63)
Pulaski	648	39.7 (31)	479	11.3 (26)	368	6.8 (16)	0	* *	0	* *	1,234	92.7 (49)	2,927	35.1 (75)
Robertson	37	* *	19	* *	29	* *	0	* *	0	* *	93	* *	183	56.8 (109)
Rockcastle	220	45.0 (16)	114	9.6 (35)	135	9.6 (7)	0	* *	0	* *	441	89.6 (70)	939	7.3 (12)
Rowan	252	33.7 (55)	156	12.2 (21)	136	1.5 (74)	0	* *	0	* *	473	79.9(113)	1,094	4.7 (10)
Russell	236	37.3 (41)	167	7.2 (54)	172	2.9 (56)	0	* *	0	* *	392	85.5 (99)	986	31.8 (58)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Scott	335	44.8 (17)	171	14.6 (12)	189	11.1 (2)	0	* *	0	* *	608	98.5 (11)	1,437	24.0 (39)
Shelby	311	55.3 (3)	159	18.9 (4)	242	10.3 (5)	0	* *	0	* *	668	88.3 (85)	1,465	3.3 (8)
Simpson	171	26.3 (75)	93	* *	120	4.2 (38)	0	* *	0	* *	297	98.0 (15)	788	46.3 (95)
Spencer	80	* *	32	* *	62	* *	0	* *	0	* *	233	95.3 (34)	448	1.8 (6)
Taylor	278	28.8 (70)	166	7.8 (48)	171	4.1 (40)	0	* *	0	* *	455	92.5 (53)	1,080	38.2 (79)
Todd	125	44.0 (20)	86	* *	80	* *	0	* *	0	* *	334	96.1 (28)	669	11.4 (18)
Trigg	155	40.6 (28)	73	* *	88	* *	0	* *	0	* *	244	88.9 (77)	566	39.9 (80)
Trimble	106	29.2 (69)	65	* *	63	* *	0	* *	0	* *	169	81.7(107)	403	7.2 (11)
Union	151	35.1 (50)	72	* *	83	* *	0	* *	0	* *	279	88.9 (77)	647	32.8 (60)
Warren	707	46.8 (11)	406	14.0 (14)	407	8.6 (10)	0	* *	0	* *	1,298	89.1 (76)	3,440	7.4 (13)
Washington	92	* *	58	* *	71	* *	0	* *	0	* *	233	99.6 (7)	490	15.7 (23)
Wayne	326	27.6 (73)	191	8.9 (40)	163	3.1 (53)	0	* *	0	* *	555	93.7 (44)	1,245	52.3 (104)
Webster	149	40.9 (27)	62	* *	80	* *	0	* *	0	* *	290	82.8(105)	649	34.4 (72)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Whitley	809	20.6 (98)	431	7.2 (54)	426	2.3 (59)	0	* *	0	* *	1,376	92.6 (51)	3,155	10.7 (17)
Wolfe	117	30.8 (64)	62	* *	77	* *	0	* *	0	* *	303	90.8 (62)	582	45.9 (90)
Woodford	209	53.1 (5)	107	13.1 (20)	106	6.6 (17)	0	* *	0	* *	370	98.4 (12)	864	16.4 (25)
Kentucky	42,953	37.8	24,535	12.2	24,834	5.4	0	*	0	*	76,373	91.1	181,270	26.9
Nation (Prior Year)	1,719,083	62.0	848,761	26.9	1,038,203	19.1	144,421	12.9	206,416	7.2	744,697	74.8	3,277,352	10.9

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Adair	537	8.2 (24)	6.9 (81)	2,113	5.3 (47)	6.2 (61)	10.7 (14)	852	11.9 (8)	14.9 (34)	1,282	10.1 (52)
Allen	648	7.7 (16)	6.3 (70)	2,630	6.3 (72)	6.7 (70)	10.7 (14)	1,123	14.7 (19)	13.3 (22)	1,331	16.6 (101)
Anderson	445	11.5 (101)	5.2 (29)	1,809	6.8 (82)	7.0 (76)	13.7 (64)	713	21.2 (116)	17.7 (80)	1,170	14.7 (92)
Ballard	238	9.7 (61)	6.7 (77)	795	9.1 (106)	5.0 (41)	16.2 (94)	328	18.9 (94)	10.7 (6)	556	11.0 (60)
Barren	1,203	9.4 (51)	8.6 (107)	4,995	4.9 (36)	5.7 (51)	12.3 (31)	1,907	16.6 (55)	18.4 (88)	3,037	8.8 (42)
Bath	401	10.5 (76)	9.5 (116)	1,745	9.9 (111)	6.9 (72)	18.7 (109)	757	21.1 (115)	24.3 (116)	1,132	10.5 (55)
Bell	1,194	12.3 (111)	5.0 (24)	5,543	5.8 (60)	3.8 (20)	16.6 (97)	2,593	15.8 (33)	19.2 (93)	3,888	3.2 (4)
Boone	1,679	11.0 (91)	7.6 (92)	8,455	6.0 (63)	6.3 (64)	13.2 (52)	3,251	16.3 (48)	14.9 (34)	5,287	15.4 (97)
Bourbon	631	8.9 (36)	7.0 (83)	2,157	5.4 (52)	5.1 (42)	17.4 (101)	757	18.8 (91)	18.9 (91)	1,408	12.1 (74)
Boyd	1,314	13.1 (115)	4.3 (13)	5,181	3.5 (7)	11.4 (116)	8.9 (3)	1,930	15.8 (33)	15.3 (43)	3,141	17.0 (105)
Boyle	664	9.9 (66)	6.8 (79)	2,749	5.3 (47)	5.7 (51)	13.2 (52)	1,037	15.3 (25)	14.9 (34)	1,650	13.6 (85)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Bracken	289	10.0 (69)	5.9 (53)	1,112	6.2 (69)	11.3(115)	14.1 (71)	415	25.3(120)	20.7(105)	729	4.8 (8)
Breathitt	474	7.4 (11)	4.2 (9)	2,272	4.4 (21)	4.4 (32)	16.4 (96)	1,081	16.5 (53)	16.2 (61)	1,609	5.4 (16)
Breckinrid	493	9.1 (43)	5.5 (40)	2,160	6.0 (63)	2.5 (4)	11.6 (25)	948	15.3 (25)	11.5 (10)	1,483	6.6 (25)
Bullitt	1,480	10.5 (76)	6.1 (61)	5,489	5.9 (62)	4.5 (36)	13.0 (47)	1,990	17.9 (82)	14.7 (31)	3,166	12.7 (78)
Butler	373	10.5 (76)	5.9 (53)	1,691	3.7 (10)	6.1 (60)	16.3 (95)	738	20.2(108)	20.7(105)	1,132	9.2 (46)
Caldwell	460	7.8 (17)	7.2 (87)	1,643	5.1 (43)	6.0 (56)	14.7 (78)	640	16.7 (59)	13.8 (26)	1,036	12.5 (76)
Calloway	951	6.9 (9)	9.1(113)	3,574	5.1 (43)	4.4 (32)	12.4 (36)	1,362	16.7 (59)	12.6 (19)	2,195	6.8 (27)
Campbell	1,158	10.2 (73)	5.4 (36)	6,141	4.6 (30)	7.3 (84)	9.6 (7)	2,428	11.4 (4)	9.3 (1)	3,910	16.6(101)
Carlisle	170	8.8 (33)	5.3 (35)	687	4.9 (36)	3.5 (15)	14.1 (71)	328	22.0(117)	15.9 (55)	468	17.5(108)
Carroll	582	8.4 (28)	8.2(102)	1,998	6.1 (66)	7.5 (89)	13.4 (59)	764	19.2 (97)	19.4 (96)	1,287	13.1 (79)
Carter	1,017	10.5 (76)	5.0 (24)	4,667	3.5 (7)	10.0(109)	12.4 (36)	2,008	16.2 (44)	17.5 (78)	2,965	11.3 (62)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Casey	477	8.8 (33)	8.2 (102)	2,014	6.9 (84)	6.0 (56)	11.9 (27)	915	16.1 (39)	15.2 (41)	1,265	10.8 (58)
Christian	4,010	9.9 (66)	5.7 (47)	16,802	4.1 (19)	7.5 (89)	9.0 (4)	6,504	14.1 (14)	9.4 (2)	10,276	24.4 (119)
Clark	1,065	9.3 (46)	5.5 (40)	3,867	5.4 (52)	4.1 (24)	15.1 (81)	1,426	20.4 (112)	19.3 (94)	2,280	11.8 (71)
Clay	1,006	9.9 (66)	5.9 (53)	4,044	4.4 (21)	7.4 (87)	15.5 (89)	1,789	19.9 (101)	21.7 (111)	2,722	4.8 (8)
Clinton	437	9.6 (58)	8.5 (106)	1,949	5.0 (39)	7.1 (79)	16.1 (92)	851	20.3 (110)	22.0 (113)	1,278	4.1 (6)
Crittenden	254	10.6 (81)	2.0 (1)	1,029	5.7 (57)	4.4 (32)	12.9 (44)	446	20.2 (108)	11.9 (12)	719	19.1 (114)
Cumberland	241	12.4 (114)	3.7 (7)	1,084	5.0 (39)	7.0 (76)	12.3 (31)	500	16.2 (44)	19.4 (96)	710	14.2 (89)
Daviess	2,941	8.0 (19)	7.5 (91)	10,978	8.7 (103)	4.1 (24)	13.8 (66)	4,214	18.5 (88)	15.7 (51)	6,640	11.8 (71)
Edmonson	286	8.4 (28)	3.1 (3)	1,388	3.3 (4)	7.8 (98)	11.7 (26)	569	17.9 (82)	16.7 (66)	859	4.9 (10)
Elliott	297	10.4 (75)	7.4 (90)	1,287	2.7 (1)	8.9 (106)	11.0 (19)	594	17.8 (79)	14.6 (30)	809	20.6 (116)
Estill	478	10.9 (89)	4.6 (19)	2,291	5.3 (47)	4.6 (38)	12.4 (36)	1,022	17.1 (69)	18.3 (85)	1,581	8.9 (44)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fayette	6,073	10.0 (69)	6.5 (73)	23,331	7.5 (87)	6.9 (72)	13.5 (61)	8,682	18.4 (86)	18.6 (89)	12,411	27.0 (120)
Fleming	506	10.7 (85)	7.7 (94)	2,042	6.5 (77)	9.8 (108)	13.6 (62)	934	14.1 (14)	15.6 (49)	1,372	16.9 (103)
Floyd	1,750	10.6 (81)	4.1 (8)	6,724	4.8 (33)	8.6 (104)	10.5 (12)	2,928	11.1 (3)	13.5 (23)	4,432	7.8 (32)
Franklin	1,201	12.3 (111)	4.3 (13)	4,629	11.2 (117)	5.2 (44)	16.1 (92)	1,622	20.1 (106)	20.4 (104)	2,713	18.8 (113)
Fulton	304	15.5 (118)	5.9 (53)	1,302	8.1 (93)	7.7 (95)	18.1 (105)	605	17.5 (75)	17.7 (80)	902	21.2 (117)
Gallatin	367	8.2 (24)	7.6 (92)	1,577	5.3 (47)	7.3 (84)	16.6 (97)	656	20.9 (113)	23.3 (114)	1,089	17.7 (109)
Garrard	481	10.8 (87)	4.8 (21)	2,128	6.0 (63)	5.5 (47)	12.9 (44)	914	15.9 (35)	17.1 (71)	1,364	14.8 (93)
Grant	818	9.0 (39)	7.0 (83)	4,084	4.0 (15)	5.8 (53)	9.7 (8)	1,752	16.7 (59)	11.4 (9)	2,858	11.5 (65)
Graves	1,299	8.2 (24)	6.0 (58)	4,958	4.5 (27)	8.1 (100)	14.5 (74)	2,049	20.3 (110)	17.1 (71)	3,144	18.7 (112)
Grayson	753	9.6 (58)	7.0 (83)	3,670	7.8 (90)	5.4 (45)	13.8 (66)	1,694	17.8 (79)	15.5 (46)	2,538	5.0 (12)
Green	398	5.8 (2)	9.3 (115)	1,605	4.5 (27)	4.0 (23)	12.5 (39)	691	19.8 (99)	16.2 (61)	1,012	13.1 (79)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Greenup	864	9.8 (63)	5.2 (29)	3,580	3.4 (5)	12.2(119)	11.4 (23)	1,455	16.0 (37)	17.6 (79)	2,165	5.7 (19)
Hancock	196	9.2 (45)	6.1 (61)	920	7.3 (86)	3.9 (22)	14.6 (75)	409	22.0(117)	18.3 (85)	652	7.8 (32)
Hardin	2,937	8.3 (27)	6.5 (73)	12,451	6.7 (80)	3.6 (16)	12.7 (42)	4,886	15.9 (35)	12.6 (19)	8,085	11.4 (64)
Harlan	1,393	11.1 (95)	7.8 (97)	5,468	4.5 (27)	10.2(113)	13.7 (64)	2,406	18.7 (90)	21.2(108)	3,008	9.1 (45)
Harrison	608	12.2(108)	5.4 (36)	2,316	4.7 (31)	4.1 (24)	12.3 (31)	950	16.0 (37)	14.7 (31)	1,445	10.2 (54)
Hart	531	8.1 (22)	8.1(100)	2,276	4.0 (15)	5.8 (53)	12.3 (31)	924	15.6 (31)	16.9 (69)	1,462	8.5 (38)
Henderson	1,456	12.1(105)	2.9 (2)	5,073	5.7 (57)	9.3(107)	8.5 (2)	1,801	14.1 (14)	14.9 (34)	2,759	2.1 (2)
Henry	448	5.8 (2)	6.0 (58)	1,621	9.8(110)	6.4 (65)	17.5(102)	634	16.9 (65)	17.0 (70)	1,074	16.9(103)
Hickman	145	7.6 (14)	6.2 (65)	529	7.0 (85)	8.5(103)	20.6(115)	200	17.0 (67)	31.5(120)	346	17.3(106)
Hopkins	1,458	11.5(101)	6.7 (77)	5,862	7.9 (92)	3.7 (17)	13.1 (50)	2,341	18.8 (91)	16.5 (64)	3,894	10.5 (55)
Jackson	492	9.3 (46)	7.7 (94)	2,070	3.5 (7)	6.2 (61)	13.6 (62)	946	14.4 (17)	18.9 (91)	1,464	5.3 (15)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Jefferson	16,411	10.9 (89)	5.6 (45)	63,382	5.8 (60)	7.2 (81)	12.6 (40)	22,124	14.9 (22)	12.3 (16)	37,902	16.4 (100)
Jessamine	1,402	9.0 (39)	6.1 (61)	5,740	6.2 (69)	6.8 (71)	10.3 (11)	2,198	15.2 (24)	12.3 (16)	3,556	13.3 (83)
Johnson	915	12.2 (108)	3.4 (5)	3,534	6.4 (75)	6.5 (67)	18.5 (108)	1,599	17.4 (73)	21.5 (109)	2,294	13.2 (81)
Kenton	5,746	8.5 (32)	6.3 (70)	13,284	4.4 (21)	7.5 (89)	9.2 (5)	3,342	17.6 (76)	15.3 (43)	5,604	11.7 (68)
Knott	616	13.6 (116)	4.2 (9)	2,316	13.0 (120)	4.2 (29)	21.2 (116)	1,021	14.6 (18)	20.2 (103)	1,662	5.2 (14)
Knox	1,232	9.3 (46)	6.2 (65)	5,546	4.7 (31)	6.9 (72)	13.8 (66)	2,461	16.2 (44)	19.8 (102)	3,860	8.8 (42)
Larue	439	9.8 (63)	8.9 (111)	1,817	6.6 (78)	3.3 (12)	20.3 (113)	775	19.6 (98)	18.8 (90)	1,301	18.1 (110)
Laurel	1,700	8.8 (33)	9.9 (117)	6,840	4.4 (21)	7.4 (87)	13.1 (50)	2,694	16.3 (48)	17.2 (74)	4,163	6.3 (23)
Lawrence	613	19.9 (120)	4.2 (9)	2,318	5.7 (57)	10.4 (114)	14.4 (73)	980	18.6 (89)	19.3 (94)	1,447	9.5 (48)
Lee	190	9.5 (55)	3.2 (4)	1,119	4.0 (15)	7.5 (89)	9.8 (10)	548	11.7 (6)	10.4 (5)	767	15.0 (94)
Leslie	470	7.9 (18)	7.9 (98)	1,987	3.7 (10)	12.4 (120)	13.2 (52)	859	10.8 (2)	10.7 (6)	1,279	12.0 (73)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Letcher	845	14.0 (117)	4.7 (20)	3,133	10.1(113)	2.9 (7)	17.0 (99)	1,185	20.0(103)	17.4 (76)	1,806	2.2 (3)
Lewis	500	9.8 (63)	5.4 (36)	2,068	4.8 (33)	10.0(109)	13.2 (52)	912	12.2 (9)	15.5 (46)	1,323	7.8 (32)
Lincoln	754	9.5 (55)	6.6 (75)	3,018	4.1 (19)	7.2 (81)	12.3 (31)	1,249	16.8 (62)	13.7 (25)	2,064	11.7 (68)
Livingston	229	6.6 (6)	6.6 (75)	1,016	8.6(101)	3.1 (10)	18.8(111)	488	16.6 (55)	10.7 (6)	703	5.1 (13)
Logan	687	9.0 (39)	4.9 (23)	2,839	5.0 (39)	6.0 (56)	13.2 (52)	1,114	17.2 (71)	19.6 (99)	1,716	23.3(118)
Lyon	174	6.9 (9)	8.6(107)	686	9.6(109)	3.8 (20)	22.7(118)	278	18.3 (85)	24.8(118)	490	4.7 (7)
Madison	2,149	9.3 (46)	6.0 (58)	7,987	4.4 (21)	8.8(105)	9.5 (6)	2,930	16.3 (48)	15.1 (39)	5,005	8.7 (41)
Magoffin	521	12.1(105)	5.0 (24)	2,365	9.9(111)	5.5 (47)	21.5(117)	1,170	23.5(119)	24.4(117)	1,526	11.5 (65)
Marion	708	10.2 (73)	8.6(107)	2,744	8.2 (95)	3.4 (13)	19.0(112)	1,095	16.6 (55)	19.6 (99)	1,738	6.3 (23)
Marshall	851	8.0 (19)	6.2 (65)	3,228	12.3(118)	7.7 (95)	15.1 (81)	1,346	11.4 (4)	9.4 (2)	2,062	13.5 (84)
Martin	444	17.3(119)	3.4 (5)	2,212	7.8 (90)	6.6 (69)	15.4 (88)	975	16.4 (51)	18.3 (85)	1,547	8.6 (39)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Mason	650	11.4 (100)	6.2 (65)	2,210	9.4(108)	10.0(109)	15.2 (87)	772	15.7 (32)	16.7 (66)	1,318	13.6 (85)
McCracken	1,807	9.7 (61)	5.5 (40)	6,181	6.1 (66)	4.5 (36)	18.0(104)	2,563	16.1 (39)	13.5 (23)	4,193	13.7 (87)
McCreary	735	11.0 (91)	5.2 (29)	3,353	5.3 (47)	6.2 (61)	12.2 (29)	1,576	16.1 (39)	18.1 (83)	2,351	7.4 (30)
McLean	263	6.8 (8)	6.8 (79)	1,220	10.4(116)	3.4 (13)	13.2 (52)	543	18.4 (86)	15.8 (54)	826	1.1 (1)
Meade	598	9.4 (51)	11.0(120)	2,479	8.1 (93)	4.8 (39)	14.8 (79)	954	13.8 (12)	11.8 (11)	1,615	11.0 (60)
Menifee	249	12.0(104)	7.2 (87)	1,107	3.7 (10)	7.0 (76)	12.6 (40)	528	16.1 (39)	14.8 (33)	726	11.3 (62)
Mercer	596	11.6(103)	6.2 (65)	2,522	6.7 (80)	4.4 (32)	12.9 (44)	1,131	15.5 (29)	15.7 (51)	1,757	9.4 (47)
Metcalfe	266	6.0 (4)	5.6 (45)	1,266	3.4 (5)	7.6 (94)	11.0 (19)	584	13.9 (13)	14.4 (28)	851	12.6 (77)
Monroe	336	10.7 (85)	8.6(107)	1,440	6.3 (72)	6.5 (67)	18.7(109)	614	19.9(101)	23.3(114)	962	3.2 (4)
Montgomery	913	10.6 (81)	7.3 (89)	3,911	6.3 (72)	4.3 (31)	13.3 (58)	1,576	16.9 (65)	15.9 (55)	2,630	7.8 (32)
Morgan	362	10.8 (87)	6.9 (81)	1,975	3.9 (13)	6.9 (72)	11.9 (27)	944	16.4 (51)	16.3 (63)	1,398	17.3(106)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Muhlenberg	916	8.0 (19)	9.2 (114)	3,595	5.5 (56)	6.0 (56)	11.4 (23)	1,465	17.7 (77)	15.4 (45)	2,143	8.0 (36)
Nelson	1,026	11.1 (95)	5.2 (29)	4,487	8.4 (97)	5.4 (45)	13.0 (47)	1,752	15.4 (27)	11.9 (12)	2,863	11.5 (65)
Nicholas	260	12.3 (111)	5.0 (24)	971	6.1 (66)	10.1 (112)	10.7 (14)	426	6.1 (1)	10.1 (4)	636	14.6 (91)
Ohio	900	8.1 (22)	5.9 (53)	3,592	4.9 (36)	3.7 (17)	10.7 (14)	1,486	17.1 (69)	15.6 (49)	2,324	4.9 (10)
Oldham	695	9.1 (43)	4.5 (18)	2,739	8.5 (99)	2.3 (1)	15.8 (91)	1,110	17.8 (79)	15.9 (55)	1,597	9.9 (51)
Owen	287	11.1 (95)	5.2 (29)	1,145	4.8 (33)	7.3 (84)	14.0 (69)	458	20.1 (106)	18.1 (83)	809	14.2 (89)
Owsley	210	11.0 (91)	4.3 (13)	880	8.5 (99)	3.0 (8)	29.7 (120)	464	20.0 (103)	26.9 (119)	679	10.9 (59)
Pendleton	365	10.1 (72)	4.4 (16)	1,430	6.6 (78)	6.4 (65)	10.8 (18)	535	18.9 (94)	15.1 (39)	897	15.4 (97)
Perry	1,102	12.1 (105)	4.4 (16)	4,299	9.2 (107)	2.6 (5)	23.0 (119)	1,669	18.8 (91)	21.6 (110)	2,614	10.1 (52)
Pike	1,875	11.3 (99)	5.7 (47)	7,389	2.8 (2)	12.1 (118)	10.6 (13)	2,737	11.7 (6)	11.9 (12)	4,421	9.6 (50)
Powell	508	12.2 (108)	5.5 (40)	2,127	6.4 (75)	4.1 (24)	15.1 (81)	962	16.6 (55)	19.4 (96)	1,521	5.5 (17)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pulaski	1,942	9.6 (58)	5.8 (50)	8,052	3.2 (3)	7.2 (81)	8.4 (1)	3,120	14.7 (19)	11.9 (12)	4,930	5.7 (19)
Robertson	117	6.0 (4)	5.1 (28)	455	4.4 (21)	7.7 (95)	9.7 (8)	209	12.9 (10)	12.4 (18)	309	6.1 (22)
Rockcastle	641	9.0 (39)	5.8 (50)	2,612	5.2 (46)	5.9 (55)	14.6 (75)	1,169	18.2 (84)	16.8 (68)	1,776	7.4 (30)
Rowan	713	6.7 (7)	10.4(119)	2,865	3.9 (13)	8.3(102)	12.2 (29)	1,116	16.8 (62)	16.1 (59)	1,839	7.2 (28)
Russell	662	10.0 (69)	4.8 (21)	2,588	8.6(101)	7.5 (89)	13.4 (59)	1,004	18.9 (94)	21.1(107)	1,601	6.6 (25)
Scott	977	9.4 (51)	8.1(100)	3,760	8.2 (95)	3.7 (17)	18.3(106)	1,419	15.4 (27)	14.5 (29)	2,351	15.1 (95)
Shelby	957	7.6 (14)	8.4(105)	3,680	10.3(115)	4.1 (24)	18.3(106)	1,533	16.1 (39)	15.9 (55)	2,464	13.8 (88)
Simpson	526	8.4 (28)	6.1 (61)	2,026	6.2 (69)	7.9 (99)	11.0 (19)	717	16.2 (44)	15.5 (46)	1,189	18.4(111)
Spencer	282	8.9 (36)	7.1 (86)	1,290	8.4 (97)	4.8 (39)	17.3(100)	539	13.7 (11)	18.0 (82)	831	15.3 (96)
Taylor	818	7.5 (13)	7.9 (98)	2,901	5.0 (39)	5.1 (42)	12.7 (42)	1,112	16.5 (53)	14.9 (34)	1,751	9.5 (48)
Todd	391	9.5 (55)	7.7 (94)	1,787	10.1(113)	5.5 (47)	17.9(103)	814	15.0 (23)	15.2 (41)	1,300	10.6 (57)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Trigg	401	10.5 (76)	5.5 (40)	1,511	7.7 (88)	3.0 (8)	15.1 (81)	652	17.0 (67)	14.1 (27)	1,004	7.3 (29)
Trimble	269	7.4 (11)	5.2 (29)	1,012	6.8 (82)	11.4(116)	14.6 (75)	399	14.8 (21)	16.5 (64)	668	19.9(115)
Union	450	8.9 (36)	5.8 (50)	1,770	8.9(105)	2.8 (6)	11.2 (22)	676	15.5 (29)	13.0 (21)	1,159	5.6 (18)
Warren	2,229	11.2 (98)	5.7 (47)	9,640	5.1 (43)	7.1 (79)	13.0 (47)	3,475	16.8 (62)	17.4 (76)	5,664	15.7 (99)
Washington	262	5.7 (1)	9.9(117)	1,332	7.7 (88)	4.2 (29)	15.1 (81)	622	19.8 (99)	16.1 (59)	856	8.1 (37)
Wayne	820	8.4 (28)	5.4 (36)	3,328	4.0 (15)	5.6 (50)	14.0 (69)	1,432	17.4 (73)	19.7(101)	2,139	12.2 (75)
Webster	408	9.3 (46)	4.2 (9)	1,705	12.5(119)	2.3 (1)	20.3(113)	673	21.0(114)	17.2 (74)	1,188	5.8 (21)
Whitley	2,186	9.4 (51)	6.3 (70)	8,380	5.4 (52)	8.2(101)	14.9 (80)	3,493	20.0(103)	21.8(112)	5,592	11.7 (68)
Wolfe	349	10.6 (81)	8.3(104)	1,654	5.4 (52)	2.4 (3)	15.6 (90)	812	17.7 (77)	17.1 (71)	1,137	8.6 (39)
Woodford	562	11.0 (91)	8.9(111)	2,292	8.7(103)	3.1 (10)	15.1 (81)	962	17.3 (72)	15.7 (51)	1,515	13.2 (81)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Kentucky	120,848	10.0	6.2	478,692	6.0	6.5	13.2	188,399	16.5	15.7	297,399	12.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Adair	727	34.9 (62)	472	8.1 (37)	387	2.6 (81)	0	* *	0	* *	938	92.4 (59)	1,285	24.8 (39)
Allen	837	46.5 (8)	529	10.4 (11)	495	4.6 (31)	0	* *	0	* *	1,240	84.5(107)	1,588	31.7 (54)
Anderson	638	40.9 (23)	466	7.5 (46)	353	4.2 (36)	0	* *	0	* *	785	79.9(118)	1,164	23.0 (36)
Ballard	281	37.7 (50)	194	9.8 (16)	171	4.1 (40)	0	* *	0	* *	367	94.3 (43)	507	41.8 (89)
Barren	1,596	33.3 (76)	1,077	7.0 (54)	860	4.8 (25)	0	* *	0	* *	2,131	90.8 (71)	3,010	28.6 (46)
Bath	552	17.0(118)	397	4.5 (95)	316	2.8 (76)	0	* *	0	* *	844	97.9 (15)	1,043	38.1 (79)
Bell	1,625	20.8(109)	1,075	3.5 (104)	982	1.2 (113)	0	* *	0	* *	2,896	97.9 (15)	3,289	31.1 (53)
Boone	2,680	36.3 (54)	2,074	9.0 (23)	1,539	5.6 (17)	0	* *	0	* *	3,552	92.8 (54)	5,523	34.5 (64)
Bourbon	809	43.9 (18)	531	7.2 (49)	455	5.1 (22)	0	* *	0	* *	860	92.4 (59)	1,357	20.6 (31)
Boyd	1,768	29.3 (85)	1,224	8.2 (36)	907	6.6 (11)	0	* *	0	* *	2,130	95.3 (33)	3,288	32.1 (57)
Boyle	917	22.6(105)	620	5.6 (75)	486	2.9 (74)	0	* *	0	* *	1,133	95.5 (31)	1,716	39.6 (81)
Bracken	393	28.8 (86)	263	5.3 (78)	199	1.5 (106)	0	* *	0	* *	470	87.2 (92)	699	62.8 (116)
Breathitt	658	18.5(115)	511	2.9 (112)	442	0.9 (116)	0	* *	0	* *	1,226	86.1 (99)	1,389	51.1 (104)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Breckinrid	676	35.2 (61)	415	8.9 (24)	332	6.0 (14)	0	* *	0	* *	1,034	83.8(111)	1,333	2.4 (7)
Bullitt	1,987	35.7 (59)	1,356	5.9 (70)	1,122	3.1 (69)	0	* *	0	* *	2,208	90.7 (72)	3,524	27.4 (44)
Butler	456	33.8 (71)	346	4.3 (97)	301	1.7 (103)	0	* *	0	* *	816	87.1 (93)	952	21.5 (32)
Caldwell	563	44.2 (17)	382	6.0 (68)	326	1.8 (101)	0	* *	0	* *	716	79.9(118)	1,028	33.7 (63)
Calloway	1,280	59.0 (3)	826	16.0 (3)	684	9.1 (3)	0	* *	0	* *	1,495	94.9 (38)	2,320	11.9 (15)
Campbell	1,984	25.7 (97)	1,624	4.6 (94)	1,218	3.4 (53)	0	* *	0	* *	2,690	93.1 (51)	4,065	18.0 (24)
Carlisle	220	49.5 (5)	138	4.3 (97)	122	0.0 (119)	0	* *	0	* *	355	91.0 (69)	437	31.8 (55)
Carroll	747	32.1 (81)	429	8.4 (33)	361	5.8 (16)	0	* *	0	* *	819	90.5 (74)	1,295	37.6 (77)
Carter	1,417	33.6 (73)	998	6.6 (61)	847	3.3 (59)	0	* *	0	* *	2,234	86.8 (95)	2,781	47.1 (96)
Casey	629	37.8 (47)	449	6.9 (57)	371	4.6 (31)	0	* *	0	* *	993	92.5 (57)	1,225	41.1 (85)
Christian	5,896	52.3 (4)	4,238	12.6 (6)	2,912	6.7 (10)	0	* *	0	* *	7,032	86.0(100)	11,680	22.4 (33)
Clark	1,411	37.5 (51)	926	7.5 (46)	709	4.5 (34)	0	* *	0	* *	1,556	95.2 (35)	2,476	1.9 (5)
Clay	1,311	20.4(111)	850	3.1 (111)	761	1.8 (101)	0	* *	0	* *	1,898	92.3 (62)	2,424	77.5 (118)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)
Clinton	625	19.8(114)	461	2.6 (115)	382	1.3 (109)	0	* *	0	* *	947	91.6 (67)	1,165	43.2 (91)
Crittenden	315	35.9 (56)	225	2.2 (118)	211	0.5 (118)	0	* *	0	* *	477	88.3 (88)	616	20.1 (30)
Cumberland	312	20.8(109)	228	2.6 (115)	197	1.0 (115)	0	* *	0	* *	558	93.5 (48)	617	41.5 (88)
Daviess	3,805	33.2 (77)	2,414	5.3 (78)	1,827	2.0 (93)	0	* *	0	* *	4,605	91.6 (67)	6,940	25.4 (41)
Edmonson	440	40.7 (27)	327	10.4 (11)	205	3.9 (46)	0	* *	0	* *	620	84.5(107)	824	37.1 (76)
Elliott	385	23.4(103)	271	4.8 (89)	219	3.2 (65)	0	* *	0	* *	673	94.4 (41)	741	35.2 (65)
Estill	666	27.8 (90)	451	3.8 (102)	365	2.5 (82)	0	* *	0	* *	1,127	89.4 (85)	1,332	25.1 (40)
Fayette	8,096	61.6 (2)	5,852	21.7 (2)	4,128	12.6 (2)	0	* *	0	* *	9,565	92.4 (59)	14,996	0.4 (1)
Fleming	633	27.5 (92)	384	5.2 (82)	379	2.1 (90)	0	* *	0	* *	1,039	84.5(107)	1,220	29.0 (48)
Floyd	2,132	17.4(117)	1,321	5.0 (87)	1,255	3.0 (72)	0	* *	0	* *	3,295	99.9 (3)	4,026	55.4 (110)
Franklin	1,655	45.2 (13)	1,121	8.9 (24)	832	4.1 (40)	0	* *	0	* *	1,785	90.5 (74)	2,974	56.1 (112)
Fulton	408	33.6 (73)	269	5.9 (70)	252	1.6 (105)	0	* *	0	* *	654	82.6(114)	784	48.5 (97)
Gallatin	493	38.1 (42)	367	11.2 (9)	291	4.1 (40)	0	* *	0	* *	730	91.8 (65)	941	50.6 (102)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)																
	Breastfeeding (6)						Exclusive Breastfeeding (7)						≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%		
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)		
Garrard	679	34.6 (65)	484	5.4 (76)	384	3.9 (46)	0	* *	0	* *	1,000	98.0 (14)	1,307	36.3 (73)		
Grant	1,281	38.5 (39)	978	8.1 (37)	840	3.2 (65)	0	* *	0	* *	1,946	89.6 (82)	2,575	50.2 (100)		
Graves	1,630	39.5 (36)	1,036	8.6 (31)	957	4.7 (29)	0	* *	0	* *	2,244	97.4 (21)	3,030	30.9 (52)		
Grayson	1,116	33.5 (75)	827	8.1 (37)	681	4.1 (40)	0	* *	0	* *	1,844	79.6(120)	2,158	58.0 (113)		
Green	503	43.3 (19)	328	6.4 (64)	287	2.1 (90)	0	* *	0	* *	765	85.9(101)	942	28.7 (47)		
Greenup	1,179	32.7 (79)	816	7.6 (42)	645	3.4 (53)	0	* *	0	* *	1,577	96.1 (28)	2,255	22.7 (34)		
Hancock	283	44.5 (15)	194	9.8 (16)	145	4.8 (25)	0	* *	0	* *	448	86.8 (95)	578	27.5 (45)		
Hardin	3,975	40.0 (33)	2,751	7.1 (51)	2,285	3.9 (46)	0	* *	0	* *	5,325	92.2 (63)	7,960	44.5 (94)		
Harlan	1,774	22.8(104)	1,047	2.8 (113)	986	1.9 (97)	0	* *	0	* *	2,669	91.8 (65)	3,341	24.4 (38)		
Harrison	817	40.9 (23)	539	9.5 (20)	429	6.1 (13)	0	* *	0	* *	1,061	97.7 (18)	1,475	25.8 (42)		
Hart	750	38.0 (43)	529	7.6 (42)	405	4.7 (29)	0	* *	0	* *	1,007	90.7 (72)	1,370	30.7 (51)		
Henderson	1,852	28.1 (87)	1,057	5.0 (87)	785	3.3 (59)	0	* *	0	* *	1,949	91.9 (64)	3,288	35.3 (67)		
Henry	593	38.4 (40)	376	8.8 (28)	327	5.2 (21)	0	* *	0	* *	698	97.1 (23)	1,046	13.0 (17)		

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Hickman	188	31.4 (82)	117	5.1 (84)	110	2.7 (78)	0	* *	0	* *	225	96.9 (24)	332	35.2 (65)
Hopkins	1,981	39.3 (37)	1,216	6.7 (60)	920	3.3 (59)	0	* *	0	* *	2,536	84.1(110)	3,617	44.4 (93)
Jackson	615	28.0 (88)	389	5.7 (73)	376	3.2 (65)	0	* *	0	* *	1,035	95.8 (30)	1,209	55.8 (111)
Jefferson	23,104	45.7 (12)	17,049	12.2 (7)	11,654	6.6 (11)	0	* *	0	* *	24,139	92.5 (57)	41,390	0.7 (2)
Jessamine	1,969	43.1 (20)	1,402	14.3 (4)	1,028	8.0 (5)	0	* *	0	* *	2,411	94.3 (43)	3,665	18.6 (25)
Johnson	1,137	26.9 (93)	675	4.0 (100)	604	2.8 (76)	0	* *	0	* *	1,751	99.5 (5)	2,161	35.6 (68)
Kenton	6,729	34.4 (67)	3,297	6.3 (66)	1,924	3.2 (65)	0	* *	0	* *	3,630	95.9 (29)	9,795	40.1 (82)
Knott	787	22.6(105)	494	2.8 (113)	379	2.1 (90)	0	* *	0	* *	1,161	96.2 (27)	1,447	19.4 (28)
Knox	1,730	20.1(112)	1,109	3.2 (110)	944	1.2 (113)	0	* *	0	* *	2,735	94.4 (41)	3,286	0.7 (2)
Larue	604	42.1 (21)	422	7.1 (51)	337	2.7 (78)	0	* *	0	* *	866	86.3 (98)	1,133	15.4 (21)
Laurel	2,354	36.5 (53)	1,618	6.9 (57)	1,179	3.1 (69)	0	* *	0	* *	2,974	95.2 (35)	4,197	50.4 (101)
Lawrence	770	20.0(113)	467	3.4 (106)	410	1.7 (103)	0	* *	0	* *	1,089	98.6 (9)	1,427	19.7 (29)
Lee	322	24.8(100)	202	6.9 (57)	176	3.4 (53)	0	* *	0	* *	609	90.0 (80)	657	16.3 (23)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Leslie	661	24.7(101)	452	7.1 (51)	323	3.4 (53)	0	* *	0	* *	976	99.4 (6)	1,204	3.7 (9)
Letcher	1,069	34.7 (64)	631	8.7 (29)	410	4.6 (31)	0	* *	0	* *	1,309	88.3 (88)	1,968	10.3 (13)
Lewis	622	33.9 (70)	384	4.7 (93)	368	1.9 (97)	0	* *	0	* *	1,036	89.0 (87)	1,233	52.8 (107)
Lincoln	978	26.1 (96)	645	4.8 (89)	564	2.0 (93)	0	* *	0	* *	1,387	97.8 (17)	1,813	40.8 (84)
Livingston	282	46.1 (9)	184	5.4 (76)	174	2.3 (85)	0	* *	0	* *	536	80.4(117)	594	35.9 (69)
Logan	927	33.1 (78)	621	5.3 (78)	494	2.2 (87)	0	* *	0	* *	1,226	95.4 (32)	1,757	19.2 (27)
Lyon	218	45.9 (11)	140	11.4 (8)	135	3.0 (72)	0	* *	0	* *	308	96.4 (26)	413	29.1 (49)
Madison	2,800	37.8 (47)	1,845	8.5 (32)	1,485	6.0 (14)	0	* *	0	* *	3,219	93.6 (47)	5,017	23.0 (36)
Magoffin	664	15.1(119)	451	4.2 (99)	392	1.3 (109)	0	* *	0	* *	1,297	99.2 (7)	1,384	32.9 (59)
Marion	914	38.0 (43)	571	7.4 (48)	470	4.0 (44)	0	* *	0	* *	1,215	98.9 (8)	1,617	50.8 (103)
Marshall	1,106	44.9 (14)	733	8.7 (29)	622	3.7 (50)	0	* *	0	* *	1,470	82.4(115)	2,045	31.8 (55)
Martin	707	14.3(120)	403	2.5 (117)	394	1.3 (109)	0	* *	0	* *	1,083	85.0(104)	1,367	53.0 (108)
Mason	829	25.3 (99)	481	3.3 (109)	423	1.9 (97)	0	* *	0	* *	869	98.5 (11)	1,428	55.1 (109)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
McCracken	2,274	44.5 (15)	1,438	9.5 (20)	1,172	4.2 (36)	0	* *	0	* *	2,829	89.5 (83)	4,161	14.9 (19)
McCreary	1,017	27.9 (89)	715	3.4 (106)	589	2.0 (93)	0	* *	0	* *	1,736	86.7 (97)	1,974	33.0 (60)
McLean	345	35.9 (56)	251	7.2 (49)	215	3.3 (59)	0	* *	0	* *	589	89.8 (81)	746	37.8 (78)
Meade	857	33.8 (71)	553	6.5 (63)	423	4.0 (44)	0	* *	0	* *	1,042	87.0 (94)	1,567	36.1 (71)
Menifee	319	36.7 (52)	229	8.3 (34)	199	5.5 (18)	0	* *	0	* *	585	95.0 (37)	639	18.9 (26)
Mercer	736	40.5 (32)	529	7.6 (42)	429	3.3 (59)	0	* *	0	* *	1,228	91.0 (69)	1,538	44.3 (92)
Metcalfe	358	34.4 (67)	263	7.6 (42)	212	3.8 (49)	0	* *	0	* *	643	90.2 (76)	744	36.7 (74)
Monroe	398	26.9 (93)	273	1.5 (119)	260	1.5 (106)	0	* *	0	* *	702	100.0 (1)	817	30.0 (50)
Montgomery	1,274	35.3 (60)	943	8.3 (34)	704	4.4 (35)	0	* *	0	* *	1,744	89.5 (83)	2,346	41.2 (86)
Morgan	600	34.0 (69)	394	14.0 (5)	327	7.6 (6)	0	* *	0	* *	968	99.7 (4)	1,180	15.9 (22)
Muhlenberg	1,175	25.7 (97)	765	3.9 (101)	628	2.4 (83)	0	* *	0	* *	1,621	85.7(102)	2,194	51.7 (106)
Nelson	1,483	37.9 (46)	997	6.6 (61)	786	3.4 (53)	0	* *	0	* *	1,947	94.2 (45)	2,717	86.2 (120)
Nicholas	341	22.3(107)	205	3.4 (106)	176	0.6 (117)	0	* *	0	* *	483	88.0 (90)	614	48.5 (97)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Ohio	1,142	40.6 (29)	756	7.0 (54)	628	3.3 (59)	0	* *	0	* *	1,626	80.8(116)	2,208	44.5 (94)
Oldham	883	48.7 (6)	543	10.3 (13)	476	8.2 (4)	0	* *	0	* *	1,200	93.8 (46)	1,736	82.3 (119)
Owen	392	38.0 (43)	272	4.4 (96)	192	4.2 (36)	0	* *	0	* *	508	95.3 (33)	743	27.2 (43)
Owsley	263	18.3(116)	158	8.9 (24)	149	3.4 (53)	0	* *	0	* *	516	98.1 (13)	523	36.1 (71)
Pendleton	490	38.4 (40)	346	5.2 (82)	265	2.3 (85)	0	* *	0	* *	596	90.1 (77)	922	51.2 (105)
Perry	1,536	31.1 (83)	977	5.1 (84)	798	3.5 (52)	0	* *	0	* *	1,863	93.5 (48)	2,691	1.4 (4)
Pike	2,604	23.6(102)	1,802	3.7 (103)	1,292	2.2 (87)	0	* *	0	* *	3,186	83.0(112)	4,747	67.9 (117)
Powell	633	40.9 (23)	436	5.7 (73)	385	1.3 (109)	0	* *	0	* *	1,067	85.0(104)	1,251	41.3 (87)
Pulaski	2,697	41.4 (22)	1,917	8.9 (24)	1,290	4.8 (25)	0	* *	0	* *	3,471	94.5 (39)	4,988	40.3 (83)
Robertson	152	34.9 (62)	91	* *	87	* *	0	* *	0	* *	227	100.0 (1)	270	58.1 (114)
Rockcastle	818	39.2 (38)	498	9.2 (22)	440	6.8 (9)	0	* *	0	* *	1,291	92.6 (55)	1,576	5.1 (10)
Rowan	942	39.6 (35)	666	7.8 (41)	493	2.2 (87)	0	* *	0	* *	1,262	83.0(112)	1,730	7.2 (11)
Russell	925	36.3 (54)	627	5.1 (84)	520	2.9 (74)	0	* *	0	* *	1,122	84.8(106)	1,600	36.8 (75)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Scott	1,273	40.8 (26)	919	10.3 (13)	675	7.3 (7)	0	* *	0	* *	1,577	97.5 (20)	2,386	32.6 (58)
Shelby	1,149	64.7 (1)	836	23.3 (1)	795	17.6 (1)	0	* *	0	* *	1,720	90.1 (77)	2,257	3.4 (8)
Simpson	745	29.7 (84)	505	9.7 (18)	397	5.0 (23)	0	* *	0	* *	780	98.5 (11)	1,292	43.0 (90)
Spencer	345	40.6 (29)	277	7.9 (40)	253	5.5 (18)	0	* *	0	* *	600	93.0 (52)	730	1.9 (5)
Taylor	1,019	34.6 (65)	644	6.4 (64)	544	4.2 (36)	0	* *	0	* *	1,247	92.9 (53)	1,789	35.9 (69)
Todd	545	40.0 (33)	392	9.7 (18)	312	1.9 (97)	0	* *	0	* *	917	98.6 (9)	1,098	14.9 (19)
Trigg	499	40.7 (27)	300	5.3 (78)	252	4.8 (25)	0	* *	0	* *	699	90.1 (77)	963	33.6 (62)
Trimble	358	32.4 (80)	235	6.0 (68)	185	4.9 (24)	0	* *	0	* *	433	85.7(102)	626	10.5 (14)
Union	585	35.9 (56)	383	6.3 (66)	298	2.7 (78)	0	* *	0	* *	752	94.5 (39)	1,111	38.4 (80)
Warren	3,202	46.0 (10)	2,301	10.8 (10)	1,664	6.9 (8)	0	* *	0	* *	3,782	89.4 (85)	6,169	22.8 (35)
Washington	381	37.8 (47)	254	10.2 (15)	218	5.5 (18)	0	* *	0	* *	687	97.7 (18)	791	8.7 (12)
Wayne	1,065	27.7 (91)	718	5.8 (72)	556	3.1 (69)	0	* *	0	* *	1,604	92.6 (55)	1,947	59.6 (115)
Webster	561	40.6 (29)	369	3.5 (104)	306	2.0 (93)	0	* *	0	* *	749	88.0 (90)	1,055	33.4 (61)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Whitley	2,849	21.4(108)	1,731	4.8 (89)	1,382	2.4 (83)	0	* *	0	* *	3,882	97.4 (21)	5,112	11.9 (15)
Wolfe	449	26.9 (93)	313	4.8 (89)	282	1.4 (108)	0	* *	0	* *	900	93.4 (50)	918	48.8 (99)
Woodford	754	47.6 (7)	472	7.0 (54)	392	3.6 (51)	0	* *	0	* *	1,041	96.9 (24)	1,439	13.4 (18)
Kentucky	162,955	37.9	110,354	8.8	85,298	4.8	0	*	0	*	207,540	91.8	301,960	27.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

