

Table 4F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
3 Rivers	2,413	82.8	0.8	13.3	0.0	0.2	2.8	0.0
Allen	1,004	90.6	1.8	4.6	0.0	0.3	2.7	0.0
Anderson	740	85.3	1.9	3.2	0.0	1.8	7.8	0.0
Barren Riv	9,389	76.2	8.1	10.4	0.2	1.7	3.3	0.0
Bourbon	865	64.9	7.9	23.8	0.1	0.1	3.2	0.0
Boyd	1,918	88.8	1.8	2.9	0.1	0.1	6.4	0.0
Boyle	1,030	79.5	13.3	6.3	0.0	0.1	0.8	0.0
Bracken	439	94.5	0.7	3.4	0.0	0.0	1.4	0.0
Breathitt	831	98.4	0.2	0.5	0.0	0.6	0.2	0.0
Breckinrid	794	92.7	2.9	1.6	0.0	0.0	2.8	0.0
Buffalo Tr	1,054	81.2	5.6	6.3	0.2	0.4	6.4	0.0
Bullitt	2,159	90.7	1.2	3.4	0.0	0.6	4.2	0.0
C & Y	2,088	1.7	96.4	1.1	0.2	0.7	0.0	0.0
Christian	6,626	58.0	25.3	10.3	0.2	1.6	4.6	0.0
Clark	1,528	84.7	7.0	6.9	0.1	0.5	0.8	0.0
Cumb Val	7,205	95.3	1.5	1.8	0.0	0.1	1.3	0.0
Estill	819	98.7	0.6	0.5	0.0	0.0	0.2	0.0
Fayette	9,289	36.6	26.0	30.5	0.2	1.3	5.5	0.0
Fleming	776	95.5	0.5	2.8	0.0	0.4	0.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Floyd	2,523	97.0	0.4	1.9	0.0	0.0	0.5	0.0
Franklin	1,747	69.0	15.1	8.8	0.1	1.7	5.4	0.0
Garrard	807	89.6	2.7	4.1	0.2	0.2	3.1	0.0
Gateway	2,893	96.5	1.2	1.1	0.0	0.8	0.3	0.0
Green Riv	9,345	76.8	6.7	9.9	0.0	0.5	6.1	0.0
Greenup	1,294	96.2	0.4	0.7	0.0	0.6	2.1	0.0
Hopkins	2,161	75.6	9.4	3.9	0.0	0.3	10.9	0.0
Jefferson	20,456	46.5	34.8	11.8	0.1	2.0	4.8	0.0
Jessamine	2,226	83.3	4.5	6.8	0.0	1.6	3.9	0.0
Johnson	1,284	97.8	0.3	0.2	0.0	0.5	1.2	0.0
Knox	1,995	97.4	1.3	0.8	0.0	0.2	0.3	0.0
KY River	5,880	97.7	0.8	0.5	0.0	0.1	0.9	0.0
Lake Cumb	10,729	89.0	1.5	7.3	0.0	0.2	1.9	0.0
Laurel	2,648	98.1	0.9	0.6	0.0	0.1	0.2	0.0
Lawrence	893	98.9	0.2	0.1	0.0	0.0	0.8	0.0
Lewis	742	98.7	0.1	0.3	0.1	0.3	0.5	0.0
Lincoln	1,109	92.4	2.3	2.9	0.0	0.2	2.3	0.0
Lincoln Tr	10,883	77.3	9.0	7.8	0.1	0.5	5.4	0.0
Little San	2,152	94.8	0.6	3.8	0.0	0.3	0.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Madison	2,980	83.3	5.5	6.0	0.0	0.3	4.9	0.0
Magoffin	823	98.4	0.1	1.2	0.0	0.0	0.2	0.0
Marshall	1,215	97.9	0.7	0.7	0.0	0.4	0.2	0.0
Martin	796	98.1	0.0	1.3	0.0	0.0	0.6	0.0
Mercer	975	85.4	3.3	9.1	0.0	0.4	1.7	0.0
Monroe	516	85.3	4.8	8.9	0.0	0.0	1.0	0.0
Montgomery	1,469	89.8	1.2	6.7	0.0	0.2	2.0	0.0
Muhlenberg	1,318	91.8	2.7	1.6	0.0	0.0	3.9	0.0
N Central	2,953	68.2	5.4	23.0	0.0	1.8	1.6	0.0
N KY	12,341	80.1	7.4	9.8	0.1	0.7	1.9	0.0
Oldham	978	70.4	4.2	21.8	0.0	0.7	2.9	0.0
Park DuV	2,141	9.5	70.6	15.7	0.0	1.9	2.3	0.0
Pennyrile	3,606	85.5	5.5	3.5	0.1	0.9	4.6	0.0
Pike	2,734	98.4	0.5	0.7	0.0	0.2	0.2	0.0
Powell	770	96.0	1.2	2.1	0.3	0.5	0.0	0.0
Purchase	5,510	62.6	17.9	11.0	0.1	0.6	7.7	0.0
Todd	669	67.9	13.2	14.1	0.0	1.3	3.6	0.0
WEDCO	2,724	84.2	4.1	9.9	0.1	0.7	1.0	0.0
Whitley	3,155	97.6	0.7	1.3	0.0	0.3	0.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Woodford	864	57.6	4.7	31.4	0.0	0.8	5.4	0.0
Kentucky	181,271	75.3	11.9	8.6	0.1	0.8	3.3	0.0
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
3 Rivers	2,413	39.7	20.1	40.2
Allen	1,004	38.2	19.3	42.4
Anderson	740	39.9	22.4	37.7
Barren Riv	9,389	40.1	20.5	39.3
Bourbon	865	42.2	22.0	35.8
Boyd	1,918	43.3	19.2	37.5
Boyle	1,030	40.8	20.1	39.1
Bracken	439	40.1	20.5	39.4
Breathitt	831	33.5	19.1	47.4
Breckinrid	794	39.4	18.3	42.3
Buffalo Tr	1,054	42.3	18.3	39.4
Bullitt	2,159	43.3	20.1	36.6
C & Y	2,088	48.8	21.4	29.8
Christian	6,626	39.8	21.7	38.5
Clark	1,528	43.9	19.6	36.5
Cumb Val	7,205	37.6	18.2	44.3
Estill	819	33.6	21.5	44.9
Fayette	9,289	43.2	19.1	37.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Fleming	776	36.5	19.2	44.3
Floyd	2,523	38.1	19.3	42.6
Franklin	1,747	43.6	20.8	35.7
Garrard	807	38.7	17.8	43.5
Gateway	2,893	37.8	18.5	43.7
Green Riv	9,345	42.2	18.6	39.2
Greenup	1,294	39.0	21.7	39.3
Hopkins	2,161	42.1	17.5	40.4
Jefferson	20,456	43.7	20.5	35.8
Jessamine	2,226	39.8	20.8	39.4
Johnson	1,284	39.0	17.8	43.1
Knox	1,995	37.2	18.0	44.8
KY River	5,880	39.9	18.9	41.1
Lake Cumb	10,729	39.6	19.2	41.3
Laurel	2,648	43.9	17.8	38.3
Lawrence	893	38.5	19.6	41.9
Lewis	742	38.3	18.5	43.3
Lincoln	1,109	38.9	19.8	41.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lincoln Tr	10,883	38.4	20.3	41.3
Little San	2,152	35.0	20.9	44.1
Madison	2,980	43.2	19.3	37.5
Magoffin	823	35.6	16.2	48.2
Marshall	1,215	40.5	20.1	39.4
Martin	796	37.9	20.9	41.2
Mercer	975	37.7	19.0	43.3
Monroe	516	34.1	20.7	45.2
Montgomery	1,469	38.4	19.4	42.2
Muhlenberg	1,318	39.7	17.2	43.1
N Central	2,953	37.7	20.1	42.2
N KY	12,341	47.0	19.1	34.0
Oldham	978	40.9	19.0	40.1
Park DuV	2,141	36.5	22.4	41.1
Pennyrile	3,606	40.5	19.7	39.7
Pike	2,734	43.3	19.8	36.9
Powell	770	37.5	16.8	45.7
Purchase	5,510	40.3	19.5	40.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Todd	669	36.2	16.6	47.2
WEDCO	2,724	39.6	19.5	40.9
Whitley	3,155	41.5	17.9	40.5
Woodford	864	39.9	20.0	40.0
Kentucky	181,271	41.0	19.6	39.4
Nation (Prior Year)	8,164,612	35.8	23.0	41.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3 Rivers	592	9.3 (21)	8.4 (53)	2,338	6.0 (29)	6.9 (37)	14.8 (40)	935	20.2 (51)	20.7 (53)	1,565	16.5 (52)
Allen	240	9.6 (22)	4.6 (12)	981	6.4 (33)	5.1 (17)	12.4 (18)	416	16.8 (30)	15.1 (19)	525	18.7 (54)
Anderson	156	8.3 (7)	5.8 (26)	708	6.8 (38)	6.4 (30)	13.8 (31)	270	18.1 (39)	16.7 (35)	458	15.9 (49)
Barren Riv	1,784	8.8 (16)	7.4 (44)	9,057	4.7 (16)	6.6 (33)	13.6 (28)	3,501	16.6 (28)	17.6 (39)	5,558	11.6 (33)
Bourbon	223	9.9 (25)	7.2 (43)	831	4.7 (16)	5.1 (17)	18.2 (53)	294	14.3 (9)	18.0 (44)	551	13.8 (42)
Boyd	441	12.2 (44)	3.6 (7)	1,858	2.8 (1)	12.4 (58)	8.2 (1)	701	17.0 (31)	15.1 (19)	1,118	14.1 (43)
Boyle	243	8.6 (13)	6.2 (32)	987	5.1 (21)	5.3 (19)	13.2 (24)	392	15.1 (15)	13.3 (10)	610	14.1 (43)
Bracken	110	6.4 (2)	6.4 (35)	419	4.5 (13)	9.8 (51)	14.1 (37)	158	21.5 (55)	20.3 (51)	280	2.9 (1)
Breathitt	148	7.4 (3)	3.4 (5)	773	3.8 (5)	4.1 (8)	13.7 (29)	362	14.9 (14)	13.3 (10)	540	3.9 (3)
Breckinrid	183	8.7 (14)	5.5 (22)	776	6.7 (35)	2.3 (1)	10.8 (6)	318	17.0 (31)	10.7 (2)	509	5.5 (6)
Buffalo Tr	275	13.1 (51)	6.2 (32)	991	8.5 (51)	10.6 (54)	13.9 (33)	392	13.3 (5)	15.8 (27)	628	8.6 (19)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bullitt	548	11.5 (42)	4.9 (15)	2,086	5.7 (26)	4.6 (12)	12.8 (23)	764	17.7 (35)	13.9 (16)	1,210	10.2 (28)
C & Y	467	13.9 (54)	2.1 (2)	1,977	6.7 (35)	6.6 (33)	13.9 (33)	600	20.3 (52)	16.5 (31)	1,154	35.8 (58)
Christian	1,459	11.1 (36)	5.1 (17)	6,366	4.4 (10)	6.7 (35)	10.3 (4)	2,471	17.1 (33)	10.8 (3)	4,020	26.5 (56)
Clark	424	9.7 (23)	4.0 (8)	1,479	5.5 (23)	3.5 (3)	14.5 (38)	535	18.9 (44)	17.9 (43)	871	12.9 (38)
Cumb Val	1,654	10.3 (29)	5.4 (20)	6,917	4.9 (19)	7.4 (44)	15.0 (42)	3,055	17.3 (34)	20.4 (52)	4,305	6.4 (8)
Estill	147	12.9 (49)	5.4 (20)	807	6.1 (31)	4.7 (13)	13.4 (26)	360	14.7 (12)	18.9 (47)	558	8.4 (16)
Fayette	2,183	10.3 (29)	6.0 (28)	8,835	7.6 (45)	6.5 (31)	14.8 (40)	3,350	18.5 (42)	19.1 (48)	5,004	28.9 (57)
Fleming	190	12.1 (43)	7.4 (44)	748	6.4 (33)	10.3 (53)	12.0 (10)	330	15.5 (19)	13.6 (13)	493	19.1 (55)
Floyd	630	10.3 (29)	4.0 (8)	2,405	4.5 (13)	8.9 (49)	9.9 (2)	1,021	10.2 (1)	13.2 (7)	1,571	6.6 (10)
Franklin	421	12.8 (47)	5.2 (18)	1,690	11.3 (57)	4.2 (9)	16.6 (50)	593	19.1 (45)	19.4 (49)	945	16.7 (53)
Garrard	160	12.5 (45)	5.0 (16)	786	5.1 (21)	5.9 (27)	12.3 (16)	334	20.4 (53)	18.0 (44)	511	14.1 (43)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Gateway	579	10.2 (28)	7.6 (47)	2,758	4.5 (13)	7.4 (44)	14.0 (35)	1,208	18.0 (38)	17.8 (41)	1,839	11.5 (32)
Green Riv	2,395	9.1 (19)	4.8 (14)	9,119	7.8 (46)	4.9 (15)	12.6 (20)	3,524	18.2 (40)	15.9 (28)	5,511	7.6 (14)
Greenup	258	8.9 (17)	5.8 (26)	1,264	3.6 (4)	11.0 (56)	12.1 (12)	505	18.2 (40)	18.2 (46)	783	5.5 (6)
Hopkins	517	13.0 (50)	7.7 (50)	2,089	7.2 (42)	4.9 (15)	12.2 (14)	850	19.5 (47)	16.5 (31)	1,373	10.1 (27)
Jefferson	4,739	9.1 (19)	6.5 (37)	19,449	5.7 (26)	8.4 (47)	12.4 (18)	6,983	13.6 (7)	11.3 (4)	11,858	16.1 (50)
Jessamine	492	10.6 (34)	5.3 (19)	2,145	6.8 (38)	7.3 (42)	11.0 (7)	849	16.0 (25)	13.2 (7)	1,388	13.1 (39)
Johnson	325	13.5 (53)	2.2 (3)	1,213	6.2 (32)	7.2 (41)	19.0 (56)	533	19.1 (45)	22.9 (56)	778	9.8 (25)
Knox	444	8.3 (7)	6.1 (30)	1,924	6.0 (29)	5.8 (24)	13.5 (27)	839	15.6 (20)	19.5 (50)	1,322	9.9 (26)
KY River	1,358	11.0 (35)	4.7 (13)	5,580	8.1 (49)	5.5 (22)	18.4 (54)	2,321	15.7 (21)	17.5 (38)	3,403	8.3 (15)
Lake Cumb	2,495	8.4 (9)	7.1 (41)	10,376	5.0 (20)	6.3 (28)	12.7 (21)	4,232	15.9 (24)	17.8 (41)	6,545	9.0 (22)
Laurel	633	8.5 (11)	10.9 (57)	2,563	4.3 (8)	7.1 (39)	13.3 (25)	969	14.0 (8)	17.0 (37)	1,481	7.0 (13)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lawrence	231	19.0 (57)	5.6 (24)	859	4.4 (10)	11.3 (57)	12.7 (21)	367	19.9 (48)	16.6 (33)	518	6.9 (12)
Lewis	180	11.1 (36)	6.1 (30)	718	4.2 (7)	7.1 (39)	12.3 (16)	300	13.3 (5)	15.3 (21)	424	13.4 (41)
Lincoln	273	10.3 (29)	5.5 (22)	1,055	3.0 (2)	8.6 (48)	10.7 (5)	447	17.7 (35)	11.9 (6)	733	9.3 (23)
Lincoln Tr	2,335	8.4 (9)	8.2 (52)	10,609	7.4 (44)	4.2 (9)	14.5 (38)	4,312	16.2 (26)	13.6 (13)	6,918	11.6 (33)
Little San	433	11.3 (40)	6.5 (37)	2,090	3.4 (3)	10.0 (52)	12.0 (10)	906	15.7 (21)	17.7 (40)	1,326	10.9 (31)
Madison	778	11.4 (41)	6.2 (32)	2,903	3.8 (5)	9.0 (50)	10.1 (3)	1,082	15.7 (21)	15.7 (25)	1,793	6.8 (11)
Magoffin	175	12.6 (46)	2.9 (4)	778	10.8 (56)	5.7 (23)	22.8 (58)	379	22.4 (57)	26.6 (58)	496	10.3 (30)
Marshall	316	8.9 (17)	4.1 (10)	1,148	12.2 (58)	7.8 (46)	15.1 (43)	450	11.6 (3)	8.4 (1)	743	15.2 (46)
Martin	132	24.2 (58)	1.5 (1)	751	8.1 (49)	6.3 (28)	16.5 (49)	320	14.4 (10)	15.6 (24)	529	5.3 (4)
Mercer	213	8.5 (11)	8.0 (51)	944	6.7 (35)	5.4 (20)	13.8 (31)	412	16.5 (27)	16.7 (35)	640	11.7 (35)
Monroe	105	16.2 (56)	10.5 (56)	503	7.2 (42)	4.8 (14)	18.5 (55)	216	25.0 (58)	22.2 (55)	347	3.7 (2)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montgomery	295	10.5 (33)	8.5 (54)	1,419	5.6 (25)	3.6 (4)	13.7 (29)	598	19.9 (48)	16.6 (33)	952	6.5 (9)
Muhlenberg	341	7.6 (4)	9.4 (55)	1,283	5.5 (23)	5.8 (24)	11.1 (9)	540	20.0 (50)	15.7 (25)	752	8.5 (17)
N Central	683	7.9 (5)	6.0 (28)	2,854	8.7 (53)	5.4 (20)	16.7 (51)	1,188	14.8 (13)	15.4 (23)	1,851	15.4 (48)
N KY	3,205	8.7 (14)	7.0 (40)	11,600	4.3 (8)	6.8 (36)	11.0 (7)	4,041	15.1 (15)	13.3 (10)	6,397	13.3 (40)
Oldham	254	9.8 (24)	3.5 (6)	954	7.9 (47)	3.8 (5)	14.0 (35)	373	18.5 (42)	16.4 (30)	540	10.2 (28)
Park DuV	401	15.0 (55)	4.2 (11)	2,043	8.0 (48)	7.0 (38)	12.1 (12)	825	16.7 (29)	13.2 (7)	1,411	8.5 (17)
Pennyrile	943	8.0 (6)	6.4 (35)	3,464	7.0 (41)	3.8 (5)	15.2 (44)	1,397	15.4 (18)	14.1 (17)	2,177	8.8 (21)
Pike	656	11.1 (36)	7.6 (47)	2,585	4.4 (10)	10.9 (55)	12.2 (14)	936	12.9 (4)	11.8 (5)	1,497	12.7 (37)
Powell	183	13.1 (51)	7.1 (41)	729	8.5 (51)	4.3 (11)	16.0 (47)	326	14.4 (10)	20.9 (54)	521	5.4 (5)
Purchase	1,432	9.9 (25)	5.6 (24)	5,144	5.8 (28)	5.8 (24)	17.4 (52)	2,136	17.8 (37)	16.2 (29)	3,405	16.4 (51)
Todd	125	4.8 (1)	12.8 (58)	632	10.0 (55)	6.5 (31)	19.0 (56)	289	11.4 (2)	14.5 (18)	468	9.6 (24)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
WEDCO	664	12.8 (47)	6.9 (39)	2,551	6.8 (38)	4.0 (7)	15.8 (46)	1,070	15.3 (17)	13.6 (13)	1,656	15.3 (47)
Whitley	817	10.0 (27)	7.6 (47)	3,062	4.8 (18)	7.3 (42)	16.3 (48)	1,235	21.5 (55)	24.3 (57)	1,939	8.7 (20)
Woodford	215	11.2 (39)	7.4 (44)	836	9.4 (54)	3.2 (2)	15.3 (45)	340	20.6 (54)	15.3 (21)	563	11.9 (36)
Kentucky	42,298	9.9	6.3	173,809	6.0	6.6	13.5	68,450	16.4	15.8	107,861	12.9
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,996	16.5	14.8	4,916,523	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
3 Rivers	585	36.9 (29)	323	11.8 (16)	338	4.7 (19)	0	* *	0	* *	1,041	91.0 (33)	2,413	48.6 (48)
Allen	231	49.8 (4)	117	13.7 (10)	157	5.1 (17)	0	* *	0	* *	461	80.5 (55)	1,004	33.6 (34)
Anderson	154	39.0 (21)	128	13.3 (11)	133	4.5 (22)	0	* *	0	* *	300	82.3 (53)	740	23.8 (19)
Barren Riv	1,835	38.3 (24)	1,101	12.4 (14)	1,151	5.4 (15)	0	* *	0	* *	3,863	90.7 (36)	9,388	20.3 (16)
Bourbon	219	43.8 (11)	142	12.0 (15)	148	7.4 (8)	0	* *	0	* *	342	93.9 (21)	865	33.2 (31)
Boyd	437	23.6 (50)	267	7.5 (34)	235	7.7 (7)	0	* *	0	* *	782	96.5 (14)	1,918	54.8 (52)
Boyle	245	24.9 (45)	134	6.7 (38)	141	4.3 (24)	0	* *	0	* *	435	95.9 (16)	1,030	48.3 (47)
Bracken	109	28.4 (39)	62	* *	56	* *	0	* *	0	* *	185	89.2 (42)	439	63.3 (56)
Breathitt	148	20.9 (53)	110	5.5 (43)	133	0.8 (52)	0	* *	0	* *	420	78.8 (58)	831	51.6 (50)
Breckinrid	180	38.3 (24)	97	* *	97	* *	0	* *	0	* *	358	86.0 (50)	794	2.8 (7)
Buffalo Tr	285	24.2 (47)	130	3.8 (47)	163	3.1 (38)	0	* *	0	* *	447	97.8 (10)	1,054	58.4 (54)
Bullitt	544	39.3 (20)	314	9.2 (28)	353	3.4 (32)	0	* *	0	* *	866	91.1 (32)	2,159	23.8 (19)
C & Y	469	36.0 (31)	366	2.7 (48)	274	1.8 (47)	0	* *	0	* *	671	100.0 (1)	2,088	0.0 (1)

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Christian	1,471	51.5 (3)	911	16.7 (4)	885	9.4 (3)	0	* *	0	* *	2,692	83.8 (52)	6,626	21.9 (18)
Clark	420	36.7 (30)	226	8.0 (32)	212	4.2 (25)	0	* *	0	* *	598	97.8 (10)	1,528	0.7 (5)
Cumb Val	1,699	26.5 (42)	857	5.0 (45)	1,038	2.8 (41)	0	* *	0	* *	3,398	91.7 (30)	7,205	41.2 (40)
Estill	146	34.9 (32)	94	* *	112	0.9 (50)	0	* *	0	* *	397	88.4 (44)	819	25.3 (23)
Fayette	2,215	61.8 (1)	1,427	31.1 (1)	1,226	15.6 (1)	0	* *	0	* *	3,720	90.5 (37)	9,289	0.3 (3)
Fleming	185	20.5 (55)	89	* *	110	3.6 (31)	0	* *	0	* *	372	86.8 (49)	776	26.9 (25)
Floyd	621	17.9 (56)	323	5.9 (42)	377	2.1 (45)	0	* *	0	* *	1,169	99.9 (4)	2,523	56.2 (53)
Franklin	417	45.3 (9)	216	15.3 (6)	222	5.4 (15)	0	* *	0	* *	665	88.3 (45)	1,747	46.5 (44)
Garrard	165	43.6 (12)	108	6.5 (41)	106	5.7 (13)	0	* *	0	* *	372	97.8 (10)	807	33.2 (31)
Gateway	625	28.8 (38)	391	10.2 (22)	380	3.7 (29)	0	* *	0	* *	1,325	91.8 (28)	2,893	17.4 (14)
Green Riv	2,328	33.2 (36)	1,160	9.7 (26)	1,148	3.4 (32)	0	* *	0	* *	3,898	87.5 (47)	9,345	28.8 (28)
Greenup	258	26.4 (43)	184	10.9 (21)	204	3.4 (32)	0	* *	0	* *	540	94.6 (19)	1,294	20.4 (17)
Hopkins	511	41.9 (16)	259	7.7 (33)	235	3.4 (32)	0	* *	0	* *	930	84.0 (51)	2,161	46.0 (42)

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Jefferson	4,876	47.4 (7)	3,100	18.4 (3)	2,847	7.4 (8)	0	* *	0	* *	7,746	91.9 (27)	20,456	0.6 (4)
Jessamine	489	42.9 (14)	313	20.1 (2)	303	10.6 (2)	0	* *	0	* *	935	93.6 (22)	2,226	16.8 (13)
Johnson	321	25.2 (44)	171	5.3 (44)	171	0.6 (53)	0	* *	0	* *	590	99.5 (6)	1,284	36.7 (37)
Knox	481	24.3 (46)	240	6.7 (38)	264	2.3 (42)	0	* *	0	* *	957	94.5 (20)	1,995	0.7 (5)
KY River	1,408	28.3 (40)	696	8.5 (29)	750	4.1 (26)	0	* *	0	* *	2,609	92.6 (24)	5,880	12.1 (11)
Lake Cumb	2,511	34.0 (34)	1,617	8.2 (31)	1,521	3.7 (29)	0	* *	0	* *	4,803	90.8 (34)	10,729	35.4 (36)
Laurel	660	33.6 (35)	413	7.3 (36)	361	3.9 (28)	0	* *	0	* *	1,077	94.8 (18)	2,648	47.8 (46)
Lawrence	231	21.2 (52)	113	2.7 (48)	111	0.9 (50)	0	* *	0	* *	411	96.6 (13)	893	25.8 (24)
Lewis	176	37.5 (28)	70	* *	100	2.0 (46)	0	* *	0	* *	344	87.5 (47)	742	62.3 (55)
Lincoln	271	23.6 (50)	149	7.4 (35)	163	3.1 (38)	0	* *	0	* *	509	98.4 (7)	1,109	46.1 (43)
Lincoln Tr	2,342	38.0 (26)	1,264	9.3 (27)	1,549	4.6 (20)	0	* *	0	* *	4,805	90.0 (39)	10,883	51.1 (49)
Little San	432	28.2 (41)	276	8.3 (30)	301	3.0 (40)	0	* *	0	* *	1,029	93.0 (23)	2,152	47.3 (45)
Madison	775	38.8 (22)	446	10.1 (23)	442	6.1 (11)	0	* *	0	* *	1,210	92.0 (26)	2,980	19.2 (15)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Magoffin	175	17.1 (57)	94	* *	101	0.0 (54)	0	* *	0	* *	422	100.0 (1)	823	29.2 (29)
Marshall	316	47.2 (8)	180	13.3 (11)	181	6.1 (11)	0	* *	0	* *	511	81.4 (54)	1,215	32.8 (30)
Martin	186	14.0 (58)	88	* *	134	2.2 (44)	0	* *	0	* *	366	88.8 (43)	796	41.6 (41)
Mercer	212	40.6 (19)	119	10.1 (23)	122	3.3 (37)	0	* *	0	* *	457	91.2 (31)	975	34.2 (35)
Monroe	104	31.7 (37)	50	* *	78	* *	0	* *	0	* *	242	100.0 (1)	516	24.4 (21)
Montgomery	293	38.6 (23)	228	11.8 (16)	177	4.5 (22)	0	* *	0	* *	663	89.6 (40)	1,469	38.1 (38)
Muhlenberg	337	23.7 (49)	179	3.9 (46)	177	3.4 (32)	0	* *	0	* *	608	80.1 (56)	1,318	53.7 (51)
N Central	678	43.1 (13)	337	14.5 (9)	465	8.0 (6)	0	* *	0	* *	1,342	90.5 (37)	2,953	4.6 (8)
N KY	3,500	34.2 (33)	1,765	11.3 (20)	1,597	4.6 (20)	0	* *	0	* *	4,493	91.8 (28)	12,341	39.8 (39)
Oldham	246	49.2 (5)	100	15.0 (8)	123	4.9 (18)	0	* *	0	* *	413	94.9 (17)	978	87.8 (58)
Park DuV	404	37.6 (27)	276	16.7 (4)	298	9.1 (4)	0	* *	0	* *	943	99.9 (4)	2,141	0.1 (2)
Pennyrile	935	48.8 (6)	484	15.1 (7)	542	5.5 (14)	0	* *	0	* *	1,536	88.2 (46)	3,606	25.2 (22)
Pike	680	24.1 (48)	371	6.7 (38)	355	1.7 (48)	0	* *	0	* *	1,096	80.1 (56)	2,734	66.8 (57)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Powell	184	42.9 (14)	102	9.8 (25)	119	1.7 (48)	0	* *	0	* *	369	89.4 (41)	770	33.2 (31)
Purchase	1,429	41.4 (17)	784	11.6 (18)	878	4.0 (27)	0	* *	0	* *	2,366	90.8 (34)	5,510	28.6 (27)
Todd	125	44.0 (10)	86	* *	80	* *	0	* *	0	* *	334	96.1 (15)	669	11.4 (10)
WEDCO	656	41.0 (18)	350	11.4 (19)	358	8.9 (5)	0	* *	0	* *	1,194	98.1 (9)	2,724	27.0 (26)
Whitley	809	20.6 (54)	431	7.2 (37)	426	2.3 (42)	0	* *	0	* *	1,376	92.6 (24)	3,155	10.7 (9)
Woodford	209	53.1 (2)	107	13.1 (13)	106	6.6 (10)	0	* *	0	* *	370	98.4 (7)	864	16.4 (12)
Kentucky	42,953	37.8	24,535	12.2	24,834	5.4	0	*	0	*	76,373	91.1	181,270	26.9
Nation (Prior Year)	1,719,083	62.0	848,761	26.9	1,038,203	19.1	144,421	12.9	206,416	7.2	744,697	74.8	3,277,352	10.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3 Rivers	1,601	9.2 (15)	6.7 (43)	6,150	5.8 (26)	7.2 (40)	13.7 (30)	2,413	19.8 (51)	19.3 (47)	4,082	15.1 (48)
Allen	648	7.7 (3)	6.3 (35)	2,630	6.3 (33)	6.7 (32)	10.7 (8)	1,123	14.7 (9)	13.3 (8)	1,331	16.6 (52)
Anderson	445	11.5 (46)	5.2 (14)	1,809	6.8 (42)	7.0 (39)	13.7 (30)	713	21.2 (56)	17.7 (39)	1,170	14.7 (46)
Barren Riv	6,101	9.7 (25)	6.3 (35)	26,121	4.8 (11)	6.7 (32)	12.7 (19)	10,028	16.8 (32)	17.7 (39)	15,910	13.5 (41)
Bourbon	631	8.9 (8)	7.0 (47)	2,157	5.4 (20)	5.1 (17)	17.4 (52)	757	18.8 (49)	18.9 (46)	1,408	12.1 (34)
Boyd	1,314	13.1 (54)	4.3 (8)	5,181	3.5 (4)	11.4 (56)	8.9 (1)	1,930	15.8 (18)	15.3 (19)	3,141	17.0 (54)
Boyle	664	9.9 (28)	6.8 (45)	2,749	5.3 (18)	5.7 (22)	13.2 (25)	1,037	15.3 (13)	14.9 (16)	1,650	13.6 (44)
Bracken	289	10.0 (30)	5.9 (25)	1,112	6.2 (31)	11.3 (55)	14.1 (35)	415	25.3 (58)	20.7 (54)	729	4.8 (2)
Breathitt	474	7.4 (1)	4.2 (6)	2,272	4.4 (7)	4.4 (10)	16.4 (50)	1,081	16.5 (28)	16.2 (30)	1,609	5.4 (3)
Breckinrid	493	9.1 (11)	5.5 (18)	2,160	6.0 (29)	2.5 (2)	11.6 (11)	948	15.3 (13)	11.5 (3)	1,483	6.6 (8)
Buffalo Tr	767	10.6 (35)	6.0 (27)	2,665	8.5 (51)	9.6 (50)	14.3 (36)	981	15.1 (11)	15.8 (27)	1,627	12.2 (35)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Bullitt	1,480	10.5 (33)	6.1 (29)	5,489	5.9 (28)	4.5 (12)	13.0 (22)	1,990	17.9 (44)	14.7 (15)	3,166	12.7 (36)
C & Y	1,491	14.0 (55)	2.3 (1)	5,340	6.9 (43)	6.6 (30)	13.7 (30)	1,674	18.6 (47)	16.9 (35)	3,095	32.0 (58)
Christian	4,010	9.9 (28)	5.7 (22)	16,802	4.1 (5)	7.5 (45)	9.0 (2)	6,504	14.1 (5)	9.4 (1)	10,276	24.4 (56)
Clark	1,065	9.3 (18)	5.5 (18)	3,867	5.4 (20)	4.1 (5)	15.1 (42)	1,426	20.4 (55)	19.3 (47)	2,280	11.8 (33)
Cumb Val	4,726	10.7 (38)	6.4 (38)	19,737	4.8 (11)	6.8 (34)	15.0 (41)	8,903	17.6 (40)	19.9 (52)	12,858	5.7 (5)
Estill	478	10.9 (43)	4.6 (11)	2,291	5.3 (18)	4.6 (14)	12.4 (15)	1,022	17.1 (35)	18.3 (43)	1,581	8.9 (19)
Fayette	6,073	10.0 (30)	6.5 (40)	23,331	7.5 (46)	6.9 (36)	13.5 (28)	8,682	18.4 (46)	18.6 (45)	12,411	27.0 (57)
Fleming	506	10.7 (38)	7.7 (52)	2,042	6.5 (39)	9.8 (51)	13.6 (29)	934	14.1 (5)	15.6 (22)	1,372	16.9 (53)
Floyd	1,750	10.6 (35)	4.1 (5)	6,724	4.8 (11)	8.6 (48)	10.5 (6)	2,928	11.1 (1)	13.5 (9)	4,432	7.8 (10)
Franklin	1,201	12.3 (53)	4.3 (8)	4,629	11.2 (57)	5.2 (18)	16.1 (49)	1,622	20.1 (54)	20.4 (53)	2,713	18.8 (55)
Garrard	481	10.8 (42)	4.8 (12)	2,128	6.0 (29)	5.5 (19)	12.9 (20)	914	15.9 (20)	17.1 (36)	1,364	14.8 (47)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Gateway	1,725	9.2 (15)	9.0 (56)	7,692	5.2 (17)	7.4 (43)	13.7 (30)	3,345	17.5 (39)	17.8 (41)	5,095	11.3 (29)
Green Riv	6,614	9.0 (9)	5.9 (25)	25,258	7.8 (47)	4.8 (16)	12.5 (16)	9,802	17.6 (40)	15.6 (22)	15,548	7.4 (9)
Greenup	864	9.8 (26)	5.2 (14)	3,580	3.4 (3)	12.2 (58)	11.4 (9)	1,455	16.0 (21)	17.6 (38)	2,165	5.7 (5)
Hopkins	1,458	11.5 (46)	6.7 (43)	5,862	7.9 (49)	3.7 (4)	13.1 (23)	2,341	18.8 (49)	16.5 (32)	3,894	10.5 (27)
Jefferson	13,614	10.1 (32)	6.1 (29)	52,201	5.5 (23)	7.3 (42)	12.5 (16)	18,148	14.5 (8)	11.7 (4)	30,878	15.6 (50)
Jessamine	1,402	9.0 (9)	6.1 (29)	5,740	6.2 (31)	6.8 (34)	10.3 (4)	2,198	15.2 (12)	12.3 (6)	3,556	13.3 (39)
Johnson	915	12.2 (51)	3.4 (2)	3,534	6.4 (37)	6.5 (28)	18.5 (55)	1,599	17.4 (38)	21.5 (55)	2,294	13.2 (37)
Knox	1,232	9.3 (18)	6.2 (32)	5,546	4.7 (10)	6.9 (36)	13.8 (34)	2,461	16.2 (22)	19.8 (51)	3,860	8.8 (18)
KY River	3,782	11.9 (49)	5.2 (14)	15,388	8.4 (50)	4.5 (12)	18.9 (57)	6,558	16.7 (31)	18.1 (42)	9,944	8.3 (14)
Lake Cumb	7,067	9.1 (11)	6.4 (38)	28,987	4.9 (16)	6.4 (26)	11.7 (12)	12,053	16.4 (25)	16.4 (31)	18,319	8.4 (15)
Laurel	1,700	8.8 (7)	9.9 (58)	6,840	4.4 (7)	7.4 (43)	13.1 (23)	2,694	16.3 (23)	17.2 (37)	4,163	6.3 (7)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lawrence	613	19.9 (58)	4.2 (6)	2,318	5.7 (25)	10.4 (54)	14.4 (38)	980	18.6 (47)	19.3 (47)	1,447	9.5 (22)
Lewis	500	9.8 (26)	5.4 (17)	2,068	4.8 (11)	10.0 (53)	13.2 (25)	912	12.2 (4)	15.5 (21)	1,323	7.8 (10)
Lincoln	754	9.5 (22)	6.6 (42)	3,018	4.1 (5)	7.2 (40)	12.3 (14)	1,249	16.8 (32)	13.7 (11)	2,064	11.7 (31)
Lincoln Tr	6,723	9.1 (11)	7.3 (50)	28,980	7.4 (44)	4.2 (7)	14.3 (36)	11,778	16.4 (25)	14.1 (13)	18,996	10.4 (25)
Little San	1,314	10.5 (33)	5.6 (21)	5,954	3.3 (2)	9.8 (51)	12.1 (13)	2,602	16.6 (29)	16.8 (34)	3,774	13.3 (39)
Madison	2,149	9.3 (18)	6.0 (27)	7,987	4.4 (7)	8.8 (49)	9.5 (3)	2,930	16.3 (23)	15.1 (17)	5,005	8.7 (17)
Magoffin	521	12.1 (50)	5.0 (13)	2,365	9.9 (55)	5.5 (19)	21.5 (58)	1,170	23.5 (57)	24.4 (58)	1,526	11.5 (30)
Marshall	851	8.0 (4)	6.2 (32)	3,228	12.3 (58)	7.7 (46)	15.1 (42)	1,346	11.4 (2)	9.4 (1)	2,062	13.5 (41)
Martin	444	17.3 (57)	3.4 (2)	2,212	7.8 (47)	6.6 (30)	15.4 (47)	975	16.4 (25)	18.3 (43)	1,547	8.6 (16)
Mercer	596	11.6 (48)	6.2 (32)	2,522	6.7 (40)	4.4 (10)	12.9 (20)	1,131	15.5 (15)	15.7 (24)	1,757	9.4 (21)
Monroe	336	10.7 (38)	8.6 (54)	1,440	6.3 (33)	6.5 (28)	18.7 (56)	614	19.9 (52)	23.3 (57)	962	3.2 (1)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montgomery	913	10.6 (35)	7.3 (50)	3,911	6.3 (33)	4.3 (8)	13.3 (27)	1,576	16.9 (34)	15.9 (28)	2,630	7.8 (10)
Muhlenberg	916	8.0 (4)	9.2 (57)	3,595	5.5 (23)	6.0 (24)	11.4 (9)	1,465	17.7 (42)	15.4 (20)	2,143	8.0 (13)
N Central	1,956	7.4 (1)	7.2 (48)	7,603	9.4 (54)	5.7 (22)	17.5 (53)	3,105	15.7 (16)	16.6 (33)	5,037	15.5 (49)
N KY	9,401	9.2 (15)	6.5 (40)	31,964	4.8 (11)	6.9 (36)	10.4 (5)	10,773	15.7 (16)	13.2 (7)	17,659	13.8 (45)
Oldham	695	9.1 (11)	4.5 (10)	2,739	8.5 (51)	2.3 (1)	15.8 (48)	1,110	17.8 (43)	15.9 (28)	1,597	9.9 (24)
Park DuV	1,306	15.5 (56)	4.0 (4)	5,841	7.4 (44)	6.4 (26)	12.6 (18)	2,302	15.8 (18)	14.4 (14)	3,929	10.4 (25)
Pennyriple	2,469	8.0 (4)	7.2 (48)	9,459	6.3 (33)	4.3 (8)	14.7 (39)	3,866	17.3 (36)	13.6 (10)	6,147	8.9 (19)
Pike	1,875	11.3 (45)	5.7 (22)	7,389	2.8 (1)	12.1 (57)	10.6 (7)	2,737	11.7 (3)	11.9 (5)	4,421	9.6 (23)
Powell	508	12.2 (51)	5.5 (18)	2,127	6.4 (37)	4.1 (5)	15.1 (42)	962	16.6 (29)	19.4 (50)	1,521	5.5 (4)
Purchase	3,963	9.5 (22)	5.8 (24)	14,452	5.8 (26)	6.2 (25)	16.6 (51)	6,073	18.1 (45)	15.7 (24)	9,609	16.2 (51)
Todd	391	9.5 (22)	7.7 (52)	1,787	10.1 (56)	5.5 (19)	17.9 (54)	814	15.0 (10)	15.2 (18)	1,300	10.6 (28)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
WEDCO	1,845	10.7 (38)	6.8 (45)	7,047	6.7 (40)	4.7 (15)	15.3 (46)	2,795	14.2 (7)	13.9 (12)	4,432	13.5 (41)
Whitley	2,186	9.4 (21)	6.3 (35)	8,380	5.4 (20)	8.2 (47)	14.9 (40)	3,493	20.0 (53)	21.8 (56)	5,592	11.7 (31)
Woodford	562	11.0 (44)	8.9 (55)	2,292	8.7 (53)	3.1 (3)	15.1 (42)	962	17.3 (36)	15.7 (24)	1,515	13.2 (37)
Kentucky	120,848	10.0	6.2	478,692	6.0	6.5	13.2	188,399	16.5	15.7	297,399	12.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
3 Rivers	2,122	36.1 (26)	1,414	7.6 (21)	1,109	4.2 (18)	0	* *	0	* *	2,653	91.7 (31)	3,901	42.0 (43)
Allen	837	46.5 (8)	529	10.4 (7)	495	4.6 (15)	0	* *	0	* *	1,240	84.5 (52)	1,588	31.7 (28)
Anderson	638	40.9 (14)	466	7.5 (24)	353	4.2 (18)	0	* *	0	* *	785	79.9 (58)	1,164	23.0 (19)
Barren Riv	8,474	38.6 (20)	5,969	8.6 (15)	4,538	5.0 (13)	0	* *	0	* *	11,005	90.7 (37)	16,118	27.1 (24)
Bourbon	809	43.9 (11)	531	7.2 (26)	455	5.1 (12)	0	* *	0	* *	860	92.4 (28)	1,357	20.6 (16)
Boyd	1,768	29.3 (39)	1,224	8.2 (20)	907	6.6 (8)	0	* *	0	* *	2,130	95.3 (17)	3,288	32.1 (30)
Boyle	917	22.6 (51)	620	5.6 (38)	486	2.9 (37)	0	* *	0	* *	1,133	95.5 (16)	1,716	39.6 (39)
Bracken	393	28.8 (40)	263	5.3 (40)	199	1.5 (52)	0	* *	0	* *	470	87.2 (46)	699	62.8 (56)
Breathitt	658	18.5 (55)	511	2.9 (56)	442	0.9 (58)	0	* *	0	* *	1,226	86.1 (47)	1,389	51.1 (49)
Breckinrid	676	35.2 (29)	415	8.9 (12)	332	6.0 (9)	0	* *	0	* *	1,034	83.8 (55)	1,333	2.4 (7)
Buffalo Tr	981	26.8 (46)	572	4.0 (48)	510	2.7 (39)	0	* *	0	* *	1,096	98.8 (7)	1,698	55.6 (54)
Bullitt	1,987	35.7 (27)	1,356	5.9 (35)	1,122	3.1 (34)	0	* *	0	* *	2,208	90.7 (37)	3,524	27.4 (25)
C & Y	2,091	32.7 (35)	1,570	3.3 (54)	842	2.1 (46)	0	* *	0	* *	1,848	100.0 (1)	3,519	0.1 (2)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Christian	5,896	52.3 (2)	4,238	12.6 (6)	2,912	6.7 (7)	0	* *	0	* *	7,032	86.0 (48)	11,680	22.4 (17)
Clark	1,411	37.5 (24)	926	7.5 (24)	709	4.5 (16)	0	* *	0	* *	1,556	95.2 (18)	2,476	1.9 (6)
Cumb Val	6,143	24.5 (49)	3,859	4.2 (46)	3,545	2.5 (41)	0	* *	0	* *	9,789	94.2 (22)	11,839	37.8 (37)
Estill	666	27.8 (42)	451	3.8 (51)	365	2.5 (41)	0	* *	0	* *	1,127	89.4 (42)	1,332	25.1 (22)
Fayette	8,096	61.6 (1)	5,852	21.7 (1)	4,128	12.6 (1)	0	* *	0	* *	9,565	92.4 (28)	14,996	0.4 (3)
Fleming	633	27.5 (43)	384	5.2 (41)	379	2.1 (46)	0	* *	0	* *	1,039	84.5 (52)	1,220	29.0 (26)
Floyd	2,132	17.4 (56)	1,321	5.0 (42)	1,255	3.0 (36)	0	* *	0	* *	3,295	99.9 (4)	4,026	55.4 (53)
Franklin	1,655	45.2 (9)	1,121	8.9 (12)	832	4.1 (21)	0	* *	0	* *	1,785	90.5 (39)	2,974	56.1 (55)
Garrard	679	34.6 (30)	484	5.4 (39)	384	3.9 (22)	0	* *	0	* *	1,000	98.0 (10)	1,307	36.3 (36)
Gateway	2,413	32.7 (35)	1,686	8.5 (17)	1,335	4.2 (18)	0	* *	0	* *	3,659	92.8 (27)	4,592	18.1 (13)
Green Riv	8,573	34.2 (32)	5,424	5.7 (36)	4,204	2.7 (39)	0	* *	0	* *	10,718	89.7 (40)	15,926	32.2 (31)
Greenup	1,179	32.7 (35)	816	7.6 (21)	645	3.4 (28)	0	* *	0	* *	1,577	96.1 (14)	2,255	22.7 (18)
Hopkins	1,981	39.3 (19)	1,216	6.7 (31)	920	3.3 (29)	0	* *	0	* *	2,536	84.1 (54)	3,617	44.4 (45)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Jefferson	19,079	47.7 (6)	13,964	13.0 (5)	9,766	6.8 (6)	0	* *	0	* *	19,736	90.8 (35)	34,097	0.8 (5)
Jessamine	1,969	43.1 (12)	1,402	14.3 (3)	1,028	8.0 (5)	0	* *	0	* *	2,411	94.3 (21)	3,665	18.6 (14)
Johnson	1,137	26.9 (44)	675	4.0 (48)	604	2.8 (38)	0	* *	0	* *	1,751	99.5 (5)	2,161	35.6 (34)
Knox	1,730	20.1 (53)	1,109	3.2 (55)	944	1.2 (57)	0	* *	0	* *	2,735	94.4 (20)	3,286	0.7 (4)
KY River	5,087	28.3 (41)	3,227	6.0 (34)	2,517	3.2 (33)	0	* *	0	* *	7,334	93.8 (23)	9,408	13.9 (11)
Lake Cumb	9,519	34.5 (31)	6,559	6.4 (32)	5,123	3.3 (29)	0	* *	0	* *	13,381	91.3 (33)	17,532	39.4 (38)
Laurel	2,354	36.5 (25)	1,618	6.9 (29)	1,179	3.1 (34)	0	* *	0	* *	2,974	95.2 (18)	4,197	50.4 (48)
Lawrence	770	20.0 (54)	467	3.4 (53)	410	1.7 (51)	0	* *	0	* *	1,089	98.6 (8)	1,427	19.7 (15)
Lewis	622	33.9 (33)	384	4.7 (45)	368	1.9 (49)	0	* *	0	* *	1,036	89.0 (44)	1,233	52.8 (51)
Lincoln	978	26.1 (47)	645	4.8 (43)	564	2.0 (48)	0	* *	0	* *	1,387	97.8 (11)	1,813	40.8 (40)
Lincoln Tr	9,330	38.2 (21)	6,375	7.2 (26)	5,200	3.9 (22)	0	* *	0	* *	12,926	90.8 (35)	17,943	48.8 (47)
Little San	1,802	31.4 (38)	1,269	6.2 (33)	1,066	3.3 (29)	0	* *	0	* *	2,907	88.5 (45)	3,522	44.6 (46)
Madison	2,800	37.8 (23)	1,845	8.5 (17)	1,485	6.0 (9)	0	* *	0	* *	3,219	93.6 (25)	5,017	23.0 (19)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Magoffin	664	15.1 (57)	451	4.2 (46)	392	1.3 (54)	0	* *	0	* *	1,297	99.2 (6)	1,384	32.9 (33)
Marshall	1,106	44.9 (10)	733	8.7 (14)	622	3.7 (26)	0	* *	0	* *	1,470	82.4 (57)	2,045	31.8 (29)
Martin	707	14.3 (58)	403	2.5 (57)	394	1.3 (54)	0	* *	0	* *	1,083	85.0 (50)	1,367	53.0 (52)
Mercer	736	40.5 (16)	529	7.6 (21)	429	3.3 (29)	0	* *	0	* *	1,228	91.0 (34)	1,538	44.3 (44)
Monroe	398	26.9 (44)	273	1.5 (58)	260	1.5 (52)	0	* *	0	* *	702	100.0 (1)	817	30.0 (27)
Montgomery	1,274	35.3 (28)	943	8.3 (19)	704	4.4 (17)	0	* *	0	* *	1,744	89.5 (41)	2,346	41.2 (41)
Muhlenberg	1,175	25.7 (48)	765	3.9 (50)	628	2.4 (43)	0	* *	0	* *	1,621	85.7 (49)	2,194	51.7 (50)
N Central	2,445	50.2 (3)	1,724	15.3 (2)	1,560	11.5 (2)	0	* *	0	* *	3,451	91.5 (32)	4,659	6.3 (8)
N KY	12,674	33.8 (34)	7,973	6.8 (30)	5,521	3.9 (22)	0	* *	0	* *	11,818	93.3 (26)	21,958	35.8 (35)
Oldham	883	48.7 (5)	543	10.3 (8)	476	8.2 (4)	0	* *	0	* *	1,200	93.8 (23)	1,736	82.3 (58)
Park DuV	1,934	39.8 (18)	1,515	14.3 (3)	1,046	8.9 (3)	0	* *	0	* *	2,555	100.0 (1)	3,774	0.0 (1)
Pennyrile	3,157	49.1 (4)	2,057	9.8 (9)	1,782	5.0 (13)	0	* *	0	* *	4,231	89.1 (43)	5,934	23.6 (21)
Pike	2,604	23.6 (50)	1,802	3.7 (52)	1,292	2.2 (45)	0	* *	0	* *	3,186	83.0 (56)	4,747	67.9 (57)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Powell	633	40.9 (14)	436	5.7 (36)	385	1.3 (54)	0	* *	0	* *	1,067	85.0 (50)	1,251	41.3 (42)
Purchase	5,001	41.4 (13)	3,192	8.6 (15)	2,784	3.9 (22)	0	* *	0	* *	6,674	92.0 (30)	9,251	26.0 (23)
Todd	545	40.0 (17)	392	9.7 (10)	312	1.9 (49)	0	* *	0	* *	917	98.6 (8)	1,098	14.9 (12)
WEDCO	2,431	38.2 (21)	1,663	9.2 (11)	1,280	5.9 (11)	0	* *	0	* *	3,121	96.1 (14)	4,475	32.6 (32)
Whitley	2,849	21.4 (52)	1,731	4.8 (43)	1,382	2.4 (43)	0	* *	0	* *	3,882	97.4 (12)	5,112	11.9 (9)
Woodford	754	47.6 (7)	472	7.0 (28)	392	3.6 (27)	0	* *	0	* *	1,041	96.9 (13)	1,439	13.4 (10)
Kentucky	162,955	37.9	110,354	8.8	85,298	4.8	0	*	0	*	207,540	91.8	301,960	27.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

