

Table 4E
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Region
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Region	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Region 01	8,116	71.3	13.0	8.7	0.1	0.8	6.0	0.0
Region 02	12,989	69.9	16.5	7.0	0.1	1.0	5.5	0.0
Region 03	9,345	76.8	6.7	9.9	0.0	0.5	6.1	0.0
Region 04	10,909	78.0	7.4	9.8	0.2	1.5	3.2	0.0
Region 05	11,677	78.3	8.6	7.4	0.1	0.5	5.2	0.0
Region 06	30,775	46.8	35.3	12.1	0.1	1.7	3.9	0.0
Region 07	14,754	80.6	6.3	10.3	0.1	0.6	2.1	0.0
Region 08	3,011	91.1	2.2	3.5	0.1	0.3	2.8	0.0
Region 09	4,362	94.3	1.2	3.0	0.0	0.6	0.9	0.0
Region 10	6,257	93.8	0.8	2.3	0.0	0.3	2.7	0.0
Region 11	8,160	97.9	0.4	1.1	0.0	0.2	0.5	0.0
Region 12	6,711	97.8	0.7	0.5	0.0	0.2	0.8	0.0
Region 13	15,003	96.6	1.2	1.3	0.0	0.1	0.8	0.0
Region 14	10,729	89.0	1.5	7.3	0.0	0.2	1.9	0.0
Region 15	28,473	67.3	12.4	15.6	0.1	0.9	3.8	0.0
Kentucky	181,271	75.3	11.9	8.6	0.1	0.8	3.3	0.0
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5E
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Region
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Region	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Region 01	8,116	40.8	19.7	39.5
Region 02	12,989	39.8	19.9	40.3
Region 03	9,345	42.2	18.6	39.2
Region 04	10,909	39.7	20.4	39.9
Region 05	11,677	38.5	20.2	41.3
Region 06	30,775	42.9	20.6	36.6
Region 07	14,754	45.8	19.2	35.0
Region 08	3,011	39.5	18.9	41.6
Region 09	4,362	38.0	18.8	43.2
Region 10	6,257	38.9	20.3	40.8
Region 11	8,160	39.7	19.1	41.2
Region 12	6,711	39.1	18.9	41.9
Region 13	15,003	39.5	18.0	42.5
Region 14	10,729	39.6	19.2	41.3
Region 15	28,473	41.4	19.7	38.9
Kentucky	181,271	41.0	19.6	39.4
Nation (Prior Year)	8,164,612	35.8	23.0	41.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6E
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Region
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Region	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Region 01	2,124	9.4 (6)	5.7 (5)	7,628	6.9 (12)	5.8 (4)	16.4 (14)	3,079	16.6 (8)	14.6 (4)	4,950	14.4 (12)
Region 02	3,009	10.2 (9)	6.4 (8)	12,498	5.7 (7)	5.8 (4)	12.1 (3)	5,054	17.2 (10)	13.1 (2)	7,988	18.3 (15)
Region 03	2,395	9.1 (4)	4.8 (3)	9,119	7.8 (15)	4.9 (2)	12.6 (4)	3,524	18.2 (14)	15.9 (7)	5,511	7.6 (2)
Region 04	2,129	9.3 (5)	7.2 (12)	10,541	5.0 (5)	6.3 (8)	13.7 (8)	4,133	17.1 (9)	17.6 (13)	6,430	11.7 (9)
Region 05	2,518	8.4 (1)	8.0 (15)	11,385	7.4 (13)	4.0 (1)	14.3 (12)	4,630	16.3 (7)	13.4 (3)	7,427	11.1 (8)
Region 06	7,092	9.8 (8)	5.8 (6)	29,363	6.3 (9)	7.4 (12)	13.0 (6)	10,733	14.8 (2)	12.6 (1)	18,024	16.1 (13)
Region 07	3,797	8.8 (3)	7.2 (12)	13,938	4.6 (2)	6.8 (10)	11.6 (2)	4,976	16.1 (6)	14.7 (5)	7,962	13.9 (11)
Region 08	755	11.4 (13)	6.5 (9)	2,876	6.3 (9)	9.5 (14)	13.0 (6)	1,180	15.0 (3)	15.7 (6)	1,825	11.7 (9)
Region 09	874	10.3 (10)	7.9 (14)	4,177	4.9 (3)	6.1 (7)	13.9 (9)	1,806	18.6 (15)	17.4 (12)	2,791	9.8 (6)
Region 10	1,363	12.5 (15)	5.3 (4)	6,071	3.4 (1)	11.1 (15)	11.0 (1)	2,479	17.2 (10)	16.9 (9)	3,745	10.2 (7)
Region 11	1,918	12.3 (14)	4.6 (1)	7,732	5.7 (7)	8.7 (13)	14.0 (10)	3,189	14.4 (1)	16.2 (8)	4,871	9.2 (5)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this region's rate to other regions. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6E
2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Region
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Region	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Region 12	1,506	10.7 (11)	4.6 (1)	6,353	7.5 (14)	5.3 (3)	17.8 (15)	2,683	15.6 (4)	16.9 (9)	3,943	7.7 (3)
Region 13	3,548	9.7 (7)	7.0 (10)	14,466	4.9 (3)	7.1 (11)	14.8 (13)	6,098	17.4 (13)	20.5 (15)	9,047	7.5 (1)
Region 14	2,495	8.4 (1)	7.1 (11)	10,376	5.0 (5)	6.3 (8)	12.7 (5)	4,232	15.9 (5)	17.8 (14)	6,545	9.0 (4)
Region 15	6,775	10.8 (12)	6.0 (7)	27,286	6.7 (11)	6.0 (6)	14.0 (10)	10,654	17.3 (12)	16.9 (9)	16,802	17.1 (14)
Kentucky	42,298	9.9	6.3	173,809	6.0	6.6	13.5	68,450	16.4	15.8	107,861	12.9
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,996	16.5	14.8	4,916,523	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this region's rate to other regions. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7E
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Region	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)		
Region 01	2,117	46.3 (2)	1,159	14.1 (3)	1,265	5.2 (4)	0	* *	0	* *	3,422	90.2 (11)	8,116	26.1 (6)
Region 02	3,007	44.0 (4)	1,724	12.8 (4)	1,713	6.4 (3)	0	* *	0	* *	5,555	84.2 (15)	12,989	30.8 (9)
Region 03	2,328	33.2 (9)	1,160	9.7 (8)	1,148	3.4 (12)	0	* *	0	* *	3,898	87.5 (14)	9,345	28.8 (7)
Region 04	2,170	39.2 (5)	1,268	12.0 (5)	1,386	5.1 (5)	0	* *	0	* *	4,566	90.1 (12)	10,908	21.7 (4)
Region 05	2,522	38.1 (6)	1,361	9.3 (9)	1,646	4.6 (7)	0	* *	0	* *	5,163	89.8 (13)	11,677	47.8 (13)
Region 06	7,217	45.2 (3)	4,493	16.0 (2)	4,360	6.9 (2)	0	* *	0	* *	11,981	92.9 (2)	30,775	5.3 (1)
Region 07	4,085	34.6 (7)	2,088	11.4 (6)	1,935	4.7 (6)	0	* *	0	* *	5,534	91.6 (6)	14,754	41.2 (12)
Region 08	755	27.0 (12)	351	6.0 (14)	429	2.8 (13)	0	* *	0	* *	1,348	90.9 (8)	3,011	52.0 (14)
Region 09	918	31.9 (10)	619	10.8 (7)	557	3.9 (9)	0	* *	0	* *	1,988	91.1 (7)	4,362	24.3 (5)
Region 10	1,358	25.2 (14)	840	7.9 (12)	851	4.1 (8)	0	* *	0	* *	2,762	94.9 (1)	6,257	40.9 (11)
Region 11	1,983	20.8 (15)	1,047	5.7 (15)	1,138	1.6 (15)	0	* *	0	* *	3,643	92.8 (3)	8,160	52.5 (15)
Region 12	1,556	27.6 (11)	806	8.1 (11)	883	3.6 (11)	0	* *	0	* *	3,029	90.7 (10)	6,711	17.0 (2)
Region 13	3,649	26.2 (13)	1,941	6.2 (13)	2,089	2.8 (13)	0	* *	0	* *	6,808	92.7 (4)	15,003	30.6 (8)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this region's rate to other regions. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7E
2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Region	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Region 14	2,511	34.0 (8)	1,617	8.2 (10)	1,521	3.7 (10)	0	* *	0	* *	4,803	90.8 (9)	10,729	35.4 (10)
Region 15	6,777	46.8 (1)	4,061	18.3 (1)	3,913	9.0 (1)	0	* *	0	* *	11,873	92.7 (4)	28,473	18.3 (3)
Kentucky	42,953	37.8	24,535	12.2	24,834	5.4	0	*	0	*	76,373	91.1	181,270	26.9
Nation (Prior Year)	1,719,083	62.0	848,761	26.9	1,038,203	19.1	144,421	12.9	206,416	7.2	744,697	74.8	3,277,352	10.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this region's rate to other regions. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6E
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Region
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Region	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Region 01	5,765	8.9 (1)	6.4 (8)	21,254	6.7 (10)	6.1 (5)	15.7 (14)	8,781	16.9 (11)	14.2 (4)	13,866	14.3 (12)
Region 02	8,293	9.7 (7)	6.4 (8)	33,931	5.7 (8)	6.0 (4)	11.7 (3)	13,628	16.0 (4)	12.5 (1)	21,565	16.8 (15)
Region 03	6,614	9.0 (2)	5.9 (5)	25,258	7.8 (14)	4.8 (3)	12.5 (5)	9,802	17.6 (14)	15.6 (6)	15,548	7.4 (1)
Region 04	7,085	9.6 (6)	6.4 (8)	30,191	5.0 (5)	6.7 (9)	12.8 (6)	11,765	16.8 (10)	17.6 (13)	18,203	13.2 (10)
Region 05	7,216	9.1 (3)	7.1 (14)	31,140	7.3 (13)	4.1 (1)	14.1 (12)	12,726	16.3 (5)	13.9 (3)	20,479	10.1 (6)
Region 06	20,542	10.5 (12)	5.7 (4)	79,213	6.3 (9)	6.7 (9)	13.2 (7)	28,329	15.3 (2)	13.1 (2)	47,702	15.9 (13)
Region 07	11,002	9.2 (5)	6.5 (12)	38,114	4.9 (2)	7.0 (11)	10.9 (1)	13,186	16.4 (6)	14.3 (5)	21,741	14.1 (11)
Region 08	2,062	10.3 (11)	6.3 (7)	7,887	6.7 (10)	10.0 (14)	13.8 (11)	3,242	15.3 (2)	16.3 (8)	5,051	11.2 (8)
Region 09	2,638	9.7 (7)	8.4 (15)	11,603	5.6 (7)	6.4 (7)	13.5 (9)	4,921	17.4 (13)	17.2 (12)	7,725	10.1 (6)
Region 10	4,105	12.6 (15)	4.9 (2)	17,033	3.7 (1)	10.9 (15)	11.3 (2)	6,967	16.5 (8)	16.9 (11)	10,527	12.3 (9)
Region 11	5,505	11.8 (14)	4.5 (1)	22,224	5.2 (6)	8.9 (13)	13.5 (9)	9,409	14.5 (1)	16.2 (7)	14,220	9.7 (5)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this region's rate to other regions. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6E
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Region
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Region	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Region 12	4,256	11.4 (13)	5.1 (3)	17,660	7.9 (15)	4.5 (2)	18.5 (15)	7,639	16.7 (9)	17.8 (14)	11,553	7.9 (3)
Region 13	9,844	9.9 (9)	7.0 (13)	40,503	4.9 (2)	7.2 (12)	14.5 (13)	17,551	17.7 (15)	19.9 (15)	26,473	7.5 (2)
Region 14	7,067	9.1 (3)	6.4 (8)	28,987	4.9 (2)	6.4 (7)	11.7 (3)	12,053	16.4 (6)	16.4 (9)	18,319	8.4 (4)
Region 15	18,854	10.2 (10)	6.2 (6)	73,694	6.7 (10)	6.2 (6)	13.3 (8)	28,400	17.3 (12)	16.8 (10)	44,427	16.3 (14)
Kentucky	120,848	10.0	6.2	478,692	6.0	6.5	13.2	188,399	16.5	15.7	297,399	12.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this region's rate to other regions. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7E
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Region	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)
Region 01	7,387	44.9 (4)	4,751	9.9 (3)	4,090	4.7 (4)	0	* *	0	* *	9,639	91.0 (10)	13,616	24.5 (4)
Region 02	11,474	45.1 (3)	7,842	9.6 (4)	5,870	4.7 (4)	0	* *	0	* *	14,842	86.4 (15)	22,203	29.9 (8)
Region 03	8,573	34.2 (8)	5,424	5.7 (11)	4,204	2.7 (12)	0	* *	0	* *	10,718	89.7 (14)	15,926	32.2 (9)
Region 04	9,709	38.8 (5)	6,771	8.5 (5)	5,293	4.8 (3)	0	* *	0	* *	12,947	90.6 (11)	18,523	27.6 (6)
Region 05	10,006	38.0 (6)	6,790	7.3 (7)	5,532	4.0 (8)	0	* *	0	* *	13,960	90.3 (13)	19,276	45.6 (13)
Region 06	28,419	45.5 (2)	20,672	12.0 (2)	14,812	6.9 (2)	0	* *	0	* *	30,998	92.3 (7)	51,309	5.8 (1)
Region 07	14,796	34.2 (8)	9,387	7.0 (8)	6,630	4.0 (8)	0	* *	0	* *	14,471	93.0 (4)	25,859	36.7 (11)
Region 08	2,629	28.9 (12)	1,603	4.7 (13)	1,456	2.2 (15)	0	* *	0	* *	3,641	90.4 (12)	4,850	49.2 (14)
Region 09	3,687	33.6 (10)	2,629	8.4 (6)	2,039	4.3 (6)	0	* *	0	* *	5,403	91.7 (8)	6,938	25.9 (5)
Region 10	5,519	29.4 (11)	3,776	6.8 (9)	3,028	4.1 (7)	0	* *	0	* *	7,703	93.4 (2)	10,492	32.6 (10)
Region 11	7,244	20.6 (15)	4,652	4.1 (15)	3,937	2.4 (13)	0	* *	0	* *	10,612	93.2 (3)	13,685	54.1 (15)
Region 12	5,745	27.2 (13)	3,738	5.6 (12)	2,959	2.9 (11)	0	* *	0	* *	8,560	92.7 (6)	10,797	18.7 (2)
Region 13	13,076	25.4 (14)	8,317	4.7 (13)	7,050	2.4 (13)	0	* *	0	* *	19,380	95.0 (1)	24,434	29.5 (7)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this region's rate to other regions. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7E
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Region (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Region	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)		
Region 14	9,519	34.5 (7)	6,559	6.4 (10)	5,123	3.3 (10)	0	* *	0	* *	13,381	91.3 (9)	17,532	39.4 (12)
Region 15	25,172	45.7 (1)	17,443	12.8 (1)	13,275	7.2 (1)	0	* *	0	* *	31,285	93.0 (4)	46,520	19.8 (3)
Kentucky	162,955	37.9	110,354	8.8	85,298	4.8	0	*	0	*	207,540	91.8	301,960	27.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this region's rate to other regions. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

