#### Table 1C

#### **2009 Pediatric Nutrition Surveillance** Kentucky

### **Summary of Demographic Indicators**

Children Aged < 5 Years (2,3)

Total Records	Number
Individual Children	181,271
Total Records (All Visits)	304,733

Source	of Dat	a		Number	%
WIC EPSDT Child Health-MCH Child Health-HMO Headstart School Health Other				181,271 0 0 0 0 0 0	100.0 0.0 0.0 0.0 0.0 0.0
<b>Total</b> <i>Excluded Unknown:</i>	0	0.0	%	181,271	100.0

(1)

Page:

Run Date:

Race/Ethnic Distribution	Number	%
White, Not Hispanic	136,475	75.3
Black, Not Hispanic	21,552	11.9
Hispanic	15,656	8.6
American Indian/Alaska Native	119	0.1
Asian/Pacific Islander	1,439	8.0
Multiple Races	6,029	3.3
All Other	0	0.0
Total  First under de la	181,270	100.0
	Black, Not Hispanic Hispanic American Indian/Alaska Native Asian/Pacific Islander Multiple Races All Other	Black, Not Hispanic       21,552         Hispanic       15,656         American Indian/Alaska Native       119         Asian/Pacific Islander       1,439         Multiple Races       6,029         All Other       0         Total       181,270

Age Distribution (4)	Number	%
0 - 5 Months 6 - 11 Months 12 - 23 Months 24 - 35 Months 3 - 4 Years	49,881 24,431 35,532 27,278 44,149	27.5 13.5 19.6 15.0 24.4
Total	181,271	100.0

% of Poverty Level				Number	%
0-50				39,502	21.8
51-100				17,242	9.5
101-130				9,142	5.0
131-150				5,656	3.1
151-185				7,089	3.9
186-200				151	0.1
Over 200				796	0.4
Adjunctive Eligibility				101,691	56.1
Total				181,269 ·	100.0
Excluded Unknown:	2	*	%		

Program Participation	Number	%
WIC FoodStamps Medicaid TANF	181,271 181,271 181,271 181,271	32.2 65.4
Excluded Unknown:		
WIC FoodStamps Medicaid TANF	0 0 0 0	0.0 0.0 0.0 0.0

452 180,817	
180,817	99.8
181,269	100.0

- (1) Reporting period is January 1 through December 31.(2) Analyses based on one record per child.
- Excludes records with unknown data or errors.
- Records rejected if date of birth and date of visit unknown.
- Percentages are not calculated if < 100 records are available for analysis after exclusions.



### Summary of Health Indicators Children Aged < 5 Years (2)

S	Summary of Healt	h Indicators	(3)		
			Kentucky Prevalence		ial nce ear)
		Number	%	Number	%
Birthweight (4) Low High	< 2500 g > 4000 g	42,298 42,298	9.9 6.3	1,909,620 1,909,620	9.0 6.4
Height and Weight Short Stature (5)	< 5th < 10th	173,809 173,809	6.0 11.5	7,107,000 7,107,000	6.0 10.9
Underweight (6)	< 5th < 10th	173,809 173,809	6.6 10.6	7,107,000 7,107,000	4.5 7.7
Obese (6) ≥ 2 Yrs Overweight (6)	≥ 95th 85th - < 95th ≥ 95th	173,809 68,450 68,450	13.5 16.4 15.8	7,107,000 2,943,996 2,943,996	14.1 16.5 14.8
Anemia (7) Low Hb Low Hct Low Hb/Hct	_ = ====	106,368 1,752 107,861	13.0 7.7 12.9	4,543,993 572,674 4,916,523	15.2 11.2 14.9
Breastfeeding (8) Ever Breastfed Breastfed At Least 6 Moi Breastfed At Least 12 Mo		42,953 24,535 24,834	37.8 12.2 5.4	1,719,083 848,761 1,038,203	62.0 26.9 19.1
Smoking in Household ≤ 2 Hours TV Viewing/ Day	(9)	181,270 76,373	26.9 91.1	3,277,352 744,697	10.9 74.8

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Infants born during the reporting period included in the analysis.
- (5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- (8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (9) Children aged 2 years and older included in the analysis.
- Percentages are not calculated if < 100 records are available for analysis after exclusions.



Page:

Run Date:

Summary of Breastfeeding Indicators Children Aged < 5 Years (2)

Summary of B	reastfeedi	ng Indi	cators (3)	
	Kentucky Prevalence		Nationa Prevalen (Prior Ye	ice
	Number	%	Number	%
Breastfeeding Duration (4,5)				
Ever Breastfed	42,953	37.8	1,719,083	62.0
Breastfed 1+ Weeks Breastfed 2+ Weeks Breastfed 3+ Weeks Breastfed 4+ Weeks Breastfed 6+ Weeks	37,599 31,852 29,436 28,496 28,003	26.8 25.6 23.6 22.0 19.8	1,438,863 1,130,089 926,949 809,718 685,195	58.6 55.9 53.1 50.3 44.3
Breastfed 2+ Months Breastfed 3+ Months Breastfed 4+ Months Breastfed 5+ Months Breastfed 6+ Months	28,236 27,451 25,929 24,806 24,535	18.2 16.4 14.5 13.2 12.2	641,174 678,922 757,778 850,698 848,761	39.1 34.2 30.7 27.9 26.9
Breastfed 9+ Months Breastfed 12+ Months	23,619 24,834	8.2 5.4	959,723 1,038,203	21.4 19.1
Breastfed 18+ Months	11,021	2.3	785,855	10.6
Exclusive Breastfeeding (6)				
Exclusively Breastfed at Least 3 Months Exclusively Breastfed at Least 6 Months	0	*	144,421 206,416	12.9 7.2

<sup>(1)</sup> Reporting period is January 1 through December 31.



Page:

Run Date:

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

<sup>(5)</sup> It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

<sup>(6)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

#### Table 4C

#### **2009 Pediatric Nutrition Surveillance** (1)

### Kentucky Comparison of Racial and Ethnic Distribution by Contributor to Nation Children Aged < 5 Years (2)

Page: Run Date: 4/8/10

	Comparison of Racial and Ethnic Distribution												
Contributor	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown					
	Analysis (3)	%	%	%	%	%	%	%					
Kentucky	181,271	75.3	11.9	8.6	0.1	0.8	3.3	0.0					
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7					



<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

#### Table 5C

#### 2009 Pediatric Nutrition Surveillance (1) Kentucky

#### Comparison of Age Distribution by Contributor to Nation Children Aged < 5 Years (2)

**Comparison of Age Distribution** Contributor Number 12 - 23 Months 0 - 11 Months 24 - 59 Months Included in Analysis (3,4) % % % Kentucky 181,271 41.0 39.4 19.6 Nation 8,164,612 35.8 23.0 41.3 (Prior Year)



Page:

Run Date:

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 6 Run Date: 4 / 8 / 10

#### Comparison of Growth and Anemia Indicators by Contributor to Nation Children Aged < 5 Years (2)

			Comparis	son of Gr	owth an	d Aner	nia Indi	cators	(3)			
		Birthweigh	t (4)			Нє	eight and V	Veight		Ane	mia	
		Low	High		Short Stature (5)	Under- weight (6)		≥ 2 Yrs Over- weight <sub>(6)</sub>		Anemia Low Hb/Hct (7)		
Contributor	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number % 85th- <95	% ith <u>&gt;</u> 95th	Number	%	
Kentucky	42,298	9.9	6.3	173,809	6.0	6.6	13.5	68,450 16.4	15.8	107,861	12.9	
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,996 16.5	14.8	4,916,523	14.9	



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children..

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation Children Aged < 5 Years (3)

Page: Run Date:

(2)

		Breastfeeding (5)					Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household		
Contributor	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
Kentucky	42,953	37.8	24,535	12.2	24,834	5.4	0	*	0	*	76,373	91.1	181,270	26.9
Nation (Prior Year)	1,719,0	83 62.0	848,761	26.9	1,038,20	03 19.1	144,421	12.9	206,416	7.2	744,697	74.8	3,277,352	10.9



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> TV Viewing and Smoking in Household data are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(6)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

<sup>(7)</sup> Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Growth and Anemia Indicators by Race/Ethnicity or Age
Children Aged < 5 Years (2)

Page: 8 Run Date: 4 / 8 / 10

	Growth	and An	emia In	dicators	by Rac	e/Ethr	nicity o	r Age 🤇	3)			
	Bir	thweight (4	·)		Height and Weight							
		Low %	High %		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Anemia Low Hb/Hct	
	Number	<2500 g	>4000 g	Number	% <5th	% <5th	% <u>≥</u> 95th	Number	% 85th-<95th	% n <u>≥</u> 95th	Number	%
Race/Ethnicity												
White, Not Hispanic	31,969	9.8	6.7	131,184	5.9	6.5	13.1	52,194	16.3	15.5	81,302	10.8
Black, Not Hispanic	4,969	12.9	3.4	20,362	6.1	7.9	12.5	7,558	16.0	13.2	12,551	24.3
Hispanic	3,324	7.1	6.4	14,993	6.2	5.0	18.4	6,325	18.5	21.1	9,762	14.7
American Indian/Alaska Native	31	*	*	115	7.0	5.2	20.9	57	*	*	73	*
Asian/Pacific Islander	279	5.7	5.7	1,390	8.2	8.1	12.5	588	12.1	12.6	906	17.0
Multiple Races	1,725	9.9	6.5	5,764	5.7	6.8	14.0	1,728	16.5	17.4	3,267	15.9
All Other	1	*	*	1	*	*	*	0	*	*	0	*
Total	42,298	9.9	6.3	173,809	6.0	6.6	13.5	68,450	16.4	15.8	107,861	12.9
Age												
0 - 11 Months	_	_	_	72,080	7.4	11.0	7.8	_	*	*	5,549	17.9
12 - 23 Months	-	-	_	33,279	7.6	2.2	21.3	_	*	*	39,355	14.8
24 - 35 Months	-	-	-	26,502	4.3	4.0	14.4	26,502	16.1	14.4	24,412	14.0
36 - 47 Months	-	-	-	22,221	3.7	4.2	16.0	22,221	16.7	16.0	21,155	11.1
48 - 59 Months	-	-	-	19,727	2.9	3.7	17.5	19,727	16.6	17.5	17,390	7.8
Total	-	_	-	173,809	6.0	6.6	13.5	68,450	16.4	15.8	107,861	12.9

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

### Table 9C 2009 Pediatric Nutrition Surveillance

Kentucky

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age
Children Aged < 5 Years
(3)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (4) <2 Hours Smoking in Breastfeeding TV/Video Household (5) Viewing/Day (6) % % Number % Number Number Number Number % Ever Breastfed Breastfed Breastfed Αt Αt Least Least 6 12 Months Months Race/Ethnicity White, Not Hispanic 32.457 34.7 18.228 10.3 18.657 58,190 91.4 136,474 31.0 4.4 Black, Not Hispanic 5,073 37.4 3,114 11.6 2,932 4.7 8,434 89.9 21,552 12.2 3,366 2,018 2.102 7.085 90.7 15.656 13.5 Hispanic 65.8 30.1 13.6 American Indian/Alaska Native 32 7 61 119 15.1 Asian/Pacific Islander 290 70.3 193 207 23.2 88.8 10.1 31.1 641 1.439 Multiple Races 1.734 35.5 975 9.2 927 3.7 1.962 90.7 6.029 23.9 All Other 0 0 0 1 Total 42,953 37.8 24,535 12.2 24,834 5.4 76,373 91.1 181,270 26.9 Age 0 - 11 Months 0 18.2 74,311 0 35.532 27.5 12 - 23 Months 24 - 35 Months 32.248 92.9 27,278 33.5 36 - 47 Months 22,813 90.1 22.800 35.8 48 - 59 Months 21,312 89.5 21,349 38.0

Total

24,535

12.2

24,834

76,373

5.4

91.1

181,270

26.9

42.953

37.8



Page:

(2)

Run Date:

4/8/10

(1)

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> TV Viewing and Smoking in Household are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(6)</sup> Children aged 2 years and older included in the analysis

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 10 Run Date: 4/8/10

#### **Summary of Trends in Racial and Ethnic Distribution** Children Aged < 5 Years (2)

		Sui	mmary of Trer	nds in Racial	and Ethnic Dis	stribution		
Year	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown
	Analysis (3)	%	%	%	%	%	%	%
2009	181,271	75.3	11.9	8.6	0.1	0.8	3.3	0.0
2008	172,357	76.4	11.8	8.2	0.1	0.8	2.7	0.0
2007	146,701	77.5	11.8	7.8	0.1	0.8	2.0	0.0
2006	135,754	78.7	11.7	7.2	0.1	0.9	1.3	0.0
2005	137,788	81.1	11.6	5.5	0.2	1.7	0.0	0.0
2004	136,097	82.3	11.9	4.6	0.2	1.0	0.0	0.0
2003	126,883	83.0	11.9	3.9	0.2	1.0	0.0	0.0
2002	120,031	82.9	12.6	3.4	0.1	0.9	0.0	0.0
2001	121,534	84.9	11.3	2.9	0.1	0.8	0.0	0.0
2000	116,906	85.8	11.2	2.2	0.1	0.7	0.0	0.0
1999	40,623	86.5	11.1	1.7	0.1	0.6	0.0	0.0
1998	103,999	86.8	11.0	1.5	0.2	0.6	0.0	0.0
1997	115,314	85.6	12.4	1.4	0.1	0.5	0.0	0.0
1996	127,149	85.8	12.5	1.2	0.1	0.4	0.0	0.0
1995	123,973	85.8	12.8	1.0	0.1	0.4	0.0	0.0
1994	122,581	86.4	12.2	0.9	0.1	0.4	0.0	0.0
1993	102,976	86.4	12.3	0.8	0.1	0.3	0.0	0.0
1992	40,437	86.6	12.3	0.6	0.1	0.3	0.0	0.0
1991	91,084	86.4	12.6	0.5	0.1	0.3	0.0	0.0

<sup>(1)</sup> Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.



<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Summary of Trends in Racial and Ethnic Distribution** Children Aged < 5 Years (2)

Page: 11 Run Date: 4/8/10

	Summary of Trends in Racial and Ethnic Distribution												
Year	Number Included in Analysis (3)	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown					
	Analysis (3)	%	%	%	%	%	%	%					
1990	100,753	86.1	13.0	0.5	0.1	0.3	0.0	0.0					
1989	78,903	86.1	13.1	0.5	0.1	0.2	0.0	0.0					
1988	83,617	86.6	12.6	0.4	0.1	0.2	0.0	0.0					
1987	77,039	86.8	12.5	0.3	0.1	0.3	0.0	0.0					
1986	78,207	86.4	13.0	0.2	0.1	0.3	0.0	0.0					
1985	78,035	87.0	12.4	0.2	0.1	0.3	0.0	0.0					
1984	72,339	86.8	12.7	0.2	0.1	0.3	0.0	0.0					
1983	66,450	86.2	13.3	0.2	0.0	0.3	0.0	0.0					
1982	58,574	85.2	13.5	0.2	0.0	0.4	0.0	0.8					
1981	63,220	83.7	15.1	0.2	0.0	0.4	0.0	0.6					
1980	66,227	83.7	15.0	0.2	0.0	0.3	0.0	0.8					
1979	47,516	83.6	15.8	0.2	0.0	0.2	0.0	0.2					
1978	42,765	83.5	16.1	0.1	0.1	0.2	0.0	0.0					
1977	35,082	79.7	19.9	0.1	0.0	0.1	0.0	0.2					
1976	21,993	75.6	24.3	0.0	0.0	0.0	0.0	0.1					
1975	19,261	74.8	25.0	0.0	0.0	0.0	0.0	0.1					
1974	15,922	74.5	25.2	0.0	0.0	0.0	0.0	0.3					
1973	734	83.5	15.7	0.0	0.0	0.0	0.0	0.8					



<sup>(1)</sup> Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.</li>

**Summary of Trends in Age Distribution** Children Aged < 5 Years (2)

	Summa	ry of Trends in Age	Distribution (3)	
Year	Number	0-11 Months	12-23 Months	24-59 Months
	Included in Analysis (4)	%	%	%
2009	181,271	41.0	19.6	39.4
2008	172,357	43.1	19.5	37.4
2007	146,701	40.7	19.2	40.1
2006	135,754	40.5	18.7	40.8
2005	137,788	35.0	23.7	41.3
2004	136,097	34.6	24.0	41.4
2003	126,883	25.7	24.9	49.4
2002	120,031	32.4	24.5	43.1
2001	121,534	33.6	24.8	41.6
2000	116,906	33.2	25.1	41.7
1999	40,623	31.8	23.2	45.0
1998	103,999	27.7	25.3	47.1
1997	115,314	28.6	24.8	46.6
1996	127,149	30.9	25.0	44.2
1995	123,973	31.2	24.9	43.9
1994	122,581	33.3	24.8	41.9
1993	102,976	32.4	24.4	43.2
1992	40,437	28.5	26.1	45.4

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date:

<sup>(3)</sup> Records rejected if date of birth and date of visit unknown.

<sup>(4)</sup> Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Summary of Trends in Age Distribution** Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)											
Year	Number	0-11 Months	12-23 Months	24-59 Months							
	Included in Analysis (4)	%	%	%							
1991	91,084	33.3	25.4	41.4							
1990	100,753	35.7	24.9	39.4							
1989	78,903	34.3	24.7	41.0							
1988	83,617	37.9	24.9	37.2							
1987	77,039	39.2	25.3	35.5							
1986	78,207	43.1	22.0	34.9							
1985	78,035	42.6	20.6	36.8							
1984	72,339	42.6	21.3	36.2							
1983	66,450	44.8	21.4	33.8							
1982	58,574	42.1	23.7	34.2							
1981	63,220	42.2	23.5	34.3							
1980	66,227	41.4	22.4	36.2							
1979	47,516	42.1	21.3	36.6							
1978	42,765	39.7	21.3	39.0							
1977	35,082	40.3	20.2	39.5							
1976	21,993	36.6	21.4	42.0							
1975	19,261	39.4	23.5	37.0							
1974	15,922	40.0	22.1	37.9							

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date:

<sup>(3)</sup> Records rejected if date of birth and date of visit unknown.

<sup>(4)</sup> Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

#### **Summary of Trends in Age Distribution** Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)										
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %						
1973	734	39.2	22.2	38.6						



Page:

Run Date:

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

<sup>(3)</sup> Records rejected if date of birth and date of visit unknown.

<sup>(4)</sup> Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 15 Run Date: 4/8/2010

		S	ummary	of Tren	ds in C	Frowth	and A	nemia	Indicator	<b>s</b> (3)			
	В	irthweight (	4)			Hei	ght and W	/eight			Anemia Low Hb/Hct		
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		>_2 Yrs Overweight (6)		(7)		
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th-<95th	% ≥95th	Number	%	
2009	42,298	9.9	6.3	173,809	6.0	6.6	13.5	68,450	16.4	15.8	107,861	12.9	
2008	42,701	9.8	6.1	164,667	6.0	6.6	13.1	62,832	16.6	15.7	99,273	12.3	
2007	35,849	10.3	6.1	140,216	6.0	6.4	13.0	57,117	16.4	15.6	90,265	12.7	
2006	35,259	10.2	6.1	129,341	7.0	5.3	15.3	53,777	17.9	17.4	84,401	12.3	
2005	41,267	10.2	6.6	131,692	7.5	4.5	17.1	55,227	18.2	18.1	85,443	12.0	
2004	40,308	9.7	6.8	130,165	7.7	4.4	17.2	54,782	18.1	17.6	85,009	11.8	
2003	26,648	9.6	7.4	121,974	7.4	4.0	17.7	60,984	17.8	17.2	79,078	11.5	
2002	32,542	10.0	7.5	114,943	7.6	4.6	16.8	50,285	17.7	16.8	79,270	11.6	
2001	34,343	9.5	7.9	117,160	5.1	5.8	14.1	49,333	15.6	14.4	78,541	12.3	
2000	33,612	9.5	8.5	112,873	4.7	6.2	13.4	47,630	15.6	13.7	76,598	11.2	

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 16 Run Date: 4/8/2010

	Summary of Trends in Growth and Anemia Indicators (3)											
	В	irthweight (	4)			Hei	ght and W	/eight			Anemia Low Hb/Hct (7)	
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		>_2 Yrs Overweight (6)			
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th-<95th	% <u>&gt;</u> 95th	Number	%
1999	11,780	9.3	8.3	39,130	4.5	6.4	13.3	17,851	16.1	13.5	24,723	10.5
1998	23,911	9.1	8.5	100,855	4.7	6.0	12.7	48,075	15.1	12.1	68,824	11.2
1997	26,884	8.9	8.7	111,523	4.8	6.2	12.0	52,606	14.7	11.5	73,732	13.0
1996	32,550	9.0	9.1	122,881	4.9	6.3	11.6	55,008	14.5	11.0	85,062	13.1
1995	31,197	8.7	8.8	120,246	5.4	6.4	11.1	53,344	14.4	10.2	91,604	14.4
1994	32,318	8.7	9.2	118,238	5.6	6.4	11.2	50,388	14.3	10.1	89,046	14.8
1993	26,816	8.7	9.1	98,920	5.6	6.7	10.6	43,531	13.4	9.4	75,879	14.8
1992	9,244	8.2	9.2	39,037	5.9	6.5	9.9	18,006	12.9	8.5	31,027	13.6
1991	24,422	8.5	9.3	87,953	6.2	6.7	9.7	37,114	12.5	8.0	66,344	14.2
1990	27,863	8.4	9.3	97,214	6.1	6.9	9.9	39,198	12.4	8.4	69,312	12.7

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 17 Run Date: 4/8/2010

		S	ummary	of Trer	nds in C	Frowth	and A	nemia	Indicator	<b>s</b> (3)		
	В	irthweight (	4)			Hei	ght and W	/eight			Anemia Low Hb/Hct (7)	
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		>_2 Yrs Overweight (6)			
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th-<95th	% ≥95th	Number	%
1989	21,053	8.1	9.6	76,180	6.1	7.0	9.3	31,985	12.6	7.9	56,436	11.9
1988	25,911	8.4	9.5	78,950	7.5	7.5	9.8	30,733	12.2	8.0	57,116	10.5
1987	24,503	8.9	8.8	70,534	9.0	7.5	10.6	27,085	11.3	7.6	52,126	11.7
1986	23,303	9.0	8.9	71,888	8.8	7.8	10.3	27,049	10.9	7.6	53,401	13.0
1985	22,495	9.1	8.8	73,473	8.6	6.9	10.5	28,457	11.2	7.4	59,738	15.2
1984	21,168	9.3	8.9	67,645	9.0	7.1	10.2	25,916	11.8	7.0	55,323	18.5
1983	20,357	9.5	8.5	61,917	9.2	8.0	9.6	22,203	11.3	6.6	49,822	23.3
1982	14,165	9.7	9.4	56,632	8.4	7.3	8.9	19,699	11.5	7.4	44,190	20.2
1981	16,002	9.4	9.3	61,302	8.4	7.1	9.2	21,373	11.8	7.6	47,553	20.9
1980	16,486	9.2	9.3	64,223	8.6	7.7	9.7	23,476	11.9	7.8	50,141	21.8

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 18 Run Date: 4/8/2010

		S	ummary	of Trer	nds in C	Growth	and A	nemia	Indicator	<b>s</b> (3)		
	Bi	rthweight (	4)			Hei	ght and W	/eight			Anemia Low Hb/Hct	
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	> 2 Yrs Overweight (6)			(7)	
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th-<95th	% ≥95th	Number	%
1979	12,570	9.3	9.2	46,041	8.8	7.0	10.7	17,027	13.0	8.2	35,044	23.2
1978	10,384	9.0	9.3	41,525	8.7	7.5	10.4	16,388	12.7	7.9	31,986	23.8
1977	9,009	10.2	8.9	34,075	10.3	8.6	10.8	13,516	12.3	8.0	25,881	26.2
1976	4,564	10.9	7.8	21,168	10.7	7.1	12.9	8,958	13.0	9.7	16,664	17.7
1975	3,950	10.7	7.8	18,222	11.1	8.3	12.5	6,799	12.8	10.0	14,429	20.6
1974	2,868	11.4	9.4	14,230	13.2	8.6	13.9	5,595	14.8	10.6	11,503	27.3
1973	189	9.5	11.6	586	8.4	8.0	13.1	250	11.2	7.2	487	15.4



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.


<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Sı	ımmary of	Trends in	n Breastfe	eding (3)	)							
	Breastfeeding (4)												
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months							
2009	42,953	37.8	24,535	12.2	24,834	5.4							
2008	43,492	36.3	26,533	10.8	24,731	5.4							
2007	36,347	36.3	14,725	8.6	21,872	5.0							
2006	12,119	100.0	3,980	27.5	5,142	16.2							
2005	41,657	17.4	12,487	4.8	22,094	1.8							
2004	40,662	18.5	12,705	5.8	22,450	3.6							
2003	26,921	22.2	11,948	10.5	20,842	6.4							
2002	32,800	15.6	11,889	1.3	20,006	0.0							
2001	2,642	21.2	250	7.2	342	0.0							

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.





Page:

Run Date:

19

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

# Table 14C 2009 Pediatric Nutrition Surveillance Kentucky Children Aged < 5 Years

Page: 20 Run Date: 4 / 8 / 10

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.



# Table 15C 2009 Pediatric Nutrition Surveillance Kentucky Children Aged < 5 Years

Page: 21 Run Date: 4 / 8 / 10

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.



Run Date:

Page:

22 4/8/2010

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	G	rowth Inc	licators by	Race/Ethn	icity and Aç	ge <sup>(3)</sup>			
	Short St		Underv (5		Obese (5)	е	<u>&gt;</u> :	2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% <u>&gt;</u> 95th	Number	% 85th - <95th	% <u>&gt;</u> 95th
White, Not Hispanic									
0 - 11 Months	54,252	7.6	54,252	11.0	54,252	7.4	0	0.0	0.0
12 - 23 Months	24,738	7.2	24,738	2.3	24,738	20.7	0	0.0	0.0
24 - 59 Months	52,194	3.6	52,194	3.8	52,194	15.5	52,194	16.3	15.5
Total	131,184	5.9	131,184	6.5	131,184	13.1	52,194	16.3	15.5
Black, Not Hispanic									
0 - 11 Months	8,799	6.6	8,799	12.2	8,799	8.2	0	0.0	0.0
12 - 23 Months	4,005	9.7	4,005	2.7	4,005	20.7	0	0.0	0.0
24 - 59 Months	7,558	3.7	7,558	5.7	7,558	13.2	7,558	16.0	13.2
Total	20,362	6.1	20,362	7.9	20,362	12.5	7,558	16.0	13.2
Hispanic									
0 - 11 Months	5,592	7.2	5,592	9.4	5,592	11.6	0	0.0	0.0
12 - 23 Months	3,076	8.3	3,076	1.2	3,076	25.1	0	0.0	0.0
24 - 59 Months	6,325	4.3	6,325	3.1	6,325	21.1	6,325	18.5	21.1
Total	14,993	6.2	14,993	5.0	14,993	18.4	6,325	18.5	21.1
American Indian/Alaska Native									
0 - 11 Months	44	*	44	*	44	*	0	*	*
12 - 23 Months	14	*	14	*	14	*	0	*	*
24 - 59 Months	57	*	57	*	57	*	57	*	*
Total	115	7.0	115	5.2	115	20.9	57	*	*

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 23 Run Date: 4/8/2010

	G	rowth Ind	licators by	Race/Ethn	icity and Aç	ge <sup>(3)</sup>			
	Short St		Underv (5		Obese (5)	е	<u>≥</u> 2	2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% <u>&gt;</u> 95th	Number	% 85th - <95th	% ≥95th
Asian/Pacific Islander									
0 - 11 Months	519	7.9	519	12.9	519	9.4	0	0.0	0.0
12 - 23 Months	283	9.9	283	3.9	283	18.0	0	0.0	0.0
24 - 59 Months	588	7.7	588	6.0	588	12.6	588	12.1	12.6
Total	1,390	8.2	1,390	8.1	1,390	12.5	588	12.1	12.6
Multiple Races									
0 - 11 Months	2,873	6.7	2,873	10.3	2,873	7.6	0	0.0	0.0
12 - 23 Months	1,163	7.6	1,163	2.1	1,163	24.9	0	0.0	0.0
24 - 59 Months	1,728	2.9	1,728	4.0	1,728	17.4	1,728	16.5	17.4
Total	5,764	5.7	5,764	6.8	5,764	14.0	1,728	16.5	17.4
All Other/Unknown									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Total All Race/Ethnic Groups									
0 - 11 Months	72,080	7.4	72,080	11.0	72,080	7.8	0	0.0	0.0
12 - 23 Months	33,279	7.6	33,279	2.2	33,279	21.3	0	0.0	0.0
24 - 59 Months	68,450	3.7	68,450	4.0	68,450	15.8	68,450	16.4	15.8
Total	173,809	6.0	173,809	6.6	173,809	13.5	68,450	16.4	15.8

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 24 Run Date: 4/8/10

#### Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	ndicators	by Race/Ethnicity and Age (3, 4)		
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	3,902	14.6	6 - 11 Months	39	*
12 - 17 Months	18,320	13.5	12 - 17 Months	196	20.9
18 - 23 Months	11,178	11.0	18 - 23 Months	139	18.7
24 - 35 Months	18,248	11.8	24 - 35 Months	175	18.9
36 - 59 Months	29,654	7.9	36 - 59 Months	357	12.6
Total	81,302	10.8	Total	906	17.0
Black, Not Hispanic			Multiple Races		
6 - 11 Months	891	30.2	6 - 11 Months	224	15.6
12 - 17 Months	2,792	27.1	12 - 17 Months	913	18.3
18 - 23 Months	1,752	25.5	18 - 23 Months	523	17.6
24 - 35 Months	2,876	25.7	24 - 35 Months	783	16.0
36 - 59 Months	4,240	19.7	36 - 59 Months	824	12.1
Total	12,551	24.3	Total	3,267	15.9
Hispanic			All Other/Unknown		
6 - 11 Months	489	22.9	6 - 11 Months	0	*
12 - 17 Months	2,091	18.7	12 - 17 Months	0	*
18 - 23 Months	1,436	15.0	18 - 23 Months	0	*
24 - 35 Months	2,314	15.2	24 - 35 Months	0	*
36 - 59 Months	3,432	10.7	36 - 59 Months	0	*
Total	9,762	14.7	Total	0	*
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	4	*	6 - 11 Months	5,549	17.9
12 - 17 Months	8	*	12 - 17 Months	24,320	15.7
18 - 23 Months	7	*	18 - 23 Months	15,035	13.4
24 - 35 Months	16	*	24 - 35 Months	24,412	14.0
36 - 59 Months	38	*	36 - 59 Months	38,545	9.6
Total	73	*	Total	107,861	12.9



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 25 Run Date: 4 / 8 / 10

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and V	Veight			Anen	mia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low Hi	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th - <95th	% <u>&gt;</u> 95th	Number	%
White, Not Hispanic	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	31,969 32,605 27,165 27,093 33,214 33,163 21,792 26,718 28,738 28,426	9.8 9.5 9.8 9.9 10.1 9.5 9.3 9.4 9.2 9.0	6.7 6.4 6.4 6.6 6.9 7.2 7.9 8.1 8.5 9.0	131,184 126,188 109,011 102,095 107,018 107,283 101,355 95,406 99,554 96,932	5.9 5.9 5.9 7.0 7.4 7.7 7.3 7.5 5.1 4.6	6.5 6.6 6.5 5.3 4.5 4.5 4.1 4.6 5.8 6.2	13.1 12.8 12.9 15.2 16.9 17.2 17.5 16.7 14.2 13.4	52,194 49,026 45,454 43,325 45,183 45,423 51,117 42,143 42,368 41,332	16.3 16.5 16.2 17.8 18.2 18.1 17.7 17.8 15.6 15.6	15.5 15.4 15.6 17.3 17.9 17.6 17.1 16.7 14.4 13.8	81,302 76,392 71,022 67,562 70,081 70,541 66,034 66,243 67,189 66,342	10.8 10.4 11.0 10.7 10.7 10.7 10.6 10.4 10.9 10.2
Black, Not Hispanic	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	4,969 5,078 4,499 4,409 4,683 4,766 3,482 4,322 4,149 4,147	12.9 14.1 14.9 14.5 12.7 12.2 12.4 14.5 12.2 13.3	3.4 3.8 3.6 3.7 4.4 4.3 4.3 4.3 5.0	20,362 19,062 16,160 14,938 15,076 15,302 14,461 14,407 13,143 12,558	6.1 6.3 6.8 7.0 7.7 8.2 8.4 5.4 5.0	7.9 7.1 6.9 5.7 4.9 4.5 4.3 4.9 6.1 6.8	12.5 12.1 11.9 14.4 16.5 16.2 16.8 16.0 13.0	7,558 6,760 6,176 5,957 6,304 6,346 6,924 6,095 5,209 4,968	16.0 15.8 15.7 16.6 17.8 17.3 17.5 16.7 14.9	13.2 13.4 13.0 15.7 16.0 15.6 15.9 16.3 13.6 12.9	12,551 11,246 10,008 9,335 9,565 9,614 9,097 9,573 8,569 8,034	24.3 22.3 22.2 21.8 19.6 18.7 17.6 19.3 21.9 19.5



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 26 Run Date: 4 / 8 / 10

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th - <95th	% ≥ 95th	Number	%
Hispanic	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	3,324 3,155 2,805 2,773 2,341 1,916 1,018 1,143 1,102 710	7.1 6.7 7.7 7.7 7.5 7.7 6.6 7.3 8.6 9.3	6.4 7.7 7.3 5.8 6.6 6.3 7.0 7.7 8.1 7.0	14,993 13,505 10,944 9,334 7,202 6,018 4,702 3,892 3,365 2,434	6.2 6.7 6.7 8.1 8.8 8.1 7.9 9.0 5.9	5.0 5.2 5.5 4.9 3.6 3.3 2.9 3.1 5.0 5.6	18.4 17.4 16.2 18.3 21.8 21.3 23.8 21.4 17.8 16.1	6,325 5,330 4,230 3,533 2,916 2,373 2,242 1,543 1,344 981	18.5 19.3 19.2 20.7 20.1 20.1 20.8 19.4 17.1 18.7	21.1 21.0 20.4 22.2 25.4 24.1 24.6 22.0 18.4 15.5	9,762 8,413 6,887 5,761 4,514 3,862 3,035 2,641 2,108 1,626	14.7 14.6 14.9 14.8 14.4 13.0 11.7 13.3 14.9
American Indian/Alaska Native	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	31 15 17 7 55 70 50 45 23 35	* * * * * * * * * * * *	* * * * * * * * *	115 101 98 107 197 228 205 168 151 164	7.0 4.0 * 1.9 5.6 8.8 4.9 5.4 2.6 1.8	5.2 3.0 * 2.8 2.5 7.5 2.4 10.1 4.0 4.9	20.9 16.8 * 20.6 19.3 11.4 13.2 14.3 9.9 14.6	57 58 70 71 83 86 105 85 78	* * * * * 25.7 * *	* * * * * 12.4 * *	73 79 76 87 135 139 123 108 114 121	16.3 21.6 11.4 13.0 21.1 14.0



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 27 Run Date: 4 / 8 / 10

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and V	Veight			Ane	mia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th - <95th	% ≥ 95th	Number	%
Asian/Pacific Islander	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	279 284 257 242 974 393 306 314 323 294	5.7 9.5 5.4 8.3 7.7 5.9 6.9 6.1 8.0 6.8	5.7 5.6 5.1 6.2 6.0 7.4 8.2 6.1 5.6 7.8	1,390 1,290 1,180 1,232 2,199 1,334 1,251 1,069 930 785	8.2 7.1 5.9 7.5 8.3 6.7 6.5 7.8 3.7 3.9	8.1 7.1 6.0 4.2 5.5 4.1 3.0 4.3 5.6 5.9	12.5 12.2 11.2 16.4 17.0 17.8 17.6 15.9 13.0 12.2	588 557 537 513 741 554 596 418 328 278	12.1 16.9 15.5 16.4 15.0 17.5 19.0 21.5 19.5	12.6 14.4 12.3 15.2 19.0 19.1 16.9 17.5 14.6 12.6	906 797 798 840 1,148 853 789 704 554 475	17.0 16.6 14.7 15.5 16.7 15.0 11.2 13.2 14.6 13.9
Multiple Races	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	1,725 1,564 1,106 735 0 0 0 0	9.9 9.2 11.0 9.4 *	6.5 5.9 7.3 6.0 *	5,764 4,521 2,823 1,635 0 0 0 0 0	5.7 5.6 5.5 7.2 *	6.8 6.5 6.7 5.0 *	14.0 13.3 11.3 12.7 * * *	1,728 1,101 650 378 0 0 0 0	16.5 16.0 16.8 17.5 *	17.4 16.6 14.3 14.8 *	3,267 2,346 1,474 816 0 0 0 0	15.9 15.9 15.5 14.2 *



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 28 Run Date: 4 / 8 / 10

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and V	Veight			Anen	nia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low Hb	o/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th - <95th	% <u>&gt;</u> 95th	Number	%
All Other/Unknown	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	1 0 0 0 0 0 0 0	* * * * * * * * * *	* * * * * * * * * * * * *	1 0 0 0 0 0 0 1 17	* * * * * * * * * * *	* * * * * * * * * * * * *	* * * * * * * * * * * * *	0 0 0 0 0 0 0 0 1 6	* * * * * * * *	* * * * * * * * * * * * *	0 0 0 0 0 0 0 0 1 7	* * * * * * * * *
Total All Race/Ethnic Groups	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	42,298 42,701 35,849 35,259 41,267 40,308 26,648 32,542 34,343 33,612	9.9 9.8 10.3 10.2 10.2 9.7 9.6 10.0 9.5 9.5	6.3 6.1 6.1 6.6 6.8 7.4 7.5 7.9 8.5	173,809 164,667 140,216 129,341 131,692 130,165 121,974 114,943 117,160 112,873	6.0 6.0 7.0 7.5 7.7 7.4 7.6 5.1	6.6 6.6 6.4 5.3 4.5 4.4 4.0 4.6 5.8 6.2	13.5 13.1 13.0 15.3 17.1 17.2 17.7 16.8 14.1 13.4	68,450 62,832 57,117 53,777 55,227 54,782 60,984 50,285 49,333 47,630	16.4 16.6 16.4 17.9 18.2 18.1 17.8 17.7 15.6	15.8 15.7 15.6 17.4 18.1 17.6 17.2 16.8 14.4 13.7	107,861 99,273 90,265 84,401 85,443 85,009 79,078 79,270 78,541 76,598	12.9 12.3 12.7 12.3 12.0 11.8 11.5 11.6 12.3 11.2



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 29 Run Date: 4 / 8 / 10

S	ummary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2009 2008 2007 2006 2005 2004 2003 2002 2001	32,457 33,216 27,547 8,556 33,525 33,435 22,008 26,918 2,042	34.7 33.3 33.4 100.0 15.5 16.6 21.0 14.6 22.3	18,228 19,925 11,194 2,844 10,041 10,373 9,850 9,786 188	10.3 9.0 7.2 24.9 4.2 4.8 9.4 1.1 9.0	18,657 18,735 16,941 3,685 18,073 18,538 17,338 16,519 264	4.4 4.4 4.2 14.4 1.6 3.2 5.9 0.0 0.0
Black, Not Hispanic	2009 2008 2007 2006 2005 2004 2003 2002 2001	5,073 5,163 4,557 1,455 4,731 4,829 3,518 4,355 474	37.4 36.4 34.6 100.0 16.3 15.7 19.6 14.7 12.4	3,114 3,409 1,778 410 1,507 1,553 1,492 1,477 49	11.6 9.2 8.7 27.6 3.6 5.5 8.4 0.9	2,932 2,907 2,425 495 2,477 2,602 2,438 2,468 62	4.7 4.0 4.4 17.0 1.1 3.0 5.2 0.0



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 30 Run Date: 4 / 8 / 10

Sum	mary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2009 2008 2007 2006 2005 2004 2003 2002 2001	3,366 3,214 2,841 1,717 2,362 1,926 1,032 1,162 86	65.8 65.5 66.6 100.0 37.4 53.1 50.1 34.0	2,018 2,138 1,242 595 719 607 497 488 8	30.1 28.5 21.6 39.5 13.8 20.4 34.2 4.1	2,102 2,128 1,864 785 1,240 1,029 822 806 11	13.6 16.0 13.8 22.7 6.0 10.4 17.6 0.0
American Indian/Alaska Native	2009 2008 2007 2006 2005 2004 2003 2002 2001	32 17 18 3 55 72 50 45	* * * * * * * *	7 10 6 2 18 27 14 13	* * * * * * * * *	9 13 6 4 33 43 30 17 0	* * * * * * * * *



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 31 Run Date: 4 / 8 / 10

s	ummary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	ity <sup>(3)</sup>	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2009 2008 2007 2006 2005 2004 2003 2002 2001	290 301 264 141 984 400 313 320 27	70.3 67.4 58.3 100.0 39.5 43.3 38.7 41.6	193 193 105 69 202 145 95 125 3	31.1 29.0 16.2 * 13.4 13.1 * 3.2	207 165 147 99 271 238 214 196 3	23.2 15.8 10.9 * 4.1 11.8 19.6 0.0
Multiple Races	2009 2008 2007 2006 2005 2004 2003 2002 2001	1,734 1,581 1,120 247 0 0 0 0	35.5 34.1 33.6 100.0 *	975 858 400 60 0 0 0	9.2 9.6 7.8 * * *	927 783 489 74 0 0 0	3.7 3.8 3.5 * * *



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

32 4 / 8 / 10

Sum	nmary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	ity <sup>(3)</sup>	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2009 2008 2007 2006 2005 2004 2003 2002 2001	1 0 0 0 0 0 0 0	* * * * * * * * *	0 0 0 0 0 0 0 0	* * * * * * * * *	0 0 0 0 0 0 0	* * * * * * * *
Total All Race/Ethnic Groups	2009 2008 2007 2006 2005 2004 2003 2002 2001	42,953 43,492 36,347 12,119 41,657 40,662 26,921 32,800 2,642	37.8 36.3 36.3 100.0 17.4 18.5 22.2 15.6 21.2	24,535 26,533 14,725 3,980 12,487 12,705 11,948 11,889 250	12.2 10.8 8.6 27.5 4.8 5.8 10.5 1.3 7.2	24,834 24,731 21,872 5,142 22,094 22,450 20,842 20,006 342	5.4 5.4 5.0 16.2 1.8 3.6 6.4 0.0



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.


<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2) Page: 33 Run Date: 4 / 8 / 10

				Su	mmary	of Tren	ds in (	Gro	wth Indicators	by Ag	<b>e</b> (3)					
Age and Year *			Heigl	nt and V	Veight				Age and Year *			Heig	ht and V	Veight		
		Short Stature (4)	Under- weight (5)	Obese (5)		≥ 2 Yrs Overweight (5)					Short Stature (4)	Under- weight (5)	Obese (5)	(	≥ 2 Yrs Overweight (5)	
	Number	% <5th	% <5th	% _>95th	Number	% 85th-<95th	% <u>&gt;</u> 95th			Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th-<95th	% <u>&gt;</u> 95th
0 - 11 Months									24 - 35 Months							
2009 2008	72,080 71,628	7.4 7.3	11.0 10.9	7.8 7.6	0 0	*	*		2009 2008	26,502 24,127	4.3 4.3	4.0 3.8	14.4 14.4	26,502 24,127	16.1 16.7	14.4 14.4
2007	57,570	7.4	10.7	7.3	0	*	*		2007	21,421	4.5	3.8	14.3	21,421	16.3	14.3
2006	51,078	8.4	9.2	9.1	0	*	*		2006	20,531	5.2	3.0	17.0	20,531	17.4	17.0
2005	44,648	8.8	8.3	10.8	0	*	*		2005	20,463	5.8	3.0	17.5	20,463	18.1	17.5
2004	43,433	8.7	8.2	11.4	0	*	*	l	2004	20,546	5.8	2.8	16.8	20,546	17.8	16.8
2003	30,070	8.5	8.1	12.2	0	*	*		2003	23,807	5.8	3.0	16.3	23,807	17.3	16.3
2002	35,824	8.8	8.5	11.7	0	*	*		2002	19,167	6.0	3.5	16.0	19,167	17.2	16.0
2001	38,313	4.7	10.7	8.8	0	*	*		2001	18,816	4.5	4.2	14.0	18,816	14.8	14.0
2000	36,463	3.7	12.2	7.5	0	*	*		2000	17,877	4.0	3.7	13.0	17,877	15.5	13.0
12 - 23 Months									36 - 47 Months							
2009	33,279	7.6	2.2	21.3	0	*	*		2009	22,221	3.7	4.2	16.0	22,221	16.7	16.0
2008	30,207	7.7	2.3	20.8	0	*	*		2008	19,929	3.7	3.7	16.0	19,929	16.5	16.0
2007	25,529	7.6	2.7	19.7	0	*	*		2007	18,320	3.7	3.8	15.9	18,320	16.4	15.9
2006	24,486	9.1	2.0	23.4	0	*	*		2006	17,592	5.0	3.3	17.6	17,592	18.0	17.6
2005	31,817	9.5	1.8	24.2	0	*	*		2005	17,750	5.3	3.2	18.2	17,750	18.3	18.2
2004	31,950	10.3	1.7	24.5	0	*	*		2004	17,574	5.8	3.1	17.9	17,574	18.4	17.9
2003	30,920	10.3	2.0	23.9	0	*	*		2003	20,596	5.7	3.1	17.4	20,596	18.1	17.4
2002	28,834	10.0	2.0	23.0	0	*	*		2002	15,916	5.5	3.3	17.4	15,916	17.9	17.4
2001	29,514	7.1	2.3	20.6	0	*	*		2001	15,870	4.3	4.3	14.4	15,870	16.3	14.4
2000	28,780	6.8	2.6	20.4	0	*	*		2000	15,136	4.4	3.8	14.0	15,136	15.5	14.0

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.


<sup>(4)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2) Page: 34 Run Date: 4 / 8 / 10

				Su	mmary	of Tren	ds in (
Age and Year *			Heigl	nt and V	Veight		
		Short Stature (4)	Under- weight (5)	Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	%	%	%	Number	%	%
		<5th	<5th	_>95th		85th-<95th	≥95th
48 - 59 Months							
2009	19,727	2.9	3.7	17.5	19,727	16.6	17.5
2008	18,776	3.2	3.5	17.1	18,776	16.6	17.1
2007	17,376	3.4	3.9	17.0	17,376	16.4	17.0
2006	15,654	4.0	2.9	17.8	15,654	18.3	17.8
2005	17,014	4.6	2.9	18.7	17,014	18.3	18.7
2004	16,662	4.6	3.1	18.4	16,662	18.1	18.4
2003	16,581	4.7	3.2	18.2	16,581	18.2	18.2
2002	15,202	4.7	3.1	17.3	15,202	18.3	17.3
2001	14,647	3.9	3.8	15.0	14,647	15.8	15.0
2000	14,617	3.9	4.1	14.3	14,617	15.8	14.3
Total All Age Groups							
2009	173,809	6.0	6.6	13.5	68,450	16.4	15.8
2008	164,667	6.0	6.6	13.1	62,832	16.6	15.7
2007	140,216	6.0	6.4	13.0	57,117	16.4	15.6
2006	129,341	7.0	5.3	15.3	53,777	17.9	17.4
2005	131,692	7.5	4.5	17.1	55,227	18.2	18.1
2004	130,165	7.7	4.4	17.2	54,782	18.1	17.6
2003	121,974	7.4	4.0	17.7	60,984	17.8	17.2
2002	114,943	7.6	4.6	16.8	50,285	17.7	16.8
2001	117,160	5.1	5.8	14.1	49,333	15.6	14.4
2000	112,873	4.7	6.2	13.4	47,630	15.6	13.7

Growth Indicators by Age (3)											
	Age and Year *	Height and Weight									
		Short Stature (4)		Under- weight (5)	Obese (5)	≥ 2 Yrs Overweight (5)					
		Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th-<95th	% <u>&gt;</u> 95th			

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

Page:

Run Date:

35

4/8/10

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)									
Age and Year		Anemia Low Hb/Hct (4)			Age and Year		Anemia Low Hb/Hct (4)		
		Number	%				Number	%	
6 - 11 Months					18 - 23 Months				
	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	5,549 4,997 5,128 4,820 4,459 4,092 3,713 4,420 4,512 3,935	17.9 17.7 18.3 17.3 17.4 17.0 15.5 16.5 17.6 16.4			2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	15,035 14,043 12,017 11,258 11,226 11,112 10,826 9,787 10,384 9,588	13.4 13.8 13.9 13.0 12.7 13.2 12.7 13.0 13.7 11.6	
12 - 17 Months	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	24,320 22,470 20,049 18,512 18,834 19,196 15,922 17,743 17,497 17,420	15.7 14.8 15.8 15.1 14.2 14.0 13.3 13.7 14.8 14.2		24 - 35 Months	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	24,412 22,307 20,148 19,111 18,957 19,137 19,095 18,137 17,678 17,496	14.0 13.3 13.6 13.6 13.6 13.2 13.5 13.6 13.9	



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

#### Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

Page:

Run Date:

Anemia Low Hb/Hct (4)

36

4/8/10

%

12.9

12.3

12.7 12.3

12.0

11.8

11.5

11.6

12.3

11.2

Summary of Trends in Anemia by Age <sup>(3)</sup>									
Age and Year		Anemia Low Hb/Hct (4)			Age and Year		Ane Low H		
		Number	%				Number		
36 - 59 Months	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	38,545 35,456 32,923 30,700 31,967 31,472 29,522 29,183 28,470 28,159	9.6 8.7 8.8 8.8 8.7 8.4 8.1 7.8 8.4 7.5		Total All Age Groups	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	107,861 99,273 90,265 84,401 85,443 85,009 79,078 79,270 78,541 76,598		
All Other/Unknown	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	0 0 0 0 0 0 0	* * * * * * * * * * * *						



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.