Table 1C

2010 Pediatric Nutrition Surveillance Kentucky

Summary of Demographic Indicators Children Aged < 5 Years

(2,3)

Total Records	Number
Individual Children	203,596
Total Records (All Visits)	262,709

Source of Data	Number	%
WIC EPSDT Child Health-MCH Child Health-HMO Headstart School Health Other	203,596 0 0 0 0 0 0	100.0 0.0 0.0 0.0 0.0 0.0
Total Excluded Unknown: 0 0.0 %	203,596	100.0

(1)

Page:

Run Date: 3 / 25 / 11

Race/Ethnic Distribution	n	Number	%
White, Not Hispanic		150,334	73.8
Black, Not Hispanic		24,966	12.3
Hispanic		18,477	9.1
American Indian/Alaska Native		154	0.1
Asian/Pacific Islander		1,609	0.8
Multiple Races		8,048	4.0
All Other		0	0.0
Total Excluded Unknown: 8	* %	203,588	100.0

Age Distribution (4)	Number	%
0 - 5 Months 6 - 11 Months 12 - 23 Months 24 - 35 Months 3 - 4 Years	51,734 35,258 39,251 29,371 47,982	25.4 17.3 19.3 14.4 23.6
Total	203,596	100.0

% of Povert	y Level			Number	%
0-50				42,032	20.6
51-100				18,060	8.9
101-130				9,479	4.7
131-150				6,061	3.0
151-185				8,479	4.2
186-200				137	0.1
Over 200				600	0.3
Adjunctive E	ligibility			118,738	58.3
Total				203,586	100.0
Excluded Unknown:	10	*	%		

Program Participation	Number	%
WIC SNAP Medicaid TANF	203,596 203,596 203,596 203,596	35.7 68.5
Excluded Unknown:		
WIC SNAP Medicaid TANF	0 0 0 0	0.0 0.0 0.0 0.0

Migrant Sta	tus			Number	%
Yes No				353 203,241	0.2 99.8
Total				203,594	100.0
Excluded Unknown	2	*	%		

- (1) Reporting period is January 1 through December 31.(2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- Records rejected if date of birth and date of visit unknown.



Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Health Indicators Children Aged < 5 Years (2)

S	Summary of Healt	h Indicators	(3)		
		Kentuc Prevale		National Prevalence (Prior Year)	
		Number	%	Number	%
Birthweight (4) Low High	< 2500 g > 4000 g	51,846 51,846	9.9 6.3	1,961,342 1,961,342	8.9 6.4
Height and Weight Short Stature (5)	< 5th < 10th	194,714 194,714	5.9 11.4	8,451,215 8,451,215	6.0 10.8
Underweight (6)	< 5th < 10th	194,714 194,714	7.3 11.6	8,451,215 8,451,215	4.3 7.5
Obese (6) ≥ 2 Yrs Overweight (6)	≥ 95th 85th - < 95th ≥ 95th	194,714 75,189 75,189	12.6 16.0 15.6	8,451,215 3,678,355 3,678,355	14.0 16.4 14.7
Anemia (7) Low Hb Low Hct Low Hb/Hct		97,522 1,905 99,280	12.3 10.2 12.2	5,201,886 538,293 5,524,196	15.1 11.6 14.9
Breastfeeding (8) Ever Breastfed Breastfed At Least 6 Moi Breastfed At Least 12 Mo		51,257 34,872 24,880	38.3 13.3 6.3	1,769,160 911,779 1,092,573	61.7 27.0 18.5
Smoking in Household ≤ 2 Hours TV Viewing/ Day	(9)	203,594 78,931	25.7 91.0	4,355,723 1,022,933	10.2 77.3

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Infants born during the reporting period included in the analysis.
- (5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- (8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (9) Children aged 2 years and older included in the analysis.
- Percentages are not calculated if < 100 records are available for analysis after exclusions.



Page:

Summary of Breastfeeding Indicators Children Aged < 5 Years (2)

Summary of B	Summary of Breastfeeding Indicators (3)									
	Kentuck Prevalend		Nationa Prevalend (Prior Yea	e						
	Number	%	Number	%						
Breastfeeding Duration (4,5)										
Ever Breastfed	51,257	38.3	1,769,160	61.7						
Breastfed 1+ Weeks Breastfed 2+ Weeks Breastfed 3+ Weeks Breastfed 4+ Weeks Breastfed 6+ Weeks	46,218 40,853 38,881 38,414 38,169	25.0 23.4 21.6 20.2 18.5	1,499,573 1,164,141 947,758 826,300 704,088	58.7 56.4 53.6 50.9 44.6						
Breastfed 2+ Months Breastfed 3+ Months Breastfed 4+ Months Breastfed 5+ Months Breastfed 6+ Months	39,003 39,066 37,814 35,701 34,872	17.2 16.2 15.1 14.2 13.3	665,172 714,931 806,269 904,357 911,779	39.2 34.5 31.0 28.2 27.0						
Breastfed 9+ Months Breastfed 12+ Months	28,076 24,880	9.4 6.3	1,050,661 1,092,573	21.8 18.5						
Breastfed 18+ Months	10,145	2.2	862,440	10.1						
Exclusive Breastfeeding (6)				_						
Exclusively Breastfed at Least 3 Months Exclusively Breastfed at Least 6 Months	0	*	317,037 420,655	9.9 5.3						

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

⁽⁵⁾ It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

⁽⁶⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4C

2010 Pediatric Nutrition Surveillance (1)

Kentucky Comparison of Racial and Ethnic Distribution by Contributor to Nation Children Aged < 5 Years (2)

Page: Run Date: 3 / 25 / 11

	Comparison of Racial and Ethnic Distribution									
Included in		Number White, Not Black, Not Hispanic Indian/Alaska Included in Hispanic Hispanic Native		Included in Hispanic Hispanic		Indian/Alaska	Asian/Pacific Islander	Multiple Races	All Other / Unknown	
	Analysis (3)	%	%	%	%	%	%	%		
Kentucky	203,596	73.8	12.3	9.1	0.1	0.8	4.0	0.0		
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0		



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with errors. Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5C

2010 Pediatric Nutrition Surveillance (1) Kentucky

Comparison of Age Distribution by Contributor to Nation Children Aged < 5 Years (2)

Comparison of Age Distribution									
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %					
Kentucky	203,596	42.7	19.3	38.0					
Nation (Prior Year)	8,938,527	34.5	22.6	42.9					



Page:

Run Date:

3 / 25 / 11

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 6 Run Date: 3 / 25 / 11

Comparison of Growth and Anemia Indicators by Contributor to Nation Children Aged < 5 Years (2)

			Comparis	son of Gr	owth an	d Aner	nia Indi	cators		(3)		
		Birthweigh	t (4)		Height and Weight					Anomia		
		Low	High		Short Stature (5)	Under- weight (6)		≥ 2 Yrs Over- weight (6)			Anemia Low Hb/Hct (7)	
Contributor	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th- <95th	% >95th	Number	%
Kentucky	51,846	9.9	6.3	194,714	5.9	7.3	12.6	75,189	16.0	15.6	99,280	12.2
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	5 16.4	14.7	5,524,196	6 14.9



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children..

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation Children Aged < 5 Years (3)

Page: Run Date:

(2)

3 / 25 / 11

			Breastfe (5	•			Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Contributor	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
Kentucky	51,257	38.3	34,872	13.3	24,880	6.3	0	*	0	*	78,931	91.0	203,594	25.7
Nation Prior Year)	1,769,160	0 61.7	911,779	27.0	1,092,57	73 18.5	317,037	9.9	420,655	5 5.3	1,022,933	77.3	4,355,723	10.2



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁶⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

⁽⁷⁾ Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 8 Run Date: 3 / 25 / 11

Growth and Anemia Indicators by Race/Ethnicity or Age Children Aged < 5 Years (2)

	Growth	and An	emia In	dicators	by Rac	e/Ethr	nicity o	r Age 🤇	3)			
	Bir	thweight (4	·)			Hei	ght and W	eight				
		Low %	High %		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Anei Low H (7	b/Hct
	Number	<2500 g	>4000 g	Number	% <5th	% <5th	% <u>≥</u> 95th	Number	% 85th-<95t	% h <u>></u> 95th	Number	%
Race/Ethnicity												
White, Not Hispanic	38,185	9.8	6.6	144,107	5.9	7.2	12.5	55,940	15.9	15.6	72,987	10.0
Black, Not Hispanic	6,559	12.3	4.3	23,538	6.0	9.0	11.3	8,647	14.2	13.0	12,449	23.7
Hispanic	4,220	6.7	6.4	17,707	6.0	5.5	15.5	7,573	18.8	18.9	9,415	12.8
American Indian/Alaska Native	54	*	*	145	1.4	13.1	11.0	43	*	*	58	*
Asian/Pacific Islander	390	9.5	8.2	1,530	6.2	11.4	10.3	603	11.9	10.8	823	13.9
Multiple Races	2,438	9.5	5.3	7,680	6.1	7.1	11.7	2,377	16.8	15.1	3,543	15.6
All Other	0	*	*	7	*	*	*	6	*	*	5	*
Total	51,846	9.9	6.3	194,714	5.9	7.3	12.6	75,189	16.0	15.6	99,280	12.2
Age												
0 - 11 Months	_	_	_	85,972	7.4	11.8	7.0	_	*	*	4,671	18.5
12 - 23 Months	_	_	-	33,553	7.1	2.6	20.0	_	*	*	35,597	14.3
24 - 35 Months	-	_	-	28,717	4.2	4.3	14.2	28,717	15.8	14.2	22,766	13.6
36 - 47 Months	-	-	-	25,242	3.7	4.2	16.0	25,242	15.9	16.0	20,196	9.8
48 - 59 Months	-	-	-	21,230	3.1	4.1	17.0	21,230	16.4	17.0	16,050	6.8
Total	_	_	_	194,714	5.9	7.3	12.6	75,189	16.0	15.6	99,280	12.2

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 9C 2010 Pediatric Nutrition Surveillance

Kentucky

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age Children Aged < 5 Years

Breastfeeding, 7	ΓV Viewin	g, and S	Smoking i	in Hous	sehold by	Race/	Ethnicity	or Ag	e (4)	
			Breastfe (5)	eding			<2 Hou TV/Vid Viewing/[leo	Smoking in Household	
	Number % Ever Breastfed		ι	% eastfed At east 6 lonths	L	% eastfed At east 12 onths	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	37,693	34.7	25,519	10.8	18,434	5.1	58,691	91.4	150,333	29.9
Black, Not Hispanic	6,573	40.3	4,623	13.6	3,043	6.1	9,077	89.5	24,965	10.6
Hispanic	4,170	65.8	2,858	33.8	2,200	15.3	7,958	90.7	18,477	14.3
American Indian/Alaska Native	57	*	21	*	19	*	43	*	154	19.5
Asian/Pacific Islander	389	67.6	298	35.2	185	19.5	633	89.9	1,609	9.4
Multiple Races	2,374	37.3	1,553	11.5	999	5.1	2,523	89.8	8,048	22.9
All Other	1	*	0	*	0	*	6	*	8	*
Total	51,257	38.3	34,872	13.3	24,880	6.3	78,931	91.0	203,594	25.7
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	86,991	18.8
12 - 23 Months	-	-	-	-	-	-	0	*	39,250	25.5
24 - 35 Months	-	-	-	-	-	-	31,130	92.8	29,371	30.9
36 - 47 Months	-	-	-	-	-	-	25,855	90.2	25,990	34.2
48 - 59 Months	-	-	-	-	-	-	21,946	89.4	21,992	36.0
Total	51,257	38.3	34,872	13.3	24,880	6.3	78,931	91.0	203,594	25.7



Page:

(2)

Run Date:

3 / 25 / 11

(1)

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁶⁾ Children aged 2 years and older included in the analysis

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 10 Run Date: 3 / 25 / 11

Summary of Trends in Racial and Ethnic Distribution Children Aged < 5 Years (2)

		Sur	nmary of Trer	nds in Racial	and Ethnic Dis	stribution		
Year	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown
	Analysis (3)	%	%	%	%	%	%	%
2010	203,596	73.8	12.3	9.1	0.1	0.8	4.0	0.0
2009	181,271	75.3	11.9	8.6	0.1	0.8	3.3	0.0
2008	172,357	76.4	11.8	8.2	0.1	0.8	2.7	0.0
2007	146,701	77.5	11.8	7.8	0.1	0.8	2.0	0.0
2006	135,754	78.7	11.7	7.2	0.1	0.9	1.3	0.0
2005	137,788	81.1	11.6	5.5	0.2	1.7	0.0	0.0
2004	136,097	82.3	11.9	4.6	0.2	1.0	0.0	0.0
2003	126,883	83.0	11.9	3.9	0.2	1.0	0.0	0.0
2002	120,031	82.9	12.6	3.4	0.1	0.9	0.0	0.0
2001	121,534	84.9	11.3	2.9	0.1	0.8	0.0	0.0
2000	116,906	85.8	11.2	2.2	0.1	0.7	0.0	0.0
1999	40,623	86.5	11.1	1.7	0.1	0.6	0.0	0.0
1998	103,999	86.8	11.0	1.5	0.2	0.6	0.0	0.0
1997	115,314	85.6	12.4	1.4	0.1	0.5	0.0	0.0
1996	127,149	85.8	12.5	1.2	0.1	0.4	0.0	0.0
1995	123,973	85.8	12.8	1.0	0.1	0.4	0.0	0.0
1994	122,581	86.4	12.2	0.9	0.1	0.4	0.0	0.0
1993	102,976	86.4	12.3	0.8	0.1	0.3	0.0	0.0
1992	40,437	86.6	12.3	0.6	0.1	0.3	0.0	0.0



⁽¹⁾ Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 3 / 25 / 11

Summary of Trends in Racial and Ethnic Distribution Children Aged < 5 Years (2)

		Sur	nmary of Trer	nds in Racial a	and Ethnic Dis	stribution		
Year	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown
	Analysis (3)	%	%	%	%	%	%	%
1991	91,084	86.4	12.6	0.5	0.1	0.3	0.0	0.0
1990	100,753	86.1	13.0	0.5	0.1	0.3	0.0	0.0
1989	78,903	86.1	13.1	0.5	0.1	0.2	0.0	0.0
1988	83,617	86.6	12.6	0.4	0.1	0.2	0.0	0.0
1987	77,039	86.8	12.5	0.3	0.1	0.3	0.0	0.0
1986	78,207	86.4	13.0	0.2	0.1	0.3	0.0	0.0
1985	78,035	87.0	12.4	0.2	0.1	0.3	0.0	0.0
1984	72,339	86.8	12.7	0.2	0.1	0.3	0.0	0.0
1983	66,450	86.2	13.3	0.2	0.0	0.3	0.0	0.0
1982	58,574	85.2	13.5	0.2	0.0	0.4	0.0	0.8
1981	63,220	83.7	15.1	0.2	0.0	0.4	0.0	0.6
1980	66,227	83.7	15.0	0.2	0.0	0.3	0.0	0.8
1979	47,516	83.6	15.8	0.2	0.0	0.2	0.0	0.2
1978	42,765	83.5	16.1	0.1	0.1	0.2	0.0	0.0
1977	35,082	79.7	19.9	0.1	0.0	0.1	0.0	0.2
1976	21,993	75.6	24.3	0.0	0.0	0.0	0.0	0.1
1975	19,261	74.8	25.0	0.0	0.0	0.0	0.0	0.1
1974	15,922	74.5	25.2	0.0	0.0	0.0	0.0	0.3
1973	734	83.5	15.7	0.0	0.0	0.0	0.0	0.8



⁽¹⁾ Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Age Distribution Children Aged < 5 Years (2)

	Summa	ary of Trends in Age	Distribution (3)	
Year	Number Included in	0-11 Months	12-23 Months	24-59 Months
	Analysis (4)	%	%	%
2010	203,596	42.7	19.3	38.0
2009	181,271	41.0	19.6	39.4
2008	172,357	43.1	19.5	37.4
2007	146,701	40.7	19.2	40.1
2006	135,754	40.5	18.7	40.8
2005	137,788	35.0	23.7	41.3
2004	136,097	34.6	24.0	41.4
2003	126,883	25.7	24.9	49.4
2002	120,031	32.4	24.5	43.1
2001	121,534	33.6	24.8	41.6
2000	116,906	33.2	25.1	41.7
1999	40,623	31.8	23.2	45.0
1998	103,999	27.7	25.3	47.1
1997	115,314	28.6	24.8	46.6
1996	127,149	30.9	25.0	44.2
1995	123,973	31.2	24.9	43.9
1994	122,581	33.3	24.8	41.9
1993	102,976	32.4	24.4	43.2

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Records rejected if date of birth and date of visit unknown.

⁽⁴⁾ Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Age Distribution Children Aged < 5 Years (2)

	Summa	ary of Trends in Age	Distribution (3)	
Year	Number Included in Analysis	0-11 Months %	12-23 Months %	24-59 Months %
	(4)			
1992	40,437	28.5	26.1	45.4
1991	91,084	33.3	25.4	41.4
1990	100,753	35.7	24.9	39.4
1989	78,903	34.3	24.7	41.0
1988	83,617	37.9	24.9	37.2
1987	77,039	39.2	25.3	35.5
1986	78,207	43.1	22.0	34.9
1985	78,035	42.6	20.6	36.8
1984	72,339	42.6	21.3	36.2
1983	66,450	44.8	21.4	33.8
1982	58,574	42.1	23.7	34.2
1981	63,220	42.2	23.5	34.3
1980	66,227	41.4	22.4	36.2
1979	47,516	42.1	21.3	36.6
1978	42,765	39.7	21.3	39.0
1977	35,082	40.3	20.2	39.5
1976	21,993	36.6	21.4	42.0
1975	19,261	39.4	23.5	37.0

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Records rejected if date of birth and date of visit unknown.

⁽⁴⁾ Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Age Distribution Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)											
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %							
1974	15,922	40.0	22.1	37.9							
1973	734	39.2	22.2	38.6							



Page:

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Records rejected if date of birth and date of visit unknown.

⁽⁴⁾ Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 15 Run Date: 3/25/2011

		S	ummary	of Tren	ds in C	Frowth	and A	nemia	Indicator	s (3)		
	В	irthweight (4)			Hei	ght and W	/eight			Anen Low Hi	-
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		>_2 Yrs Overweight (6)		(7)	
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% ≥95th	Number	%
2010	51,846	9.9	6.3	194,714	5.9	7.3	12.6	75,189	16.0	15.6	99,280	12.2
2009	42,298	9.9	6.3	173,809	6.0	6.6	13.5	68,450	16.4	15.8	107,861	12.9
2008	42,701	9.8	6.1	164,667	6.0	6.6	13.1	62,832	16.6	15.7	99,273	12.3
2007	35,849	10.3	6.1	140,216	6.0	6.4	13.0	57,117	16.4	15.6	90,265	12.7
2006	35,259	10.2	6.1	129,341	7.0	5.3	15.3	53,777	17.9	17.4	84,401	12.3
2005	41,267	10.2	6.6	131,692	7.5	4.5	17.1	55,227	18.2	18.1	85,443	12.0
2004	40,308	9.7	6.8	130,165	7.7	4.4	17.2	54,782	18.1	17.6	85,009	11.8
2003	26,648	9.6	7.4	121,974	7.4	4.0	17.7	60,984	17.8	17.2	79,078	11.5
2002	32,542	10.0	7.5	114,943	7.6	4.6	16.8	50,285	17.7	16.8	79,270	11.6
2001	34,343	9.5	7.9	117,160	5.1	5.8	14.1	49,333	15.6	14.4	78,541	12.3

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 16 Run Date: 3/25/2011

		s	ummary	of Tren	ds in C	Frowth	and A	nemia	Indicator	s (3)		
	В	irthweight (4)			Hei	ght and W	/eight			Aner Low H	-
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		>_2 Yrs Overweight (6)		(7 _,	
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% ≥95th	Number	%
2000	33,612	9.5	8.5	112,873	4.7	6.2	13.4	47,630	15.6	13.7	76,598	11.2
1999	11,780	9.3	8.3	39,130	4.5	6.4	13.3	17,851	16.1	13.5	24,723	10.5
1998	23,911	9.1	8.5	100,855	4.7	6.0	12.7	48,075	15.1	12.1	68,824	11.2
1997	26,884	8.9	8.7	111,523	4.8	6.2	12.0	52,606	14.7	11.5	73,732	13.0
1996	32,550	9.0	9.1	122,881	4.9	6.3	11.6	55,008	14.5	11.0	85,062	13.1
1995	31,197	8.7	8.8	120,246	5.4	6.4	11.1	53,344	14.4	10.2	91,604	14.4
1994	32,318	8.7	9.2	118,238	5.6	6.4	11.2	50,388	14.3	10.1	89,046	14.8
1993	26,816	8.7	9.1	98,920	5.6	6.7	10.6	43,531	13.4	9.4	75,879	14.8
1992	9,244	8.2	9.2	39,037	5.9	6.5	9.9	18,006	12.9	8.5	31,027	13.6
1991	24,422	8.5	9.3	87,953	6.2	6.7	9.7	37,114	12.5	8.0	66,344	14.2

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 17 Run Date: 3/25/2011

		S	ummary	of Trer	nds in C	Frowth	and A	nemia	Indicator	s (3)		
	В	irthweight (4)			Hei	ght and W	/eight			Aner Low H	-
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		>_2 Yrs Overweight (6)		(7 _.	
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% ≥95th	Number	%
1990	27,863	8.4	9.3	97,214	6.1	6.9	9.9	39,198	12.4	8.4	69,312	12.7
1989	21,053	8.1	9.6	76,180	6.1	7.0	9.3	31,985	12.6	7.9	56,436	11.9
1988	25,911	8.4	9.5	78,950	7.5	7.5	9.8	30,733	12.2	8.0	57,116	10.5
1987	24,503	8.9	8.8	70,534	9.0	7.5	10.6	27,085	11.3	7.6	52,126	11.7
1986	23,303	9.0	8.9	71,888	8.8	7.8	10.3	27,049	10.9	7.6	53,401	13.0
1985	22,495	9.1	8.8	73,473	8.6	6.9	10.5	28,457	11.2	7.4	59,738	15.2
1984	21,168	9.3	8.9	67,645	9.0	7.1	10.2	25,916	11.8	7.0	55,323	18.5
1983	20,357	9.5	8.5	61,917	9.2	8.0	9.6	22,203	11.3	6.6	49,822	23.3
1982	14,165	9.7	9.4	56,632	8.4	7.3	8.9	19,699	11.5	7.4	44,190	20.2
1981	16,002	9.4	9.3	61,302	8.4	7.1	9.2	21,373	11.8	7.6	47,553	20.9

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 18 Run Date: 3/25/2011

		S	ummary	of Trer	nds in C	Frowth	and A	nemia	Indicator	s (3)		
	Bi	rthweight (4)			Hei	ght and W	/eight			Aner Low H	-
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		>_2 Yrs Overweight (6)		(7 ₎	
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% ≥95th	Number	%
1980	16,486	9.2	9.3	64,223	8.6	7.7	9.7	23,476	11.9	7.8	50,141	21.8
1979	12,570	9.3	9.2	46,041	8.8	7.0	10.7	17,027	13.0	8.2	35,044	23.2
1978	10,384	9.0	9.3	41,525	8.7	7.5	10.4	16,388	12.7	7.9	31,986	23.8
1977	9,009	10.2	8.9	34,075	10.3	8.6	10.8	13,516	12.3	8.0	25,881	26.2
1976	4,564	10.9	7.8	21,168	10.7	7.1	12.9	8,958	13.0	9.7	16,664	17.7
1975	3,950	10.7	7.8	18,222	11.1	8.3	12.5	6,799	12.8	10.0	14,429	20.6
1974	2,868	11.4	9.4	14,230	13.2	8.6	13.9	5,595	14.8	10.6	11,503	27.3
1973	189	9.5	11.6	586	8.4	8.0	13.1	250	11.2	7.2	487	15.4



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.


^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Sı	ımmary of	Trends in	Breastfe	eding (3)	1
				atfeeding (4)		
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2010	51,257	38.3	34,872	13.3	24,880	6.3
2009	42,953	37.8	24,535	12.2	24,834	5.4
2008	43,492	36.3	26,533	10.8	24,731	5.4
2007	36,347	36.3	14,725	8.6	21,872	5.0
2006	12,119	100.0	3,980	27.5	5,142	16.2
2005	41,657	17.4	12,487	4.8	22,094	1.8
2004	40,662	18.5	12,705	5.8	22,450	3.6
2003	26,921	22.2	11,948	10.5	20,842	6.4
2002	32,800	15.6	11,889	1.3	20,006	0.0
2001	2,642	21.2	250	7.2	342	0.0

⁽¹⁾ Reporting period is January 1 through December 31.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.





Page:

Run Date: 3/25/2011

19

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

Table 14C 2010 Pediatric Nutrition Surveillance Kentucky Children Aged < 5 Years

Page: 20 Run Date: 3 / 25 / 11

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.



Table 15C 2010 Pediatric Nutrition Surveillance Kentucky Children Aged < 5 Years

Page: 21 Run Date: 3 / 25 / 11

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.



Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Growth Indicators by Race/Ethnicity and Age **Short Stature** Underweight > 2 Yrs Overweight Obese (5) (4) (5) (5) % % % % % Number Number Number Number <5th <5th > 95th 85th - <95th >95th White, Not Hispanic 0 - 11 Months 63,522 7.6 63,522 11.8 63,522 6.8 0 0.0 0.0 12 - 23 Months 24,645 6.8 24,645 2.5 24,645 20.1 0 0.0 0.0 24 - 59 Months 55,940 3.6 55,940 4.1 55,940 15.6 55,940 15.9 15.6 15.6 Total 144,107 5.9 144,107 7.2 144,107 12.5 55,940 15.9 Black, Not Hispanic 0 0 - 11 Months 10.802 6.6 10,802 13.1 10,802 7.1 0.0 0.0 4,089 4,089 4,089 0 0.0 12 - 23 Months 8.9 3.8 18.7 0.0 24 - 59 Months 8,647 4.0 8.647 6.3 8.647 13.0 8.647 14.2 13.0 23,538 Total 6.0 23,538 9.0 23,538 11.3 8,647 14.2 13.0 Hispanic 0 - 11 Months 6,937 7.0 6,937 10.3 6,937 8.8 0 0.0 0.0 22.2 0 12 - 23 Months 3.197 7.7 3.197 1.8 3.197 0.0 0.0 7.573 7.573 24 - 59 Months 4.3 7.573 2.8 7.573 18.9 18.8 18.9 Total 17,707 6.0 17,707 5.5 17,707 15.5 7,573 18.8 18.9 American Indian/Alaska Native 0 - 11 Months 79 79 79 0 23 23

12 - 23 Months

24 - 59 Months

Total

1.4

43

145

23

43

145

13.1

0

43

43

11.0

43

145



Page:

Run Date:

22

3/25/2011

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 23 Run Date: 3/25/2011

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	G	rowth Inc	licators by	Race/Ethn	icity and A	ge ⁽³⁾				
	Short Si		Underv (5		Obes (5)	Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% <u>></u> 95th	
Asian/Pacific Islander										
0 - 11 Months	655	6.9	655	15.3	655	9.3	0	0.0	0.0	
12 - 23 Months	272	5.9	272	6.3	272	11.4	0	0.0	0.0	
24 - 59 Months	603	5.6	603	9.5	603	10.8	603	11.9	10.8	
Total	1,530	6.2	1,530	11.4	1,530	10.3	603	11.9	10.8	
Multiple Races										
0 - 11 Months	3,977	7.7	3,977	10.5	3,977	7.3	0	0.0	0.0	
12 - 23 Months	1,326	6.8	1,326	2.5	1,326	18.5	0	0.0	0.0	
24 - 59 Months	2,377	3.0	2,377	4.0	2,377	15.1	2,377	16.8	15.1	
Total	7,680	6.1	7,680	7.1	7,680	11.7	2,377	16.8	15.1	
All Other/Unknown										
0 - 11 Months	0	*	0	*	0	*	0	*	*	
12 - 23 Months	1	*	1	*	1	*	0	*	*	
24 - 59 Months	6	*	6	*	6	*	6	*	*	
Total	7	*	7	*	7	*	6	*	*	
Total All Race/Ethnic Groups										
0 - 11 Months	85,972	7.4	85,972	11.8	85,972	7.0	0	0.0	0.0	
12 - 23 Months	33,553	7.1	33,553	2.6	33,553	20.0	0	0.0	0.0	
24 - 59 Months	75,189	3.7	75,189	4.2	75,189	15.6	75,189	16.0	15.6	
Total	194,714	5.9	194,714	7.3	194,714	12.6	75,189	16.0	15.6	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 24 Run Date: 3 / 25 / 11

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4)		
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	3,137	14.8	6 - 11 Months	49	*
12 - 17 Months	15,606	12.3	12 - 17 Months	161	19.3
18 - 23 Months	10,653	10.7	18 - 23 Months	113	8.0
24 - 35 Months	16,627	11.5	24 - 35 Months	209	14.4
36 - 59 Months			36 - 59 Months	291	11.3
Total			Total	823	13.9
Black, Not Hispanic			Multiple Races		
6 - 11 Months	829	31.6	6 - 11 Months	222	20.3
12 - 17 Months			12 - 17 Months	850	18.7
18 - 23 Months	1,799	26.7	18 - 23 Months	568	16.9
24 - 35 Months	2,886	24.6	24 - 35 Months	820	17.2
36 - 59 Months	4,406	17.6	36 - 59 Months	1,083	10.2
Total	12,449	23.7	Total	3,543	15.6
Hispanic			All Other/Unknown		
6 - 11 Months	430	19.1	6 - 11 Months	0	*
12 - 17 Months	1,877	17.4	12 - 17 Months	0	*
18 - 23 Months	1,417	15.1	18 - 23 Months	1	*
24 - 35 Months	2,213	14.1	24 - 35 Months	2	*
36 - 59 Months	3,478	7.7	36 - 59 Months	2	*
Total	9,415	12.8	Total	5	*
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	4	*	6 - 11 Months	4,671	18.5
12 - 17 Months	16	*	12 - 17 Months	21,039	15.1
18 - 23 Months	7	*	18 - 23 Months	14,558	13.3
24 - 35 Months	9	*	24 - 35 Months	22,766	13.6
36 - 59 Months	36 - 59 Months 22 *			36,246	8.5
Total	58	*	Total	99,280	12.2



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 25 Run Date: 3 / 25 / 11

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and V	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th - <95th	% <u>></u> 95th	Number	%
White, Not Hispanic	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	38,185 31,969 32,605 27,165 27,093 33,214 33,163 21,792 26,718 28,738	9.8 9.8 9.5 9.8 9.9 10.1 9.5 9.3 9.4 9.2	6.6 6.7 6.4 6.4 6.6 6.9 7.2 7.9 8.1 8.5	144,107 131,184 126,188 109,011 102,095 107,018 107,283 101,355 95,406 99,554	5.9 5.9 5.9 7.0 7.4 7.7 7.3 7.5 5.1	7.2 6.5 6.6 6.5 5.3 4.5 4.5 4.1 4.6 5.8	12.5 13.1 12.8 12.9 15.2 16.9 17.2 17.5 16.7 14.2	55,940 52,194 49,026 45,454 43,325 45,183 45,423 51,117 42,143 42,368	15.9 16.3 16.5 16.2 17.8 18.2 18.1 17.7 17.8 15.6	15.6 15.5 15.4 15.6 17.3 17.9 17.6 17.1 16.7 14.4	72,987 81,302 76,392 71,022 67,562 70,081 70,541 66,034 66,243 67,189	10.0 10.8 10.4 11.0 10.7 10.7 10.7 10.6 10.4 10.9
Black, Not Hispanic	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	6,559 4,969 5,078 4,499 4,409 4,683 4,766 3,482 4,322 4,149	12.3 12.9 14.1 14.9 14.5 12.7 12.2 12.4 14.5	4.3 3.4 3.8 3.6 3.7 4.4 4.3 4.3 4.3	23,538 20,362 19,062 16,160 14,938 15,076 15,302 14,461 14,407 13,143	6.0 6.1 6.3 6.3 6.8 7.0 7.7 8.2 8.4 5.4	9.0 7.9 7.1 6.9 5.7 4.9 4.5 4.3 4.9 6.1	11.3 12.5 12.1 11.9 14.4 16.5 16.2 16.8 16.0 13.0	8,647 7,558 6,760 6,176 5,957 6,304 6,346 6,924 6,095 5,209	14.2 16.0 15.8 15.7 16.6 17.8 17.3 17.5 16.7	13.0 13.2 13.4 13.0 15.7 16.0 15.6 15.9 16.3 13.6	12,449 12,551 11,246 10,008 9,335 9,565 9,614 9,097 9,573 8,569	23.7 24.3 22.3 22.2 21.8 19.6 18.7 17.6 19.3 21.9



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for age for children under 2 years of age and height-for age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 26 Run Date: 3 / 25 / 11

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ight and V	Veight			Ane	mia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low H	lb/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th - <95th	% <u>></u> 95th	Number	%
Hispanic	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	4,220 3,324 3,155 2,805 2,773 2,341 1,916 1,018 1,143 1,102	6.7 7.1 6.7 7.7 7.7 7.5 7.7 6.6 7.3 8.6	6.4 6.4 7.7 7.3 5.8 6.6 6.3 7.0 7.7 8.1	17,707 14,993 13,505 10,944 9,334 7,202 6,018 4,702 3,892 3,365	6.0 6.2 6.7 6.7 8.1 8.8 8.1 7.9 9.0 5.9	5.5 5.0 5.2 5.5 4.9 3.6 3.3 2.9 3.1 5.0	15.5 18.4 17.4 16.2 18.3 21.8 21.3 23.8 21.4 17.8	7,573 6,325 5,330 4,230 3,533 2,916 2,373 2,242 1,543 1,344	18.8 18.5 19.3 19.2 20.7 20.1 20.1 20.8 19.4 17.1	18.9 21.1 21.0 20.4 22.2 25.4 24.1 24.6 22.0 18.4	9,415 9,762 8,413 6,887 5,761 4,514 3,862 3,035 2,641 2,108	12.8 14.7 14.6 14.9 14.8 14.4 13.0 11.7 13.3 14.9
American Indian/Alaska Native	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	54 31 15 17 7 55 70 50 45 23	* * * * * * * * *	* * * * * * * * * *	145 115 101 98 107 197 228 205 168 151	1.4 7.0 4.0 * 1.9 5.6 8.8 4.9 5.4 2.6	13.1 5.2 3.0 * 2.8 2.5 7.5 2.4 10.1 4.0	11.0 20.9 16.8 * 20.6 19.3 11.4 13.2 14.3 9.9	43 57 58 70 71 83 86 105 85 78	* * * * * 25.7 *	* * * * * * 12.4 *	58 73 79 76 87 135 139 123 108 114	16.3 21.6 11.4 13.0 21.1



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 27 Run Date: 3 / 25 / 11

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th - <95th	% <u>></u> 95th	Number	%
Asian/Pacific Islander	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	390 279 284 257 242 974 393 306 314 323	9.5 5.7 9.5 5.4 8.3 7.7 5.9 6.9 6.1 8.0	8.2 5.7 5.6 5.1 6.2 6.0 7.4 8.2 6.1 5.6	1,530 1,390 1,290 1,180 1,232 2,199 1,334 1,251 1,069 930	6.2 8.2 7.1 5.9 7.5 8.3 6.7 6.5 7.8 3.7	11.4 8.1 7.1 6.0 4.2 5.5 4.1 3.0 4.3 5.6	10.3 12.5 12.2 11.2 16.4 17.0 17.8 17.6 15.9 13.0	603 588 557 537 513 741 554 596 418 328	11.9 12.1 16.9 15.5 16.4 15.0 17.5 19.0 21.5	10.8 12.6 14.4 12.3 15.2 19.0 19.1 16.9 17.5 14.6	823 906 797 798 840 1,148 853 789 704 554	13.9 17.0 16.6 14.7 15.5 16.7 15.0 11.2 13.2
Multiple Races	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	2,438 1,725 1,564 1,106 735 0 0 0	9.5 9.9 9.2 11.0 9.4	5.3 6.5 5.9 7.3 6.0 *	7,680 5,764 4,521 2,823 1,635 0 0 0 0	6.1 5.7 5.6 5.5 7.2 *	7.1 6.8 6.5 6.7 5.0 *	11.7 14.0 13.3 11.3 12.7	2,377 1,728 1,101 650 378 0 0 0	16.8 16.5 16.0 16.8 17.5 *	15.1 17.4 16.6 14.3 14.8	3,543 3,267 2,346 1,474 816 0 0 0	15.6 15.9 15.9 15.5 14.2



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 28 Run Date: 3 / 25 / 11

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Veight			Anen	nia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low Hb (7)	o/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th - <95th	% ≥ 95th	Number	%
All Other/Unknown	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	0 1 0 0 0 0 0 0 0	* * * * * * * *	* * * * * * * * * * * *	7 1 0 0 0 0 0 0 0 1 17	* * * * * * * * *	* * * * * * * * * * *	* * * * * * * * * *	6 0 0 0 0 0 0 0 0	* * * * * * * * *	* * * * * * * * * *	5 0 0 0 0 0 0 0 0 1 7	* * * * * * * * *
Total All Race/Ethnic Groups	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	51,846 42,298 42,701 35,849 35,259 41,267 40,308 26,648 32,542 34,343	9.9 9.9 9.8 10.3 10.2 10.2 9.7 9.6 10.0 9.5	6.3 6.3 6.1 6.1 6.6 6.8 7.4 7.5 7.9	194,714 173,809 164,667 140,216 129,341 131,692 130,165 121,974 114,943 117,160	5.9 6.0 6.0 7.0 7.5 7.7 7.4 7.6 5.1	7.3 6.6 6.6 6.4 5.3 4.5 4.4 4.0 4.6 5.8	12.6 13.5 13.1 13.0 15.3 17.1 17.2 17.7 16.8 14.1	75,189 68,450 62,832 57,117 53,777 55,227 54,782 60,984 50,285 49,333	16.0 16.4 16.6 16.4 17.9 18.2 18.1 17.8 17.7	15.6 15.8 15.7 15.6 17.4 18.1 17.6 17.2 16.8 14.4	99,280 107,861 99,273 90,265 84,401 85,443 85,009 79,078 79,270 78,541	12.2 12.9 12.3 12.7 12.3 12.0 11.8 11.5 11.6 12.3



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 3 / 25 / 11

29

Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	37,693 32,457 33,216 27,547 8,556 33,525 33,435 22,008 26,918 2,042	34.7 34.7 33.3 33.4 100.0 15.5 16.6 21.0 14.6 22.3	25,519 18,228 19,925 11,194 2,844 10,041 10,373 9,850 9,786 188	10.8 10.3 9.0 7.2 24.9 4.2 4.8 9.4 1.1	18,434 18,657 18,735 16,941 3,685 18,073 18,538 17,338 16,519 264	5.1 4.4 4.2 14.4 1.6 3.2 5.9 0.0 0.0
Black, Not Hispanic	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	6,573 5,073 5,163 4,557 1,455 4,731 4,829 3,518 4,355 474	40.3 37.4 36.4 34.6 100.0 16.3 15.7 19.6 14.7	4,623 3,114 3,409 1,778 410 1,507 1,553 1,492 1,477	13.6 11.6 9.2 8.7 27.6 3.6 5.5 8.4 0.9	3,043 2,932 2,907 2,425 495 2,477 2,602 2,438 2,468 62	6.1 4.7 4.0 4.4 17.0 1.1 3.0 5.2 0.0



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 30 Run Date: 3 / 25 / 11

Sum	mary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	4,170 3,366 3,214 2,841 1,717 2,362 1,926 1,032 1,162 86	65.8 65.8 65.5 66.6 100.0 37.4 53.1 50.1 34.0	2,858 2,018 2,138 1,242 595 719 607 497 488 8	33.8 30.1 28.5 21.6 39.5 13.8 20.4 34.2 4.1	2,200 2,102 2,128 1,864 785 1,240 1,029 822 806 11	15.3 13.6 16.0 13.8 22.7 6.0 10.4 17.6 0.0
American Indian/Alaska Native	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	57 32 17 18 3 55 72 50 45 5	* * * * * * * * *	21 7 10 6 2 18 27 14 13 0	* * * * * * * * *	19 9 13 6 4 33 43 30 17 0	* * * * * * * * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 31 Run Date: 3 / 25 / 11

S	ummary of Tren	ds in Brea	stfeeding In	dicators by	/ Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	389 290 301 264 141 984 400 313 320 27	67.6 70.3 67.4 58.3 100.0 39.5 43.3 38.7 41.6	298 193 193 105 69 202 145 95 125 3	35.2 31.1 29.0 16.2 * 13.4 13.1 * 3.2	185 207 165 147 99 271 238 214 196 3	19.5 23.2 15.8 10.9 * 4.1 11.8 19.6 0.0
Multiple Races	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	2,374 1,734 1,581 1,120 247 0 0 0 0	37.3 35.5 34.1 33.6 100.0 *	1,553 975 858 400 60 0 0 0	11.5 9.2 9.6 7.8 * *	999 927 783 489 74 0 0 0	5.1 3.7 3.8 3.5 * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 32 Run Date: 3 / 25 / 11

Sum	nmary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	ity ⁽³⁾	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	1 1 0 0 0 0 0 0 0	* * * * * * * * *	0 0 0 0 0 0 0 0	* * * * * * * * *	0 0 0 0 0 0 0 0	* * * * * * * * *
Total All Race/Ethnic Groups	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	51,257 42,953 43,492 36,347 12,119 41,657 40,662 26,921 32,800 2,642	38.3 37.8 36.3 36.3 100.0 17.4 18.5 22.2 15.6 21.2	34,872 24,535 26,533 14,725 3,980 12,487 12,705 11,948 11,889 250	13.3 12.2 10.8 8.6 27.5 4.8 5.8 10.5 1.3 7.2	24,880 24,834 24,731 21,872 5,142 22,094 22,450 20,842 20,006 342	6.3 5.4 5.4 5.0 16.2 1.8 3.6 6.4 0.0



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.


⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2) Page: 33 Run Date: 3 / 25 / 11

				Su	mmary	of Tren	ds in (rowth Indicators	by Ag	e (3)					
Age and Year *			Heigl	ht and V	Veight			Age and Year *			Heig	ht and V	Veight		
		Short Stature (4)	Under- weight (5)			≥ 2 Yrs Overweight (5)				Short Stature (4)	Under- weight (5)	Obese (5)	(≥ 2 Yrs Overweight (5)	
	Number	%	%	%	Number	%	%		Number	%	%	%	Number	%	%
		<5th	<5th	_>95th		85th-<95th	≥95th			<5th	<5th	<u>></u> 95th		85th-<95th	<u>></u> 95th
0 - 11 Months								24 - 35 Months							
2010	85,972	7.4	11.8	7.0	0	*	*	2010	28,717	4.2	4.3	14.2	28,717	15.8	14.2
2009	72,080	7.4	11.0	7.8	0	*	*	2009	26,502	4.3	4.0	14.4	26,502	16.1	14.4
2008	71,628	7.3	10.9	7.6	0	*	*	2008	24,127	4.3	3.8	14.4	24,127	16.7	14.4
2007	57,570	7.4	10.7	7.3	0	*	*	2007	21,421	4.5	3.8	14.3	21,421	16.3	14.3
2006	51,078	8.4	9.2	9.1	0	*	*	2006	20,531	5.2	3.0	17.0	20,531	17.4	17.0
2005	44,648	8.8	8.3	10.8	0	*	*	2005	20,463	5.8	3.0	17.5	20,463	18.1	17.5
2004	43,433	8.7	8.2	11.4	0	*	*	2004	20,546	5.8	2.8	16.8	20,546	17.8	16.8
2003	30,070	8.5	8.1	12.2	0	*	*	2003	23,807	5.8	3.0	16.3	23,807	17.3	16.3
2002	35,824	8.8	8.5	11.7	0	*	*	2002	19,167	6.0	3.5	16.0	19,167	17.2	16.0
2001	38,313	4.7	10.7	8.8	0	^	Î	2001	18,816	4.5	4.2	14.0	18,816	14.8	14.0
12 - 23 Months								36 - 47 Months							
2010	33,553	7.1	2.6	20.0	0	*	*	2010	25,242	3.7	4.2	16.0	25,242	15.9	16.0
2009	33,279	7.6	2.2	21.3	0	*	*	2009	22,221	3.7	4.2	16.0	22,221	16.7	16.0
2008	30,207	7.7	2.3	20.8	0	*	*	2008	19,929	3.7	3.7	16.0	19,929	16.5	16.0
2007	25,529	7.6	2.7	19.7	0	*	*	2007	18,320	3.7	3.8	15.9	18,320	16.4	15.9
2006	24,486	9.1	2.0	23.4	0	*	*	2006	17,592	5.0	3.3	17.6	17,592	18.0	17.6
2005	31,817	9.5	1.8	24.2	0	*	*	2005	17,750	5.3	3.2	18.2	17,750	18.3	18.2
2004	31,950	10.3	1.7	24.5	0	*	*	2004	17,574	5.8	3.1	17.9	17,574	18.4	17.9
2003	30,920	10.3	2.0	23.9	0	*	*	2003	20,596	5.7	3.1	17.4	20,596	18.1	17.4
2002	28,834	10.0	2.0	23.0	0	*	*	2002	15,916	5.5	3.3	17.4	15,916	17.9	17.4
2001	29,514	7.1	2.3	20.6	0	*	*	2001	15,870	4.3	4.3	14.4	15,870	16.3	14.4

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.





⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.


Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Page: 34 Run Date: 3 / 25 / 11

Summary of Trends in									
Age and Year *	Height and Weight								
		Short Stature (4)	Under- weight (5)	Obese (5)	≥ 2 Yrs Overweight (5)				
	Number	%	%	%	Number	%	%		
		<5th	<5th	_>95th		85th-<95th	≥95th		
48 - 59 Months									
2010	21,230	3.1	4.1	17.0	21,230	16.4	17.0		
2009	19,727	2.9	3.7	17.5	19,727	16.6	17.5		
2008	18,776	3.2	3.5	17.1	18,776	16.6	17.1		
2007	17,376	3.4	3.9	17.0	17,376	16.4	17.0		
2006	15,654	4.0	2.9	17.8	15,654	18.3	17.8		
2005	17,014	4.6	2.9	18.7	17,014	18.3	18.7		
2004	16,662	4.6	3.1	18.4	16,662	18.1	18.4		
2003	16,581	4.7	3.2	18.2	16,581	18.2	18.2		
2002	15,202	4.7	3.1	17.3	15,202	18.3	17.3		
2001	14,647	3.9	3.8	15.0	14,647	15.8	15.0		
Total All Age Groups									
2010	194,714	5.9	7.3	12.6	75,189	16.0	15.6		
2009	173,809	6.0	6.6	13.5	68,450	16.4	15.8		
2008	164,667	6.0	6.6	13.1	62,832	16.6	15.7		
2007	140,216	6.0	6.4	13.0	57,117	16.4	15.6		
2006	129,341	7.0	5.3	15.3	53,777	17.9	17.4		
2005	131,692	7.5	4.5	17.1	55,227	18.2	18.1		
2004	130,165	7.7	4.4	17.2	54,782	18.1	17.6		
2003	121,974	7.4	4.0	17.7	60,984	17.8	17.2		
2002	114,943	7.6	4.6	16.8	50,285	17.7	16.8		
2001	117,160	5.1	5.8	14.1	49,333	15.6	14.4		

(Growth Indicators by Age (3)											
	Age and Year *	Age and Year * Height and Weight										
			Short Stature (4)	Under- weight (5)	Obese (5)	(≥ 2 Yrs Overweight (5)					
7		Number	%	%	%	Number	%	%				
<u> </u>			<5th	<5th	<u>></u> 95th		85th-<95th	<u>></u> 95th				

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.





⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

Page:

Run Date: 3 / 25 / 11

35

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)									
Age and Year		Anemia Low Hb/Hct (4)			Age and Year		Anem Low Hb	nia /Hct (4)	
		Number	%				Number	%	
6 - 11 Months	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	4,671 5,549 4,997 5,128 4,820 4,459 4,092 3,713 4,420 4,512	18.5 17.9 17.7 18.3 17.3 17.4 17.0 15.5 16.5		18 - 23 Months	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	14,558 15,035 14,043 12,017 11,258 11,226 11,112 10,826 9,787 10,384	13.3 13.4 13.8 13.9 13.0 12.7 13.2 12.7 13.0 13.7	
12 - 17 Months	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	21,039 24,320 22,470 20,049 18,512 18,834 19,196 15,922 17,743 17,497	15.1 15.7 14.8 15.8 15.1 14.2 14.0 13.3 13.7		24 - 35 Months	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	22,766 24,412 22,307 20,148 19,111 18,957 19,137 19,095 18,137 17,678	13.6 14.0 13.3 13.6 13.6 13.6 13.2 13.5 13.6 13.9	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 3 / 25 / 11

36

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)								
Age and Year		Anemia Low Hb/Hct (4)			Age and Year		Anem Low Hb	nia /Hct (4)
		Number	%				Number	%
36 - 59 Months	2010 2009 2008 2007 2006 2005 2004 2003 2002	36,246 38,545 35,456 32,923 30,700 31,967 31,472 29,522 29,183	8.5 9.6 8.7 8.8 8.8 8.7 8.4 8.1 7.8		Total All Age Groups	2010 2009 2008 2007 2006 2005 2004 2003 2002	99,280 107,861 99,273 90,265 84,401 85,443 85,009 79,078 79,270	12.2 12.9 12.3 12.7 12.3 12.0 11.8 11.5
All Other/Unknown	2001 2009 2008 2007 2006 2005 2004 2003 2002 2001	28,470 0 0 0 0 0 0 0 0 0 0	8.4 * * * * * * * * * * * * *			2001	78,541	12.3



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.