


\_












С


























## Bug bomb explosion causes NYC building collapse


Jul 11, 2013 💂




21









## Cockroaches, allergens and allergic disease

- Number of people currently affected with asthma in the United States
   >25 million (>7 million children)
- Estimated cost in the United States
   \$82 billion annually
- Percentage of US population allergic to cockroaches

>26% (~37% for inner-city children with asthma)

# Asthma Disproportionally Effects Children, Women, Minorities, and those Living in Poverty


- Children have 2x as many ER visits compared to adults
- Asthma associated deaths are 2x higher in women compared to men
- Asthma hospitalization rate is 3x higher among African Americans compared to Caucasians
- Low-income environments were found to be associated with the development of asthma


27







Allergen	MW (kDa)	lgE prevalence (%)	Protein family and putative function	Allergen accession number*
Bla g 1			Digestion	
Bla g 1.0101	46, 21	30–40	Midgut microvilli protein; digestion	AF072219, AF072221
Bla g 1.0102	90	30-40	Midgut microvilli protein; digestion	L47595
Bla g 1.0201	56	30-40	Midgut microvilli protein; digestion	AF072220
Bla g 2	36	55-71	Inactive aspartic protease; digestion	U28863
Bla g 3	78	Sama	allorgons are	GU086323
Bla g 4	Some allergens are cross-reactive among			U40767
Bla g 5				U92412
Bla g 6		cockr	oach species	
Bla g 6.0101	17	17 COCKIOGETI SPECIES		DQ279092
Bla g 6.0201	17	14–66	Troponin C; muscle	DQ279093
Bla g 6.0301	17	14-66	Troponin C; muscle	DQ279094
Bla g 7	33	13-54	Tropomyosin; muscle	AF260897
Bla g 8	21	16	Myosin light chain; muscle	DQ389157
Bla g 9	40	34	Arginine kinase; metabolism	DQ358231
Bla g 11	57	41–73	α-Amylase; digestion	KC207403
Bla g 12	58	30	Chitinase	KJ789158
































Why it All Matters: Cockroach Eradication Can Improve Human Health

Environmental and occupational disease


cockroach exposure and asthma morbidity in children




Felicia A. Rabito, PhD, MPH, a John C. Carlson, MD, PhD, Hua He, PhD, Derek Werthmann, MPH, and Coby Schal, PhD<sup>c</sup> New Orleans, La, and Raleigh, NC


Children in control homes had more asthma symptoms, poorer lung function, and more unscheduled health care utilization















































### **Driving Questions:**

- 1. Does histamine accumulate in household dust?
- 2. Does histamine persist after bed bug eradication?
- 3. What is the relationship between indoor histamine and human health?


65












#### **Histamine Conclusions**


- Histamine accumulates in household dust from bed bug infested homes
- Histamine persists at least three months after bed bug are eradicated
- <u>IF</u> histamine is a risk to human health, bed bugs could become a pest of serious medical concern

The work continues...

71







#### **Practical Tips**

- Be aware of your surroundings
  - Watch where you sit/stay!
- Take preventative measures if you suspect you've encountered bed bugs
  - Launder or freeze your belongings
- Regularly inspect your own home
- Use repellents

75

