| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | (X2) MULTIPLE CONSTRUCTION | (X3) DATE SURVEY COMPLETED |
|---|---|---|---|
| | 185147 | A. BUILDING _____ B. WING _____ | 07/31/2020 |

| NAME OF PROVIDER OR SUPPLIER | STREET ADDRESS, CITY, STATE, ZIP CODE |
|---|---|
| **CHRISTIAN HEALTH CENTER** | **200 STERLING DRIVE HOPKINSVILLE, KY 42240** |

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
|---|---|---|---|---|
| F 000 | INITIAL COMMENTS<br><br>An Abbreviated Survey investigating #KY#31975 and a COVID-19 Focused Infection Control Survey was initiated on 07/30/2020 and concluded on 07/31/2020. Complaint #KY31975 was unsubstantiated with no deficiencies cited. The facility was found to be in compliance with 42 CFR 483.80 infection control regulations and has implemented the Centers for Medicare & Medicaid Services (CMS) and Centers for Disease Control and Prevention (CDC) recommended practices to prepare for COVID-19. Total census 100. | F 000 | | |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients . (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | (X2) MULTIPLE CONSTRUCTION | (X3) DATE SURVEY COMPLETED |
|---|---|---|---|
| | 185147 | A. BUILDING _____ B. WING _____ | 07/31/2020 |

| NAME OF PROVIDER OR SUPPLIER | STREET ADDRESS, CITY, STATE, ZIP CODE |
|---|---|
| **CHRISTIAN HEALTH CENTER** | **200 STERLING DRIVE HOPKINSVILLE, KY 42240** |

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
|---|---|---|---|---|
| E 000 | Initial Comments<br><br>A COVID-19 Focused Emergency Preparedness Survey was initiated on 07/30/2020 and concluded on 07/31/2020. The facility was found to be in compliance with 42 CFR 483.73 related to E-0024 (b)(6). | E 000 | | |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients . (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Office of Inspector General

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | (X2) MULTIPLE CONSTRUCTION | (X3) DATE SURVEY COMPLETED |
|---|---|---|---|
| | 100486 | A. BUILDING: _____ B. WING _____ | 07/31/2020 |

| NAME OF PROVIDER OR SUPPLIER | STREET ADDRESS, CITY, STATE, ZIP CODE |
|---|---|
| CHRISTIAN HEALTH CENTER | 200 STERLING DRIVE HOPKINSVILLE, KY 42240 |

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETE DATE |
|---|---|---|---|---|
| N 000 | Initial Comments<br><br>A Complaint Survey (#KY31975) and a COVID-19 Focused Infection Control Survey was initiated 07/30/2020 and concluded on 07/31/2020. #KY31975 was unsubstantiated with no deficiencies. The facility was found to be in compliance pursuant to 42 CFR 483.80. | N 000 | | |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE