

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Disease			Chronic Obstructive Pulmonary Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	37,825	961.1	733.0	11,878	301.8	219.3	8,938	227.1	185.2	2,511	63.8	44.2	2,002	50.9	39.1
DISTRICT 01	2,191	1149.4	692.8	736	386.1	213.3	485	254.4	167.9	187	98.1	51.6	113	59.3	34.9
BALLARD	120	1415.6	844.5	54	637.0	344.9	23	271.3	168.1	11	129.8	65.8	7	82.6	49.0
CALLOWAY	361	1078.8	706.4	122	364.6	224.3	81	242.1	177.4	23	68.7	34.6	16	47.8	32.5
CARLISLE	55	1035.8	557.7	17	320.2	171.8	14	263.7	144.8	9	169.5	73.8	3	56.5	29.1
FULTON	123	1634.6	908.1	50	664.5	330.1	21	279.1	180.9	8	106.3	45.6	5	66.4	34.2
GRAVES	420	1171.8	686.7	113	315.3	160.2	99	276.2	178.7	34	94.9	46.6	22	61.4	32.5
HICKMAN	63	1202.3	584.1	20	381.7	188.4	17	324.4	174.9	4	76.3	42.3	1	19.1	8.1
MCCRACKEN	713	1106.1	684.5	247	383.2	221.5	145	224.9	152.4	67	103.9	58.4	36	55.8	32.6
MARSHALL	336	1108.8	656.5	113	372.9	194.8	85	280.5	175.8	31	102.3	56.7	23	75.9	46.1
DISTRICT 02	2,215	1030.5	715.3	756	351.7	233.7	503	234.0	179.6	137	63.7	38.8	96	44.7	32.2
CALDWELL	199	1496.6	870.9	74	556.5	298.1	41	308.3	202.0	12	90.2	44.3	8	60.2	32.0
CHRISTIAN	534	736.6	629.9	193	266.2	218.5	111	153.1	149.0	24	33.1	27.6	24	33.1	32.0
CRITTENDEN	100	1046.0	610.9	33	345.2	180.2	23	240.6	165.8	6	62.8	24.3	5	52.3	30.4
HOPKINS	538	1160.8	773.1	166	358.2	228.9	114	246.0	182.1	44	94.9	54.9	25	53.9	37.5
LIVINGSTON	108	1145.0	728.0	41	434.7	276.4	27	286.3	188.3	7	74.2	45.1	6	63.6	44.6
LYON	101	1255.9	694.6	44	547.1	319.2	21	261.1	152.9	9	111.9	52.9	4	49.7	21.3
MUHLENBERG	358	1112.9	755.5	112	348.2	222.0	93	289.1	217.7	21	65.3	37.9	11	34.2	24.8
TODD	140	1248.0	795.6	54	481.4	296.6	35	312.0	218.4	3	26.7	11.5	6	53.5	34.1
TRIGG	137	1105.6	648.0	39	314.7	168.9	38	306.7	178.4	11	88.8	44.0	7	56.5	32.6
DISTRICT 03	2,011	974.5	695.2	663	321.3	217.4	463	224.4	173.4	159	77.0	49.8	105	50.9	36.6
DAVISS	856	939.1	679.6	265	290.7	201.8	208	228.2	175.3	81	88.9	59.2	46	50.5	37.2
HANCOCK	59	662.2	622.1	15	168.4	151.7	15	168.4	171.1	6	67.3	61.5	3	33.7	28.6
HENDERSON	387	870.4	627.3	151	339.6	232.4	77	173.2	142.2	33	74.2	49.0	23	51.7	37.0
MCLEAN	119	1211.1	776.8	31	315.5	204.9	24	244.2	155.2	10	101.8	53.4	4	40.7	24.8
OHIO	255	1159.4	800.7	87	395.5	249.2	70	318.3	231.3	10	45.5	26.8	11	50.0	33.4
UNION	149	899.7	676.7	48	289.8	198.4	30	181.1	149.3	7	42.3	29.3	12	72.5	56.4
WEBSTER	186	1381.2	817.6	66	490.1	273.4	39	289.6	203.5	12	89.1	40.2	6	44.6	35.4

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Disease			Chronic Obstructive Pulmonary Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	37,825	961.1	733.0	11,878	301.8	219.3	8,938	227.1	185.2	2,511	63.8	44.2	2,002	50.9	39.1
DISTRICT 04	2,470	1012.1	740.6	790	323.7	225.7	558	228.7	181.0	200	82.0	55.7	133	54.5	38.3
ALLEN	178	1076.4	754.6	54	326.5	217.0	36	217.7	154.2	22	133.0	83.0	10	60.5	40.5
BARREN	418	1130.9	714.8	152	411.2	254.3	83	224.5	151.0	36	97.4	53.7	21	56.8	36.6
BUTLER	133	1117.2	784.3	51	428.4	273.1	32	268.8	213.2	9	75.6	50.7	4	33.6	20.4
EDMONSON	113	997.3	734.6	32	282.4	200.8	26	229.5	165.7	10	88.3	59.9	10	88.3	67.5
HART	172	1028.5	739.8	55	328.9	230.4	40	239.2	179.6	9	53.8	37.9	10	59.8	41.6
LOGAN	280	1070.8	754.4	87	332.7	218.1	66	252.4	193.7	21	80.3	53.0	13	49.7	32.4
METCALFE	124	1298.3	852.0	40	418.8	250.0	30	314.1	219.6	3	31.4	19.6	7	73.3	41.1
MONROE	151	1349.8	866.7	53	473.8	287.9	31	277.1	179.1	5	44.7	19.9	5	44.7	23.4
SIMPSON	135	824.4	623.7	51	311.5	214.8	34	207.6	164.9	8	48.9	39.9	6	36.6	28.9
WARREN	766	877.3	740.3	215	246.2	200.4	180	206.1	196.2	77	88.2	70.7	47	53.8	43.3
DISTRICT 05	1,929	809.3	693.2	590	247.5	204.1	476	199.7	181.8	133	55.8	43.3	111	46.6	41.6
BRECKINRIDGE	160	916.6	606.5	53	303.6	188.3	48	275.0	179.1	11	63.0	34.9	12	68.7	46.8
GRAYSON	260	1093.4	804.2	87	365.9	254.0	63	264.9	203.1	10	42.1	30.3	20	84.1	57.3
HARDIN	599	655.0	643.0	187	204.5	199.0	144	157.5	165.6	47	51.4	47.9	22	24.1	25.2
LARUE	138	1057.1	649.5	45	344.7	196.8	29	222.1	147.4	8	61.3	24.2	9	68.9	41.2
MARION	171	1005.1	738.5	57	335.0	228.1	37	217.5	176.7	10	58.8	35.1	8	47.0	39.2
MEADE	167	579.6	681.6	48	166.6	193.0	45	156.2	186.7	6	20.8	23.5	12	41.6	55.7
NELSON	320	891.9	802.7	85	236.9	198.7	84	234.1	229.3	29	80.8	65.5	21	58.5	56.3
WASHINGTON	114	1045.1	695.5	28	256.7	169.0	26	238.4	170.9	12	110.0	70.2	7	64.2	40.6
DISTRICT 06	8,100	967.3	715.1	2,567	306.5	214.6	1,962	234.3	184.8	518	61.9	41.9	442	52.8	39.4
BULLITT	342	576.6	689.7	102	172.0	209.2	103	173.7	210.0	15	25.3	32.5	21	35.4	44.6
HENRY	159	1077.7	831.1	44	298.2	220.0	36	244.0	198.2	13	88.1	61.4	11	74.6	60.3
JEFFERSON	6,944	1033.2	718.5	2,239	333.1	217.9	1,674	249.1	184.6	425	63.2	40.1	373	55.5	38.6
OLDHAM	226	509.0	656.3	58	130.6	169.3	56	126.1	163.9	26	58.6	78.5	16	36.0	50.3
SHELBY	273	922.9	714.1	74	250.2	180.3	54	182.5	159.5	24	81.1	56.3	13	43.9	34.3
SPENCER	85	879.7	783.1	22	227.7	196.2	22	227.7	212.9	11	113.8	92.1	7	72.4	70.5
TRIMBLE	71	931.5	739.2	28	367.4	271.4	17	223.0	188.4	4	52.5	39.9	1	13.1	12.6

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Disease			Chronic Obstructive Pulmonary Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	37,825	961.1	733.0	11,878	301.8	219.3	8,938	227.1	185.2	2,511	63.8	44.2	2,002	50.9	39.1
DISTRICT 07	3,118	831.8	703.3	897	239.3	196.3	752	200.6	179.3	206	55.0	43.3	166	44.3	38.2
BOONE	513	644.0	674.5	127	159.4	165.9	130	163.2	181.3	40	50.2	51.2	31	38.9	42.3
CAMPBELL	821	939.6	691.3	230	263.2	188.4	189	216.3	170.8	68	77.8	50.5	37	42.3	31.1
CARROLL	94	979.8	709.6	36	375.2	265.0	24	250.2	189.8	4	41.7	25.6	3	31.3	30.0
GALLATIN	71	988.3	876.0	21	292.3	231.0	19	264.5	232.8	1	13.9	14.8	7	97.4	96.3
GRANT	187	919.5	832.1	51	250.8	213.9	47	231.1	221.5	7	34.4	30.4	9	44.3	39.0
KENTON	1,212	825.9	694.5	359	244.6	200.4	299	203.8	179.3	80	54.5	43.4	69	47.0	40.3
OWEN	108	1053.1	762.3	31	302.3	197.1	20	195.0	155.6	4	39.0	26.6	5	48.8	37.2
PENDLETON	112	817.2	744.9	42	306.4	271.2	24	175.1	170.7	2	14.6	14.0	5	36.5	31.0
DISTRICT 08	600	1097.5	741.9	169	309.1	199.5	138	252.4	187.9	49	89.6	49.2	34	62.2	43.9
BRACKEN	95	1125.5	752.5	20	236.9	141.5	28	331.7	228.4	6	71.1	41.0	9	106.6	73.9
FLEMING	141	1049.2	701.8	44	327.4	211.0	28	208.3	167.0	14	104.2	58.1	10	74.4	56.5
LEWIS	123	906.5	676.5	32	235.8	179.1	30	221.1	184.2	13	95.8	63.4	4	29.5	19.0
MASON	210	1234.2	799.4	63	370.3	229.0	47	276.2	191.2	12	70.5	28.4	11	64.6	44.3
ROBERTSON	31	1403.3	824.2	10	452.7	206.7	5	226.3	140.9	4	181.1	111.0	0	0.0	0.0
DISTRICT 09	663	908.6	710.3	194	265.9	201.3	151	206.9	173.7	49	67.2	46.4	46	63.0	49.9
BATH	109	1031.5	718.6	24	227.1	150.7	30	283.9	204.5	10	94.6	52.1	13	123.0	86.9
MENIFEE	57	993.2	802.7	18	313.6	251.0	10	174.2	138.9	5	87.1	64.9	5	87.1	81.8
MONTGOMERY	211	1007.6	721.7	61	291.3	207.0	58	277.0	206.8	11	52.5	37.0	10	47.8	34.7
MORGAN	134	988.7	790.3	49	361.5	273.9	24	177.1	160.0	8	59.0	42.9	7	51.6	34.8
ROWAN	152	685.6	627.7	42	189.4	163.7	29	130.8	136.2	15	67.7	50.3	11	49.6	47.9
DISTRICT 10	1,458	1076.0	769.9	488	360.1	242.1	353	260.5	195.0	102	75.3	46.5	68	50.2	35.4
BOYD	586	1182.5	773.7	195	393.5	237.7	132	266.4	185.5	40	80.7	44.2	32	64.6	41.2
CARTER	266	991.4	792.3	103	383.9	294.2	59	219.9	183.4	14	52.2	37.2	12	44.7	36.3
ELLIOTT	64	969.4	782.4	15	227.2	171.3	16	242.4	208.5	6	90.9	54.7	2	30.3	26.6
GREENUP	370	1003.4	715.6	125	339.0	227.3	105	284.8	211.8	28	75.9	48.9	13	35.3	25.0
LAWRENCE	172	1100.1	861.6	50	319.8	238.2	41	262.2	212.0	14	89.5	63.5	9	57.6	43.7

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Disease			Chronic Obstructive Pulmonary Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	37,825	961.1	733.0	11,878	301.8	219.3	8,938	227.1	185.2	2,511	63.8	44.2	2,002	50.9	39.1
DISTRICT 11	1,681	1016.3	890.4	576	348.2	299.2	388	234.6	214.3	84	50.8	43.3	113	68.3	58.4
FLOYD	413	953.3	821.3	137	316.2	266.9	87	200.8	183.6	27	62.3	51.8	25	57.7	47.3
JOHNSON	276	1148.9	932.9	86	358.0	291.8	63	262.2	224.0	18	74.9	58.6	21	87.4	68.7
MAGOFFIN	138	997.5	980.7	39	281.9	270.6	36	260.2	268.0	8	57.8	55.7	12	86.7	77.4
MARTIN	140	1155.1	1152.1	55	453.8	429.8	29	239.3	256.5	4	33.0	33.4	12	99.0	101.0
PIKE	714	990.2	855.8	259	359.2	306.3	173	239.9	214.3	27	37.4	32.0	43	59.6	51.6
DISTRICT 12	1,274	1017.2	871.2	414	330.6	271.2	306	244.3	219.6	51	40.7	31.1	67	53.5	46.5
BREATHITT	159	1015.0	890.6	54	344.7	296.6	27	172.4	165.2	9	57.5	47.0	9	57.5	47.5
KNOTT	174	967.3	895.3	63	350.2	311.6	50	277.9	273.5	7	38.9	33.9	6	33.4	30.6
LEE	104	1297.9	947.7	30	374.4	256.2	35	436.8	323.1	3	37.4	24.0	5	62.4	51.6
LESLIE	127	935.4	859.5	32	235.7	199.2	35	257.8	248.5	5	36.8	32.1	5	36.8	35.8
LETCHER	278	1061.1	894.4	82	313.0	253.0	61	232.8	205.1	15	57.3	42.2	15	57.3	48.1
OWSLEY	72	1332.3	913.7	28	518.1	343.7	17	314.6	222.5	3	55.5	26.1	0	0.0	0.0
PERRY	282	908.6	798.9	104	335.1	285.8	65	209.4	192.1	4	12.9	11.5	18	58.0	51.2
WOLFE	78	1060.1	912.5	21	285.4	240.9	16	217.5	190.7	5	68.0	51.4	9	122.3	110.3
DISTRICT 13	2,455	1047.9	842.9	776	331.2	252.9	564	240.7	207.3	138	58.9	43.6	130	55.5	43.5
BELL	348	1194.5	911.8	120	411.9	293.1	81	278.0	218.6	16	54.9	36.7	21	72.1	50.3
CLAY	226	991.9	889.3	79	346.7	297.7	47	206.3	195.9	8	35.1	26.5	13	57.1	55.3
HARLAN	377	1078.1	848.3	107	306.0	222.0	83	237.4	199.3	21	60.1	46.7	23	65.8	50.7
JACKSON	156	1208.6	956.9	54	418.3	310.0	37	286.6	251.4	4	31.0	24.7	11	85.2	65.6
KNOX	344	1078.4	884.1	105	329.2	263.8	78	244.5	217.2	18	56.4	41.0	18	56.4	37.8
LAUREL	415	818.2	700.5	132	260.2	219.5	95	187.3	170.1	35	69.0	54.4	21	41.4	36.9
ROCKCASTLE	179	1122.5	826.0	55	344.9	228.3	41	257.1	207.5	11	69.0	51.7	5	31.4	26.4
WHITLEY	410	1141.6	879.4	124	345.3	252.7	102	284.0	234.7	25	69.6	47.5	18	50.1	37.5

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Disease			Chronic Obstructive Pulmonary Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	37,825	961.1	733.0	11,878	301.8	219.3	8,938	227.1	185.2	2,511	63.8	44.2	2,002	50.9	39.1
DISTRICT 14	2,051	1084.2	747.6	648	342.5	218.6	501	264.8	191.5	116	61.3	38.3	107	56.6	39.7
ADAIR	160	973.6	667.5	51	310.3	196.2	47	286.0	192.1	13	79.1	53.6	5	30.4	23.6
CASEY	159	1077.0	762.7	49	331.9	226.6	32	216.8	155.2	11	74.5	43.2	9	61.0	42.6
CLINTON	105	1124.7	745.8	34	364.2	212.7	32	342.8	252.4	7	75.0	48.7	2	21.4	12.1
CUMBERLAND	101	1482.5	831.5	52	763.2	393.8	11	161.5	115.0	8	117.4	68.7	3	44.0	28.0
GREEN	118	1110.5	627.3	46	432.9	219.1	23	216.5	128.9	7	65.9	30.2	8	75.3	45.8
MCCREARY	184	1105.0	1039.0	53	318.3	291.9	45	270.2	268.3	8	48.0	39.8	13	78.1	78.2
PULASKI	599	1064.1	726.5	175	310.9	190.7	166	294.9	211.1	28	49.7	30.6	31	55.1	36.2
RUSSELL	199	1227.4	770.0	65	400.9	238.9	42	259.1	170.0	16	98.7	56.4	14	86.4	52.6
TAYLOR	251	1094.3	757.6	64	279.0	180.9	65	283.4	201.3	13	56.7	34.6	14	61.0	42.9
WAYNE	175	916.0	687.3	59	308.8	226.2	38	198.9	156.8	5	26.2	18.1	8	41.9	34.4
DISTRICT 15	5,609	860.5	705.4	1,614	247.6	195.6	1,338	205.3	180.1	382	58.6	43.8	271	41.6	34.9
ANDERSON	152	818.4	668.1	36	193.8	149.5	33	177.7	152.5	12	64.6	42.3	5	26.9	26.4
BOURBON	192	991.6	710.5	57	294.4	193.1	54	278.9	210.1	14	72.3	50.8	6	31.0	20.9
BOYLE	266	978.3	633.5	81	297.9	189.6	80	294.2	199.6	18	66.2	40.7	12	44.1	29.2
CLARK	294	919.5	692.0	87	272.1	198.5	69	215.8	171.9	19	59.4	35.4	18	56.3	42.0
ESTILL	171	1097.0	767.3	63	404.2	256.0	48	307.9	246.8	13	83.4	46.0	3	19.2	16.3
FAYETTE	1,919	793.8	700.1	527	218.0	185.8	430	177.9	170.9	129	53.4	44.0	98	40.5	36.8
FRANKLIN	431	928.1	724.8	131	282.1	215.2	97	208.9	169.7	31	66.8	48.0	31	66.8	52.9
GARRARD	136	978.7	639.8	45	323.8	204.3	30	215.9	146.9	4	28.8	17.9	8	57.6	36.0
HARRISON	179	1019.4	662.8	70	398.7	235.2	40	227.8	161.5	16	91.1	46.1	9	51.3	33.3
JESSAMINE	289	791.1	778.9	66	180.7	171.4	74	202.6	208.7	20	54.7	48.5	12	32.8	30.9
LINCOLN	233	1042.6	750.7	81	362.5	255.9	56	250.6	191.8	14	62.6	39.6	10	44.7	33.1
MADISON	535	804.5	724.0	147	221.1	196.3	127	191.0	183.1	34	51.1	41.8	19	28.6	26.3
MERCER	204	985.6	628.0	52	251.2	147.6	60	289.9	199.9	15	72.5	40.0	8	38.6	25.4
NICHOLAS	80	1145.5	715.9	20	286.4	195.4	17	243.4	175.3	6	85.9	45.0	8	114.5	72.6
POWELL	129	998.5	1025.5	36	278.6	279.1	31	239.9	259.1	9	69.7	73.1	9	69.7	76.8
SCOTT	234	762.8	729.7	67	218.4	202.4	50	163.0	165.7	22	71.7	67.5	11	35.9	34.2
WOODFORD	165	722.4	608.7	48	210.2	172.1	42	183.9	159.0	6	26.3	22.8	4	17.5	16.1

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Unintentional Injuries			Pneumonia and Influenza			Diabetes Mellitus			Suicide			Nephritis, Nephrotic Syndrome & Nephrosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Rate	Age Adj Rate
KENTUCKY	1,677	42.6	37.9	1,496	38.0	25.4	1,067	27.1	20.8	525	13.3	11.5	521	13.2	9.5
DISTRICT 01	82	43.0	36.8	112	58.8	28.8	54	28.3	16.6	29	15.2	12.4	17	8.9	4.5
BALLARD	4	47.2	45.1	4	47.2	18.4	1	11.8	5.8	3	35.4	23.5	0	0.0	0.0
CALLOWAY	16	47.8	40.0	22	65.7	38.0	13	38.9	27.4	5	14.9	10.8	2	6.0	3.5
CARLISLE	1	18.8	6.9	4	75.3	36.0	1	18.8	13.7	1	18.8	14.9	0	0.0	0.0
FULTON	7	93.0	72.1	9	119.6	42.5	3	39.9	27.3	0	0.0	0.0	2	26.6	15.8
GRAVES	22	61.4	59.8	22	61.4	29.2	11	30.7	17.9	5	14.0	12.2	3	8.4	4.1
HICKMAN	3	57.3	32.7	6	114.5	27.0	2	38.2	17.7	1	19.1	8.1	1	19.1	4.5
MCCRACKEN	17	26.4	23.5	34	52.7	27.0	19	29.5	16.2	11	17.1	16.0	7	10.9	5.7
MARSHALL	12	39.6	32.4	11	36.3	19.2	4	13.2	7.2	3	9.9	8.4	2	6.6	3.0
DISTRICT 02	78	36.3	30.3	77	35.8	21.7	68	31.6	20.6	28	13.0	11.1	30	14.0	8.4
CALDWELL	4	30.1	33.0	7	52.6	26.0	5	37.6	19.8	2	15.0	16.2	3	22.6	8.6
CHRISTIAN	23	31.7	26.8	18	24.8	20.7	19	26.2	17.9	6	8.3	7.7	6	8.3	6.9
CRITTENDEN	3	31.4	23.2	8	83.7	48.7	6	62.8	44.4	1	10.5	9.5	2	20.9	14.3
HOPKINS	14	30.2	23.5	15	32.4	16.8	15	32.4	22.6	7	15.1	12.1	5	10.8	6.9
LIVINGSTON	3	31.8	17.9	2	21.2	11.6	2	21.2	11.6	1	10.6	6.0	3	31.8	19.3
LYON	1	12.4	8.8	0	0.0	0.0	4	49.7	24.3	1	12.4	8.8	1	12.4	4.6
MUHLENBERG	19	59.1	53.4	18	56.0	29.1	10	31.1	20.7	8	24.9	19.1	5	15.5	7.6
TODD	5	44.6	33.4	7	62.4	39.8	3	26.7	16.3	1	8.9	8.2	1	8.9	5.5
TRIGG	6	48.4	43.1	2	16.1	9.2	4	32.3	16.0	1	8.1	9.1	4	32.3	16.4
DISTRICT 03	73	35.4	30.7	68	33.0	19.9	60	29.1	21.1	29	14.1	12.3	41	19.9	12.9
DAVISS	21	23.0	18.4	28	30.7	18.8	34	37.3	28.2	9	9.9	8.0	15	16.5	12.5
HANCOCK	4	44.9	42.1	3	33.7	28.6	1	11.2	8.9	2	22.4	24.0	2	22.4	17.7
HENDERSON	10	22.5	18.9	12	27.0	15.6	2	4.5	2.7	7	15.7	12.4	9	20.2	11.6
MCLEAN	8	81.4	68.4	11	111.9	60.7	4	40.7	24.8	2	20.4	18.4	0	0.0	0.0
OHIO	17	77.3	70.9	7	31.8	24.7	4	18.2	13.6	2	9.1	8.9	5	22.7	13.8
UNION	8	48.3	46.3	3	18.1	13.3	10	60.4	44.6	5	30.2	25.5	4	24.2	18.0
WEBSTER	5	37.1	38.4	4	29.7	8.7	5	37.1	21.6	2	14.9	16.0	6	44.6	17.2

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Unintentional Injuries			Pneumonia and Influenza			Diabetes Mellitus			Suicide			Nephritis, Nephrotic Syndrome & Nephrosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Rate	Age Adj Rate
KENTUCKY	1,677	42.6	37.9	1,496	38.0	25.4	1,067	27.1	20.8	525	13.3	11.5	521	13.2	9.5
DISTRICT 04	122	50.0	43.7	98	40.2	26.2	61	25.0	18.9	39	16.0	14.3	37	15.2	10.3
ALLEN	9	54.4	55.8	7	42.3	24.5	3	18.1	13.7	2	12.1	10.1	4	24.2	16.5
BARREN	17	46.0	39.8	23	62.2	34.7	7	18.9	14.4	4	10.8	9.3	6	16.2	10.1
BUTLER	8	67.2	50.4	3	25.2	12.5	2	16.8	13.2	6	50.4	47.7	0	0.0	0.0
EDMONSON	6	53.0	60.7	2	17.7	11.0	4	35.3	22.0	0	0.0	0.0	3	26.5	19.3
HART	11	65.8	56.7	7	41.9	26.8	3	17.9	12.7	4	23.9	19.0	3	17.9	11.4
LOGAN	12	45.9	41.8	15	57.4	37.8	11	42.1	30.0	4	15.3	14.6	2	7.6	4.7
METCALFE	7	73.3	66.0	5	52.4	30.5	5	52.4	34.9	1	10.5	8.4	1	10.5	8.9
MONROE	15	134.1	113.1	9	80.5	45.2	3	26.8	17.7	1	8.9	8.6	2	17.9	11.1
SIMPSON	5	30.5	25.9	6	36.6	20.3	3	18.3	15.2	2	12.2	12.0	2	12.2	9.6
WARREN	32	36.6	31.4	21	24.1	19.1	20	22.9	19.1	15	17.2	15.9	14	16.0	11.1
DISTRICT 05	86	36.1	34.2	99	41.5	31.0	50	21.0	18.1	35	14.7	13.2	35	14.7	12.1
BRECKINRIDGE	3	17.2	15.5	3	17.2	11.2	5	28.6	16.5	4	22.9	21.4	2	11.5	8.1
GRAYSON	12	50.5	48.6	17	71.5	48.6	3	12.6	10.2	7	29.4	24.8	5	21.0	14.2
HARDIN	33	36.1	34.2	37	40.5	35.3	14	15.3	14.9	5	5.5	5.4	10	10.9	9.7
LARUE	8	61.3	57.7	10	76.6	33.9	3	23.0	12.9	5	38.3	33.9	4	30.6	18.6
MARION	4	23.5	22.8	5	29.4	18.4	7	41.1	30.1	2	11.8	10.3	5	29.4	19.9
MEADE	4	13.9	11.7	10	34.7	39.5	6	20.8	27.5	8	27.8	28.1	3	10.4	12.9
NELSON	16	44.6	46.0	13	36.2	27.8	10	27.9	23.6	3	8.4	7.7	5	13.9	13.4
WASHINGTON	6	55.0	38.4	4	36.7	19.4	2	18.3	12.2	1	9.2	7.2	1	9.2	5.2
DISTRICT 06	249	29.7	25.5	306	36.5	24.2	227	27.1	20.9	99	11.8	9.8	115	13.7	9.8
BULLITT	16	27.0	27.2	4	6.7	7.3	11	18.5	20.0	4	6.7	7.0	2	3.4	3.6
HENRY	10	67.8	62.5	5	33.9	22.4	1	6.8	6.3	2	13.6	11.1	7	47.4	32.6
JEFFERSON	194	28.9	23.7	260	38.7	23.8	191	28.4	20.7	85	12.6	10.4	100	14.9	10.1
OLDHAM	6	13.5	18.6	7	15.8	19.2	12	27.0	34.7	4	9.0	8.4	3	6.8	6.8
SHELBY	19	64.2	58.1	24	81.1	57.1	10	33.8	27.3	3	10.1	7.7	3	10.1	7.7
SPENCER	4	41.4	34.0	3	31.0	32.1	1	10.3	8.5	0	0.0	0.0	0	0.0	0.0
TRIMBLE	0	0.0	0.0	3	39.4	29.3	1	13.1	10.1	1	13.1	8.9	0	0.0	0.0

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Unintentional Injuries			Pneumonia and Influenza			Diabetes Mellitus			Suicide			Nephritis, Nephrotic Syndrome & Nephrosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Rate	Age Adj Rate
KENTUCKY	1,677	42.6	37.9	1,496	38.0	25.4	1,067	27.1	20.8	525	13.3	11.5	521	13.2	9.5
DISTRICT 07	130	34.7	32.3	129	34.4	27.2	123	32.8	28.6	47	12.5	11.3	43	11.5	8.8
BOONE	26	32.6	31.2	21	26.4	25.4	13	16.3	17.6	6	7.5	8.8	6	7.5	7.0
CAMPBELL	27	30.9	26.4	32	36.6	24.7	42	48.1	36.3	13	14.9	12.0	10	11.4	8.2
CARROLL	2	20.8	15.9	2	20.8	13.4	2	20.8	12.8	0	0.0	0.0	4	41.7	30.2
GALLATIN	4	55.7	60.6	1	13.9	11.5	2	27.8	21.3	7	97.4	107.3	0	0.0	0.0
GRANT	17	83.6	79.1	6	29.5	26.0	17	83.6	76.2	2	9.8	8.6	2	9.8	9.3
KENTON	40	27.3	26.2	56	38.2	29.9	38	25.9	23.3	15	10.2	9.1	18	12.3	8.9
OWEN	5	48.8	44.8	5	48.8	34.1	4	39.0	28.9	1	9.8	9.2	3	29.3	18.8
PENDLETON	9	65.7	62.6	6	43.8	34.5	5	36.5	32.9	3	21.9	15.7	0	0.0	0.0
DISTRICT 08	28	51.2	44.2	25	45.7	26.0	12	21.9	12.8	5	9.1	8.7	5	9.1	6.9
BRACKEN	3	35.5	29.1	3	35.5	24.5	2	23.7	11.9	1	11.8	11.4	0	0.0	0.0
FLEMING	8	59.5	48.1	5	37.2	19.6	1	7.4	4.6	1	7.4	5.6	0	0.0	0.0
LEWIS	6	44.2	30.7	5	36.9	25.7	2	14.7	10.3	0	0.0	0.0	3	22.1	17.5
MASON	10	58.8	58.3	10	58.8	29.1	7	41.1	23.1	3	17.6	17.6	2	11.8	8.5
ROBERTSON	1	45.3	58.5	2	90.5	37.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
DISTRICT 09	27	37.0	30.6	30	41.1	23.7	10	13.7	11.4	8	11.0	9.3	9	12.3	9.6
BATH	2	18.9	17.3	4	37.9	14.7	2	18.9	13.7	1	9.5	8.1	1	9.5	8.0
MENIFEE	3	52.3	41.5	1	17.4	10.3	0	0.0	0.0	1	17.4	15.7	0	0.0	0.0
MONTGOMERY	4	19.1	19.5	18	86.0	48.2	6	28.7	22.5	0	0.0	0.0	4	19.1	11.9
MORGAN	10	73.8	60.4	5	36.9	20.9	1	7.4	5.3	4	29.5	23.5	3	22.1	19.7
ROWAN	8	36.1	32.5	2	9.0	6.7	1	4.5	4.0	2	9.0	8.7	1	4.5	4.0
DISTRICT 10	65	48.0	42.6	47	34.7	22.8	60	44.3	31.4	8	5.9	5.7	17	12.5	8.6
BOYD	22	44.4	39.2	19	38.3	23.3	25	50.4	34.2	3	6.1	4.5	7	14.1	9.3
CARTER	12	44.7	41.8	8	29.8	21.8	14	52.2	39.9	1	3.7	2.7	3	11.2	8.2
ELLIOTT	6	90.9	84.3	2	30.3	23.4	3	45.4	34.0	1	15.1	18.6	0	0.0	0.0
GREENUP	13	35.3	32.0	14	38.0	24.2	11	29.8	21.0	2	5.4	5.5	5	13.6	9.5
LAWRENCE	12	76.8	65.3	4	25.6	17.1	7	44.8	35.3	1	6.4	7.7	2	12.8	8.9

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Unintentional Injuries			Pneumonia and Influenza			Diabetes Mellitus			Suicide			Nephritis, Nephrotic Syndrome & Nephrosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Rate	Age Adj Rate
KENTUCKY	1,677	42.6	37.9	1,496	38.0	25.4	1,067	27.1	20.8	525	13.3	11.5	521	13.2	9.5
DISTRICT 11	109	65.9	61.6	45	27.2	21.4	51	30.8	25.8	17	10.3	8.7	21	12.7	11.3
FLOYD	23	53.1	50.8	13	30.0	20.6	14	32.3	26.5	5	11.5	9.8	10	23.1	21.9
JOHNSON	15	62.4	49.3	5	20.8	14.2	9	37.5	27.7	2	8.3	7.2	4	16.7	12.6
MAGOFFIN	16	115.7	113.3	4	28.9	27.3	3	21.7	20.7	4	28.9	27.5	3	21.7	23.9
MARTIN	13	107.3	106.8	4	33.0	35.6	2	16.5	16.0	0	0.0	0.0	0	0.0	0.0
PIKE	42	58.2	52.4	19	26.3	21.4	23	31.9	26.8	6	8.3	6.4	4	5.5	4.2
DISTRICT 12	83	66.3	61.7	42	33.5	25.3	31	24.8	21.6	25	20.0	18.0	17	13.6	10.8
BREATHITT	11	70.2	61.8	5	31.9	27.7	2	12.8	9.4	6	38.3	33.7	6	38.3	29.4
KNOTT	14	77.8	70.2	5	27.8	21.6	3	16.7	16.8	2	11.1	12.4	2	11.1	8.8
LEE	7	87.4	92.8	3	37.4	28.0	2	25.0	19.8	3	37.4	32.2	2	25.0	12.9
LESLIE	15	110.5	104.3	4	29.5	22.5	4	29.5	25.7	3	22.1	19.1	0	0.0	0.0
LETCHER	15	57.3	53.7	12	45.8	34.6	14	53.4	45.0	4	15.3	13.4	5	19.1	15.1
OWSLEY	3	55.5	48.6	3	55.5	36.1	0	0.0	0.0	1	18.5	17.5	1	18.5	16.8
PERRY	15	48.3	44.4	7	22.6	16.0	6	19.3	16.8	2	6.4	5.8	1	3.2	3.5
WOLFE	3	40.8	44.3	3	40.8	30.4	0	0.0	0.0	4	54.4	50.1	0	0.0	0.0
DISTRICT 13	145	61.9	56.5	94	40.1	27.8	72	30.7	25.1	22	9.4	8.1	35	14.9	11.1
BELL	17	58.4	47.6	11	37.8	25.3	16	54.9	46.8	1	3.4	2.8	5	17.2	11.4
CLAY	16	70.2	69.9	11	48.3	38.5	3	13.2	13.6	0	0.0	0.0	3	13.2	11.5
HARLAN	22	62.9	61.6	11	31.5	23.1	15	42.9	35.5	4	11.4	9.1	6	17.2	11.4
JACKSON	8	62.0	52.3	7	54.2	36.0	4	31.0	23.9	4	31.0	27.9	5	38.7	25.2
KNOX	29	90.9	84.3	11	34.5	22.8	12	37.6	29.5	3	9.4	8.3	7	21.9	16.1
LAUREL	27	53.2	47.1	18	35.5	26.4	3	5.9	5.6	6	11.8	10.9	4	7.9	5.9
ROCKCASTLE	12	75.3	64.0	11	69.0	42.7	5	31.4	22.2	2	12.5	9.6	2	12.5	8.7
WHITLEY	14	39.0	38.1	14	39.0	24.6	14	39.0	26.8	2	5.6	5.0	3	8.4	9.2

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Unintentional Injuries			Pneumonia and Influenza			Diabetes Mellitus			Suicide			Nephritis, Nephrotic Syndrome & Nephrosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Rate	Age Adj Rate
KENTUCKY	1,677	42.6	37.9	1,496	38.0	25.4	1,067	27.1	20.8	525	13.3	11.5	521	13.2	9.5
DISTRICT 14	125	66.1	58.6	89	47.0	27.8	47	24.8	15.9	33	17.4	15.4	21	11.1	6.9
ADAIR	12	73.0	64.8	8	48.7	25.3	1	6.1	2.9	2	12.2	11.7	0	0.0	0.0
CASEY	16	108.4	92.6	7	47.4	26.9	2	13.5	9.3	5	33.9	34.2	0	0.0	0.0
CLINTON	6	64.3	64.5	7	75.0	37.2	2	21.4	14.4	1	10.7	8.3	0	0.0	0.0
CUMBERLAND	5	73.4	53.6	5	73.4	35.2	1	14.7	9.9	1	14.7	9.9	3	44.0	16.5
GREEN	7	65.9	41.3	4	37.6	19.1	4	37.6	17.9	1	9.4	7.5	1	9.4	6.3
MCCREARY	13	78.1	69.9	3	18.0	16.5	5	30.0	26.5	1	6.0	4.4	3	18.0	16.9
PULASKI	27	48.0	50.1	23	40.9	24.7	12	21.3	13.2	12	21.3	17.4	8	14.2	9.3
RUSSELL	9	55.5	52.9	12	74.0	38.7	7	43.2	26.6	1	6.2	4.8	2	12.3	7.7
TAYLOR	14	61.0	47.3	12	52.3	30.8	6	26.2	17.4	8	34.9	34.3	3	13.1	6.7
WAYNE	16	83.8	68.5	8	41.9	29.7	7	36.6	26.8	1	5.2	2.7	1	5.2	3.5
DISTRICT 15	275	42.2	37.9	235	36.1	25.9	141	21.6	17.8	101	15.5	13.4	78	12.0	9.7
ANDERSON	14	75.4	77.4	7	37.7	26.8	3	16.2	13.2	3	16.2	12.1	4	21.5	16.3
BOURBON	11	56.8	49.5	5	25.8	16.5	7	36.2	27.4	1	5.2	3.4	4	20.7	15.3
BOYLE	6	22.1	19.0	12	44.1	24.0	4	14.7	8.1	3	11.0	10.9	1	3.7	2.8
CLARK	14	43.8	43.8	12	37.5	25.5	3	9.4	6.7	7	21.9	18.2	3	9.4	7.3
ESTILL	6	38.5	37.2	7	44.9	27.4	5	32.1	17.8	4	25.7	20.4	0	0.0	0.0
FAYETTE	79	32.7	29.2	70	29.0	21.8	65	26.9	24.8	39	16.1	14.2	26	10.8	9.9
FRANKLIN	16	34.5	30.3	17	36.6	25.8	12	25.8	20.8	8	17.2	13.6	8	17.2	13.0
GARRARD	7	50.4	48.9	10	72.0	33.2	5	36.0	19.9	2	14.4	12.6	2	14.4	10.5
HARRISON	9	51.3	46.9	10	57.0	34.0	2	11.4	8.2	1	5.7	5.4	3	17.1	7.9
JESSAMINE	22	60.2	57.2	7	19.2	17.6	5	13.7	14.5	7	19.2	20.7	2	5.5	5.9
LINCOLN	11	49.2	39.9	15	67.1	43.3	5	22.4	15.3	3	13.4	12.3	3	13.4	9.8
MADISON	24	36.1	32.0	33	49.6	41.5	10	15.0	12.0	7	10.5	10.3	12	18.0	15.5
MERCER	14	67.6	47.9	4	19.3	9.9	3	14.5	9.6	5	24.2	21.4	3	14.5	6.9
NICHOLAS	6	85.9	59.4	8	114.5	59.1	1	14.3	5.9	1	14.3	10.6	1	14.3	8.6
POWELL	8	61.9	65.5	3	23.2	27.0	1	7.7	10.3	6	46.4	41.9	0	0.0	0.0
SCOTT	14	45.6	44.8	9	29.3	24.3	3	9.8	10.1	4	13.0	11.4	2	6.5	7.2
WOODFORD	14	61.3	52.3	6	26.3	20.9	7	30.6	27.2	0	0.0	0.0	4	17.5	14.2

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Septicemia			Diseases of Arteries, Arterioles & Capillaries			Alzheimer's Disease			Chronic Liver Disease and Cirrhosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	487	12.4	9.2	445	11.3	8.6	426	10.8	6.8	317	8.1	6.9
DISTRICT 01	28	14.7	8.1	18	9.4	5.8	22	11.5	5.2	22	11.5	8.8
BALLARD	1	11.8	9.2	1	11.8	5.8	0	0.0	0.0	0	0.0	0.0
CALLOWAY	6	17.9	9.7	1	3.0	1.7	5	14.9	6.5	0	0.0	0.0
CARLISLE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	18.8	15.5
FULTON	1	13.3	6.2	0	0.0	0.0	0	0.0	0.0	1	13.3	12.0
GRAVES	3	8.4	4.4	4	11.2	6.4	6	16.7	8.4	8	22.3	16.0
HICKMAN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
MCCRACKEN	11	17.1	9.7	5	7.8	5.5	8	12.4	5.9	9	14.0	10.9
MARSHALL	6	19.8	11.0	7	23.1	13.5	3	9.9	4.2	3	9.9	7.2
DISTRICT 02	29	13.5	8.3	23	10.7	7.4	31	14.4	8.3	10	4.7	3.9
CALDWELL	5	37.6	23.4	0	0.0	0.0	4	30.1	13.8	4	30.1	20.0
CHRISTIAN	7	9.7	8.1	3	4.1	2.9	4	5.5	4.0	3	4.1	4.7
CRITTENDEN	0	0.0	0.0	1	10.5	3.7	2	20.9	9.4	0	0.0	0.0
HOPKINS	5	10.8	5.2	9	19.4	13.4	4	8.6	3.4	1	2.2	1.5
LIVINGSTON	3	31.8	17.5	2	21.2	11.9	0	0.0	0.0	1	10.6	7.7
LYON	1	12.4	6.1	1	12.4	10.3	2	24.9	12.7	0	0.0	0.0
MUHLENBERG	5	15.5	8.1	4	12.4	7.3	9	28.0	16.0	1	3.1	2.4
TODD	2	17.8	11.1	1	8.9	6.9	2	17.8	11.1	0	0.0	0.0
TRIGG	1	8.1	6.1	2	16.1	10.3	4	32.3	16.4	0	0.0	0.0
DISTRICT 03	21	10.2	7.5	19	9.2	6.7	37	17.9	10.8	14	6.8	4.8
DAVISS	9	9.9	7.3	5	5.5	3.8	16	17.6	10.8	6	6.6	4.8
HANCOCK	1	11.2	10.9	0	0.0	0.0	0	0.0	0.0	1	11.2	10.9
HENDERSON	6	13.5	10.5	5	11.2	8.7	6	13.5	9.3	1	2.2	1.6
MCLEAN	1	10.2	4.5	2	20.4	10.5	0	0.0	0.0	1	10.2	5.9
OHIO	2	9.1	5.6	2	9.1	7.5	6	27.3	15.6	2	9.1	5.5
UNION	1	6.0	5.4	1	6.0	6.8	5	30.2	17.6	2	12.1	9.5
WEBSTER	1	7.4	6.6	4	29.7	19.1	4	29.7	10.8	1	7.4	6.0

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Septicemia			Diseases of Arteries, Arterioles & Capillaries			Alzheimer's Disease			Chronic Liver Disease and Cirrhosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	487	12.4	9.2	445	11.3	8.6	426	10.8	6.8	317	8.1	6.9
DISTRICT 04	33	13.5	8.5	17	7.0	5.1	26	10.7	6.2	19	7.8	6.5
ALLEN	1	6.0	3.4	1	6.0	3.6	2	12.1	6.7	1	6.0	5.3
BARREN	5	13.5	7.0	3	8.1	5.1	5	13.5	6.2	1	2.7	2.2
BUTLER	3	25.2	16.6	0	0.0	0.0	1	8.4	4.2	0	0.0	0.0
EDMONSON	0	0.0	0.0	1	8.8	5.3	1	8.8	7.0	1	8.8	6.9
HART	2	12.0	9.2	3	17.9	12.6	4	23.9	14.5	1	6.0	5.3
LOGAN	2	7.6	4.1	2	7.6	5.7	0	0.0	0.0	3	11.5	8.1
METCALFE	2	20.9	13.0	3	31.4	22.6	0	0.0	0.0	1	10.5	8.4
MONROE	2	17.9	7.6	2	17.9	11.3	2	17.9	8.0	2	17.9	16.1
SIMPSON	2	12.2	9.6	1	6.1	5.6	1	6.1	4.1	2	12.2	12.4
WARREN	14	16.0	11.0	1	1.1	0.9	10	11.5	8.2	7	8.0	7.0
DISTRICT 05	23	9.6	8.2	16	6.7	6.1	15	6.3	4.6	11	4.6	4.2
BRECKINRIDGE	2	11.5	7.2	1	5.7	5.2	1	5.7	3.2	0	0.0	0.0
GRAYSON	1	4.2	3.4	4	16.8	13.4	3	12.6	8.4	2	8.4	7.1
HARDIN	8	8.7	8.8	3	3.3	3.4	2	2.2	1.7	5	5.5	5.7
LARUE	2	15.3	8.6	1	7.7	2.8	1	7.7	2.8	1	7.7	5.8
MARION	4	23.5	17.1	4	23.5	17.9	0	0.0	0.0	1	5.9	5.4
MEADE	3	10.4	13.6	1	3.5	4.8	2	6.9	7.7	0	0.0	0.0
NELSON	2	5.6	3.6	1	2.8	2.4	6	16.7	12.8	2	5.6	4.2
WASHINGTON	1	9.2	6.9	1	9.2	6.9	0	0.0	0.0	0	0.0	0.0
DISTRICT 06	120	14.3	10.5	99	11.8	8.5	89	10.6	6.6	73	8.7	7.2
BULLITT	8	13.5	15.3	5	8.4	10.2	1	1.7	2.4	1	1.7	1.1
HENRY	3	20.3	13.7	3	20.3	16.4	3	20.3	13.7	1	6.8	5.1
JEFFERSON	100	14.9	10.3	81	12.1	8.1	75	11.2	6.3	66	9.8	7.9
OLDHAM	3	6.8	9.3	2	4.5	4.5	4	9.0	10.9	2	4.5	7.2
SHELBY	4	13.5	9.5	5	16.9	11.9	3	10.1	5.9	3	10.1	9.1
SPENCER	0	0.0	0.0	2	20.7	17.8	1	10.3	8.9	0	0.0	0.0
TRIMBLE	2	26.2	25.8	1	13.1	13.2	2	26.2	26.4	0	0.0	0.0

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Septicemia			Diseases of Arteries, Arterioles & Capillaries			Alzheimer's Disease			Chronic Liver Disease and Cirrhosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	487	12.4	9.2	445	11.3	8.6	426	10.8	6.8	317	8.1	6.9
DISTRICT 07	36	9.6	7.7	53	14.1	11.9	33	8.8	6.3	29	7.7	7.3
BOONE	2	2.5	2.5	8	10.0	10.9	8	10.0	10.5	3	3.8	4.6
CAMPBELL	3	3.4	2.7	16	18.3	14.2	9	10.3	6.2	13	14.9	12.4
CARROLL	2	20.8	14.5	0	0.0	0.0	4	41.7	27.3	1	10.4	9.8
GALLATIN	1	13.9	11.5	0	0.0	0.0	1	13.9	7.2	0	0.0	0.0
GRANT	2	9.8	9.0	2	9.8	7.7	0	0.0	0.0	1	4.9	4.1
KENTON	18	12.3	9.3	23	15.7	12.3	11	7.5	4.8	9	6.1	6.0
OWEN	8	78.0	56.2	1	9.8	8.4	0	0.0	0.0	0	0.0	0.0
PENDLETON	0	0.0	0.0	3	21.9	22.1	0	0.0	0.0	2	14.6	13.5
DISTRICT 08	7	12.8	7.7	9	16.5	12.0	12	21.9	10.3	6	11.0	8.8
BRACKEN	1	11.8	4.9	1	11.8	7.0	2	23.7	9.8	0	0.0	0.0
FLEMING	3	22.3	8.8	2	14.9	12.8	1	7.4	2.9	0	0.0	0.0
LEWIS	2	14.7	13.1	2	14.7	12.3	1	7.4	5.1	3	22.1	18.2
MASON	0	0.0	0.0	3	17.6	10.4	7	41.1	18.7	3	17.6	14.7
ROBERTSON	1	45.3	40.7	1	45.3	40.7	1	45.3	15.8	0	0.0	0.0
DISTRICT 09	9	12.3	10.6	7	9.6	7.9	8	11.0	7.6	6	8.2	7.2
BATH	3	28.4	22.1	2	18.9	13.3	0	0.0	0.0	1	9.5	8.1
MENIFEE	0	0.0	0.0	0	0.0	0.0	1	17.4	13.4	1	17.4	17.4
MONTGOMERY	4	19.1	16.5	0	0.0	0.0	2	9.6	6.4	1	4.8	3.2
MORGAN	0	0.0	0.0	2	14.8	12.1	2	14.8	12.5	1	7.4	6.5
ROWAN	2	9.0	6.7	3	13.5	13.6	3	13.5	9.3	2	9.0	9.4
DISTRICT 10	31	22.9	16.9	18	13.3	9.1	8	5.9	3.5	9	6.6	5.0
BOYD	14	28.3	19.2	6	12.1	7.6	4	8.1	4.5	3	6.1	4.5
CARTER	3	11.2	9.8	2	7.5	4.7	0	0.0	0.0	4	14.9	11.8
ELLIOTT	2	30.3	30.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
GREENUP	11	29.8	20.7	6	16.3	10.5	3	8.1	4.6	0	0.0	0.0
LAWRENCE	1	6.4	5.9	4	25.6	22.4	1	6.4	4.4	2	12.8	9.8

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Septicemia			Diseases of Arteries, Arterioles & Capillaries			Alzheimer's Disease			Chronic Liver Disease and Cirrhosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	487	12.4	9.2	445	11.3	8.6	426	10.8	6.8	317	8.1	6.9
DISTRICT 11	21	12.7	10.7	25	15.1	13.3	12	7.3	5.8	17	10.3	9.8
FLOYD	5	11.5	9.9	8	18.5	15.3	2	4.6	3.3	3	6.9	6.4
JOHNSON	1	4.2	4.3	7	29.1	24.0	2	8.3	5.9	3	12.5	11.1
MAGOFFIN	0	0.0	0.0	0	0.0	0.0	3	21.7	20.7	1	7.2	6.7
MARTIN	1	8.3	6.0	4	33.0	33.0	1	8.3	6.0	2	16.5	18.6
PIKE	14	19.4	15.9	6	8.3	7.2	4	5.5	4.6	8	11.1	10.3
DISTRICT 12	19	15.2	12.3	14	11.2	9.8	15	12.0	8.6	17	13.6	11.9
BREATHITT	3	19.2	16.7	3	19.2	17.0	2	12.8	9.9	3	19.2	18.0
KNOTT	3	16.7	12.8	0	0.0	0.0	1	5.6	6.0	0	0.0	0.0
LEE	0	0.0	0.0	1	12.5	4.7	0	0.0	0.0	1	12.5	4.7
LESLIE	2	14.7	12.8	2	14.7	12.8	0	0.0	0.0	2	14.7	13.4
LETCHER	2	7.6	5.1	5	19.1	16.7	0	0.0	0.0	2	7.6	6.7
OWSLEY	2	37.0	34.3	3	55.5	44.8	2	37.0	14.9	2	37.0	31.3
PERRY	5	16.1	12.3	0	0.0	0.0	4	12.9	10.1	6	19.3	17.5
WOLFE	2	27.2	22.6	0	0.0	0.0	6	81.5	60.8	1	13.6	11.6
DISTRICT 13	32	13.7	11.0	26	11.1	9.0	26	11.1	7.4	27	11.5	10.3
BELL	5	17.2	14.6	3	10.3	6.3	1	3.4	2.8	4	13.7	12.6
CLAY	2	8.8	8.7	4	17.6	16.4	2	8.8	6.5	0	0.0	0.0
HARLAN	7	20.0	14.8	3	8.6	6.0	3	8.6	5.5	12	34.3	28.2
JACKSON	1	7.7	7.4	1	7.7	5.7	1	7.7	7.4	2	15.5	14.4
KNOX	6	18.8	14.6	5	15.7	15.4	3	9.4	5.7	0	0.0	0.0
LAUREL	3	5.9	4.8	5	9.9	9.3	5	9.9	7.6	2	3.9	3.4
ROCKCASTLE	2	12.5	10.0	0	0.0	0.0	5	31.4	17.1	2	12.5	11.9
WHITLEY	6	16.7	13.1	5	13.9	10.3	6	16.7	10.1	5	13.9	12.5

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Septicemia			Diseases of Arteries, Arterioles & Capillaries			Alzheimer's Disease			Chronic Liver Disease and Cirrhosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	487	12.4	9.2	445	11.3	8.6	426	10.8	6.8	317	8.1	6.9
DISTRICT 14	24	12.7	8.8	22	11.6	7.4	17	9.0	5.2	16	8.5	7.0
ADAIR	3	18.3	13.3	1	6.1	4.8	0	0.0	0.0	1	6.1	3.5
CASEY	4	27.1	18.2	0	0.0	0.0	1	6.8	3.4	1	6.8	5.5
CLINTON	0	0.0	0.0	0	0.0	0.0	1	10.7	4.2	1	10.7	8.3
CUMBERLAND	0	0.0	0.0	0	0.0	0.0	1	14.7	5.5	0	0.0	0.0
GREEN	0	0.0	0.0	1	9.4	4.3	1	9.4	4.3	2	18.8	14.2
MCCREARY	1	6.0	6.5	4	24.0	25.9	1	6.0	4.8	1	6.0	6.4
PULASKI	12	21.3	14.1	5	8.9	5.7	8	14.2	8.6	5	8.9	7.7
RUSSELL	0	0.0	0.0	3	18.5	8.6	0	0.0	0.0	2	12.3	7.7
TAYLOR	2	8.7	7.1	8	34.9	21.3	3	13.1	8.8	3	13.1	11.8
WAYNE	2	10.5	8.8	0	0.0	0.0	1	5.2	2.7	0	0.0	0.0
DISTRICT 15	54	8.3	6.8	79	12.1	10.1	75	11.5	7.9	41	6.3	5.5
ANDERSON	2	10.8	10.1	1	5.4	4.2	5	26.9	17.8	0	0.0	0.0
BOURBON	0	0.0	0.0	1	5.2	2.6	2	10.3	6.8	0	0.0	0.0
BOYLE	0	0.0	0.0	2	7.4	3.8	13	47.8	25.4	1	3.7	2.2
CLARK	1	3.1	3.1	5	15.6	10.1	7	21.9	13.7	3	9.4	7.6
ESTILL	0	0.0	0.0	1	6.4	2.3	2	12.8	8.3	1	6.4	5.9
FAYETTE	18	7.4	6.9	27	11.2	10.0	27	11.2	8.0	17	7.0	6.1
FRANKLIN	5	10.8	7.4	9	19.4	16.5	3	6.5	4.4	3	6.5	5.0
GARRARD	2	14.4	7.6	4	28.8	15.2	0	0.0	0.0	0	0.0	0.0
HARRISON	0	0.0	0.0	2	11.4	6.6	1	5.7	2.3	1	5.7	4.8
JESSAMINE	2	5.5	6.1	6	16.4	17.2	4	10.9	9.2	5	13.7	13.7
LINCOLN	1	4.5	3.0	3	13.4	9.0	0	0.0	0.0	1	4.5	3.8
MADISON	11	16.5	13.1	7	10.5	10.6	6	9.0	6.6	6	9.0	9.5
MERCER	2	9.7	7.5	2	9.7	6.7	3	14.5	8.8	1	4.8	4.3
NICHOLAS	0	0.0	0.0	1	14.3	5.9	0	0.0	0.0	0	0.0	0.0
POWELL	3	23.2	24.2	1	7.7	8.4	1	7.7	6.4	0	0.0	0.0
SCOTT	3	9.8	8.7	4	13.0	15.3	0	0.0	0.0	1	3.3	2.8
WOODFORD	4	17.5	16.4	3	13.1	14.3	1	4.4	3.7	1	4.4	3.7

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Hernia & Intestinal Obstruction			Homicide & Legal Intervention			Symptoms, Signs & Ill- Defined Conditions			Certain Conditions Orig. In Perinatal Period		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	279	7.1	5.2	266	6.8	6.2	229	5.8	5.0	203	5.2	6.7
DISTRICT 01	11	5.8	4.2	8	4.2	4.0	7	3.7	2.4	14	7.3	11.2
BALLARD	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	23.6	45.1
CALLOWAY	2	6.0	4.0	1	3.0	1.7	0	0.0	0.0	3	9.0	14.6
CARLISLE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
FULTON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
GRAVES	2	5.6	6.5	1	2.8	2.8	2	5.6	1.9	2	5.6	8.3
HICKMAN	0	0.0	0.0	1	19.1	29.4	0	0.0	0.0	0	0.0	0.0
MCCRACKEN	6	9.3	5.9	5	7.8	7.8	4	6.2	5.1	2	3.1	4.5
MARSHALL	1	3.3	2.5	0	0.0	0.0	1	3.3	1.7	5	16.5	24.8
DISTRICT 02	12	5.6	3.9	10	4.7	4.3	27	12.6	10.0	11	5.1	6.2
CALDWELL	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	15.0	20.1
CHRISTIAN	2	2.8	3.0	5	6.9	7.2	14	19.3	16.1	4	5.5	5.2
CRITTENDEN	1	10.5	5.7	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
HOPKINS	2	4.3	3.4	3	6.5	6.4	6	12.9	11.4	2	4.3	6.0
LIVINGSTON	0	0.0	0.0	1	10.6	7.6	0	0.0	0.0	0	0.0	0.0
LYON	1	12.4	10.3	0	0.0	0.0	1	12.4	4.6	0	0.0	0.0
MUHLENBERG	3	9.3	5.6	0	0.0	0.0	2	6.2	6.8	2	6.2	9.1
TODD	2	17.8	7.7	0	0.0	0.0	4	35.7	19.7	0	0.0	0.0
TRIGG	1	8.1	4.3	1	8.1	6.4	0	0.0	0.0	1	8.1	13.3
DISTRICT 03	11	5.3	3.9	9	4.4	4.4	10	4.8	4.2	7	3.4	4.5
DAVISS	6	6.6	4.5	3	3.3	3.2	3	3.3	3.5	5	5.5	6.9
HANCOCK	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
HENDERSON	1	2.2	1.9	0	0.0	0.0	4	9.0	7.2	2	4.5	5.8
MCLEAN	0	0.0	0.0	1	10.2	14.9	0	0.0	0.0	0	0.0	0.0
OHIO	2	9.1	7.5	3	13.6	14.3	2	9.1	7.9	0	0.0	0.0
UNION	0	0.0	0.0	2	12.1	12.9	0	0.0	0.0	0	0.0	0.0
WEBSTER	2	14.9	8.5	0	0.0	0.0	1	7.4	2.2	0	0.0	0.0

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Hernia & Intestinal Obstruction			Homicide & Legal Intervention			Symptoms, Signs & Ill- Defined Conditions			Certain Conditions Orig. In Perinatal Period		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	279	7.1	5.2	266	6.8	6.2	229	5.8	5.0	203	5.2	6.7
DISTRICT 04	18	7.4	4.7	12	4.9	4.7	15	6.1	5.6	11	4.5	6.1
ALLEN	1	6.0	3.4	0	0.0	0.0	1	6.0	4.8	3	18.1	24.0
BARREN	5	13.5	7.3	3	8.1	10.0	2	5.4	5.1	0	0.0	0.0
BUTLER	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	8.4	12.1
EDMONSON	1	8.8	7.0	0	0.0	0.0	1	8.8	11.0	0	0.0	0.0
HART	2	12.0	7.8	1	6.0	4.8	2	12.0	10.5	0	0.0	0.0
LOGAN	4	15.3	9.9	1	3.8	3.0	0	0.0	0.0	2	7.6	10.4
METCALFE	0	0.0	0.0	3	31.4	30.8	0	0.0	0.0	0	0.0	0.0
MONROE	0	0.0	0.0	1	8.9	7.0	1	8.9	8.1	0	0.0	0.0
SIMPSON	0	0.0	0.0	0	0.0	0.0	1	6.1	6.9	1	6.1	6.9
WARREN	5	5.7	3.8	3	3.4	3.1	7	8.0	6.1	4	4.6	6.2
DISTRICT 05	15	6.3	5.4	14	5.9	5.8	7	2.9	2.5	14	5.9	6.5
BRECKINRIDGE	1	5.7	4.2	2	11.5	13.2	0	0.0	0.0	0	0.0	0.0
GRAYSON	3	12.6	8.0	2	8.4	6.6	1	4.2	3.4	0	0.0	0.0
HARDIN	2	2.2	2.3	3	3.3	3.4	1	1.1	0.9	8	8.7	8.5
LARUE	1	7.7	6.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
MARION	3	17.6	11.0	3	17.6	15.8	3	17.6	11.2	2	11.8	15.7
MEADE	4	13.9	15.7	0	0.0	0.0	2	6.9	7.7	1	3.5	3.0
NELSON	1	2.8	3.1	1	2.8	3.5	0	0.0	0.0	3	8.4	9.6
WASHINGTON	0	0.0	0.0	3	27.5	27.7	0	0.0	0.0	0	0.0	0.0
DISTRICT 06	53	6.3	4.6	63	7.5	7.1	55	6.6	5.3	36	4.3	5.6
BULLITT	2	3.4	3.6	4	6.7	6.1	0	0.0	0.0	1	1.7	2.1
HENRY	1	6.8	5.0	1	6.8	6.3	2	13.6	14.4	0	0.0	0.0
JEFFERSON	43	6.4	4.4	55	8.2	7.8	51	7.6	5.8	34	5.1	6.6
OLDHAM	1	2.3	3.6	1	2.3	1.6	0	0.0	0.0	0	0.0	0.0
SHELBY	4	13.5	7.6	1	3.4	2.2	0	0.0	0.0	1	3.4	4.6
SPENCER	1	10.3	9.4	0	0.0	0.0	2	20.7	21.3	0	0.0	0.0
TRIMBLE	1	13.1	7.1	1	13.1	12.5	0	0.0	0.0	0	0.0	0.0

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Hernia & Intestinal Obstruction			Homicide & Legal Intervention			Symptoms, Signs & Ill- Defined Conditions			Certain Conditions Orig. In Perinatal Period		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	279	7.1	5.2	266	6.8	6.2	229	5.8	5.0	203	5.2	6.7
DISTRICT 07	23	6.1	4.9	16	4.3	4.0	14	3.7	3.4	20	5.3	5.9
BOONE	3	3.8	3.1	2	2.5	2.1	2	2.5	2.0	6	7.5	8.0
CAMPBELL	8	9.2	6.4	5	5.7	6.0	2	2.3	2.1	3	3.4	3.9
CARROLL	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
GALLATIN	1	13.9	11.1	0	0.0	0.0	0	0.0	0.0	1	13.9	17.0
GRANT	2	9.8	9.3	0	0.0	0.0	0	0.0	0.0	2	9.8	11.8
KENTON	8	5.5	4.5	7	4.8	3.7	8	5.5	5.0	6	4.1	4.4
OWEN	1	9.8	4.2	2	19.5	19.4	1	9.8	12.6	0	0.0	0.0
PENDLETON	0	0.0	0.0	0	0.0	0.0	1	7.3	7.5	2	14.6	14.9
DISTRICT 08	5	9.1	6.1	1	1.8	2.3	2	3.7	1.5	5	9.1	12.6
BRACKEN	2	23.7	17.1	1	11.8	15.0	1	11.8	4.9	2	23.7	30.1
FLEMING	1	7.4	6.2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
LEWIS	2	14.7	8.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
MASON	0	0.0	0.0	0	0.0	0.0	1	5.9	2.4	2	11.8	14.1
ROBERTSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	45.3	74.6
DISTRICT 09	7	9.6	7.3	3	4.1	3.6	3	4.1	3.8	4	5.5	7.4
BATH	2	18.9	8.9	0	0.0	0.0	0	0.0	0.0	1	9.5	11.8
MENIFEE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
MONTGOMERY	2	9.6	7.3	1	4.8	4.6	2	9.6	8.1	1	4.8	6.6
MORGAN	2	14.8	12.5	1	7.4	4.9	0	0.0	0.0	1	7.4	10.4
ROWAN	1	4.5	4.0	1	4.5	4.5	1	4.5	6.1	1	4.5	6.1
DISTRICT 10	16	11.8	7.6	7	5.2	5.1	12	8.9	8.3	10	7.4	11.3
BOYD	6	12.1	6.6	0	0.0	0.0	8	16.1	14.6	3	6.1	9.8
CARTER	5	18.6	13.5	3	11.2	10.9	1	3.7	2.1	4	14.9	21.0
ELLIOTT	1	15.1	11.0	2	30.3	27.5	0	0.0	0.0	0	0.0	0.0
GREENUP	2	5.4	3.9	0	0.0	0.0	3	8.1	8.8	3	8.1	13.4
LAWRENCE	2	12.8	8.9	2	12.8	12.4	0	0.0	0.0	0	0.0	0.0

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Hernia & Intestinal Obstruction			Homicide & Legal Intervention			Symptoms, Signs & Ill- Defined Conditions			Certain Conditions Orig. In Perinatal Period		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	279	7.1	5.2	266	6.8	6.2	229	5.8	5.0	203	5.2	6.7
DISTRICT 11	14	8.5	6.7	18	10.9	9.3	7	4.2	4.5	4	2.4	3.3
FLOYD	5	11.5	8.0	4	9.2	7.9	3	6.9	6.8	0	0.0	0.0
JOHNSON	3	12.5	8.7	4	16.7	12.5	1	4.2	3.8	2	8.3	13.2
MAGOFFIN	1	7.2	8.4	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
MARTIN	1	8.3	8.2	1	8.3	7.2	1	8.3	8.7	1	8.3	9.5
PIKE	4	5.5	4.5	9	12.5	10.9	2	2.8	3.4	1	1.4	2.0
DISTRICT 12	14	11.2	9.5	4	3.2	2.8	10	8.0	8.0	8	6.4	8.8
BREATHITT	3	19.2	15.0	2	12.8	14.1	1	6.4	6.5	1	6.4	7.7
KNOTT	0	0.0	0.0	0	0.0	0.0	1	5.6	7.7	2	11.1	15.4
LEE	1	12.5	8.2	0	0.0	0.0	1	12.5	8.2	0	0.0	0.0
LESLIE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	7.4	8.9
LETCHER	5	19.1	16.7	2	7.6	5.1	2	7.6	9.0	1	3.8	5.6
OWSLEY	0	0.0	0.0	0	0.0	0.0	1	18.5	11.2	0	0.0	0.0
PERRY	3	9.7	7.9	0	0.0	0.0	4	12.9	11.8	3	9.7	14.5
WOLFE	2	27.2	27.5	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
DISTRICT 13	13	5.5	4.2	44	18.8	16.7	11	4.7	4.4	12	5.1	6.7
BELL	1	3.4	3.5	6	20.6	17.5	3	10.3	13.2	2	6.9	9.8
CLAY	1	4.4	5.0	5	21.9	20.5	0	0.0	0.0	5	21.9	27.5
HARLAN	2	5.7	4.4	1	2.9	2.8	0	0.0	0.0	1	2.9	3.9
JACKSON	0	0.0	0.0	7	54.2	47.5	0	0.0	0.0	0	0.0	0.0
KNOX	0	0.0	0.0	8	25.1	21.5	1	3.1	3.8	2	6.3	7.6
LAUREL	5	9.9	6.8	4	7.9	6.8	2	3.9	2.3	0	0.0	0.0
ROCKCASTLE	0	0.0	0.0	2	12.5	10.0	1	6.3	4.8	0	0.0	0.0
WHITLEY	4	11.1	7.7	11	30.6	28.8	4	11.1	9.2	2	5.6	7.0

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Hernia & Intestinal Obstruction			Homicide & Legal Intervention			Symptoms, Signs & Ill- Defined Conditions			Certain Conditions Orig. In Perinatal Period		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	279	7.1	5.2	266	6.8	6.2	229	5.8	5.0	203	5.2	6.7
DISTRICT 14	13	6.9	4.8	15	7.9	7.3	16	8.5	6.2	9	4.8	6.9
ADAIR	1	6.1	3.5	1	6.1	4.8	3	18.3	15.9	0	0.0	0.0
CASEY	1	6.8	8.7	1	6.8	5.1	1	6.8	3.8	1	6.8	9.2
CLINTON	3	32.1	18.1	0	0.0	0.0	1	10.7	6.1	0	0.0	0.0
CUMBERLAND	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	14.7	18.1
GREEN	0	0.0	0.0	0	0.0	0.0	1	9.4	4.3	1	9.4	17.5
MCCREARY	3	18.0	19.8	5	30.0	29.0	0	0.0	0.0	1	6.0	6.7
PULASKI	3	5.3	2.6	3	5.3	4.2	8	14.2	11.0	1	1.8	2.6
RUSSELL	0	0.0	0.0	2	12.3	14.7	0	0.0	0.0	1	6.2	9.7
TAYLOR	1	4.4	2.7	2	8.7	9.2	1	4.4	2.0	2	8.7	14.1
WAYNE	1	5.2	2.7	1	5.2	3.9	1	5.2	3.5	1	5.2	7.0
DISTRICT 15	54	8.3	6.8	42	6.4	5.6	33	5.1	4.5	38	5.8	7.7
ANDERSON	1	5.4	4.2	1	5.4	3.5	0	0.0	0.0	1	5.4	6.5
BOURBON	2	10.3	8.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
BOYLE	1	3.7	2.2	0	0.0	0.0	0	0.0	0.0	1	3.7	5.8
CLARK	4	12.5	7.9	2	6.3	5.0	0	0.0	0.0	5	15.6	21.7
ESTILL	4	25.7	22.6	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
FAYETTE	16	6.6	5.5	24	9.9	8.7	13	5.4	4.7	11	4.6	5.7
FRANKLIN	5	10.8	8.2	0	0.0	0.0	5	10.8	10.2	3	6.5	9.8
GARRARD	0	0.0	0.0	1	7.2	5.3	0	0.0	0.0	1	7.2	11.1
HARRISON	1	5.7	2.3	2	11.4	12.8	3	17.1	11.0	1	5.7	7.7
JESSAMINE	2	5.5	6.4	1	2.7	3.3	2	5.5	5.1	6	16.4	19.7
LINCOLN	1	4.5	4.2	1	4.5	4.2	0	0.0	0.0	0	0.0	0.0
MADISON	5	7.5	7.4	4	6.0	4.8	5	7.5	6.8	6	9.0	13.4
MERCER	3	14.5	7.9	1	4.8	3.8	2	9.7	9.2	0	0.0	0.0
NICHOLAS	1	14.3	5.9	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
POWELL	2	15.5	16.0	2	15.5	10.9	1	7.7	7.5	1	7.7	9.1
SCOTT	2	6.5	6.0	2	6.5	5.7	1	3.3	4.3	1	3.3	4.3
WOODFORD	4	17.5	12.9	1	4.4	3.9	1	4.4	4.3	1	4.4	5.3

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Hypertention			Congenital Anomalies			Atherosclerosis			All Other		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Ad Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	172	4.4	3.1	169	4.3	4.9	160	4.1	2.6	4,057	103.1	74.8
DISTRICT 01	8	4.2	2.1	10	5.2	7.1	20	10.5	5.0	208	109.1	62.0
BALLARD	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	9	106.2	63.9
CALLOWAY	2	6.0	4.2	2	6.0	6.6	2	6.0	3.5	37	110.6	65.5
CARLISLE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	4	75.3	51.2
FULTON	1	13.3	3.5	3	39.9	61.3	1	13.3	3.5	11	146.2	73.1
GRAVES	1	2.8	2.2	1	2.8	4.2	2	5.6	3.0	57	159.0	81.3
HICKMAN	0	0.0	0.0	0	0.0	0.0	1	19.1	13.2	6	114.5	37.7
MCCRACKEN	3	4.7	1.9	4	6.2	8.3	14	21.7	10.3	59	91.5	55.3
MARSHALL	1	3.3	1.3	0	0.0	0.0	0	0.0	0.0	25	82.5	46.7
DISTRICT 02	8	3.7	2.2	9	4.2	5.1	9	4.2	2.2	263	122.4	77.2
CALDWELL	0	0.0	0.0	1	7.5	10.0	0	0.0	0.0	27	203.1	103.4
CHRISTIAN	1	1.4	1.1	1	1.4	2.0	5	6.9	4.3	61	84.1	64.2
CRITTENDEN	1	10.5	3.7	1	10.5	5.7	0	0.0	0.0	7	73.2	41.7
HOPKINS	4	8.6	4.8	5	10.8	15.1	2	4.3	2.6	90	194.2	114.7
LIVINGSTON	1	10.6	6.0	0	0.0	0.0	0	0.0	0.0	8	84.8	56.7
LYON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	10	124.3	58.0
MUHLENBERG	0	0.0	0.0	0	0.0	0.0	1	3.1	1.3	34	105.7	66.4
TODD	1	8.9	5.5	0	0.0	0.0	1	8.9	3.8	12	107.0	65.8
TRIGG	0	0.0	0.0	1	8.1	13.5	0	0.0	0.0	14	113.0	60.0
DISTRICT 03	10	4.8	3.1	7	3.4	3.6	11	5.3	3.1	194	94.0	64.5
DAVISS	2	2.2	1.6	4	4.4	5.2	6	6.6	3.8	84	92.2	64.9
HANCOCK	1	11.2	12.7	0	0.0	0.0	0	0.0	0.0	5	56.1	53.4
HENDERSON	1	2.2	1.1	1	2.2	1.1	4	9.0	5.7	32	72.0	52.7
MCLEAN	3	30.5	15.0	2	20.4	21.7	0	0.0	0.0	15	152.7	93.8
OHIO	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	23	104.6	64.3
UNION	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	11	66.4	43.6
WEBSTER	3	22.3	12.4	0	0.0	0.0	1	7.4	4.3	24	178.2	93.2

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Hypertention			Congenital Anomalies			Atherosclerosis			All Other		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Ad Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	172	4.4	3.1	169	4.3	4.9	160	4.1	2.6	4,057	103.1	74.8
DISTRICT 04	10	4.1	2.9	11	4.5	5.4	6	2.5	1.3	254	104.1	69.6
ALLEN	0	0.0	0.0	1	6.0	8.0	0	0.0	0.0	20	120.9	80.1
BARREN	3	8.1	4.9	0	0.0	0.0	1	2.7	1.1	41	110.9	61.8
BUTLER	0	0.0	0.0	1	8.4	11.0	0	0.0	0.0	12	100.8	59.3
EDMONSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	15	132.4	90.5
HART	1	6.0	3.9	1	6.0	5.3	1	6.0	3.5	12	71.8	46.1
LOGAN	1	3.8	2.4	3	11.5	13.3	0	0.0	0.0	31	118.6	71.6
METCALFE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	16	167.5	98.3
MONROE	0	0.0	0.0	1	8.9	12.2	2	17.9	7.6	14	125.1	82.8
SIMPSON	1	6.1	4.1	0	0.0	0.0	0	0.0	0.0	9	55.0	42.5
WARREN	4	4.6	4.1	4	4.6	5.9	2	2.3	1.6	84	96.2	75.4
DISTRICT 05	8	3.4	2.8	9	3.8	4.1	6	2.5	2.0	176	73.8	61.6
BRECKINRIDGE	0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	12	68.7	51.7
GRAYSON	1	4.2	2.4	3	12.6	13.9	0	0.0	0.0	16	67.3	46.5
HARDIN	4	4.4	4.4	3	3.3	3.2	3	3.3	3.3	58	63.4	60.2
LARUE	0	0.0	0.0	1	7.7	11.2	0	0.0	0.0	10	76.6	44.7
MARION	1	5.9	3.7	0	0.0	0.0	0	0.0	0.0	15	88.2	60.2
MEADE	0	0.0	0.0	0	0.0	0.0	2	6.9	7.7	10	34.7	42.9
NELSON	2	5.6	5.0	2	5.6	6.7	1	2.8	1.8	33	92.0	81.6
WASHINGTON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	22	201.7	120.8
DISTRICT 06	44	5.3	3.7	28	3.3	4.0	23	2.7	1.6	932	111.3	79.5
BULLITT	1	1.7	2.3	0	0.0	0.0	0	0.0	0.0	41	69.1	85.4
HENRY	1	6.8	3.8	0	0.0	0.0	0	0.0	0.0	15	101.7	77.9
JEFFERSON	39	5.8	3.9	24	3.6	4.3	19	2.8	1.6	816	121.4	81.6
OLDHAM	1	2.3	3.1	2	4.5	6.2	0	0.0	0.0	22	49.6	60.2
SHELBY	1	3.4	2.6	2	6.8	9.3	4	13.5	6.6	21	71.0	56.4
SPENCER	1	10.3	6.6	0	0.0	0.0	0	0.0	0.0	8	82.8	72.9
TRIMBLE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	9	118.1	93.7

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-
Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Hypertention			Congenital Anomalies			Atherosclerosis			All Other		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Ad Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	172	4.4	3.1	169	4.3	4.9	160	4.1	2.6	4,057	103.1	74.8
DISTRICT 07	16	4.3	3.3	18	4.8	5.0	10	2.7	2.0	357	95.2	76.5
BOONE	1	1.3	1.0	4	5.0	5.7	2	2.5	2.5	72	90.4	90.9
CAMPBELL	9	10.3	6.6	4	4.6	4.5	3	3.4	2.4	98	112.2	75.4
CARROLL	0	0.0	0.0	1	10.4	8.9	0	0.0	0.0	9	93.8	66.5
GALLATIN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	5	69.6	53.5
GRANT	2	9.8	7.8	2	9.8	10.0	2	9.8	7.8	14	68.8	60.7
KENTON	4	2.7	2.4	6	4.1	4.4	3	2.0	1.3	135	92.0	75.3
OWEN	0	0.0	0.0	1	9.8	14.2	0	0.0	0.0	16	156.0	95.1
PENDLETON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	8	58.4	54.5
DISTRICT 08	6	11.0	6.0	3	5.5	6.1	7	12.8	6.8	72	131.7	82.7
BRACKEN	1	11.8	7.0	0	0.0	0.0	0	0.0	0.0	12	142.2	95.0
FLEMING	0	0.0	0.0	1	7.4	11.3	0	0.0	0.0	22	163.7	89.3
LEWIS	1	7.4	5.1	0	0.0	0.0	2	14.7	8.8	15	110.6	75.3
MASON	3	17.6	9.3	2	11.8	10.5	3	17.6	9.3	21	123.4	80.7
ROBERTSON	1	45.3	15.8	0	0.0	0.0	2	90.5	37.8	2	90.5	44.0
DISTRICT 09	4	5.5	4.9	5	6.9	7.9	4	5.5	3.4	79	108.3	82.8
BATH	0	0.0	0.0	1	9.5	12.3	1	9.5	5.2	11	104.1	80.8
MENIFEE	1	17.4	15.7	0	0.0	0.0	1	17.4	10.3	10	174.2	141.7
MONTGOMERY	0	0.0	0.0	2	9.6	9.8	2	9.6	5.4	22	105.1	66.3
MORGAN	0	0.0	0.0	1	7.4	10.3	0	0.0	0.0	13	95.9	79.7
ROWAN	3	13.5	14.6	1	4.5	6.1	0	0.0	0.0	23	103.7	93.2
DISTRICT 10	6	4.4	3.2	8	5.9	6.7	2	1.5	1.1	123	90.8	62.2
BOYD	1	2.0	1.2	4	8.1	9.1	1	2.0	1.4	61	123.1	76.0
CARTER	3	11.2	8.2	1	3.7	2.8	0	0.0	0.0	14	52.2	42.1
ELLIOTT	1	15.1	15.6	1	15.1	18.6	0	0.0	0.0	6	90.9	57.5
GREENUP	0	0.0	0.0	1	2.7	4.5	1	2.7	1.9	24	65.1	41.8
LAWRENCE	1	6.4	5.9	1	6.4	6.1	0	0.0	0.0	18	115.1	94.2

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Hypertention			Congenital Anomalies			Atherosclerosis			All Other		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Ad Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	172	4.4	3.1	169	4.3	4.9	160	4.1	2.6	4,057	103.1	74.8
DISTRICT 11	6	3.6	2.8	6	3.6	4.3	8	4.8	4.0	139	84.0	72.1
FLOYD	2	4.6	2.9	2	4.6	5.9	1	2.3	1.8	37	85.4	73.8
JOHNSON	1	4.2	3.5	0	0.0	0.0	1	4.2	2.9	28	116.6	88.9
MAGOFFIN	0	0.0	0.0	1	7.2	10.0	0	0.0	0.0	7	50.6	50.3
MARTIN	0	0.0	0.0	1	8.3	9.5	0	0.0	0.0	8	66.0	66.4
PIKE	3	4.2	3.3	2	2.8	2.2	6	8.3	6.9	59	81.8	69.2
DISTRICT 12	4	3.2	2.4	7	5.6	5.7	6	4.8	3.2	120	95.8	82.5
BREATHITT	0	0.0	0.0	1	6.4	3.9	0	0.0	0.0	11	70.2	63.4
KNOTT	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	15	83.4	74.2
LEE	0	0.0	0.0	0	0.0	0.0	1	12.5	4.7	9	112.3	76.3
LESLIE	1	7.4	8.0	0	0.0	0.0	0	0.0	0.0	16	117.8	116.5
LETCHER	2	7.6	4.7	2	7.6	11.1	2	7.6	5.3	30	114.5	98.3
OWSLEY	0	0.0	0.0	0	0.0	0.0	2	37.0	14.9	4	74.0	51.1
PERRY	1	3.2	2.7	4	12.9	13.0	1	3.2	2.7	29	93.4	79.3
WOLFE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	6	81.5	72.0
DISTRICT 13	9	3.8	3.1	11	4.7	5.8	15	6.4	4.5	253	108.0	83.6
BELL	1	3.4	3.5	3	10.3	14.6	1	3.4	2.8	30	103.0	77.9
CLAY	0	0.0	0.0	0	0.0	0.0	1	4.4	3.8	26	114.1	92.1
HARLAN	4	11.4	8.6	2	5.7	6.2	5	14.3	10.6	45	128.7	97.9
JACKSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	10	77.5	57.5
KNOX	3	9.4	8.0	0	0.0	0.0	2	6.3	3.2	33	103.5	83.4
LAUREL	0	0.0	0.0	4	7.9	10.2	1	2.0	1.1	43	84.8	71.2
ROCKCASTLE	0	0.0	0.0	1	6.3	8.2	1	6.3	5.8	21	131.7	97.2
WHITLEY	1	2.8	1.5	1	2.8	3.5	4	11.1	6.7	45	125.3	92.8

* Age-Adjusted and Crude Rates Per 100,000 1998 Population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-
Adjusted Rates*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Hypertention			Congenital Anomalies			Atherosclerosis			All Other		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Ad Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	172	4.4	3.1	169	4.3	4.9	160	4.1	2.6	4,057	103.1	74.8
DISTRICT 14	6	3.2	2.2	11	5.8	6.7	7	3.7	2.1	208	110.0	70.4
ADAIR	0	0.0	0.0	1	6.1	9.4	0	0.0	0.0	10	60.8	42.6
CASEY	0	0.0	0.0	2	13.5	12.6	1	6.8	3.4	15	101.6	62.4
CLINTON	0	0.0	0.0	2	21.4	25.8	0	0.0	0.0	6	64.3	32.9
CUMBERLAND	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	10	146.8	77.5
GREEN	2	18.8	10.0	0	0.0	0.0	1	9.4	6.3	8	75.3	50.5
MCCREARY	1	6.0	6.4	0	0.0	0.0	0	0.0	0.0	23	138.1	121.2
PULASKI	0	0.0	0.0	3	5.3	6.7	0	0.0	0.0	69	122.6	79.9
RUSSELL	1	6.2	3.5	1	6.2	2.6	1	6.2	4.2	20	123.4	70.6
TAYLOR	2	8.7	6.2	1	4.4	7.0	2	8.7	4.1	25	109.0	67.2
WAYNE	0	0.0	0.0	1	5.2	7.0	2	10.5	6.3	22	115.2	78.6
DISTRICT 15	27	4.1	3.2	26	4.0	4.6	26	4.0	2.7	679	104.2	80.9
ANDERSON	0	0.0	0.0	3	16.2	18.5	2	10.8	7.3	19	102.3	79.2
BOURBON	1	5.2	2.6	1	5.2	6.4	6	31.0	21.0	20	103.3	75.1
BOYLE	1	3.7	2.2	2	7.4	8.3	1	3.7	1.6	27	99.3	58.1
CLARK	0	0.0	0.0	0	0.0	0.0	2	6.3	2.9	33	103.2	70.8
ESTILL	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	14	89.8	60.4
FAYETTE	18	7.4	6.8	7	2.9	3.7	8	3.3	2.4	270	111.7	94.3
FRANKLIN	2	4.3	2.9	0	0.0	0.0	0	0.0	0.0	45	96.9	71.4
GARRARD	0	0.0	0.0	2	14.4	15.4	0	0.0	0.0	13	93.6	55.0
HARRISON	0	0.0	0.0	1	5.7	5.5	1	5.7	2.3	6	34.2	29.0
JESSAMINE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	46	125.9	122.8
LINCOLN	2	8.9	4.4	1	4.5	5.4	0	0.0	0.0	25	111.9	75.8
MADISON	1	1.5	1.3	3	4.5	5.9	1	1.5	0.9	67	100.8	85.0
MERCER	1	4.8	3.8	1	4.8	2.0	0	0.0	0.0	24	115.9	65.4
NICHOLAS	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	10	143.2	72.3
POWELL	0	0.0	0.0	4	31.0	35.4	0	0.0	0.0	11	85.1	74.9
SCOTT	0	0.0	0.0	0	0.0	0.0	3	9.8	9.6	35	114.1	105.4
WOODFORD	1	4.4	2.4	1	4.4	5.3	2	8.8	7.4	14	61.3	44.5

* Age-Adjusted and Crude Rates Per 100,000 1998 Population