

**Table 2-P**  
**Resident Deaths from Intentional Self-Harm (Suicide), by Age Group**  
**Number and Age Specific Rate\*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	All Ages		Under 20 Years		20 - 24 Years		25 - 29 Years		30 - 34 Years		35 - 44 Years		45 - 64 Years		65 + Years	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>563</b>	<b>13.7</b>	<b>24</b>	<b>2.2</b>	<b>56</b>	<b>19.5</b>	<b>48</b>	<b>16.8</b>	<b>58</b>	<b>19.6</b>	<b>116</b>	<b>18.7</b>	<b>175</b>	<b>17.4</b>	<b>86</b>	<b>16.9</b>
<b>DISTRICT 01</b>	<b>28</b>	<b>14.5</b>	<b>1</b>	<b>2.1</b>	<b>4</b>	<b>29.5</b>	<b>1</b>	<b>8.6</b>	<b>1</b>	<b>8.3</b>	<b>8</b>	<b>29.7</b>	<b>10</b>	<b>20.2</b>	<b>3</b>	<b>9.6</b>
BALLARD	1	12.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	46.0	0	0.0
CALLOWAY	2	5.8	0	0.0	0	0.0	0	0.0	0	0.0	2	48.3	0	0.0	0	0.0
CARLISLE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
FULTON	2	26.8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	114.2	0	0.0
GRAVES	5	13.4	1	10.0	0	0.0	0	0.0	0	0.0	0	0.0	2	21.5	2	34.5
HICKMAN	1	19.2	0	0.0	0	0.0	0	0.0	0	0.0	1	130.5	0	0.0	0	0.0
MCCRACKEN	10	15.4	0	0.0	2	56.4	1	25.7	1	23.1	3	32.9	2	11.6	1	9.8
MARSHALL	7	22.9	0	0.0	2	126.7	0	0.0	0	0.0	2	44.0	3	36.1	0	0.0
<b>DISTRICT 02</b>	<b>28</b>	<b>13.1</b>	<b>4</b>	<b>6.8</b>	<b>3</b>	<b>18.1</b>	<b>2</b>	<b>12.7</b>	<b>5</b>	<b>33.0</b>	<b>2</b>	<b>6.9</b>	<b>10</b>	<b>20.2</b>	<b>2</b>	<b>6.8</b>
CALDWELL	2	15.5	0	0.0	0	0.0	0	0.0	1	120.8	0	0.0	1	28.4	0	0.0
CHRISTIAN	6	8.4	3	13.0	0	0.0	0	0.0	0	0.0	0	0.0	2	17.4	1	14.1
CRITTENDEN	1	11.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	38.0	0	0.0
HOPKINS	7	15.0	0	0.0	1	37.1	2	69.3	2	64.3	0	0.0	2	16.4	0	0.0
LIVINGSTON	3	30.8	1	42.9	1	209.6	0	0.0	0	0.0	0	0.0	1	36.4	0	0.0
LYON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MUHLENBERG	6	18.9	0	0.0	0	0.0	0	0.0	2	97.2	1	20.8	3	36.2	0	0.0
TODD	1	8.4	0	0.0	1	141.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRIGG	2	15.5	0	0.0	0	0.0	0	0.0	0	0.0	1	53.7	0	0.0	1	46.6
<b>DISTRICT 03</b>	<b>36</b>	<b>17.2</b>	<b>1</b>	<b>1.7</b>	<b>1</b>	<b>7.8</b>	<b>3</b>	<b>22.7</b>	<b>6</b>	<b>45.1</b>	<b>8</b>	<b>26.2</b>	<b>10</b>	<b>19.0</b>	<b>7</b>	<b>24.5</b>
DAVISS	14	15.1	0	0.0	1	17.7	1	17.1	3	52.6	4	29.5	2	8.8	3	23.2
HANCOCK	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HENDERSON	9	19.9	1	8.3	0	0.0	1	34.0	0	0.0	3	42.7	1	8.6	3	50.7
MCLEAN	1	10.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	38.9	0	0.0
OHIO	5	21.5	0	0.0	0	0.0	1	67.4	0	0.0	1	30.1	3	49.4	0	0.0
UNION	3	19.1	0	0.0	0	0.0	0	0.0	2	216.7	0	0.0	1	26.4	0	0.0
WEBSTER	4	28.4	0	0.0	0	0.0	0	0.0	1	106.8	0	0.0	2	54.3	1	49.1

\*Age-specific rate: per 100,000 2003 population in specified age group

**Table 2-P**  
**Resident Deaths from Intentional Self-Harm (Suicide), by Age Group**  
**Number and Age Specific Rate\*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	All Ages		Under 20 Years		20 - 24 Years		25 - 29 Years		30 - 34 Years		35 - 44 Years		45 - 64 Years		65 + Years	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>563</b>	<b>13.7</b>	<b>24</b>	<b>2.2</b>	<b>56</b>	<b>19.5</b>	<b>48</b>	<b>16.8</b>	<b>58</b>	<b>19.6</b>	<b>116</b>	<b>18.7</b>	<b>175</b>	<b>17.4</b>	<b>86</b>	<b>16.9</b>
<b>DISTRICT 04</b>	<b>25</b>	<b>9.6</b>	<b>2</b>	<b>2.8</b>	<b>1</b>	<b>4.9</b>	<b>4</b>	<b>22.6</b>	<b>2</b>	<b>11.4</b>	<b>1</b>	<b>2.6</b>	<b>11</b>	<b>17.5</b>	<b>4</b>	<b>12.1</b>
ALLEN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BARREN	4	10.2	0	0.0	0	0.0	1	40.7	0	0.0	0	0.0	2	19.9	1	17.5
BUTLER	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
EDMONSON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HART	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
LOGAN	6	22.3	0	0.0	0	0.0	0	0.0	2	118.8	1	24.1	2	29.7	1	29.6
METCALFE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MONROE	1	8.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	33.3	0	0.0
SIMPSON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
WARREN	14	14.6	2	7.5	1	9.4	3	42.0	0	0.0	0	0.0	6	28.1	2	20.3
<b>DISTRICT 05</b>	<b>26</b>	<b>10.4</b>	<b>1</b>	<b>1.4</b>	<b>5</b>	<b>30.7</b>	<b>2</b>	<b>12.2</b>	<b>3</b>	<b>16.9</b>	<b>4</b>	<b>10.2</b>	<b>7</b>	<b>11.7</b>	<b>4</b>	<b>14.3</b>
BRECKINRIDGE	1	5.2	1	19.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
GRAYSON	3	12.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	30.6	1	29.1
HARDIN	5	5.2	0	0.0	2	28.9	0	0.0	1	14.8	1	6.5	1	4.6	0	0.0
LARUE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MARION	3	16.2	0	0.0	0	0.0	1	83.3	0	0.0	1	33.6	1	23.3	0	0.0
MEADE	6	21.8	0	0.0	1	57.3	0	0.0	1	42.3	0	0.0	2	33.8	2	93.4
NELSON	8	20.2	0	0.0	2	85.4	1	39.8	1	35.5	2	31.0	1	10.2	1	24.5
WASHINGTON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>DISTRICT 06</b>	<b>118</b>	<b>13.3</b>	<b>5</b>	<b>2.1</b>	<b>16</b>	<b>29.3</b>	<b>15</b>	<b>24.4</b>	<b>9</b>	<b>13.7</b>	<b>25</b>	<b>18.2</b>	<b>33</b>	<b>14.9</b>	<b>15</b>	<b>13.8</b>
BULLITT	10	15.4	0	0.0	3	79.0	0	0.0	1	19.1	1	9.0	3	18.1	2	37.8
HENRY	1	6.4	0	0.0	0	0.0	0	0.0	1	87.0	0	0.0	0	0.0	0	0.0
JEFFERSON	100	14.3	5	2.7	12	27.1	15	30.3	6	11.7	24	23.0	27	15.8	11	12.0
OLDHAM	3	5.9	0	0.0	0	0.0	0	0.0	1	30.5	0	0.0	1	7.0	1	27.9
SHELBY	1	2.8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	27.9
SPENCER	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRIMBLE	3	34.1	0	0.0	1	218.8	0	0.0	0	0.0	0	0.0	2	96.9	0	0.0

\*Age-specific rate: per 100,000 2003 population in specified age group

**Table 2-P**  
**Resident Deaths from Intentional Self-Harm (Suicide), by Age Group**  
**Number and Age Specific Rate\*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	All Ages		Under 20 Years		20 - 24 Years		25 - 29 Years		30 - 34 Years		35 - 44 Years		45 - 64 Years		65 + Years	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>563</b>	<b>13.7</b>	<b>24</b>	<b>2.2</b>	<b>56</b>	<b>19.5</b>	<b>48</b>	<b>16.8</b>	<b>58</b>	<b>19.6</b>	<b>116</b>	<b>18.7</b>	<b>175</b>	<b>17.4</b>	<b>86</b>	<b>16.9</b>
<b>DISTRICT 07</b>	<b>56</b>	<b>13.8</b>	<b>3</b>	<b>2.6</b>	<b>2</b>	<b>7.7</b>	<b>5</b>	<b>17.3</b>	<b>6</b>	<b>18.8</b>	<b>7</b>	<b>10.7</b>	<b>20</b>	<b>21.2</b>	<b>13</b>	<b>30.8</b>
BOONE	6	6.2	0	0.0	1	17.4	0	0.0	0	0.0	1	5.9	3	13.6	1	13.0
CAMPBELL	15	17.1	0	0.0	0	0.0	1	16.6	1	15.9	2	14.7	6	28.9	5	46.0
CARROLL	3	29.2	1	34.5	1	157.0	1	143.1	0	0.0	0	0.0	0	0.0	0	0.0
GALLATIN	2	24.9	0	0.0	0	0.0	1	194.6	0	0.0	0	0.0	0	0.0	1	138.7
GRANT	4	16.6	0	0.0	0	0.0	0	0.0	1	51.1	0	0.0	1	19.0	2	95.5
KENTON	22	14.4	2	4.7	0	0.0	2	17.8	4	32.8	3	12.4	9	25.3	2	12.2
OWEN	2	18.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	35.2	1	65.5
PENDLETON	2	13.3	0	0.0	0	0.0	0	0.0	0	0.0	1	40.6	0	0.0	1	62.9
<b>DISTRICT 08</b>	<b>4</b>	<b>7.2</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>1</b>	<b>27.6</b>	<b>0</b>	<b>0.0</b>	<b>3</b>	<b>36.2</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>
BRACKEN	1	11.7	0	0.0	0	0.0	0	0.0	0	0.0	1	74.0	0	0.0	0	0.0
FLEMING	1	6.9	0	0.0	0	0.0	0	0.0	0	0.0	1	47.1	0	0.0	0	0.0
LEWIS	1	7.3	0	0.0	0	0.0	1	103.4	0	0.0	0	0.0	0	0.0	0	0.0
MASON	1	5.9	0	0.0	0	0.0	0	0.0	0	0.0	1	41.9	0	0.0	0	0.0
ROBERTSON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>DISTRICT 09</b>	<b>14</b>	<b>17.9</b>	<b>1</b>	<b>4.8</b>	<b>4</b>	<b>55.0</b>	<b>3</b>	<b>54.5</b>	<b>0</b>	<b>0.0</b>	<b>2</b>	<b>17.7</b>	<b>4</b>	<b>21.8</b>	<b>0</b>	<b>0.0</b>
BATH	2	17.5	0	0.0	0	0.0	0	0.0	0	0.0	2	115.9	0	0.0	0	0.0
MENIFEE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MONTGOMERY	6	25.5	1	15.6	2	133.9	1	56.5	0	0.0	0	0.0	2	34.9	0	0.0
MORGAN	1	7.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	29.2	0	0.0
ROWAN	5	22.4	0	0.0	2	56.6	2	139.3	0	0.0	0	0.0	1	21.8	0	0.0
<b>DISTRICT 10</b>	<b>18</b>	<b>13.1</b>	<b>0</b>	<b>0.0</b>	<b>2</b>	<b>24.2</b>	<b>1</b>	<b>11.5</b>	<b>0</b>	<b>0.0</b>	<b>4</b>	<b>20.2</b>	<b>7</b>	<b>19.4</b>	<b>4</b>	<b>19.9</b>
BOYD	9	18.1	0	0.0	1	34.8	0	0.0	0	0.0	1	13.5	4	29.7	3	38.1
CARTER	6	22.0	0	0.0	1	49.9	1	55.7	0	0.0	1	26.2	2	29.2	1	27.8
ELLIOTT	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
GREENUP	2	5.4	0	0.0	0	0.0	0	0.0	0	0.0	1	19.1	1	10.0	0	0.0
LAWRENCE	1	6.3	0	0.0	0	0.0	0	0.0	0	0.0	1	42.1	0	0.0	0	0.0

\*Age-specific rate: per 100,000 2003 population in specified age group

**Table 2-P**  
**Resident Deaths from Intentional Self-Harm (Suicide), by Age Group**  
**Number and Age Specific Rate\*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	All Ages		Under 20 Years		20 - 24 Years		25 - 29 Years		30 - 34 Years		35 - 44 Years		45 - 64 Years		65 + Years	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>563</b>	<b>13.7</b>	<b>24</b>	<b>2.2</b>	<b>56</b>	<b>19.5</b>	<b>48</b>	<b>16.8</b>	<b>58</b>	<b>19.6</b>	<b>116</b>	<b>18.7</b>	<b>175</b>	<b>17.4</b>	<b>86</b>	<b>16.9</b>
<b>DISTRICT 11</b>	<b>28</b>	<b>17.6</b>	<b>1</b>	<b>2.4</b>	<b>4</b>	<b>38.6</b>	<b>3</b>	<b>27.9</b>	<b>4</b>	<b>35.0</b>	<b>5</b>	<b>20.6</b>	<b>7</b>	<b>16.9</b>	<b>4</b>	<b>20.6</b>
FLOYD	7	16.6	0	0.0	1	35.3	1	34.2	1	32.5	0	0.0	2	18.3	2	39.6
JOHNSON	3	12.7	0	0.0	1	70.9	0	0.0	0	0.0	2	57.1	0	0.0	0	0.0
MAGOFFIN	5	37.5	1	27.1	0	0.0	2	223.0	1	97.9	0	0.0	1	31.1	0	0.0
MARTIN	1	8.0	0	0.0	1	119.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
PIKE	12	17.8	0	0.0	1	22.9	0	0.0	2	41.6	3	29.7	4	22.3	2	23.2
<b>DISTRICT 12</b>	<b>21</b>	<b>17.5</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>2</b>	<b>26.1</b>	<b>0</b>	<b>0.0</b>	<b>9</b>	<b>49.3</b>	<b>8</b>	<b>25.2</b>	<b>2</b>	<b>13.1</b>
BREATHITT	5	31.6	0	0.0	0	0.0	0	0.0	0	0.0	2	82.3	2	48.3	1	50.4
KNOTT	2	11.3	0	0.0	0	0.0	0	0.0	0	0.0	1	38.1	0	0.0	1	46.1
LEE	2	25.3	0	0.0	0	0.0	1	195.3	0	0.0	1	77.5	0	0.0	0	0.0
LESLIE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
LETCHER	6	24.2	0	0.0	0	0.0	1	65.4	0	0.0	2	52.9	3	43.3	0	0.0
OWSLEY	1	21.2	0	0.0	0	0.0	0	0.0	0	0.0	1	145.1	0	0.0	0	0.0
PERRY	3	10.1	0	0.0	0	0.0	0	0.0	0	0.0	2	44.3	1	12.8	0	0.0
WOLFE	2	28.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	117.3	0	0.0
<b>DISTRICT 13</b>	<b>47</b>	<b>19.5</b>	<b>1</b>	<b>1.5</b>	<b>4</b>	<b>25.6</b>	<b>3</b>	<b>18.3</b>	<b>4</b>	<b>23.9</b>	<b>13</b>	<b>36.2</b>	<b>16</b>	<b>26.8</b>	<b>6</b>	<b>19.9</b>
BELL	5	16.7	0	0.0	0	0.0	0	0.0	0	0.0	1	22.3	4	52.9	0	0.0
CLAY	4	16.5	0	0.0	0	0.0	0	0.0	0	0.0	1	24.0	1	17.3	2	81.6
HARLAN	3	9.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	34.3	0	0.0
JACKSON	4	29.4	0	0.0	0	0.0	1	105.3	0	0.0	1	49.6	1	30.9	1	62.1
KNOX	4	12.6	0	0.0	1	47.4	1	46.3	1	46.9	0	0.0	1	12.9	0	0.0
LAUREL	12	21.7	1	6.5	2	55.5	0	0.0	2	48.9	5	58.2	1	7.4	1	15.8
ROCKCASTLE	6	35.9	0	0.0	1	94.2	0	0.0	0	0.0	2	79.4	2	49.1	1	43.5
WHITLEY	9	24.2	0	0.0	0	0.0	1	43.0	1	42.8	3	58.2	3	32.9	1	21.3

\*Age-specific rate: per 100,000 2003 population in specified age group

**Table 2-P**  
**Resident Deaths from Intentional Self-Harm (Suicide), by Age Group**  
**Number and Age Specific Rate\*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	All Ages		Under 20 Years		20 - 24 Years		25 - 29 Years		30 - 34 Years		35 - 44 Years		45 - 64 Years		65 + Years	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>563</b>	<b>13.7</b>	<b>24</b>	<b>2.2</b>	<b>56</b>	<b>19.5</b>	<b>48</b>	<b>16.8</b>	<b>58</b>	<b>19.6</b>	<b>116</b>	<b>18.7</b>	<b>175</b>	<b>17.4</b>	<b>86</b>	<b>16.9</b>
<b>DISTRICT 14</b>	<b>37</b>	<b>18.7</b>	<b>0</b>	<b>0.0</b>	<b>3</b>	<b>25.3</b>	<b>0</b>	<b>0.0</b>	<b>6</b>	<b>47.2</b>	<b>3</b>	<b>10.5</b>	<b>17</b>	<b>33.4</b>	<b>8</b>	<b>26.8</b>
ADAIR	2	11.4	0	0.0	1	80.3	0	0.0	0	0.0	0	0.0	0	0.0	1	37.9
CASEY	3	18.8	0	0.0	0	0.0	0	0.0	1	99.0	0	0.0	2	48.1	0	0.0
CLINTON	1	10.4	0	0.0	0	0.0	0	0.0	0	0.0	1	73.5	0	0.0	0	0.0
CUMBERLAND	2	27.8	0	0.0	0	0.0	0	0.0	1	226.8	1	94.6	0	0.0	0	0.0
GREEN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MCCREARY	2	11.7	0	0.0	0	0.0	0	0.0	1	91.7	0	0.0	1	23.3	0	0.0
PULASKI	15	25.9	0	0.0	0	0.0	0	0.0	3	75.8	1	11.4	6	40.2	5	57.2
RUSSELL	1	6.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	21.9	0	0.0
TAYLOR	8	34.2	0	0.0	1	62.5	0	0.0	0	0.0	0	0.0	5	83.8	2	54.3
WAYNE	3	14.8	0	0.0	1	78.2	0	0.0	0	0.0	0	0.0	2	38.9	0	0.0
<b>DISTRICT 15</b>	<b>77</b>	<b>10.9</b>	<b>4</b>	<b>2.2</b>	<b>7</b>	<b>11.2</b>	<b>3</b>	<b>5.4</b>	<b>12</b>	<b>22.2</b>	<b>22</b>	<b>20.5</b>	<b>15</b>	<b>9.1</b>	<b>14</b>	<b>18.3</b>
ANDERSON	2	10.1	0	0.0	0	0.0	0	0.0	1	59.7	1	29.6	0	0.0	0	0.0
BOURBON	3	15.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	39.0	1	37.1
BOYLE	6	21.5	0	0.0	1	46.7	0	0.0	0	0.0	1	24.5	2	28.7	2	55.5
CLARK	3	8.8	0	0.0	0	0.0	0	0.0	0	0.0	3	56.5	0	0.0	0	0.0
ESTILL	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
FAYETTE	30	11.3	2	3.0	3	10.5	2	8.3	8	36.8	6	15.0	4	6.8	5	19.1
FRANKLIN	12	25.0	1	8.4	1	31.3	1	29.2	0	0.0	4	53.3	2	15.8	3	52.0
GARRARD	2	12.6	0	0.0	0	0.0	0	0.0	0	0.0	1	36.6	1	24.4	0	0.0
HARRISON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
JESSAMINE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
LINCOLN	4	16.3	1	14.2	0	0.0	0	0.0	0	0.0	1	26.1	1	17.3	1	32.6
MADISON	3	4.0	0	0.0	1	10.1	0	0.0	1	19.0	1	9.8	0	0.0	0	0.0
MERCER	5	23.5	0	0.0	0	0.0	0	0.0	1	71.4	1	30.5	2	37.1	1	32.3
NICHOLAS	1	14.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	56.2	0	0.0
POWELL	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
SCOTT	4	10.9	0	0.0	1	33.9	0	0.0	1	31.2	1	17.3	0	0.0	1	33.9
WOODFORD	2	8.5	0	0.0	0	0.0	0	0.0	0	0.0	2	51.1	0	0.0	0	0.0

\*Age-specific rate: per 100,000 2003 population in specified age group