

**Table 2-S**  
**Resident Deaths from Malignant Neoplasms, by Category**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	Total Malignant Neoplasms (C00 - C97)		Lip, Oral Cavity, Pharynx (C00 - C14)		Digestive Organs (C15 - C26)		Respiratory and Intrathoracic (C30 - C39)		Bone, Connective Tissue, Skin & Breast (C40 - C50)		Genitourinary Organs (C51 - C68)		Other and Unspecified Sites (C69 - C80, C97)		Lymphoid & Hematopoietic Tissue (C81 - C96)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>9,366</b>	<b>227.4</b>	<b>115</b>	<b>2.8</b>	<b>2,036</b>	<b>49.4</b>	<b>3,403</b>	<b>82.6</b>	<b>870</b>	<b>21.1</b>	<b>1,213</b>	<b>29.5</b>	<b>883</b>	<b>21.4</b>	<b>846</b>	<b>20.5</b>
<b>DISTRICT 01</b>	<b>478</b>	<b>247.0</b>	<b>6</b>	<b>3.1</b>	<b>98</b>	<b>50.6</b>	<b>174</b>	<b>89.9</b>	<b>34</b>	<b>17.6</b>	<b>64</b>	<b>33.1</b>	<b>59</b>	<b>30.5</b>	<b>43</b>	<b>22.2</b>
BALLARD	25	303.0	0	0.0	5	60.6	7	84.8	0	0.0	4	48.5	3	36.4	6	72.7
CALLOWAY	73	211.5	1	2.9	11	31.9	21	60.8	4	11.6	13	37.7	17	49.2	6	17.4
CARLISLE	8	149.6	0	0.0	3	56.1	3	56.1	1	18.7	0	0.0	1	18.7	0	0.0
FULTON	24	321.3	0	0.0	5	66.9	8	107.1	3	40.2	4	53.6	0	0.0	4	53.6
GRAVES	113	302.2	0	0.0	27	72.2	47	125.7	11	29.4	11	29.4	8	21.4	9	24.1
HICKMAN	17	327.2	0	0.0	2	38.5	8	154.0	1	19.2	4	77.0	1	19.2	1	19.2
MCCRACKEN	155	239.4	4	6.2	33	51.0	57	88.0	11	17.0	20	30.9	18	27.8	12	18.5
MARSHALL	63	205.7	1	3.3	12	39.2	23	75.1	3	9.8	8	26.1	11	35.9	5	16.3
<b>DISTRICT 02</b>	<b>512</b>	<b>238.9</b>	<b>5</b>	<b>2.3</b>	<b>108</b>	<b>50.4</b>	<b>191</b>	<b>89.1</b>	<b>46</b>	<b>21.5</b>	<b>48</b>	<b>22.4</b>	<b>52</b>	<b>24.3</b>	<b>62</b>	<b>28.9</b>
CALDWELL	38	294.6	1	7.8	8	62.0	16	124.1	2	15.5	2	15.5	6	46.5	3	23.3
CHRISTIAN	121	170.2	1	1.4	25	35.2	43	60.5	13	18.3	13	18.3	10	14.1	16	22.5
CRITTENDEN	28	307.5	0	0.0	8	87.9	11	120.8	3	32.9	3	32.9	0	0.0	3	32.9
HOPKINS	134	286.3	1	2.1	25	53.4	51	109.0	13	27.8	14	29.9	9	19.2	21	44.9
LIVINGSTON	29	297.6	1	10.3	9	92.4	5	51.3	2	20.5	4	41.1	5	51.3	3	30.8
LYON	21	258.3	0	0.0	7	86.1	6	73.8	1	12.3	2	24.6	2	24.6	3	36.9
MUHLENBERG	84	264.7	1	3.2	13	41.0	36	113.4	6	18.9	8	25.2	12	37.8	8	25.2
TODD	26	218.4	0	0.0	9	75.6	11	92.4	1	8.4	0	0.0	2	16.8	3	25.2
TRIGG	31	240.8	0	0.0	4	31.1	12	93.2	5	38.8	2	15.5	6	46.6	2	15.5
<b>DISTRICT 03</b>	<b>510</b>	<b>243.9</b>	<b>10</b>	<b>4.8</b>	<b>113</b>	<b>54.0</b>	<b>170</b>	<b>81.3</b>	<b>48</b>	<b>23.0</b>	<b>80</b>	<b>38.3</b>	<b>44</b>	<b>21.0</b>	<b>45</b>	<b>21.5</b>
DAVIESS	212	229.3	6	6.5	43	46.5	79	85.4	22	23.8	27	29.2	15	16.2	20	21.6
HANCOCK	23	272.4	0	0.0	4	47.4	7	82.9	1	11.8	5	59.2	4	47.4	2	23.7
HENDERSON	91	201.2	2	4.4	21	46.4	25	55.3	11	24.3	14	31.0	11	24.3	7	15.5
MCLEAN	32	322.5	0	0.0	7	70.6	11	110.9	0	0.0	7	70.6	2	20.2	5	50.4
OHIO	66	283.5	1	4.3	16	68.7	21	90.2	7	30.1	11	47.2	5	21.5	5	21.5
UNION	43	274.3	0	0.0	10	63.8	11	70.2	3	19.1	12	76.5	4	25.5	3	19.1
WEBSTER	43	305.4	1	7.1	12	85.2	16	113.6	4	28.4	4	28.4	3	21.3	3	21.3

\*Crude rate per 100,000 2003 total population

**Table 2-S**  
**Resident Deaths from Malignant Neoplasms, by Category**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	Total Malignant Neoplasms (C00 - C97)		Lip, Oral Cavity, Pharynx (C00 - C14)		Digestive Organs (C15 - C26)		Respiratory and Intrathoracic (C30 - C39)		Bone, Connective Tissue, Skin & Breast (C40 - C50)		Genitourinary Organs (C51 - C68)		Other and Unspecified Sites (C69 - C80, C97)		Lymphoid & Hematopoietic Tissue (C81 - C96)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>9,366</b>	<b>227.4</b>	<b>115</b>	<b>2.8</b>	<b>2,036</b>	<b>49.4</b>	<b>3,403</b>	<b>82.6</b>	<b>870</b>	<b>21.1</b>	<b>1,213</b>	<b>29.5</b>	<b>883</b>	<b>21.4</b>	<b>846</b>	<b>20.5</b>
<b>DISTRICT 04</b>	<b>585</b>	<b>223.8</b>	<b>9</b>	<b>3.4</b>	<b>117</b>	<b>44.8</b>	<b>225</b>	<b>86.1</b>	<b>53</b>	<b>20.3</b>	<b>72</b>	<b>27.5</b>	<b>60</b>	<b>23.0</b>	<b>49</b>	<b>18.7</b>
ALLEN	48	262.3	0	0.0	10	54.6	17	92.9	3	16.4	10	54.6	6	32.8	2	10.9
BARREN	98	250.6	3	7.7	15	38.4	47	120.2	8	20.5	9	23.0	6	15.3	10	25.6
BUTLER	27	204.4	1	7.6	5	37.9	12	90.8	1	7.6	4	30.3	4	30.3	0	0.0
EDMONSON	28	235.0	0	0.0	5	42.0	12	100.7	1	8.4	3	25.2	4	33.6	3	25.2
HART	37	206.3	0	0.0	5	27.9	17	94.8	3	16.7	3	16.7	8	44.6	1	5.6
LOGAN	73	271.8	0	0.0	18	67.0	24	89.4	5	18.6	13	48.4	8	29.8	5	18.6
METCALFE	24	239.1	0	0.0	6	59.8	11	109.6	3	29.9	0	0.0	2	19.9	2	19.9
MONROE	32	272.6	0	0.0	5	42.6	9	76.7	5	42.6	8	68.2	2	17.0	3	25.6
SIMPSON	38	227.2	0	0.0	7	41.9	16	95.7	4	23.9	5	29.9	3	17.9	3	17.9
WARREN	180	188.3	5	5.2	41	42.9	60	62.8	20	20.9	17	17.8	17	17.8	20	20.9
<b>DISTRICT 05</b>	<b>473</b>	<b>189.3</b>	<b>3</b>	<b>1.2</b>	<b>101</b>	<b>40.4</b>	<b>162</b>	<b>64.8</b>	<b>45</b>	<b>18.0</b>	<b>69</b>	<b>27.6</b>	<b>39</b>	<b>15.6</b>	<b>54</b>	<b>21.6</b>
BRECKINRIDGE	56	293.7	0	0.0	12	62.9	17	89.1	9	47.2	7	36.7	6	31.5	5	26.2
GRAYSON	46	186.3	0	0.0	7	28.4	14	56.7	3	12.2	9	36.5	7	28.4	6	24.3
HARDIN	159	166.2	1	1.0	30	31.4	68	71.1	14	14.6	16	16.7	14	14.6	16	16.7
LARUE	37	275.9	0	0.0	6	44.7	13	96.9	5	37.3	10	74.6	1	7.5	2	14.9
MARION	44	237.4	1	5.4	11	59.3	9	48.6	6	32.4	7	37.8	3	16.2	7	37.8
MEADE	36	130.6	1	3.6	9	32.6	14	50.8	3	10.9	5	18.1	2	7.3	2	7.3
NELSON	79	199.2	0	0.0	24	60.5	20	50.4	4	10.1	12	30.3	5	12.6	14	35.3
WASHINGTON	16	142.0	0	0.0	2	17.8	7	62.1	1	8.9	3	26.6	1	8.9	2	17.8
<b>DISTRICT 06</b>	<b>2,024</b>	<b>227.7</b>	<b>23</b>	<b>2.6</b>	<b>465</b>	<b>52.3</b>	<b>710</b>	<b>79.9</b>	<b>198</b>	<b>22.3</b>	<b>275</b>	<b>30.9</b>	<b>172</b>	<b>19.4</b>	<b>181</b>	<b>20.4</b>
BULLITT	115	176.9	0	0.0	21	32.3	41	63.1	12	18.5	15	23.1	14	21.5	12	18.5
HENRY	31	199.6	0	0.0	8	51.5	10	64.4	2	12.9	6	38.6	1	6.4	4	25.7
JEFFERSON	1,702	243.7	22	3.2	401	57.4	597	85.5	162	23.2	235	33.6	143	20.5	142	20.3
OLDHAM	72	142.2	0	0.0	19	37.5	23	45.4	10	19.8	9	17.8	4	7.9	7	13.8
SHELBY	71	197.2	1	2.8	11	30.6	29	80.6	10	27.8	4	11.1	7	19.4	9	25.0
SPENCER	18	125.5	0	0.0	4	27.9	5	34.9	0	0.0	5	34.9	2	13.9	2	13.9
TRIMBLE	15	170.4	0	0.0	1	11.4	5	56.8	2	22.7	1	11.4	1	11.4	5	56.8

\*Crude rate per 100,000 2003 total population

**Table 2-S  
Resident Deaths from Malignant Neoplasms, by Category  
Number and Crude Rate\*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	Total Malignant Neoplasms (C00 - C97)		Lip, Oral Cavity, Pharynx (C00 - C14)		Digestive Organs (C15 - C26)		Respiratory and Intrathoracic (C30 - C39)		Bone, Connective Tissue, Skin & Breast (C40 - C50)		Genitourinary Organs (C51 - C68)		Other and Unspecified Sites (C69 - C80, C97)		Lymphoid & Hematopoietic Tissue (C81 - C96)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>9,366</b>	<b>227.4</b>	<b>115</b>	<b>2.8</b>	<b>2,036</b>	<b>49.4</b>	<b>3,403</b>	<b>82.6</b>	<b>870</b>	<b>21.1</b>	<b>1,213</b>	<b>29.5</b>	<b>883</b>	<b>21.4</b>	<b>846</b>	<b>20.5</b>
<b>DISTRICT 07</b>	<b>825</b>	<b>203.3</b>	<b>15</b>	<b>3.7</b>	<b>168</b>	<b>41.4</b>	<b>282</b>	<b>69.5</b>	<b>80</b>	<b>19.7</b>	<b>109</b>	<b>26.9</b>	<b>90</b>	<b>22.2</b>	<b>81</b>	<b>20.0</b>
BOONE	152	156.4	4	4.1	32	32.9	53	54.5	18	18.5	20	20.6	14	14.4	11	11.3
CAMPBELL	195	222.1	2	2.3	45	51.3	72	82.0	12	13.7	24	27.3	22	25.1	18	20.5
CARROLL	24	234.0	0	0.0	4	39.0	7	68.2	2	19.5	3	29.2	3	29.2	5	48.7
GALLATIN	25	311.5	0	0.0	3	37.4	12	149.5	3	37.4	4	49.8	0	0.0	3	37.4
GRANT	40	166.3	1	4.2	8	33.3	12	49.9	5	20.8	4	16.6	5	20.8	5	20.8
KENTON	328	215.2	7	4.6	69	45.3	107	70.2	33	21.7	44	28.9	34	22.3	34	22.3
OWEN	30	270.2	0	0.0	4	36.0	9	81.1	5	45.0	5	45.0	3	27.0	4	36.0
PENDLETON	31	206.1	1	6.6	3	19.9	10	66.5	2	13.3	5	33.2	9	59.8	1	6.6
<b>DISTRICT 08</b>	<b>142</b>	<b>254.5</b>	<b>0</b>	<b>0.0</b>	<b>32</b>	<b>57.4</b>	<b>55</b>	<b>98.6</b>	<b>18</b>	<b>32.3</b>	<b>14</b>	<b>25.1</b>	<b>14</b>	<b>25.1</b>	<b>9</b>	<b>16.1</b>
BRACKEN	12	141.0	0	0.0	5	58.7	3	35.2	1	11.7	0	0.0	0	0.0	3	35.2
FLEMING	42	291.9	0	0.0	9	62.5	16	111.2	7	48.6	2	13.9	5	34.7	3	20.8
LEWIS	36	261.8	0	0.0	8	58.2	15	109.1	4	29.1	5	36.4	3	21.8	1	7.3
MASON	46	273.4	0	0.0	8	47.5	19	112.9	5	29.7	7	41.6	5	29.7	2	11.9
ROBERTSON	6	259.3	0	0.0	2	86.4	2	86.4	1	43.2	0	0.0	1	43.2	0	0.0
<b>DISTRICT 09</b>	<b>155</b>	<b>198.2</b>	<b>2</b>	<b>2.6</b>	<b>30</b>	<b>38.4</b>	<b>64</b>	<b>81.8</b>	<b>10</b>	<b>12.8</b>	<b>27</b>	<b>34.5</b>	<b>16</b>	<b>20.5</b>	<b>6</b>	<b>7.7</b>
BATH	29	253.2	0	0.0	6	52.4	12	104.8	2	17.5	5	43.7	2	17.5	2	17.5
MENIFEE	18	269.3	1	15.0	5	74.8	5	74.8	2	29.9	3	44.9	2	29.9	0	0.0
MONTGOMERY	49	208.4	0	0.0	7	29.8	20	85.1	3	12.8	10	42.5	6	25.5	3	12.8
MORGAN	29	202.9	0	0.0	6	42.0	13	91.0	3	21.0	4	28.0	3	21.0	0	0.0
ROWAN	30	134.7	1	4.5	6	26.9	14	62.9	0	0.0	5	22.4	3	13.5	1	4.5
<b>DISTRICT 10</b>	<b>364</b>	<b>265.7</b>	<b>3</b>	<b>2.2</b>	<b>86</b>	<b>62.8</b>	<b>135</b>	<b>98.5</b>	<b>29</b>	<b>21.2</b>	<b>46</b>	<b>33.6</b>	<b>33</b>	<b>24.1</b>	<b>32</b>	<b>23.4</b>
BOYD	150	300.9	1	2.0	33	66.2	53	106.3	14	28.1	23	46.1	13	26.1	13	26.1
CARTER	71	259.9	0	0.0	21	76.9	21	76.9	5	18.3	8	29.3	8	29.3	8	29.3
ELLIOTT	14	203.3	0	0.0	2	29.0	10	145.2	0	0.0	2	29.0	0	0.0	0	0.0
GREENUP	91	245.5	2	5.4	20	54.0	36	97.1	7	18.9	11	29.7	8	21.6	7	18.9
LAWRENCE	38	239.2	0	0.0	10	63.0	15	94.4	3	18.9	2	12.6	4	25.2	4	25.2

\*Crude rate per 100,000 2003 total population

**Table 2-S**  
**Resident Deaths from Malignant Neoplasms, by Category**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	Total Malignant Neoplasms (C00 - C97)		Lip, Oral Cavity, Pharynx (C00 - C14)		Digestive Organs (C15 - C26)		Respiratory and Intrathoracic (C30 - C39)		Bone, Connective Tissue, Skin & Breast (C40 - C50)		Genitourinary Organs (C51 - C68)		Other and Unspecified Sites (C69 - C80, C97)		Lymphoid & Hematopoietic Tissue (C81 - C96)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>9,366</b>	<b>227.4</b>	<b>115</b>	<b>2.8</b>	<b>2,036</b>	<b>49.4</b>	<b>3,403</b>	<b>82.6</b>	<b>870</b>	<b>21.1</b>	<b>1,213</b>	<b>29.5</b>	<b>883</b>	<b>21.4</b>	<b>846</b>	<b>20.5</b>
<b>DISTRICT 11</b>	<b>392</b>	<b>246.2</b>	<b>2</b>	<b>1.3</b>	<b>81</b>	<b>50.9</b>	<b>171</b>	<b>107.4</b>	<b>32</b>	<b>20.1</b>	<b>45</b>	<b>28.3</b>	<b>40</b>	<b>25.1</b>	<b>21</b>	<b>13.2</b>
FLOYD	111	262.6	1	2.4	29	68.6	53	125.4	7	16.6	9	21.3	9	21.3	3	7.1
JOHNSON	52	220.6	1	4.2	11	46.7	21	89.1	4	17.0	7	29.7	5	21.2	3	12.7
MAGOFFIN	31	232.3	0	0.0	4	30.0	12	89.9	6	45.0	4	30.0	3	22.5	2	15.0
MARTIN	26	207.9	0	0.0	2	16.0	14	111.9	3	24.0	2	16.0	5	40.0	0	0.0
PIKE	172	254.7	0	0.0	35	51.8	71	105.2	12	17.8	23	34.1	18	26.7	13	19.3
<b>DISTRICT 12</b>	<b>340</b>	<b>283.8</b>	<b>7</b>	<b>5.8</b>	<b>82</b>	<b>68.4</b>	<b>137</b>	<b>114.3</b>	<b>24</b>	<b>20.0</b>	<b>37</b>	<b>30.9</b>	<b>26</b>	<b>21.7</b>	<b>27</b>	<b>22.5</b>
BREATHITT	38	240.1	0	0.0	8	50.5	11	69.5	3	19.0	6	37.9	3	19.0	7	44.2
KNOTT	55	310.8	2	11.3	12	67.8	26	146.9	4	22.6	4	22.6	1	5.7	6	33.9
LEE	29	367.5	1	12.7	10	126.7	12	152.1	3	38.0	2	25.3	0	0.0	1	12.7
LESLIE	36	295.9	0	0.0	12	98.6	13	106.8	2	16.4	5	41.1	2	16.4	2	16.4
LETCHER	59	237.5	0	0.0	11	44.3	23	92.6	5	20.1	8	32.2	8	32.2	4	16.1
OWSLEY	15	317.5	0	0.0	4	84.7	6	127.0	1	21.2	2	42.3	0	0.0	2	42.3
PERRY	82	276.2	3	10.1	18	60.6	38	128.0	4	13.5	6	20.2	8	26.9	5	16.8
WOLFE	26	373.1	1	14.3	7	100.4	8	114.8	2	28.7	4	57.4	4	57.4	0	0.0
<b>DISTRICT 13</b>	<b>633</b>	<b>262.7</b>	<b>5</b>	<b>2.1</b>	<b>141</b>	<b>58.5</b>	<b>239</b>	<b>99.2</b>	<b>58</b>	<b>24.1</b>	<b>77</b>	<b>32.0</b>	<b>61</b>	<b>25.3</b>	<b>52</b>	<b>21.6</b>
BELL	81	271.2	0	0.0	17	56.9	26	87.0	8	26.8	16	53.6	8	26.8	6	20.1
CLAY	56	230.9	0	0.0	5	20.6	26	107.2	2	8.2	8	33.0	8	33.0	7	28.9
HARLAN	102	316.8	0	0.0	24	74.5	37	114.9	11	34.2	10	31.1	9	28.0	11	34.2
JACKSON	35	256.9	0	0.0	8	58.7	17	124.8	4	29.4	3	22.0	0	0.0	3	22.0
KNOX	81	255.1	2	6.3	19	59.8	39	122.8	6	18.9	4	12.6	7	22.0	4	12.6
LAUREL	126	227.4	1	1.8	28	50.5	42	75.8	16	28.9	15	27.1	16	28.9	8	14.4
ROCKCASTLE	44	263.3	0	0.0	10	59.8	13	77.8	4	23.9	7	41.9	6	35.9	4	23.9
WHITLEY	108	290.5	2	5.4	30	80.7	39	104.9	7	18.8	14	37.7	7	18.8	9	24.2

\*Crude rate per 100,000 2003 total population

**Table 2-S**  
**Resident Deaths from Malignant Neoplasms, by Category**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2003**

DISTRICTS AND COUNTIES	Total Malignant Neoplasms (C00 - C97)		Lip, Oral Cavity, Pharynx (C00 - C14)		Digestive Organs (C15 - C26)		Respiratory and Intrathoracic (C30 - C39)		Bone, Connective Tissue, Skin & Breast (C40 - C50)		Genitourinary Organs (C51 - C68)		Other and Unspecified Sites (C69 - C80, C97)		Lymphoid & Hematopoietic Tissue (C81 - C96)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>9,366</b>	<b>227.4</b>	<b>115</b>	<b>2.8</b>	<b>2,036</b>	<b>49.4</b>	<b>3,403</b>	<b>82.6</b>	<b>870</b>	<b>21.1</b>	<b>1,213</b>	<b>29.5</b>	<b>883</b>	<b>21.4</b>	<b>846</b>	<b>20.5</b>
<b>DISTRICT 14</b>	<b>531</b>	<b>268.9</b>	<b>6</b>	<b>3.0</b>	<b>111</b>	<b>56.2</b>	<b>209</b>	<b>105.8</b>	<b>47</b>	<b>23.8</b>	<b>62</b>	<b>31.4</b>	<b>47</b>	<b>23.8</b>	<b>49</b>	<b>24.8</b>
ADAIR	42	240.2	0	0.0	10	57.2	16	91.5	4	22.9	5	28.6	5	28.6	2	11.4
CASEY	43	269.3	1	6.3	16	100.2	11	68.9	6	37.6	2	12.5	3	18.8	4	25.1
CLINTON	25	260.1	0	0.0	7	72.8	7	72.8	2	20.8	3	31.2	3	31.2	3	31.2
CUMBERLAND	24	333.8	1	13.9	3	41.7	4	55.6	2	27.8	9	125.2	3	41.7	2	27.8
GREEN	35	296.6	0	0.0	4	33.9	17	144.0	2	16.9	6	50.8	4	33.9	2	16.9
MCCREARY	42	245.3	0	0.0	4	23.4	20	116.8	4	23.4	5	29.2	5	29.2	4	23.4
PULASKI	176	303.5	0	0.0	38	65.5	75	129.3	16	27.6	16	27.6	12	20.7	19	32.8
RUSSELL	46	276.7	1	6.0	9	54.1	22	132.3	3	18.0	6	36.1	2	12.0	3	18.0
TAYLOR	50	213.6	1	4.3	8	34.2	21	89.7	4	17.1	6	25.6	6	25.6	4	17.1
WAYNE	48	236.6	2	9.9	12	59.2	16	78.9	4	19.7	4	19.7	4	19.7	6	29.6
<b>DISTRICT 15</b>	<b>1,402</b>	<b>198.4</b>	<b>19</b>	<b>2.7</b>	<b>303</b>	<b>42.9</b>	<b>479</b>	<b>67.8</b>	<b>148</b>	<b>20.9</b>	<b>188</b>	<b>26.6</b>	<b>130</b>	<b>18.4</b>	<b>135</b>	<b>19.1</b>
ANDERSON	37	186.9	0	0.0	10	50.5	9	45.5	6	30.3	5	25.3	3	15.2	4	20.2
BOURBON	63	322.5	0	0.0	17	87.0	25	128.0	5	25.6	5	25.6	6	30.7	5	25.6
BOYLE	66	236.7	3	10.8	15	53.8	24	86.1	6	21.5	8	28.7	5	17.9	5	17.9
CLARK	71	209.3	0	0.0	14	41.3	23	67.8	8	23.6	11	32.4	8	23.6	7	20.6
ESTILL	40	262.2	1	6.6	11	72.1	14	91.8	5	32.8	3	19.7	3	19.7	3	19.7
FAYETTE	436	164.2	8	3.0	99	37.3	148	55.7	45	17.0	56	21.1	41	15.4	39	14.7
FRANKLIN	122	254.3	0	0.0	29	60.5	43	89.6	11	22.9	15	31.3	9	18.8	15	31.3
GARRARD	36	226.3	2	12.6	4	25.1	11	69.1	2	12.6	4	25.1	5	31.4	8	50.3
HARRISON	36	197.4	0	0.0	8	43.9	7	38.4	3	16.4	9	49.3	5	27.4	4	21.9
JESSAMINE	75	180.8	0	0.0	15	36.2	29	69.9	7	16.9	10	24.1	6	14.5	8	19.3
LINCOLN	59	240.4	0	0.0	11	44.8	27	110.0	6	24.4	10	40.7	1	4.1	4	16.3
MADISON	133	178.4	3	4.0	26	34.9	40	53.7	17	22.8	25	33.5	11	14.8	11	14.8
MERCER	61	286.6	1	4.7	14	65.8	17	79.9	8	37.6	8	37.6	9	42.3	4	18.8
NICHOLAS	21	300.5	0	0.0	5	71.6	9	128.8	1	14.3	3	42.9	2	28.6	1	14.3
POWELL	31	231.6	1	7.5	5	37.3	10	74.7	3	22.4	1	7.5	5	37.3	6	44.8
SCOTT	50	136.0	0	0.0	7	19.0	20	54.4	7	19.0	5	13.6	3	8.2	8	21.8
WOODFORD	65	274.9	0	0.0	13	55.0	23	97.3	8	33.8	10	42.3	8	33.8	3	12.7

\*Crude rate per 100,000 2003 total population