

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	236	4.2	175	3.1	503	8.9	190	3.9	139	2.8	406	8.3	41	8.5	33	6.9	81	16.7
DISTRICT 01	4	1.8	2	0.9	16	7.1	2	1.0	0	0.0	10	5.1	2	9.5	2	9.5	4	18.9
Ballard	0	0.0	0	0.0	1	10.2	0	0.0	0	0.0	1	10.5	0	0.0	0	0.0	0	0.0
Calloway	0	0.0	0	0.0	3	7.8	0	0.0	0	0.0	2	5.8	0	0.0	0	0.0	0	0.0
Carlisle	0	0.0	0	0.0	1	14.5	0	0.0	0	0.0	1	15.4	0	0.0	0	0.0	0	0.0
Fulton	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Graves	1	2.2	1	2.2	4	8.8	0	0.0	0	0.0	1	2.6	1	33.3	1	33.3	2	64.5
Hickman	1	25.0	0	0.0	0	0.0	1	27.8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
McCracken	1	1.2	1	1.2	5	6.2	0	0.0	0	0.0	3	4.5	1	7.8	1	7.8	2	15.4
Marshall	1	3.1	0	0.0	2	6.1	1	3.1	0	0.0	2	6.2	0	0.0	0	0.0	0	0.0
DISTRICT 02	7	2.2	6	1.9	12	3.8	6	2.3	6	2.3	11	4.2	1	2.4	0	0.0	1	2.4
Caldwell	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Christian	1	0.7	0	0.0	1	0.7	0	0.0	0	0.0	1	1.0	1	3.1	0	0.0	0	0.0
Crittenden	1	9.1	1	9.1	2	18.0	1	9.2	1	9.2	2	18.2	0	0.0	0	0.0	0	0.0
Hopkins	2	3.3	2	3.3	2	3.3	2	3.6	2	3.6	2	3.6	0	0.0	0	0.0	0	0.0
Livingston	0	0.0	0	0.0	1	9.1	0	0.0	0	0.0	1	9.2	0	0.0	0	0.0	0	0.0
Lyon	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Muhlenberg	3	7.8	3	7.8	5	12.9	3	8.0	3	8.0	5	13.3	0	0.0	0	0.0	0	0.0
Todd	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Trigg	0	0.0	0	0.0	1	7.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	83.3
DISTRICT 03	5	1.8	5	1.8	19	6.6	4	1.5	4	1.5	16	6.1	1	6.8	1	6.8	3	20.0
Daviess	2	1.5	2	1.5	9	6.9	2	1.7	2	1.7	8	6.8	0	0.0	0	0.0	1	11.8
Hancock	0	0.0	0	0.0	3	23.8	0	0.0	0	0.0	3	24.4	0	0.0	0	0.0	0	0.0
Henderson	3	4.9	3	4.9	4	6.5	2	3.6	2	3.6	2	3.6	1	21.7	1	21.7	2	42.6
McLean	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ohio	0	0.0	0	0.0	1	2.8	0	0.0	0	0.0	1	3.0	0	0.0	0	0.0	0	0.0
Union	0	0.0	0	0.0	1	5.7	0	0.0	0	0.0	1	6.1	0	0.0	0	0.0	0	0.0
Webster	0	0.0	0	0.0	1	5.5	0	0.0	0	0.0	1	6.8	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone, Clark, Harlan, Jefferson (5), Pike, Taylor

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	236	4.2	175	3.1	503	8.9	190	3.9	139	2.8	406	8.3	41	8.5	33	6.9	81	16.7
DISTRICT 04	13	3.7	10	2.8	32	8.9	12	3.8	9	2.8	27	8.4	1	6.0	1	6.0	3	17.9
Allen	1	4.1	0	0.0	3	12.2	1	4.2	0	0.0	3	12.6	0	0.0	0	0.0	0	0.0
Barren	7	12.2	6	10.5	7	12.2	7	13.1	6	11.2	7	13.0	0	0.0	0	0.0	0	0.0
Butler	0	0.0	0	0.0	1	6.1	0	0.0	0	0.0	1	6.4	0	0.0	0	0.0	0	0.0
Edmonson	0	0.0	0	0.0	1	8.3	0	0.0	0	0.0	1	8.4	0	0.0	0	0.0	0	0.0
Hart	0	0.0	0	0.0	2	8.1	0	0.0	0	0.0	2	8.4	0	0.0	0	0.0	0	0.0
Logan	0	0.0	0	0.0	3	8.4	0	0.0	0	0.0	2	6.2	0	0.0	0	0.0	1	35.7
Metcalf	1	6.5	0	0.0	0	0.0	1	6.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Monroe	1	6.7	1	6.7	1	6.7	1	6.9	1	6.9	1	6.9	0	0.0	0	0.0	0	0.0
Simpson	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Warren	3	2.2	3	2.2	14	10.2	2	1.8	2	1.8	10	9.0	1	10.3	1	10.3	2	20.4
DISTRICT 05	10	2.8	8	2.2	23	6.3	6	1.9	5	1.6	18	5.6	3	12.3	3	12.3	4	16.3
Breckinridge	2	8.0	2	8.0	3	12.0	2	8.3	2	8.3	3	12.3	0	0.0	0	0.0	0	0.0
Grayson	0	0.0	0	0.0	1	3.0	0	0.0	0	0.0	1	3.1	0	0.0	0	0.0	0	0.0
Hardin	4	2.5	3	1.8	10	6.1	1	0.7	1	0.7	6	4.4	2	11.6	2	11.6	3	17.2
Larue	1	5.5	1	5.5	2	10.9	1	5.7	1	5.7	2	11.4	0	0.0	0	0.0	0	0.0
Marion	0	0.0	0	0.0	2	7.5	0	0.0	0	0.0	2	8.2	0	0.0	0	0.0	0	0.0
Meade	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Nelson	3	5.2	2	3.5	4	6.9	2	3.8	1	1.9	3	5.6	1	31.3	1	31.3	1	31.3
Washington	0	0.0	0	0.0	1	8.6	0	0.0	0	0.0	1	9.8	0	0.0	0	0.0	0	0.0
DISTRICT 06	52	4.3	39	3.2	118	9.7	29	3.3	21	2.4	66	7.5	20	7.9	16	6.4	46	18.1
Bullitt	5	6.7	3	4.0	6	8.0	5	6.7	3	4.0	6	8.0	0	0.0	0	0.0	0	0.0
Henry	0	0.0	0	0.0	3	15.2	0	0.0	0	0.0	3	16.3	0	0.0	0	0.0	0	0.0
Jefferson	40	4.1	31	3.2	92	9.3	19	2.8	14	2.1	44	6.5	20	8.1	16	6.5	45	18.1
Oldham	2	3.8	1	1.9	6	11.2	2	4.1	1	2.1	6	12.3	0	0.0	0	0.0	0	0.0
Shelby	2	3.6	1	1.8	6	10.8	1	2.4	1	2.4	4	9.5	0	0.0	0	0.0	1	28.6
Spencer	2	12.2	2	12.2	3	18.2	2	12.7	2	12.7	3	18.9	0	0.0	0	0.0	0	0.0
Trimble	1	8.5	1	8.5	2	16.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone, Clark, Harlan, Jefferson (5), Pike, Taylor

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	236	4.2	175	3.1	503	8.9	190	3.9	139	2.8	406	8.3	41	8.5	33	6.9	81	16.7
DISTRICT 07	37	6.0	24	3.9	50	8.0	35	6.1	23	4.0	47	8.2	2	10.5	1	5.3	3	15.6
Boone	3	1.8	1	0.6	7	4.2	3	1.9	1	0.6	6	3.9	0	0.0	0	0.0	1	43.5
Campbell	9	7.8	8	7.0	11	9.5	9	8.3	8	7.4	11	10.1	0	0.0	0	0.0	0	0.0
Carroll	0	0.0	0	0.0	1	7.0	0	0.0	0	0.0	1	7.5	0	0.0	0	0.0	0	0.0
Gallatin	1	7.1	1	7.1	3	21.0	1	8.1	1	8.1	3	23.8	0	0.0	0	0.0	0	0.0
Grant	1	2.3	1	2.3	4	9.3	1	2.4	1	2.4	4	9.6	0	0.0	0	0.0	0	0.0
Kenton	21	8.8	13	5.5	23	9.6	19	9.0	12	5.7	21	9.9	2	15.2	1	7.6	2	15.0
Owen	1	7.0	0	0.0	1	7.0	1	7.4	0	0.0	1	7.4	0	0.0	0	0.0	0	0.0
Pendleton	1	5.5	0	0.0	0	0.0	1	5.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 08	4	5.4	2	2.7	7	9.4	4	5.6	2	2.8	7	9.8	0	0.0	0	0.0	0	0.0
Bracken	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Fleming	1	5.3	1	5.3	1	5.3	1	5.5	1	5.5	1	5.5	0	0.0	0	0.0	0	0.0
Lewis	2	9.9	1	4.9	2	9.8	2	10.0	1	5.0	2	10.0	0	0.0	0	0.0	0	0.0
Mason	1	4.9	0	0.0	4	19.3	1	5.4	0	0.0	4	21.2	0	0.0	0	0.0	0	0.0
Robertson	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 09	10	10.0	7	7.0	13	12.9	10	10.2	7	7.2	12	12.2	0	0.0	0	0.0	0	0.0
Bath	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Menifee	1	13.3	0	0.0	0	0.0	1	13.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Montgomery	4	11.6	3	8.7	5	14.4	4	12.1	3	9.1	4	12.0	0	0.0	0	0.0	0	0.0
Morgan	0	0.0	0	0.0	2	12.9	0	0.0	0	0.0	2	12.9	0	0.0	0	0.0	0	0.0
Rowan	5	19.1	4	15.3	6	22.7	5	19.6	4	15.7	6	23.3	0	0.0	0	0.0	0	0.0
DISTRICT 10	8	4.8	5	3.0	18	10.6	8	4.8	5	3.0	18	10.8	0	0.0	0	0.0	0	0.0
Boyd	1	1.7	0	0.0	8	13.4	1	1.7	0	0.0	8	13.7	0	0.0	0	0.0	0	0.0
Carter	2	5.2	1	2.6	4	10.4	2	5.3	1	2.7	4	10.5	0	0.0	0	0.0	0	0.0
Elliott	1	13.2	1	13.2	2	26.0	1	13.5	1	13.5	2	26.7	0	0.0	0	0.0	0	0.0
Greenup	3	7.2	3	7.2	3	7.2	3	7.2	3	7.2	3	7.2	0	0.0	0	0.0	0	0.0
Lawrence	1	4.6	0	0.0	1	4.6	1	4.7	0	0.0	1	4.7	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone, Clark, Harlan, Jefferson (5), Pike, Taylor

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	236	4.2	175	3.1	503	8.9	190	3.9	139	2.8	406	8.3	41	8.5	33	6.9	81	16.7
DISTRICT 11	9	4.6	6	3.1	19	9.7	9	4.6	6	3.1	19	9.7	0	0.0	0	0.0	0	0.0
Floyd	3	5.6	1	1.9	4	7.4	3	5.6	1	1.9	4	7.4	0	0.0	0	0.0	0	0.0
Johnson	1	3.3	1	3.3	1	3.3	1	3.3	1	3.3	1	3.3	0	0.0	0	0.0	0	0.0
Magoffin	2	10.6	1	5.3	3	15.7	2	10.6	1	5.3	3	15.7	0	0.0	0	0.0	0	0.0
Martin	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pike	3	4.0	3	4.0	11	14.4	3	4.0	3	4.0	11	14.5	0	0.0	0	0.0	0	0.0
DISTRICT 12	6	4.2	4	2.8	13	8.9	6	4.2	4	2.8	13	9.1	0	0.0	0	0.0	0	0.0
Breathitt	0	0.0	0	0.0	2	11.1	0	0.0	0	0.0	2	11.4	0	0.0	0	0.0	0	0.0
Knott	0	0.0	0	0.0	1	5.5	0	0.0	0	0.0	1	5.6	0	0.0	0	0.0	0	0.0
Lee	1	12.3	1	12.3	2	24.4	1	12.5	1	12.5	2	24.7	0	0.0	0	0.0	0	0.0
Leslie	0	0.0	0	0.0	1	6.5	0	0.0	0	0.0	1	6.5	0	0.0	0	0.0	0	0.0
Letcher	2	6.4	1	3.2	5	15.8	2	6.4	1	3.2	5	15.8	0	0.0	0	0.0	0	0.0
Owsley	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perry	3	8.0	2	5.4	2	5.4	3	8.2	2	5.5	2	5.5	0	0.0	0	0.0	0	0.0
Wolfe	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 13	19	6.2	15	4.9	36	11.7	19	6.3	15	5.0	36	11.9	0	0.0	0	0.0	0	0.0
Bell	0	0.0	0	0.0	2	5.5	0	0.0	0	0.0	2	5.7	0	0.0	0	0.0	0	0.0
Clay	2	7.3	2	7.3	6	21.6	2	7.4	2	7.4	6	22.0	0	0.0	0	0.0	0	0.0
Harlan	3	7.8	2	5.2	5	12.9	3	8.0	2	5.3	5	13.2	0	0.0	0	0.0	0	0.0
Jackson	3	18.1	2	12.0	2	12.0	3	18.1	2	12.0	2	12.0	0	0.0	0	0.0	0	0.0
Knox	7	12.9	6	11.1	12	21.9	7	13.1	6	11.2	12	22.1	0	0.0	0	0.0	0	0.0
Laurel	3	4.0	2	2.7	3	4.0	3	4.2	2	2.8	3	4.1	0	0.0	0	0.0	0	0.0
Rockcastle	0	0.0	0	0.0	2	10.3	0	0.0	0	0.0	2	10.4	0	0.0	0	0.0	0	0.0
Whitley	1	2.5	1	2.5	4	9.9	1	2.5	1	2.5	4	10.0	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone, Clark, Harlan, Jefferson (5), Pike, Taylor

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	236	4.2	175	3.1	503	8.9	190	3.9	139	2.8	406	8.3	41	8.5	33	6.9	81	16.7
DISTRICT 14	3	1.2	3	1.2	20	8.0	3	1.3	3	1.3	19	8.0	0	0.0	0	0.0	1	38.5
Adair	0	0.0	0	0.0	3	13.5	0	0.0	0	0.0	3	14.3	0	0.0	0	0.0	0	0.0
Casey	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Clinton	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Cumberland	1	11.4	1	11.4	2	22.5	1	11.9	1	11.9	2	23.5	0	0.0	0	0.0	0	0.0
Green	0	0.0	0	0.0	2	14.9	0	0.0	0	0.0	2	15.0	0	0.0	0	0.0	0	0.0
McCreary	0	0.0	0	0.0	2	8.6	0	0.0	0	0.0	2	8.6	0	0.0	0	0.0	0	0.0
Pulaski	1	1.3	1	1.3	6	7.5	1	1.3	1	1.3	5	6.6	0	0.0	0	0.0	1	100.0
Russell	1	5.2	1	5.2	4	20.5	1	5.6	1	5.6	4	21.9	0	0.0	0	0.0	0	0.0
Taylor	0	0.0	0	0.0	1	3.5	0	0.0	0	0.0	1	3.6	0	0.0	0	0.0	0	0.0
Wayne	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 15	49	5.0	39	4.0	107	10.8	37	4.3	29	3.4	87	10.0	11	13.6	9	11.1	16	19.6
Anderson	0	0.0	0	0.0	2	8.3	0	0.0	0	0.0	2	8.5	0	0.0	0	0.0	0	0.0
Bourbon	1	4.2	1	4.2	1	4.2	1	4.8	1	4.8	1	4.8	0	0.0	0	0.0	0	0.0
Boyle	1	3.3	0	0.0	1	3.3	0	0.0	0	0.0	0	0.0	1	37.0	0	0.0	1	35.7
Clark	4	9.3	1	2.3	5	11.5	4	10.1	1	2.5	5	12.5	0	0.0	0	0.0	0	0.0
Estill	1	5.2	1	5.2	3	15.3	1	5.2	1	5.2	2	10.4	0	0.0	0	0.0	0	0.0
Fayette	26	6.7	23	5.9	54	13.8	16	5.1	14	4.5	38	12.0	9	16.1	8	14.3	13	23.0
Franklin	4	6.4	4	6.4	9	14.2	3	5.8	3	5.8	7	13.4	1	16.7	1	16.7	2	32.8
Garrard	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Harrison	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Jessamine	3	4.7	1	1.6	3	4.7	3	4.9	1	1.6	3	4.9	0	0.0	0	0.0	0	0.0
Lincoln	0	0.0	0	0.0	2	5.6	0	0.0	0	0.0	2	5.7	0	0.0	0	0.0	0	0.0
Madison	5	4.7	5	4.7	9	8.5	5	5.1	5	5.1	9	9.1	0	0.0	0	0.0	0	0.0
Mercer	0	0.0	0	0.0	4	15.4	0	0.0	0	0.0	4	16.1	0	0.0	0	0.0	0	0.0
Nicholas	1	10.8	1	10.8	3	31.6	1	10.8	1	10.8	3	31.6	0	0.0	0	0.0	0	0.0
Powell	1	4.9	1	4.9	3	14.5	1	5.0	1	5.0	3	14.8	0	0.0	0	0.0	0	0.0
Scott	1	1.5	1	1.5	3	4.6	1	1.7	1	1.7	3	5.2	0	0.0	0	0.0	0	0.0
Woodford	1	3.6	0	0.0	5	17.9	1	4.0	0	0.0	5	19.4	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone, Clark, Harlan, Jefferson (5), Pike, Taylor