

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Chronic Lower Respiratory Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	39,471	946.0	920.5	10,572	253.4	246.4	9,343	223.9	214.5	2,545	61.0	59.5
DISTRICT 01	2,157	1111.3	847.6	640	329.7	243.2	453	233.4	183.6	128	65.9	50.8
Ballard	97	1174.0	916.2	28	338.9	256.7	26	314.7	234.6	2	24.2	17.2
Calloway	314	896.6	717.2	91	259.9	195.3	71	202.7	169.4	14	40.0	32.9
Carlisle	59	1113.8	796.1	17	320.9	219.2	15	283.2	204.7	1	18.9	12.2
Fulton	109	1521.7	1118.6	26	363.0	268.8	18	251.3	197.4	11	153.6	110.6
Graves	434	1152.5	890.9	103	273.5	204.3	81	215.1	175.1	36	95.6	74.4
Hickman	73	1441.3	1014.7	18	355.4	236.2	12	236.9	181.6	2	39.5	27.5
McCracken	724	1119.2	854.0	259	400.4	296.8	160	247.3	195.5	37	57.2	44.4
Marshall	347	1121.5	815.3	98	316.7	224.2	70	226.2	162.6	25	80.8	58.7
DISTRICT 02	2,164	1015.7	909.5	620	291.0	256.8	431	202.3	182.1	162	76.0	67.0
Caldwell	177	1372.8	986.5	58	449.9	314.9	47	364.5	257.3	6	46.5	34.7
Christian	541	775.8	909.7	142	203.6	237.8	113	162.0	197.0	46	66.0	79.7
Crittenden	115	1279.3	969.1	46	511.7	360.3	19	211.4	160.1	8	89.0	58.9
Hopkins	559	1197.9	999.4	142	304.3	249.9	97	207.9	172.7	45	96.4	78.6
Livingston	105	1073.5	891.9	36	368.1	292.5	16	163.6	131.8	5	51.1	39.6
Lyon	102	1252.8	892.5	33	405.3	282.1	18	221.1	154.1	7	86.0	59.6
Muhlenberg	330	1045.5	847.2	94	297.8	237.9	65	205.9	170.7	22	69.7	54.6
Todd	106	887.8	815.9	35	293.1	260.5	24	201.0	184.2	6	50.3	45.2
Trigg	129	967.3	767.6	34	254.9	198.1	32	240.0	188.6	17	127.5	99.0
DISTRICT 03	2,065	981.5	876.4	538	255.7	225.9	525	249.5	221.7	107	50.9	45.3
Daviess	953	1026.5	894.4	238	256.4	219.7	238	256.4	223.9	48	51.7	45.1
Hancock	76	882.0	923.7	13	150.9	165.4	26	301.7	303.0	4	46.4	42.8
Henderson	399	875.7	812.3	112	245.8	226.1	91	199.7	183.5	28	61.5	56.8
McLean	105	1055.9	924.8	25	251.4	218.9	30	301.7	258.1	5	50.3	41.3
Ohio	241	1015.6	881.4	71	299.2	255.2	63	265.5	231.0	8	33.7	28.1
Union	145	932.2	914.9	42	270.0	266.4	41	263.6	251.5	3	19.3	18.8
Webster	146	1032.6	860.5	37	261.7	210.1	36	254.6	210.7	11	77.8	66.7

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Chronic Lower Respiratory Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	39,471	946.0	920.5	10,572	253.4	246.4	9,343	223.9	214.5	2,545	61.0	59.5
DISTRICT 04	2,541	950.0	912.7	671	250.9	241.0	641	239.6	227.9	168	62.8	59.7
Allen	190	1021.1	976.4	59	317.1	302.7	49	263.3	248.8	4	21.5	20.2
Barren	444	1107.3	933.4	104	259.4	215.4	111	276.8	231.4	49	122.2	100.8
Butler	127	950.5	907.3	24	179.6	168.2	38	284.4	267.1	7	52.4	49.4
Edmonson	101	840.7	747.4	29	241.4	214.0	26	216.4	182.0	7	58.3	52.7
Hart	212	1154.3	1087.8	60	326.7	314.4	55	299.5	272.0	14	76.2	71.2
Logan	283	1041.6	932.0	74	272.4	239.6	86	316.5	281.0	16	58.9	52.1
Metcalfe	102	998.0	877.8	23	225.0	194.9	24	234.8	199.3	9	88.1	71.5
Monroe	124	1058.0	882.4	35	298.6	249.2	23	196.2	159.3	15	128.0	102.0
Simpson	162	953.6	871.2	49	288.4	265.3	34	200.1	184.1	8	47.1	44.1
Warren	796	804.6	894.3	214	216.3	241.9	195	197.1	219.1	39	39.4	43.9
DISTRICT 05	2,050	805.6	855.9	528	207.5	223.8	519	204.0	209.5	116	45.6	49.0
Breckinridge	199	1035.2	990.0	49	254.9	244.5	62	322.5	290.5	14	72.8	67.1
Grayson	248	982.8	917.6	77	305.1	282.8	60	237.8	211.2	13	51.5	47.7
Hardin	684	706.4	813.1	159	164.2	193.3	168	173.5	190.5	42	43.4	51.1
Larue	167	1222.5	999.4	44	322.1	254.4	31	226.9	185.6	7	51.2	40.5
Marion	186	986.8	950.2	46	244.0	234.7	53	281.2	272.4	12	63.7	64.4
Meade	160	566.2	800.2	50	176.9	274.0	37	130.9	169.4	7	24.8	34.1
Nelson	288	701.3	772.5	73	177.8	203.9	83	202.1	218.7	18	43.8	49.6
Washington	118	1040.3	881.3	30	264.5	223.1	25	220.4	187.9	3	26.4	20.6
DISTRICT 06	8,116	899.1	871.9	2,040	226.0	218.4	1,970	218.2	209.8	536	59.4	58.2
Bullitt	419	586.5	825.1	99	138.6	204.9	96	134.4	153.3	36	50.4	76.7
Henry	159	1004.7	1019.9	48	303.3	309.4	33	208.5	204.9	10	63.2	58.2
Jefferson	6,780	969.9	881.2	1,689	241.6	216.7	1,659	237.3	216.4	457	65.4	59.5
Oldham	324	606.0	965.8	92	172.1	288.5	78	145.9	209.7	21	39.3	74.1
Shelby	263	688.2	765.4	71	185.8	209.4	62	162.2	169.8	8	20.9	24.2
Spencer	93	594.8	790.7	25	159.9	221.8	20	127.9	177.9	2	12.8	11.8
Trimble	78	863.6	963.6	16	177.1	200.1	22	243.6	257.6	2	22.1	26.6

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Chronic Lower Respiratory Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	39,471	946.0	920.5	10,572	253.4	246.4	9,343	223.9	214.5	2,545	61.0	59.5
DISTRICT 07	3,546	851.6	954.2	903	216.8	247.4	828	198.8	218.9	218	52.4	59.2
Boone	637	599.4	859.2	181	170.3	259.1	167	157.1	215.3	37	34.8	51.7
Campbell	835	959.2	921.8	199	228.6	219.8	181	207.9	199.6	44	50.5	48.5
Carroll	129	1233.4	1171.8	34	325.1	299.4	29	277.3	255.2	13	124.3	118.8
Gallatin	86	1053.7	1165.7	28	343.1	367.7	16	196.0	235.2	7	85.8	96.6
Grant	212	862.2	1040.1	58	235.9	295.5	42	170.8	197.8	15	61.0	73.7
Kenton	1,398	911.9	991.0	335	218.5	240.1	329	214.6	229.9	83	54.1	60.0
Owen	112	983.8	944.7	35	307.4	293.6	32	281.1	268.1	6	52.7	50.6
Pendleton	137	902.6	1001.3	33	217.4	247.7	32	210.8	218.7	13	85.6	93.6
DISTRICT 08	616	1089.7	984.1	171	302.5	270.6	152	268.9	239.2	58	102.6	92.3
Bracken	85	982.4	947.8	19	219.6	210.5	28	323.6	302.9	5	57.8	57.1
Fleming	172	1179.5	1117.6	55	377.2	356.4	35	240.0	220.0	16	109.7	103.2
Lewis	146	1052.1	1024.1	39	281.0	273.5	42	302.7	282.5	14	100.9	101.9
Mason	182	1060.7	868.8	53	308.9	247.3	38	221.5	180.4	22	128.2	107.5
Robertson	31	1373.5	1027.3	5	221.5	146.3	9	398.8	322.1	1	44.3	35.0
DISTRICT 09	732	926.3	905.0	176	222.7	215.1	181	229.1	222.5	53	67.1	65.0
Bath	128	1105.1	954.4	34	293.5	252.1	35	302.2	262.6	7	60.4	49.6
Menifee	70	1034.1	973.7	19	280.7	262.1	24	354.6	321.7	5	73.9	67.6
Montgomery	213	878.2	821.0	54	222.6	201.7	42	173.2	165.4	15	61.8	56.6
Morgan	140	979.4	978.0	33	230.8	229.8	37	258.8	258.9	7	49.0	51.0
Rowan	181	818.3	892.4	36	162.8	177.9	43	194.4	208.0	19	85.9	92.3
DISTRICT 10	1,489	1087.3	960.2	383	279.7	245.4	379	276.8	234.2	112	81.8	70.8
Boyd	603	1221.7	1031.2	169	342.4	288.1	151	305.9	248.8	39	79.0	64.6
Carter	288	1056.7	1024.0	66	242.2	232.5	78	286.2	270.2	23	84.4	79.1
Elliott	80	1149.6	1019.9	9	129.3	114.6	26	373.6	333.0	8	115.0	92.7
Greenup	365	981.1	834.6	100	268.8	226.1	84	225.8	182.8	28	75.3	62.7
Lawrence	153	946.4	921.1	39	241.2	236.2	40	247.4	226.8	14	86.6	87.6

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Chronic Lower Respiratory Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	39,471	946.0	920.5	10,572	253.4	246.4	9,343	223.9	214.5	2,545	61.0	59.5
DISTRICT 11	1,774	1118.1	1119.1	479	301.9	304.4	413	260.3	249.2	142	89.5	90.0
Floyd	470	1110.7	1102.8	124	293.0	294.1	112	264.7	255.6	41	96.9	97.0
Johnson	291	1214.0	1199.7	75	312.9	311.4	83	346.3	331.9	18	75.1	75.9
Magoffin	135	1005.1	1075.1	35	260.6	273.5	19	141.5	144.7	17	126.6	136.6
Martin	103	844.4	929.2	28	229.5	254.8	21	172.2	170.9	12	98.4	100.6
Pike	775	1160.9	1135.5	217	325.1	319.7	178	266.6	244.5	54	80.9	80.1
DISTRICT 12	1,441	1209.9	1184.8	420	352.6	347.7	325	272.9	259.1	125	105.0	103.0
Breathitt	208	1304.2	1355.9	75	470.2	503.5	46	288.4	285.3	19	119.1	122.2
Knott	177	1004.3	998.6	53	300.7	302.9	41	232.6	231.4	12	68.1	68.6
Lee	99	1291.4	1131.5	30	391.3	330.2	26	339.2	288.0	10	130.4	115.9
Leslie	130	1081.4	1064.4	28	232.9	236.8	34	282.8	273.8	18	149.7	148.8
Letcher	276	1126.3	1097.2	70	285.7	280.2	56	228.5	208.4	18	73.5	70.7
Owsley	86	1815.1	1544.1	20	422.1	339.1	21	443.2	397.9	7	147.7	121.0
Perry	368	1247.2	1288.7	116	393.1	413.2	89	301.6	302.6	29	98.3	103.1
Wolfe	97	1367.7	1271.1	28	394.8	348.2	12	169.2	151.4	12	169.2	166.1
DISTRICT 13	2,594	1070.4	1039.2	797	328.9	320.0	602	248.4	232.9	163	67.3	64.8
Bell	343	1159.3	1048.7	101	341.4	308.0	77	260.2	230.4	21	71.0	62.7
Clay	232	961.0	1039.8	73	302.4	337.4	50	207.1	213.3	13	53.8	58.6
Harlan	408	1288.2	1180.0	114	360.0	325.6	82	258.9	232.5	46	145.2	132.6
Jackson	132	963.4	1007.5	47	343.0	367.6	23	167.9	162.0	6	43.8	43.5
Knox	382	1185.0	1124.2	108	335.0	315.5	94	291.6	271.6	19	58.9	54.1
Laurel	516	916.2	971.8	165	293.0	318.0	135	239.7	243.1	23	40.8	44.1
Rockcastle	179	1066.4	977.3	51	303.8	277.5	42	250.2	219.8	12	71.5	66.4
Whitley	402	1060.8	982.4	138	364.2	336.6	99	261.2	235.2	23	60.7	54.9

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Chronic Lower Respiratory Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	39,471	946.0	920.5	10,572	253.4	246.4	9,343	223.9	214.5	2,545	61.0	59.5
DISTRICT 14	2,146	1075.8	922.8	634	317.8	269.3	494	247.6	205.9	131	65.7	55.2
Adair	167	953.7	838.5	60	342.6	300.1	40	228.4	197.6	8	45.7	38.6
Casey	195	1200.9	1067.5	56	344.9	301.1	34	209.4	178.0	8	49.3	43.7
Clinton	127	1331.8	1088.8	41	429.9	343.8	21	220.2	169.6	9	94.4	74.6
Cumberland	107	1511.9	1095.8	38	537.0	367.2	18	254.3	186.1	5	70.7	47.1
Green	125	1078.1	823.5	40	345.0	245.0	30	258.8	200.6	5	43.1	33.2
McCreary	143	829.2	916.5	39	226.2	275.6	49	284.1	276.1	9	52.2	59.1
Pulaski	654	1104.3	928.7	190	320.8	263.0	152	256.7	209.3	50	84.4	68.8
Russell	169	994.8	805.7	55	323.8	258.0	37	217.8	170.3	12	70.6	56.5
Taylor	265	1120.6	905.6	62	262.2	209.7	67	283.3	223.3	10	42.3	33.1
Wayne	194	950.2	894.2	53	259.6	244.0	46	225.3	208.2	15	73.5	69.2
DISTRICT 15	6,040	836.6	892.7	1,572	217.7	234.5	1,430	198.1	208.0	326	45.2	49.0
Anderson	168	823.9	886.3	36	176.5	194.2	51	250.1	267.2	13	63.8	69.1
Bourbon	208	1047.5	968.2	56	282.0	258.5	55	277.0	250.5	14	70.5	65.0
Boyle	325	1144.9	999.2	94	331.1	288.7	65	229.0	201.5	22	77.5	65.1
Clark	317	910.1	893.5	92	264.1	259.8	69	198.1	188.0	17	48.8	47.8
Estill	184	1221.5	1154.4	45	298.7	281.6	53	351.8	326.7	13	86.3	78.0
Fayette	2,005	748.3	836.2	540	201.5	229.2	444	165.7	185.1	85	31.7	36.8
Franklin	514	1066.6	1051.7	124	257.3	257.7	121	251.1	233.8	25	51.9	50.7
Garrard	131	792.2	774.9	40	241.9	237.6	31	187.5	176.9	3	18.1	18.2
Harrison	199	1080.6	933.4	56	304.1	257.8	47	255.2	223.5	13	70.6	60.3
Jessamine	333	767.3	920.3	74	170.5	209.1	82	188.9	220.3	18	41.5	50.4
Lincoln	214	850.1	825.1	53	210.5	205.3	63	250.3	236.6	15	59.6	57.4
Madison	567	729.4	879.2	146	187.8	228.2	128	164.7	193.9	33	42.5	53.6
Mercer	235	1084.9	962.6	62	286.2	251.6	61	281.6	245.0	16	73.9	64.3
Nicholas	87	1241.6	1017.1	27	385.3	313.1	15	214.1	174.6	6	85.6	67.7
Powell	162	1180.0	1150.1	42	305.9	301.5	39	284.1	259.2	12	87.4	80.3
Scott	199	503.4	685.5	43	108.8	149.2	46	116.4	153.2	14	35.4	50.7
Woodford	192	795.5	878.0	42	174.0	200.0	60	248.6	255.7	7	29.0	31.6

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Unintentional Injuries			Cerebrovascular Diseases			Diabetes Mellitus			Alzheimer's Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,264	54.3	53.7	2,117	50.7	49.8	1,168	28.0	27.0	1,130	27.1	26.9
DISTRICT 01	98	50.5	46.9	134	69.0	49.3	63	32.5	24.8	78	40.2	28.3
Ballard	5	60.5	66.6	7	84.7	64.2	6	72.6	53.2	0	0.0	0.0
Calloway	12	34.3	34.8	27	77.1	60.0	12	34.3	29.8	13	37.1	28.1
Carlisle	2	37.8	44.1	5	94.4	65.6	1	18.9	12.1	3	56.6	36.4
Fulton	7	97.7	86.5	8	111.7	76.3	4	55.8	50.0	2	27.9	19.6
Graves	20	53.1	45.3	29	77.0	55.5	18	47.8	38.8	22	58.4	41.6
Hickman	6	118.5	108.1	3	59.2	32.5	2	39.5	18.2	5	98.7	60.0
McCracken	23	35.6	33.1	30	46.4	32.8	17	26.3	19.3	20	30.9	21.8
Marshall	23	74.3	67.7	25	80.8	55.0	3	9.7	6.1	13	42.0	28.4
DISTRICT 02	113	53.0	51.4	126	59.1	51.9	64	30.0	26.8	52	24.4	21.0
Caldwell	6	46.5	37.6	14	108.6	77.8	5	38.8	25.3	3	23.3	14.6
Christian	19	27.2	29.4	19	27.2	32.6	19	27.2	32.1	15	21.5	24.6
Crittenden	10	111.2	115.8	5	55.6	35.6	3	33.4	21.7	0	0.0	0.0
Hopkins	32	68.6	66.8	33	70.7	56.6	17	36.4	30.8	8	17.1	13.5
Livingston	9	92.0	92.5	7	71.6	55.6	4	40.9	35.8	3	30.7	24.9
Lyon	4	49.1	37.1	5	61.4	40.8	3	36.8	32.4	6	73.7	49.7
Muhlenberg	20	63.4	55.5	25	79.2	62.8	9	28.5	22.1	9	28.5	21.8
Todd	7	58.6	58.6	7	58.6	52.0	0	0.0	0.0	4	33.5	30.8
Trigg	6	45.0	38.3	11	82.5	66.1	4	30.0	22.5	4	30.0	22.5
DISTRICT 03	115	54.7	53.1	114	54.2	47.4	84	39.9	35.2	97	46.1	40.3
Daviess	48	51.7	48.2	56	60.3	50.6	40	43.1	37.5	59	63.6	53.2
Hancock	9	104.4	105.5	1	11.6	14.5	3	34.8	40.8	3	34.8	41.2
Henderson	17	37.3	37.0	21	46.1	42.7	10	21.9	20.5	17	37.3	35.0
McLean	10	100.6	102.9	10	100.6	83.8	3	30.2	24.4	3	30.2	27.6
Ohio	13	54.8	53.5	9	37.9	33.0	14	59.0	51.5	10	42.1	34.8
Union	13	83.6	89.4	7	45.0	42.9	11	70.7	66.1	5	32.1	31.2
Webster	5	35.4	38.8	10	70.7	58.5	3	21.2	17.3	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Unintentional Injuries			Cerebrovascular Diseases			Diabetes Mellitus			Alzheimer's Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,264	54.3	53.7	2,117	50.7	49.8	1,168	28.0	27.0	1,130	27.1	26.9
DISTRICT 04	138	51.6	50.5	140	52.3	50.8	65	24.3	23.2	100	37.4	35.9
Allen	16	86.0	87.2	8	43.0	40.8	5	26.9	25.2	3	16.1	15.2
Barren	21	52.4	50.2	26	64.8	52.4	7	17.5	13.9	20	49.9	38.9
Butler	9	67.4	64.8	9	67.4	66.1	5	37.4	36.0	4	29.9	29.2
Edmonson	3	25.0	25.9	6	49.9	43.6	0	0.0	0.0	4	33.3	29.1
Hart	9	49.0	48.6	14	76.2	73.5	3	16.3	14.1	13	70.8	69.5
Logan	17	62.6	62.2	13	47.8	42.3	10	36.8	34.1	8	29.4	25.7
Metcalfe	7	68.5	67.4	3	29.4	25.4	7	68.5	56.4	4	39.1	34.4
Monroe	6	51.2	47.1	7	59.7	51.8	2	17.1	14.0	2	17.1	14.0
Simpson	8	47.1	43.6	9	53.0	49.3	6	35.3	31.7	7	41.2	36.0
Warren	42	42.5	41.3	45	45.5	52.8	20	20.2	21.9	35	35.4	40.7
DISTRICT 05	144	56.6	57.9	121	47.6	52.4	44	17.3	18.2	62	24.4	28.1
Breckinridge	9	46.8	50.1	8	41.6	44.3	11	57.2	51.6	8	41.6	43.8
Grayson	13	51.5	53.6	11	43.6	41.3	4	15.9	16.4	5	19.8	19.4
Hardin	40	41.3	43.1	50	51.6	63.1	10	10.3	11.5	24	24.8	32.0
Larue	15	109.8	107.2	4	29.3	22.9	7	51.2	44.4	12	87.8	67.3
Marion	15	79.6	78.2	7	37.1	32.9	4	21.2	21.0	4	21.2	19.5
Meade	16	56.6	68.2	7	24.8	34.4	3	10.6	13.2	2	7.1	14.0
Nelson	26	63.3	64.6	22	53.6	62.8	3	7.3	8.2	3	7.3	9.0
Washington	10	88.2	88.9	12	105.8	88.5	2	17.6	15.5	4	35.3	26.7
DISTRICT 06	365	40.4	39.8	461	51.1	49.8	290	32.1	30.8	224	24.8	24.4
Bullitt	27	37.8	40.5	19	26.6	45.9	13	18.2	25.5	12	16.8	29.4
Henry	9	56.9	57.3	8	50.5	54.3	3	19.0	19.1	4	25.3	27.2
Jefferson	290	41.5	39.8	375	53.6	48.1	254	36.3	32.9	184	26.3	23.3
Oldham	16	29.9	36.5	27	50.5	92.9	8	15.0	25.5	9	16.8	30.7
Shelby	12	31.4	32.2	25	65.4	77.6	5	13.1	14.9	9	23.6	28.7
Spencer	8	51.2	59.0	5	32.0	37.1	2	12.8	20.8	6	38.4	54.7
Trimble	3	33.2	39.8	2	22.1	25.7	5	55.4	60.7	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Unintentional Injuries			Cerebrovascular Diseases			Diabetes Mellitus			Alzheimer's Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,264	54.3	53.7	2,117	50.7	49.8	1,168	28.0	27.0	1,130	27.1	26.9
DISTRICT 07	181	43.5	45.3	176	42.3	49.3	113	27.1	29.7	104	25.0	30.2
Boone	35	32.9	36.8	19	17.9	27.7	24	22.6	31.1	15	14.1	24.5
Campbell	41	47.1	46.2	58	66.6	63.8	24	27.6	26.3	21	24.1	23.0
Carroll	10	95.6	95.9	5	47.8	48.2	3	28.7	29.5	10	95.6	95.9
Gallatin	5	61.3	66.0	4	49.0	51.2	1	12.3	12.9	1	12.3	12.6
Grant	16	65.1	71.8	10	40.7	48.7	11	44.7	51.1	8	32.5	44.8
Kenton	54	35.2	36.3	69	45.0	50.5	42	27.4	28.7	46	30.0	34.4
Owen	9	79.1	77.2	2	17.6	15.8	5	43.9	41.6	0	0.0	0.0
Pendleton	11	72.5	76.3	9	59.3	72.1	3	19.8	19.8	3	19.8	24.3
DISTRICT 08	30	53.1	50.6	32	56.6	50.8	11	19.5	17.5	14	24.8	22.2
Bracken	9	104.0	102.7	3	34.7	33.9	1	11.6	10.5	3	34.7	34.7
Fleming	10	68.6	65.2	10	68.6	66.2	6	41.1	37.9	2	13.7	13.5
Lewis	6	43.2	42.0	8	57.6	55.8	1	7.2	8.0	2	14.4	14.0
Mason	3	17.5	16.3	9	52.5	41.3	3	17.5	14.8	6	35.0	26.7
Robertson	2	88.6	65.4	2	88.6	60.5	0	0.0	0.0	1	44.3	35.0
DISTRICT 09	46	58.2	57.1	47	59.5	58.9	18	22.8	21.8	18	22.8	22.4
Bath	6	51.8	47.5	7	60.4	52.6	2	17.3	14.5	2	17.3	12.6
Menifee	2	29.5	28.4	5	73.9	70.0	2	29.5	29.4	1	14.8	14.9
Montgomery	13	53.6	51.1	12	49.5	47.5	5	20.6	19.1	6	24.7	23.5
Morgan	13	90.9	91.7	7	49.0	45.2	8	56.0	55.7	4	28.0	26.1
Rowan	12	54.3	56.0	16	72.3	82.6	1	4.5	4.3	5	22.6	25.5
DISTRICT 10	72	52.6	50.8	101	73.8	65.6	42	30.7	26.5	34	24.8	22.8
Boyd	22	44.6	42.0	54	109.4	94.8	14	28.4	23.2	13	26.3	23.7
Carter	17	62.4	61.1	17	62.4	62.7	7	25.7	23.3	8	29.4	29.4
Elliott	5	71.8	71.0	1	14.4	9.8	5	71.8	61.2	4	57.5	42.0
Greenup	18	48.4	47.5	23	61.8	49.6	7	18.8	16.1	9	24.2	21.1
Lawrence	10	61.9	57.9	6	37.1	38.2	9	55.7	57.5	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Unintentional Injuries			Cerebrovascular Diseases			Diabetes Mellitus			Alzheimer's Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,264	54.3	53.7	2,117	50.7	49.8	1,168	28.0	27.0	1,130	27.1	26.9
DISTRICT 11	154	97.1	97.9	83	52.3	53.8	52	32.8	31.1	19	12.0	13.3
Floyd	47	111.1	109.0	21	49.6	51.2	13	30.7	29.3	4	9.5	10.1
Johnson	16	66.8	68.1	11	45.9	44.2	10	41.7	37.6	5	20.9	22.8
Magoffin	9	67.0	64.4	8	59.6	67.8	0	0.0	0.0	2	14.9	19.0
Martin	9	73.8	78.3	7	57.4	69.3	0	0.0	0.0	2	16.4	20.8
Pike	73	109.4	112.3	36	53.9	53.0	29	43.4	40.3	6	9.0	10.3
DISTRICT 12	136	114.2	113.5	54	45.3	45.9	44	36.9	36.7	13	10.9	11.7
Breathitt	20	125.4	121.6	5	31.3	32.7	4	25.1	28.6	0	0.0	0.0
Knott	19	107.8	106.2	4	22.7	22.8	4	22.7	22.5	0	0.0	0.0
Lee	10	130.4	130.1	2	26.1	21.0	1	13.0	10.9	2	26.1	22.6
Leslie	11	91.5	84.8	1	8.3	7.3	9	74.9	76.3	3	25.0	29.4
Letcher	28	114.3	115.1	21	85.7	86.1	10	40.8	40.6	2	8.2	8.8
Owsley	8	168.8	171.8	6	126.6	100.7	2	42.2	36.2	1	21.1	14.0
Perry	26	88.1	90.6	12	40.7	44.5	10	33.9	35.7	4	13.6	16.0
Wolfe	14	197.4	200.7	3	42.3	37.0	4	56.4	52.3	1	14.1	11.7
DISTRICT 13	176	72.6	72.9	119	49.1	48.4	73	30.1	29.2	60	24.8	25.3
Bell	28	94.6	93.2	20	67.6	61.4	10	33.8	29.3	10	33.8	31.0
Clay	17	70.4	67.8	7	29.0	35.4	3	12.4	12.4	3	12.4	16.1
Harlan	21	66.3	69.0	19	60.0	53.8	15	47.4	43.7	7	22.1	20.5
Jackson	6	43.8	41.5	8	58.4	59.0	4	29.2	30.3	6	43.8	52.9
Knox	34	105.5	108.9	17	52.7	48.6	15	46.5	46.3	9	27.9	26.1
Laurel	37	65.7	65.0	25	44.4	50.1	8	14.2	14.3	11	19.5	23.6
Rockcastle	10	59.6	59.9	9	53.6	48.5	7	41.7	39.4	7	41.7	38.1
Whitley	23	60.7	60.0	14	36.9	34.1	11	29.0	27.2	7	18.5	17.4

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Unintentional Injuries			Cerebrovascular Diseases			Diabetes Mellitus			Alzheimer's Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,264	54.3	53.7	2,117	50.7	49.8	1,168	28.0	27.0	1,130	27.1	26.9
DISTRICT 14	152	76.2	74.0	85	42.6	36.1	57	28.6	24.4	51	25.6	21.9
Adair	10	57.1	57.0	6	34.3	29.2	2	11.4	10.4	1	5.7	4.8
Casey	17	104.7	106.0	10	61.6	53.7	6	37.0	33.0	5	30.8	26.9
Clinton	11	115.4	118.1	3	31.5	21.9	3	31.5	24.6	2	21.0	17.6
Cumberland	5	70.7	65.7	8	113.0	79.9	0	0.0	0.0	0	0.0	0.0
Green	7	60.4	66.3	10	86.3	60.1	3	25.9	20.4	4	34.5	28.0
McCreary	9	52.2	50.2	5	29.0	38.4	2	11.6	17.9	0	0.0	0.0
Pulaski	54	91.2	88.4	20	33.8	28.7	20	33.8	28.3	27	45.6	37.8
Russell	10	58.9	54.7	7	41.2	33.3	5	29.4	22.2	3	17.7	14.5
Taylor	19	80.3	72.6	9	38.1	29.7	9	38.1	30.0	7	29.6	23.6
Wayne	10	49.0	50.3	7	34.3	32.7	7	34.3	32.6	2	9.8	10.0
DISTRICT 15	344	47.6	48.0	324	44.9	49.0	148	20.5	22.0	204	28.3	31.8
Anderson	8	39.2	38.1	7	34.3	39.2	3	14.7	15.4	8	39.2	43.4
Bourbon	13	65.5	65.4	14	70.5	66.9	7	35.3	30.5	2	10.1	9.3
Boyle	11	38.8	34.8	18	63.4	55.3	8	28.2	25.4	15	52.8	42.9
Clark	21	60.3	59.5	22	63.2	62.4	2	5.7	5.7	12	34.5	36.1
Estill	16	106.2	100.9	7	46.5	45.6	5	33.2	33.8	3	19.9	20.4
Fayette	110	41.1	42.0	96	35.8	40.7	64	23.9	26.2	64	23.9	28.0
Franklin	21	43.6	45.8	28	58.1	57.4	15	31.1	32.0	19	39.4	42.1
Garrard	13	78.6	74.9	2	12.1	12.5	3	18.1	17.8	6	36.3	37.4
Harrison	6	32.6	32.4	16	86.9	76.2	5	27.2	25.4	1	5.4	4.0
Jessamine	25	57.6	57.1	18	41.5	52.3	6	13.8	15.8	16	36.9	49.4
Lincoln	13	51.6	51.2	14	55.6	54.1	1	4.0	4.3	4	15.9	15.3
Madison	34	43.7	47.5	37	47.6	60.0	8	10.3	13.3	20	25.7	32.9
Mercer	15	69.3	64.2	11	50.8	46.2	2	9.2	7.3	8	36.9	32.6
Nicholas	4	57.1	53.8	7	99.9	79.5	6	85.6	71.9	1	14.3	10.1
Powell	15	109.3	115.7	7	51.0	48.8	4	29.1	27.9	5	36.4	41.7
Scott	8	20.2	20.0	12	30.4	43.4	8	20.2	29.2	8	20.2	30.6
Woodford	11	45.6	45.3	8	33.1	38.6	1	4.1	6.0	12	49.7	63.8

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Influenza and Pneumonia			Nephritis, Nephrotic Syndrome & Nephrosis			Septicemia			Intentional Self-harm (Suicide)			Chronic Liver Disease and Cirrhosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	996	23.9	23.5	887	21.3	20.8	575	13.8	13.5	548	13.1	12.9	374	9.0	8.4
DISTRICT 01	58	29.9	21.2	45	23.2	17.5	20	10.3	7.8	29	14.9	14.3	15	7.7	7.0
Ballard	1	12.1	9.6	3	36.3	26.5	0	0.0	0.0	3	36.3	36.4	0	0.0	0.0
Calloway	12	34.3	25.9	5	14.3	10.2	6	17.1	13.3	2	5.7	6.2	2	5.7	4.9
Carlisle	1	18.9	12.2	1	18.9	14.6	0	0.0	0.0	1	18.9	18.5	0	0.0	0.0
Fulton	6	83.8	54.4	5	69.8	51.8	1	14.0	9.2	2	27.9	21.7	0	0.0	0.0
Graves	13	34.5	24.9	9	23.9	18.2	1	2.7	1.7	6	15.9	15.7	3	8.0	7.7
Hickman	7	138.2	84.4	2	39.5	23.4	0	0.0	0.0	2	39.5	43.1	0	0.0	0.0
McCracken	8	12.4	8.1	15	23.2	17.3	7	10.8	8.9	6	9.3	9.2	7	10.8	10.1
Marshall	10	32.3	23.7	5	16.2	11.8	5	16.2	11.2	7	22.6	19.4	3	9.7	7.4
DISTRICT 02	77	36.1	31.7	56	26.3	23.8	24	11.3	10.2	31	14.6	14.6	23	10.8	9.8
Caldwell	3	23.3	18.8	8	62.0	47.0	2	15.5	13.9	3	23.3	24.5	2	15.5	11.0
Christian	27	38.7	45.7	17	24.4	29.1	7	10.0	11.9	8	11.5	12.1	5	7.2	8.3
Crittenden	2	22.2	17.0	3	33.4	20.6	2	22.2	15.4	2	22.2	22.3	1	11.1	6.9
Hopkins	16	34.3	27.9	14	30.0	24.7	8	17.1	14.1	9	19.3	18.2	5	10.7	9.2
Livingston	2	20.4	16.0	1	10.2	8.8	0	0.0	0.0	3	30.7	25.9	0	0.0	0.0
Lyon	3	36.8	24.9	2	24.6	15.8	1	12.3	9.0	0	0.0	0.0	3	36.8	26.9
Muhlenberg	17	53.9	40.5	4	12.7	10.2	3	9.5	7.5	3	9.5	9.9	7	22.2	17.9
Todd	3	25.1	22.9	4	33.5	33.6	0	0.0	0.0	2	16.8	19.3	0	0.0	0.0
Trigg	4	30.0	23.2	3	22.5	17.5	1	7.5	5.8	1	7.5	8.9	0	0.0	0.0
DISTRICT 03	41	19.5	17.5	31	14.7	12.9	18	8.6	7.9	33	15.7	16.0	21	10.0	8.8
Daviess	20	21.5	19.6	15	16.2	13.8	5	5.4	4.8	16	17.2	18.2	8	8.6	7.5
Hancock	4	46.4	42.2	1	11.6	13.3	0	0.0	0.0	3	34.8	36.9	0	0.0	0.0
Henderson	8	17.6	16.4	6	13.2	12.4	9	19.8	18.5	6	13.2	12.4	7	15.4	13.0
McLean	2	20.1	16.0	3	30.2	26.8	2	20.1	17.8	1	10.1	8.3	0	0.0	0.0
Ohio	2	8.4	7.1	2	8.4	7.7	2	8.4	8.9	4	16.9	17.0	2	8.4	7.6
Union	0	0.0	0.0	3	19.3	18.8	0	0.0	0.0	1	6.4	7.2	2	12.9	14.7
Webster	5	35.4	29.1	1	7.1	5.2	0	0.0	0.0	2	14.1	12.6	2	14.1	11.4

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Influenza and Pneumonia			Nephritis, Nephrotic Syndrome & Nephrosis			Septicemia			Intentional Self-harm (Suicide)			Chronic Liver Disease and Cirrhosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	996	23.9	23.5	887	21.3	20.8	575	13.8	13.5	548	13.1	12.9	374	9.0	8.4
DISTRICT 04	76	28.4	27.2	61	22.8	22.1	32	12.0	11.4	38	14.2	14.1	23	8.6	8.0
Allen	2	10.7	9.9	11	59.1	57.9	1	5.4	4.8	2	10.7	10.1	0	0.0	0.0
Barren	12	29.9	23.6	10	24.9	21.6	10	24.9	21.1	7	17.5	17.4	3	7.5	6.3
Butler	3	22.5	20.7	3	22.5	22.0	1	7.5	7.2	1	7.5	7.2	0	0.0	0.0
Edmonson	4	33.3	30.4	2	16.6	12.7	0	0.0	0.0	2	16.6	18.3	1	8.3	8.1
Hart	10	54.4	53.7	8	43.6	41.6	5	27.2	23.7	3	16.3	14.7	1	5.4	4.2
Logan	11	40.5	34.0	6	22.1	19.6	1	3.7	2.8	3	11.0	10.7	3	11.0	9.6
Metcalfe	2	19.6	16.5	3	29.4	26.3	3	29.4	26.3	2	19.6	21.0	2	19.6	18.0
Monroe	5	42.7	34.1	3	25.6	20.1	0	0.0	0.0	3	25.6	24.5	0	0.0	0.0
Simpson	3	17.7	14.4	4	23.5	21.6	1	5.9	5.7	4	23.5	22.7	2	11.8	10.4
Warren	24	24.3	27.6	11	11.1	12.4	10	10.1	12.1	11	11.1	11.7	11	11.1	11.3
DISTRICT 05	61	24.0	27.0	45	17.7	19.3	30	11.8	12.7	38	14.9	14.9	18	7.1	6.6
Breckinridge	2	10.4	11.1	1	5.2	5.4	4	20.8	21.8	1	5.2	6.1	4	20.8	17.8
Grayson	9	35.7	33.9	4	15.9	13.9	3	11.9	11.4	9	35.7	35.5	3	11.9	10.7
Hardin	26	26.9	33.7	20	20.7	24.9	14	14.5	16.8	12	12.4	12.9	5	5.2	5.0
Larue	6	43.9	33.3	4	29.3	24.0	1	7.3	6.1	1	7.3	5.6	0	0.0	0.0
Marion	2	10.6	9.0	3	15.9	15.7	1	5.3	4.5	4	21.2	21.2	1	5.3	5.7
Meade	3	10.6	16.3	6	21.2	27.7	3	10.6	16.5	3	10.6	8.9	2	7.1	6.6
Nelson	8	19.5	22.9	6	14.6	16.8	2	4.9	5.0	7	17.0	16.1	3	7.3	6.4
Washington	5	44.1	34.5	1	8.8	6.7	2	17.6	14.4	1	8.8	9.8	0	0.0	0.0
DISTRICT 06	172	19.1	18.6	179	19.8	19.3	149	16.5	16.1	113	12.5	12.2	73	8.1	7.6
Bullitt	9	12.6	24.2	5	7.0	12.9	5	7.0	12.0	11	15.4	15.1	3	4.2	6.9
Henry	5	31.6	33.8	2	12.6	13.1	4	25.3	26.7	5	31.6	35.2	3	19.0	19.7
Jefferson	139	19.9	17.8	155	22.2	20.0	126	18.0	16.4	86	12.3	11.8	63	9.0	8.2
Oldham	6	11.2	21.9	3	5.6	11.6	4	7.5	10.5	8	15.0	13.7	2	3.7	5.2
Shelby	6	15.7	18.4	6	15.7	17.0	5	13.1	14.0	2	5.2	4.4	1	2.6	3.4
Spencer	6	38.4	57.5	1	6.4	10.6	3	19.2	24.8	0	0.0	0.0	1	6.4	8.7
Trimble	1	11.1	12.4	7	77.5	87.7	2	22.1	26.6	1	11.1	11.5	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Influenza and Pneumonia			Nephritis, Nephrotic Syndrome & Nephrosis			Septicemia			Intentional Self-harm (Suicide)			Chronic Liver Disease and Cirrhosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	996	23.9	23.5	887	21.3	20.8	575	13.8	13.5	548	13.1	12.9	374	9.0	8.4
DISTRICT 07	94	22.6	26.2	72	17.3	20.1	47	11.3	13.2	52	12.5	12.4	40	9.6	9.9
Boone	14	13.2	19.5	10	9.4	14.3	7	6.6	8.8	11	10.3	11.1	3	2.8	3.0
Campbell	16	18.4	17.4	14	16.1	15.5	12	13.8	13.3	7	8.0	7.9	16	18.4	17.2
Carroll	3	28.7	26.6	1	9.6	7.2	0	0.0	0.0	1	9.6	9.0	2	19.1	19.3
Gallatin	2	24.5	27.0	4	49.0	61.8	0	0.0	0.0	2	24.5	24.4	0	0.0	0.0
Grant	4	16.3	20.6	3	12.2	13.5	2	8.1	12.0	4	16.3	15.9	3	12.2	15.2
Kenton	47	30.7	34.4	32	20.9	23.3	19	12.4	14.0	27	17.6	17.8	14	9.1	9.6
Owen	1	8.8	9.1	4	35.1	34.3	4	35.1	34.3	0	0.0	0.0	1	8.8	8.6
Pendleton	7	46.1	53.7	4	26.4	30.8	3	19.8	24.0	0	0.0	0.0	1	6.6	5.4
DISTRICT 08	17	30.1	27.1	16	28.3	25.4	11	19.5	17.8	4	7.1	6.7	9	15.9	15.3
Bracken	1	11.6	11.3	2	23.1	23.4	0	0.0	0.0	0	0.0	0.0	2	23.1	24.2
Fleming	4	27.4	27.5	6	41.1	39.0	2	13.7	14.1	3	20.6	18.3	3	20.6	21.0
Lewis	6	43.2	44.0	5	36.0	35.1	3	21.6	21.6	0	0.0	0.0	2	14.4	12.3
Mason	4	23.3	19.4	2	11.7	9.2	2	11.7	9.6	1	5.8	6.7	1	5.8	5.3
Robertson	2	88.6	81.6	1	44.3	35.0	4	177.2	123.0	0	0.0	0.0	1	44.3	47.0
DISTRICT 09	21	26.6	26.5	21	26.6	26.3	10	12.7	12.2	14	17.7	16.8	9	11.4	11.4
Bath	3	25.9	23.3	3	25.9	22.4	4	34.5	29.9	5	43.2	40.0	3	25.9	23.7
Menifee	2	29.5	30.4	1	14.8	10.1	0	0.0	0.0	1	14.8	14.2	1	14.8	12.0
Montgomery	6	24.7	22.4	8	33.0	30.7	2	8.2	7.2	2	8.2	7.8	0	0.0	0.0
Morgan	3	21.0	23.5	4	28.0	27.7	2	14.0	15.2	1	7.0	5.7	3	21.0	20.3
Rowan	7	31.6	37.7	5	22.6	26.2	2	9.0	10.4	5	22.6	22.9	2	9.0	10.5
DISTRICT 10	27	19.7	18.0	33	24.1	21.7	27	19.7	17.7	20	14.6	14.8	19	13.9	11.5
Boyd	11	22.3	19.2	14	28.4	24.5	13	26.3	22.1	3	6.1	5.6	10	20.3	16.5
Carter	4	14.7	15.3	10	36.7	36.5	2	7.3	7.5	6	22.0	23.2	2	7.3	6.4
Elliott	3	43.1	35.5	1	14.4	14.5	2	28.7	25.7	4	57.5	63.7	1	14.4	14.5
Greenup	4	10.8	10.7	7	18.8	15.8	5	13.4	11.7	5	13.4	13.1	5	13.4	9.6
Lawrence	5	30.9	29.4	1	6.2	6.7	5	30.9	31.5	2	12.4	12.7	1	6.2	5.8

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Influenza and Pneumonia			Nephritis, Nephrotic Syndrome & Nephrosis			Septicemia			Intentional Self-harm (Suicide)			Chronic Liver Disease and Cirrhosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	996	23.9	23.5	887	21.3	20.8	575	13.8	13.5	548	13.1	12.9	374	9.0	8.4
DISTRICT 11	43	27.1	29.4	29	18.3	18.9	33	20.8	20.8	19	12.0	11.6	16	10.1	9.4
Floyd	3	7.1	8.0	5	11.8	11.5	9	21.3	21.6	5	11.8	10.4	5	11.8	10.7
Johnson	12	50.1	55.0	7	29.2	27.5	4	16.7	16.0	3	12.5	13.6	4	16.7	15.0
Magoffin	9	67.0	78.5	4	29.8	35.6	2	14.9	14.7	2	14.9	15.0	3	22.3	22.8
Martin	2	16.4	23.9	1	8.2	11.9	5	41.0	43.2	0	0.0	0.0	0	0.0	0.0
Pike	17	25.5	27.2	12	18.0	18.0	13	19.5	19.1	9	13.5	12.9	4	6.0	5.5
DISTRICT 12	30	25.2	24.7	36	30.2	29.1	25	21.0	21.4	21	17.6	16.5	19	16.0	14.9
Breathitt	2	12.5	12.9	3	18.8	21.4	6	37.6	43.2	0	0.0	0.0	0	0.0	0.0
Knott	8	45.4	44.2	7	39.7	37.4	3	17.0	17.5	1	5.7	6.3	4	22.7	24.4
Lee	1	13.0	10.0	4	52.2	43.4	2	26.1	25.4	2	26.1	23.5	1	13.0	12.3
Leslie	1	8.3	9.9	1	8.3	6.6	2	16.6	16.8	3	25.0	25.6	2	16.6	16.2
Letcher	6	24.5	22.0	9	36.7	36.8	3	12.2	10.6	4	16.3	14.4	5	20.4	17.6
Owsley	2	42.2	31.9	5	105.5	83.4	4	84.4	65.9	0	0.0	0.0	1	21.1	17.9
Perry	9	30.5	33.5	6	20.3	21.3	4	13.6	15.2	9	30.5	27.4	3	10.2	8.7
Wolfe	1	14.1	16.8	1	14.1	12.3	1	14.1	12.3	2	28.2	29.3	3	42.3	39.3
DISTRICT 13	59	24.3	23.9	63	26.0	25.6	46	19.0	18.6	35	14.4	14.2	18	7.4	7.0
Bell	9	30.4	26.4	13	43.9	39.3	9	30.4	26.8	3	10.1	10.6	2	6.8	5.4
Clay	9	37.3	44.5	7	29.0	31.9	6	24.9	27.9	2	8.3	7.7	4	16.6	15.6
Harlan	7	22.1	19.5	9	28.4	25.7	6	18.9	16.7	4	12.6	12.2	4	12.6	11.9
Jackson	3	21.9	25.1	6	43.8	50.6	1	7.3	6.9	3	21.9	22.4	0	0.0	0.0
Knox	6	18.6	17.4	8	24.8	21.9	7	21.7	21.4	6	18.6	17.7	1	3.1	3.2
Laurel	9	16.0	17.3	10	17.8	20.3	9	16.0	16.9	8	14.2	13.7	4	7.1	6.4
Rockcastle	6	35.7	32.9	2	11.9	12.1	4	23.8	22.9	5	29.8	27.9	2	11.9	10.7
Whitley	10	26.4	23.9	8	21.1	21.1	4	10.6	9.8	4	10.6	11.1	1	2.6	3.2

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Influenza and Pneumonia			Nephritis, Nephrotic Syndrome & Nephrosis			Septicemia			Intentional Self-harm (Suicide)			Chronic Liver Disease and Cirrhosis		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	996	23.9	23.5	887	21.3	20.8	575	13.8	13.5	548	13.1	12.9	374	9.0	8.4
DISTRICT 14	70	35.1	29.9	55	27.6	23.4	32	16.0	13.3	30	15.0	14.8	12	6.0	5.4
Adair	10	57.1	49.4	4	22.8	18.8	3	17.1	14.6	4	22.8	21.8	2	11.4	10.8
Casey	9	55.4	48.4	12	73.9	65.1	7	43.1	37.7	4	24.6	25.1	0	0.0	0.0
Clinton	10	104.9	85.0	4	41.9	36.8	4	41.9	32.9	0	0.0	0.0	0	0.0	0.0
Cumberland	3	42.4	26.7	1	14.1	9.9	3	42.4	27.6	3	42.4	42.0	2	28.3	26.4
Green	4	34.5	25.0	2	17.3	14.3	1	8.6	5.3	1	8.6	6.2	1	8.6	7.9
McCreary	4	23.2	29.0	2	11.6	16.2	3	17.4	20.0	2	11.6	9.8	3	17.4	15.4
Pulaski	16	27.0	22.7	12	20.3	16.9	3	5.1	4.0	8	13.5	14.6	0	0.0	0.0
Russell	4	23.5	18.9	6	35.3	28.0	1	5.9	4.4	3	17.7	16.5	1	5.9	4.9
Taylor	7	29.6	23.8	6	25.4	20.0	4	16.9	13.6	3	12.7	11.4	2	8.5	6.5
Wayne	3	14.7	14.1	6	29.4	28.6	3	14.7	12.8	2	9.8	9.1	1	4.9	4.7
DISTRICT 15	150	20.8	22.8	145	20.1	21.7	71	9.8	10.4	71	9.8	9.7	59	8.2	8.1
Anderson	4	19.6	21.7	1	4.9	6.0	2	9.8	9.8	2	9.8	10.5	2	9.8	10.6
Bourbon	5	25.2	24.1	4	20.1	19.1	1	5.0	4.4	0	0.0	0.0	0	0.0	0.0
Boyle	13	45.8	37.6	3	10.6	8.7	5	17.6	15.2	5	17.6	16.6	1	3.5	3.2
Clark	5	14.4	15.3	8	23.0	21.4	9	25.8	27.0	2	5.7	5.3	2	5.7	5.4
Estill	3	19.9	18.5	5	33.2	30.3	1	6.6	6.3	0	0.0	0.0	4	26.6	23.8
Fayette	47	17.5	20.3	49	18.3	21.3	21	7.8	8.6	25	9.3	9.5	20	7.5	7.3
Franklin	11	22.8	22.9	17	35.3	34.8	6	12.5	10.9	6	12.5	12.9	8	16.6	13.5
Garrard	4	24.2	25.3	3	18.1	17.3	1	6.0	6.3	0	0.0	0.0	0	0.0	0.0
Harrison	10	54.3	43.1	6	32.6	27.5	3	16.3	14.6	3	16.3	17.0	0	0.0	0.0
Jessamine	6	13.8	18.3	6	13.8	16.5	5	11.5	13.8	3	6.9	6.3	1	2.3	2.1
Lincoln	7	27.8	26.1	9	35.8	35.0	4	15.9	15.6	2	7.9	8.5	2	7.9	7.5
Madison	17	21.9	28.2	9	11.6	14.2	6	7.7	9.1	10	12.9	13.7	8	10.3	11.8
Mercer	3	13.9	11.6	8	36.9	33.1	3	13.9	12.8	5	23.1	24.1	2	9.2	8.2
Nicholas	2	28.5	20.7	1	14.3	10.1	0	0.0	0.0	2	28.5	31.6	2	28.5	22.6
Powell	3	21.9	20.1	2	14.6	13.4	1	7.3	6.0	3	21.9	23.4	0	0.0	0.0
Scott	7	17.7	25.3	12	30.4	44.1	2	5.1	6.5	2	5.1	4.8	4	10.1	12.6
Woodford	3	12.4	16.8	2	8.3	7.9	1	4.1	3.0	1	4.1	4.8	3	12.4	12.1

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Essential (Primary) Hypertension & Renal Disease			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Assault (Homicide)			Aortic Aneurysm and Dissection		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	343	8.2	8.1	306	7.3	7.3	264	6.3	6.3	212	5.1	5.1	194	4.6	4.6
DISTRICT 01	16	8.2	6.2	13	6.7	4.8	18	9.3	6.5	2	1.0	0.9	9	4.6	3.5
Ballard	2	24.2	19.6	0	0.0	0.0	1	12.1	8.9	0	0.0	0.0	0	0.0	0.0
Calloway	1	2.9	2.3	2	5.7	3.7	1	2.9	2.4	0	0.0	0.0	0	0.0	0.0
Carlisle	0	0.0	0.0	0	0.0	0.0	1	18.9	14.6	0	0.0	0.0	2	37.8	26.0
Fulton	0	0.0	0.0	0	0.0	0.0	1	14.0	10.3	1	14.0	10.3	1	14.0	9.2
Graves	4	10.6	8.0	1	2.7	2.1	6	15.9	10.5	0	0.0	0.0	4	10.6	8.4
Hickman	0	0.0	0.0	1	19.7	9.1	0	0.0	0.0	1	19.7	23.3	0	0.0	0.0
McCracken	7	10.8	7.9	7	10.8	8.4	4	6.2	4.1	0	0.0	0.0	1	1.5	1.1
Marshall	2	6.5	4.7	2	6.5	4.1	4	12.9	9.2	0	0.0	0.0	1	3.2	2.2
DISTRICT 02	17	8.0	7.0	21	9.9	8.4	12	5.6	5.0	12	5.6	5.5	7	3.3	3.0
Caldwell	2	15.5	9.8	0	0.0	0.0	1	7.8	4.9	2	15.5	14.9	1	7.8	5.7
Christian	2	2.9	3.5	4	5.7	6.7	6	8.6	10.6	4	5.7	6.2	1	1.4	1.9
Crittenden	1	11.1	6.7	3	33.4	23.7	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Hopkins	5	10.7	9.0	11	23.6	18.0	3	6.4	5.0	2	4.3	4.0	1	2.1	1.8
Livingston	2	20.4	16.2	0	0.0	0.0	0	0.0	0.0	3	30.7	32.7	1	10.2	7.9
Lyon	2	24.6	16.9	0	0.0	0.0	0	0.0	0.0	1	12.3	11.0	1	12.3	7.9
Muhlenberg	1	3.2	2.6	3	9.5	6.7	1	3.2	2.2	0	0.0	0.0	2	6.3	5.3
Todd	1	8.4	7.9	0	0.0	0.0	1	8.4	7.9	0	0.0	0.0	0	0.0	0.0
Trigg	1	7.5	6.3	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
DISTRICT 03	13	6.2	5.5	6	2.9	2.6	14	6.7	6.0	6	2.9	2.9	9	4.3	3.7
Daviess	8	8.6	7.4	2	2.2	1.7	8	8.6	7.4	4	4.3	4.5	7	7.5	6.5
Hancock	0	0.0	0.0	0	0.0	0.0	1	11.6	13.3	1	11.6	11.6	0	0.0	0.0
Henderson	1	2.2	2.1	2	4.4	4.1	3	6.6	6.2	0	0.0	0.0	2	4.4	4.1
McLean	1	10.1	9.5	0	0.0	0.0	1	10.1	8.4	0	0.0	0.0	0	0.0	0.0
Ohio	1	4.2	3.2	0	0.0	0.0	1	4.2	3.9	0	0.0	0.0	0	0.0	0.0
Union	0	0.0	0.0	1	6.4	6.4	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Webster	2	14.1	12.6	1	7.1	6.3	0	0.0	0.0	1	7.1	7.6	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Essential (Primary) Hypertension & Renal Disease			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Assault (Homicide)			Aortic Aneurysm and Dissection		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	343	8.2	8.1	306	7.3	7.3	264	6.3	6.3	212	5.1	5.1	194	4.6	4.6
DISTRICT 04	20	7.5	7.0	23	8.6	8.3	15	5.6	5.5	12	4.5	4.4	9	3.4	3.1
Allen	0	0.0	0.0	2	10.7	10.6	2	10.7	10.6	1	5.4	4.8	2	10.7	9.4
Barren	5	12.5	9.9	3	7.5	6.2	4	10.0	7.7	1	2.5	2.9	1	2.5	1.8
Butler	3	22.5	21.8	2	15.0	14.4	0	0.0	0.0	1	7.5	8.2	0	0.0	0.0
Edmonson	1	8.3	7.2	0	0.0	0.0	1	8.3	7.0	1	8.3	7.2	1	8.3	7.0
Hart	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Logan	2	7.4	5.6	3	11.0	10.0	1	3.7	3.5	1	3.7	3.6	0	0.0	0.0
Metcalfe	0	0.0	0.0	1	9.8	8.9	0	0.0	0.0	2	19.6	21.0	0	0.0	0.0
Monroe	1	8.5	6.6	2	17.1	12.7	0	0.0	0.0	0	0.0	0.0	1	8.5	6.4
Simpson	0	0.0	0.0	2	11.8	9.6	1	5.9	6.0	0	0.0	0.0	1	5.9	4.8
Warren	8	8.1	8.8	8	8.1	9.3	6	6.1	7.1	5	5.1	4.9	3	3.0	3.6
DISTRICT 05	18	7.1	7.5	10	3.9	4.2	13	5.1	5.9	3	1.2	1.2	11	4.3	4.7
Breckinridge	0	0.0	0.0	0	0.0	0.0	1	5.2	5.4	1	5.2	6.0	0	0.0	0.0
Grayson	4	15.9	14.1	1	4.0	3.2	3	11.9	11.6	1	4.0	4.5	0	0.0	0.0
Hardin	7	7.2	8.1	5	5.2	6.1	4	4.1	5.3	0	0.0	0.0	5	5.2	6.1
Larue	4	29.3	22.7	0	0.0	0.0	2	14.6	11.3	1	7.3	7.8	1	7.3	5.6
Marion	0	0.0	0.0	2	10.6	10.5	0	0.0	0.0	0	0.0	0.0	1	5.3	4.5
Meade	1	3.5	6.1	0	0.0	0.0	1	3.5	6.1	0	0.0	0.0	0	0.0	0.0
Nelson	2	4.9	5.0	1	2.4	2.7	2	4.9	6.1	0	0.0	0.0	2	4.9	5.8
Washington	0	0.0	0.0	1	8.8	6.7	0	0.0	0.0	0	0.0	0.0	2	17.6	14.5
DISTRICT 06	106	11.7	11.4	65	7.2	7.1	66	7.3	7.2	65	7.2	7.5	44	4.9	4.8
Bullitt	3	4.2	8.9	7	9.8	17.0	3	4.2	7.3	1	1.4	1.3	6	8.4	14.8
Henry	0	0.0	0.0	2	12.6	14.2	0	0.0	0.0	0	0.0	0.0	1	6.3	4.6
Jefferson	99	14.2	12.5	49	7.0	6.2	61	8.7	7.8	64	9.2	9.7	32	4.6	4.3
Oldham	1	1.9	3.7	1	1.9	1.4	2	3.7	5.1	0	0.0	0.0	1	1.9	1.5
Shelby	2	5.2	6.4	4	10.5	12.1	0	0.0	0.0	0	0.0	0.0	3	7.9	8.0
Spencer	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Trimble	1	11.1	14.1	2	22.1	25.7	0	0.0	0.0	0	0.0	0.0	1	11.1	14.1

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Essential (Primary) Hypertension & Renal Disease			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Assault (Homicide)			Aortic Aneurysm and Dissection		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	343	8.2	8.1	306	7.3	7.3	264	6.3	6.3	212	5.1	5.1	194	4.6	4.6
DISTRICT 07	23	5.5	6.4	32	7.7	9.1	35	8.4	10.0	20	4.8	4.8	16	3.8	4.4
Boone	1	0.9	1.5	5	4.7	8.2	3	2.8	4.9	2	1.9	1.7	5	4.7	6.8
Campbell	9	10.3	9.8	9	10.3	10.0	9	10.3	9.9	5	5.7	5.7	3	3.4	3.3
Carroll	0	0.0	0.0	0	0.0	0.0	1	9.6	9.8	0	0.0	0.0	0	0.0	0.0
Gallatin	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Grant	3	12.2	17.3	0	0.0	0.0	1	4.1	3.6	1	4.1	4.3	0	0.0	0.0
Kenton	10	6.5	7.4	16	10.4	11.6	19	12.4	14.3	9	5.9	6.1	5	3.3	3.5
Owen	0	0.0	0.0	1	8.8	8.0	0	0.0	0.0	2	17.6	16.7	1	8.8	9.1
Pendleton	0	0.0	0.0	1	6.6	8.5	2	13.2	15.5	1	6.6	6.8	2	13.2	15.8
DISTRICT 08	1	1.8	1.5	5	8.8	7.8	3	5.3	4.9	3	5.3	5.9	2	3.5	3.2
Bracken	0	0.0	0.0	1	11.6	12.1	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Fleming	0	0.0	0.0	3	20.6	19.3	0	0.0	0.0	3	20.6	22.9	1	6.9	6.2
Lewis	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	7.2	6.6
Mason	1	5.8	4.3	1	5.8	4.3	3	17.5	13.5	0	0.0	0.0	0	0.0	0.0
Robertson	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
DISTRICT 09	6	7.6	7.3	6	7.6	7.3	2	2.5	2.7	3	3.8	3.9	4	5.1	5.0
Bath	2	17.3	15.4	0	0.0	0.0	0	0.0	0.0	1	8.6	7.8	2	17.3	13.9
Menifee	0	0.0	0.0	1	14.8	15.5	1	14.8	15.5	0	0.0	0.0	0	0.0	0.0
Montgomery	1	4.1	4.0	2	8.2	6.8	1	4.1	4.0	1	4.1	4.0	1	4.1	4.0
Morgan	2	14.0	12.8	2	14.0	15.0	0	0.0	0.0	0	0.0	0.0	1	7.0	6.7
Rowan	1	4.5	4.5	1	4.5	5.3	0	0.0	0.0	1	4.5	6.2	0	0.0	0.0
DISTRICT 10	9	6.6	5.9	6	4.4	4.2	11	8.0	7.3	8	5.8	6.4	6	4.4	3.7
Boyd	5	10.1	8.4	2	4.1	3.5	6	12.2	10.6	4	8.1	8.9	3	6.1	4.9
Carter	1	3.7	3.2	1	3.7	3.9	2	7.3	7.2	1	3.7	4.2	1	3.7	3.2
Elliott	2	28.7	24.3	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Greenup	0	0.0	0.0	3	8.1	8.0	3	8.1	6.9	3	8.1	9.4	2	5.4	4.2
Lawrence	1	6.2	6.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Essential (Primary) Hypertension & Renal Disease			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Assault (Homicide)			Aortic Aneurysm and Dissection		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	343	8.2	8.1	306	7.3	7.3	264	6.3	6.3	212	5.1	5.1	194	4.6	4.6
DISTRICT 11	18	11.3	12.2	7	4.4	4.5	6	3.8	4.1	14	8.8	8.5	15	9.5	9.7
Floyd	3	7.1	7.8	1	2.4	2.7	2	4.7	5.0	1	2.4	2.3	1	2.4	2.5
Johnson	1	4.2	4.6	0	0.0	0.0	0	0.0	0.0	1	4.2	4.8	3	12.5	13.1
Magoffin	1	7.4	9.5	0	0.0	0.0	1	7.4	9.5	1	7.4	6.9	2	14.9	15.9
Martin	1	8.2	7.3	0	0.0	0.0	0	0.0	0.0	1	8.2	8.6	1	8.2	8.8
Pike	12	18.0	19.2	6	9.0	8.7	3	4.5	5.1	10	15.0	14.2	8	12.0	11.8
DISTRICT 12	12	10.1	10.9	6	5.0	5.3	5	4.2	4.0	15	12.6	12.8	7	5.9	5.5
Breathitt	1	6.3	7.9	1	6.3	5.7	0	0.0	0.0	4	25.1	29.3	2	12.5	11.3
Knott	0	0.0	0.0	1	5.7	5.7	0	0.0	0.0	1	5.7	4.8	0	0.0	0.0
Lee	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Leslie	3	25.0	29.4	0	0.0	0.0	0	0.0	0.0	1	8.3	8.1	1	8.3	6.6
Letcher	3	12.2	13.3	1	4.1	4.3	5	20.4	20.0	3	12.2	13.3	1	4.1	4.5
Owsley	1	21.1	14.0	0	0.0	0.0	0	0.0	0.0	4	84.4	86.7	0	0.0	0.0
Perry	4	13.6	15.9	3	10.2	12.1	0	0.0	0.0	2	6.8	5.9	2	6.8	7.2
Wolfe	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	14.1	12.3
DISTRICT 13	11	4.5	4.5	14	5.8	5.8	10	4.1	4.3	12	5.0	4.9	9	3.7	3.7
Bell	0	0.0	0.0	2	6.8	6.1	1	3.4	3.0	1	3.4	3.8	1	3.4	3.0
Clay	0	0.0	0.0	2	8.3	9.2	0	0.0	0.0	3	12.4	10.9	0	0.0	0.0
Harlan	5	15.8	14.7	2	6.3	6.0	2	6.3	5.8	1	3.2	3.6	2	6.3	5.9
Jackson	1	7.3	8.2	1	7.3	8.2	0	0.0	0.0	1	7.3	8.2	1	7.3	6.9
Knox	2	6.2	5.9	2	6.2	5.6	3	9.3	10.3	3	9.3	8.6	0	0.0	0.0
Laurel	2	3.6	3.9	3	5.3	6.5	2	3.6	4.3	2	3.6	3.9	4	7.1	7.9
Rockcastle	0	0.0	0.0	2	11.9	10.5	1	6.0	5.3	1	6.0	6.4	1	6.0	5.0
Whitley	1	2.6	2.1	0	0.0	0.0	1	2.6	2.6	0	0.0	0.0	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Essential (Primary) Hypertension & Renal Disease			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Assault (Homicide)			Aortic Aneurysm and Dissection		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	343	8.2	8.1	306	7.3	7.3	264	6.3	6.3	212	5.1	5.1	194	4.6	4.6
DISTRICT 14	17	8.5	7.3	24	12.0	10.2	17	8.5	7.1	10	5.0	4.8	9	4.5	3.8
Adair	0	0.0	0.0	2	11.4	9.5	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Casey	2	12.3	10.8	3	18.5	16.2	0	0.0	0.0	1	6.2	7.2	1	6.2	5.4
Clinton	0	0.0	0.0	1	10.5	8.4	1	10.5	7.4	1	10.5	7.4	2	21.0	15.8
Cumberland	1	14.1	8.9	2	28.3	18.6	1	14.1	9.8	0	0.0	0.0	0	0.0	0.0
Green	0	0.0	0.0	1	8.6	6.5	1	8.6	7.1	0	0.0	0.0	0	0.0	0.0
McCreary	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	5.8	6.8	0	0.0	0.0
Pulaski	5	8.4	7.0	8	13.5	11.1	8	13.5	10.8	3	5.1	4.8	2	3.4	2.7
Russell	2	11.8	9.6	1	5.9	4.7	2	11.8	9.2	0	0.0	0.0	0	0.0	0.0
Taylor	2	8.5	6.9	4	16.9	13.4	3	12.7	9.8	1	4.2	4.0	2	8.5	6.9
Wayne	5	24.5	23.2	2	9.8	9.1	1	4.9	5.0	3	14.7	13.3	2	9.8	8.6
DISTRICT 15	56	7.8	8.6	68	9.4	10.5	37	5.1	5.8	27	3.7	3.7	37	5.1	5.6
Anderson	5	24.5	29.3	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	4.9	5.3
Bourbon	1	5.0	4.4	4	20.1	19.1	2	10.1	8.7	1	5.0	5.6	2	10.1	9.7
Boyle	1	3.5	3.2	2	7.0	5.9	4	14.1	12.9	1	3.5	3.2	2	7.0	6.0
Clark	1	2.9	2.9	1	2.9	3.1	3	8.6	8.6	0	0.0	0.0	1	2.9	2.9
Estill	1	6.6	7.1	1	6.6	7.1	0	0.0	0.0	3	19.9	17.4	1	6.6	5.9
Fayette	18	6.7	7.7	23	8.6	10.0	16	6.0	7.1	15	5.6	5.3	8	3.0	3.4
Franklin	7	14.5	15.1	4	8.3	8.7	5	10.4	10.6	1	2.1	2.3	6	12.5	12.9
Garrard	1	6.0	4.9	2	12.1	12.0	1	6.0	5.8	0	0.0	0.0	1	6.0	6.3
Harrison	3	16.3	13.5	9	48.9	40.3	0	0.0	0.0	0	0.0	0.0	1	5.4	5.2
Jessamine	4	9.2	12.1	3	6.9	9.3	3	6.9	8.5	1	2.3	2.7	0	0.0	0.0
Lincoln	1	4.0	4.0	4	15.9	16.4	1	4.0	4.0	0	0.0	0.0	0	0.0	0.0
Madison	2	2.6	3.2	4	5.1	6.6	2	2.6	3.2	0	0.0	0.0	8	10.3	11.6
Mercer	3	13.9	12.7	3	13.9	12.5	0	0.0	0.0	1	4.6	4.8	1	4.6	4.0
Nicholas	3	42.8	33.2	2	28.5	23.1	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Powell	0	0.0	0.0	3	21.9	20.1	0	0.0	0.0	3	21.9	22.1	0	0.0	0.0
Scott	1	2.5	3.7	2	5.1	7.3	0	0.0	0.0	1	2.5	2.3	2	5.1	7.6
Woodford	4	16.6	21.1	1	4.1	6.0	0	0.0	0.0	0	0.0	0.0	3	12.4	13.9

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	In Situ Neoplasms, Benign Neoplasms, etc.			Certain Conditions Orig. In Perinatal Period			Atherosclerosis			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	191	4.6	4.5	161	3.9	4.0	154	3.7	3.6	5,127	122.9	120.2
DISTRICT 01	9	4.6	3.7	4	2.1	2.4	58	29.9	20.1	267	137.6	104.6
Ballard	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	13	157.3	122.7
Calloway	1	2.9	2.3	0	0.0	0.0	3	8.6	5.5	39	111.4	90.2
Carlisle	1	18.9	12.1	0	0.0	0.0	1	18.9	12.1	7	132.2	91.6
Fulton	1	14.0	9.2	0	0.0	0.0	3	41.9	24.5	12	167.5	108.7
Graves	3	8.0	7.0	1	2.7	2.8	10	26.6	17.6	64	170.0	131.1
Hickman	0	0.0	0.0	1	19.7	26.6	0	0.0	0.0	11	217.2	140.8
McCracken	1	1.5	1.2	1	1.5	1.7	38	58.7	39.8	76	117.5	92.6
Marshall	2	6.5	4.5	1	3.2	4.4	3	9.7	6.8	45	145.4	103.3
DISTRICT 02	15	7.0	6.2	5	2.3	2.2	25	11.7	10.7	271	127.2	114.4
Caldwell	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	14	108.6	73.7
Christian	2	2.9	3.4	1	1.4	1.0	2	2.9	3.7	82	117.6	132.5
Crittenden	1	11.1	8.7	1	11.1	15.4	0	0.0	0.0	8	89.0	79.8
Hopkins	7	15.0	11.7	1	2.1	2.4	20	42.9	36.3	83	177.9	148.2
Livingston	0	0.0	0.0	0	0.0	0.0	1	10.2	8.1	12	122.7	103.6
Lyon	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	13	159.7	124.4
Muhlenberg	3	9.5	7.5	2	6.3	7.4	2	6.3	4.9	38	120.4	99.1
Todd	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	12	100.5	93.1
Trigg	2	15.0	11.0	0	0.0	0.0	0	0.0	0.0	9	67.5	59.8
DISTRICT 03	18	8.6	7.9	3	1.4	1.4	6	2.9	2.4	266	126.4	111.9
Daviess	9	9.7	8.9	1	1.1	1.0	1	1.1	0.8	122	131.4	114.1
Hancock	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	7	81.2	93.1
Henderson	5	11.0	11.0	2	4.4	4.5	3	6.6	5.8	49	107.5	100.2
McLean	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	9	90.5	81.1
Ohio	1	4.2	3.8	0	0.0	0.0	1	4.2	3.2	37	155.9	131.9
Union	2	12.9	11.7	0	0.0	0.0	1	6.4	6.3	13	83.6	83.2
Webster	1	7.1	6.0	0	0.0	0.0	0	0.0	0.0	29	205.1	167.6

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	In Situ Neoplasms, Benign Neoplasms, etc.			Certain Conditions Orig. In Perinatal Period			Atherosclerosis			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	191	4.6	4.5	161	3.9	4.0	154	3.7	3.6	5,127	122.9	120.2
DISTRICT 04	7	2.6	2.6	8	3.0	3.2	7	2.6	2.5	287	107.3	104.4
Allen	1	5.4	5.1	0	0.0	0.0	0	0.0	0.0	22	118.2	113.3
Barren	2	5.0	4.3	5	12.5	13.6	2	5.0	3.7	41	102.2	90.4
Butler	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	17	127.2	125.0
Edmonson	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	13	108.2	102.0
Hart	1	5.4	5.2	0	0.0	0.0	0	0.0	0.0	16	87.1	81.3
Logan	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	28	103.1	95.5
Metcalfe	0	0.0	0.0	1	9.8	10.9	0	0.0	0.0	9	88.1	79.5
Monroe	0	0.0	0.0	0	0.0	0.0	1	8.5	6.4	18	153.6	134.2
Simpson	1	5.9	6.0	0	0.0	0.0	0	0.0	0.0	22	129.5	115.9
Warren	2	2.0	2.4	2	2.0	2.1	4	4.0	4.6	101	102.1	114.6
DISTRICT 05	15	5.9	6.6	7	2.8	2.7	2	0.8	0.9	245	96.3	102.9
Breckinridge	1	5.2	5.4	3	15.6	18.0	2	10.4	10.7	18	93.6	90.6
Grayson	1	4.0	3.7	0	0.0	0.0	0	0.0	0.0	27	107.0	102.7
Hardin	8	8.3	10.4	1	1.0	0.9	0	0.0	0.0	84	86.8	98.3
Larue	1	7.3	5.9	0	0.0	0.0	0	0.0	0.0	26	190.3	154.9
Marion	0	0.0	0.0	1	5.3	4.4	0	0.0	0.0	30	159.2	151.5
Meade	3	10.6	16.3	0	0.0	0.0	0	0.0	0.0	16	56.6	88.3
Nelson	0	0.0	0.0	2	4.9	4.9	0	0.0	0.0	25	60.9	64.0
Washington	1	8.8	6.7	0	0.0	0.0	0	0.0	0.0	19	167.5	136.6
DISTRICT 06	34	3.8	3.6	39	4.3	4.4	10	1.1	1.1	1,115	123.5	119.9
Bullitt	2	2.8	4.8	3	4.2	5.2	1	1.4	3.2	58	81.2	115.3
Henry	0	0.0	0.0	0	0.0	0.0	1	6.3	7.0	21	132.7	135.3
Jefferson	27	3.9	3.4	31	4.4	4.4	5	0.7	0.6	935	133.8	121.5
Oldham	2	3.7	4.0	1	1.9	2.3	1	1.9	2.7	41	76.7	124.4
Shelby	1	2.6	3.0	1	2.6	2.5	2	5.2	6.4	38	99.4	113.1
Spencer	0	0.0	0.0	2	12.8	13.5	0	0.0	0.0	12	76.8	92.4
Trimble	2	22.1	22.8	1	11.1	12.3	0	0.0	0.0	10	110.7	125.8

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	In Situ Neoplasms, Benign Neoplasms, etc.			Certain Conditions Orig. In Perinatal Period			Atherosclerosis			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	191	4.6	4.5	161	3.9	4.0	154	3.7	3.6	5,127	122.9	120.2
DISTRICT 07	17	4.1	4.6	26	6.2	5.9	8	1.9	2.3	541	129.9	144.9
Boone	4	3.8	5.1	2	1.9	1.7	2	1.9	3.6	90	84.7	122.7
Campbell	5	5.7	5.7	7	8.0	8.4	3	3.4	3.3	152	174.6	167.3
Carroll	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	17	162.5	157.1
Gallatin	1	12.3	16.5	0	0.0	0.0	0	0.0	0.0	15	183.8	193.7
Grant	1	4.1	5.6	0	0.0	0.0	0	0.0	0.0	30	122.0	148.6
Kenton	6	3.9	4.3	16	10.4	9.6	3	2.0	2.2	217	141.5	152.9
Owen	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	9	79.1	77.7
Pendleton	0	0.0	0.0	1	6.6	7.3	0	0.0	0.0	11	72.5	80.9
DISTRICT 08	3	5.3	4.9	3	5.3	6.0	2	3.5	3.0	69	122.1	111.4
Bracken	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	11	127.1	124.5
Fleming	0	0.0	0.0	1	6.9	7.4	0	0.0	0.0	12	82.3	79.5
Lewis	1	7.2	8.0	1	7.2	8.3	0	0.0	0.0	15	108.1	110.7
Mason	1	5.8	4.6	1	5.8	6.7	2	11.7	8.6	29	169.0	142.5
Robertson	1	44.3	25.4	0	0.0	0.0	0	0.0	0.0	2	88.6	50.8
DISTRICT 09	3	3.8	3.8	7	8.9	9.9	0	0.0	0.0	87	110.1	109.0
Bath	1	8.6	6.9	0	0.0	0.0	0	0.0	0.0	11	95.0	79.6
Menifee	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	5	73.9	81.9
Montgomery	2	8.2	8.0	3	12.4	12.1	0	0.0	0.0	37	152.5	145.1
Morgan	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	13	90.9	92.8
Rowan	0	0.0	0.0	4	18.1	22.5	0	0.0	0.0	21	94.9	99.7
DISTRICT 10	10	7.3	6.4	4	2.9	3.4	4	2.9	2.4	182	132.9	120.6
Boyd	2	4.1	3.5	1	2.0	2.4	2	4.1	3.3	65	131.7	112.5
Carter	3	11.0	11.1	1	3.7	4.0	1	3.7	2.8	37	135.8	137.1
Elliott	0	0.0	0.0	0	0.0	0.0	1	14.4	9.8	8	115.0	107.5
Greenup	4	10.8	8.7	1	2.7	3.3	0	0.0	0.0	54	145.1	127.3
Lawrence	1	6.2	6.7	1	6.2	7.1	0	0.0	0.0	18	111.3	110.3

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	In Situ Neoplasms, Benign Neoplasms, etc.			Certain Conditions Orig. In Perinatal Period			Atherosclerosis			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	191	4.6	4.5	161	3.9	4.0	154	3.7	3.6	5,127	122.9	120.2
DISTRICT 11	8	5.0	5.1	2	1.3	1.4	8	5.0	5.6	214	134.9	138.1
Floyd	1	2.4	2.7	1	2.4	2.5	1	2.4	2.7	70	165.4	166.2
Johnson	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	38	158.5	158.3
Magoffin	1	7.4	6.9	1	7.4	7.6	0	0.0	0.0	18	134.0	146.2
Martin	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	13	106.6	130.9
Pike	6	9.0	9.0	0	0.0	0.0	7	10.5	11.5	75	112.3	113.1
DISTRICT 12	6	5.0	5.0	4	3.4	3.8	2	1.7	1.6	136	114.2	111.5
Breathitt	1	6.3	7.9	0	0.0	0.0	0	0.0	0.0	19	119.1	122.3
Knott	2	11.3	9.8	0	0.0	0.0	0	0.0	0.0	17	96.5	94.1
Lee	0	0.0	0.0	1	13.0	18.4	0	0.0	0.0	7	91.3	79.8
Leslie	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	12	99.8	87.8
Letcher	0	0.0	0.0	1	4.1	4.7	1	4.1	4.5	29	118.3	121.2
Owsley	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	4	84.4	63.5
Perry	1	3.4	3.3	2	6.8	6.6	1	3.4	3.3	36	122.0	122.6
Wolfe	2	28.2	28.5	0	0.0	0.0	0	0.0	0.0	12	169.2	152.7
DISTRICT 13	7	2.9	2.9	13	5.4	5.7	13	5.4	5.3	294	121.3	119.2
Bell	0	0.0	0.0	0	0.0	0.0	1	3.4	3.0	34	114.9	105.2
Clay	0	0.0	0.0	1	4.1	4.8	0	0.0	0.0	32	132.5	146.4
Harlan	0	0.0	0.0	3	9.5	10.7	1	3.2	2.7	58	183.1	166.9
Jackson	0	0.0	0.0	3	21.9	23.8	0	0.0	0.0	12	87.6	90.5
Knox	1	3.1	2.6	6	18.6	17.6	2	6.2	5.3	39	121.0	115.7
Laurel	2	3.6	3.5	0	0.0	0.0	3	5.3	5.7	54	95.9	103.0
Rockcastle	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	17	101.3	94.0
Whitley	4	10.6	10.1	0	0.0	0.0	6	15.8	14.6	48	126.7	118.6

*Age-adjusted and crude rates per 100,000 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	In Situ Neoplasms, Benign Neoplasms, etc.			Certain Conditions Orig. In Perinatal Period			Atherosclerosis			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	191	4.6	4.5	161	3.9	4.0	154	3.7	3.6	5,127	122.9	120.2
DISTRICT 14	9	4.5	3.7	3	1.5	1.7	3	1.5	1.2	251	125.8	109.6
Adair	1	5.7	5.2	0	0.0	0.0	0	0.0	0.0	14	79.9	70.7
Casey	2	12.3	9.9	0	0.0	0.0	0	0.0	0.0	18	110.9	99.4
Clinton	1	10.5	8.4	0	0.0	0.0	0	0.0	0.0	13	136.3	116.5
Cumberland	0	0.0	0.0	0	0.0	0.0	1	14.1	9.8	16	226.1	170.0
Green	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	15	129.4	97.6
McCreary	1	5.8	9.0	0	0.0	0.0	0	0.0	0.0	14	81.2	93.0
Pulaski	3	5.1	4.0	2	3.4	3.6	2	3.4	2.7	69	116.5	99.4
Russell	0	0.0	0.0	1	5.9	6.6	0	0.0	0.0	19	111.8	93.3
Taylor	1	4.2	3.3	0	0.0	0.0	0	0.0	0.0	47	198.7	164.1
Wayne	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	26	127.3	118.6
DISTRICT 15	30	4.2	4.4	33	4.6	4.7	6	0.8	0.9	902	124.9	133.7
Anderson	1	4.9	5.3	0	0.0	0.0	0	0.0	0.0	24	117.7	121.3
Bourbon	0	0.0	0.0	1	5.0	5.7	1	5.0	4.7	25	125.9	116.7
Boyle	3	10.6	10.0	0	0.0	0.0	0	0.0	0.0	52	183.2	162.9
Clark	2	5.7	5.0	2	5.7	6.4	1	2.9	2.6	45	129.2	128.2
Estill	0	0.0	0.0	1	6.6	6.9	0	0.0	0.0	22	146.0	144.2
Fayette	11	4.1	4.4	17	6.3	6.2	1	0.4	0.5	331	123.5	136.7
Franklin	2	4.2	3.8	4	8.3	9.0	1	2.1	2.1	83	172.2	172.8
Garrard	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	20	120.9	121.8
Harrison	0	0.0	0.0	0	0.0	0.0	1	5.4	4.0	19	103.2	88.5
Jessamine	3	6.9	9.3	1	2.3	2.4	0	0.0	0.0	58	133.6	164.5
Lincoln	1	4.0	4.3	0	0.0	0.0	0	0.0	0.0	20	79.5	79.6
Madison	5	6.4	8.3	3	3.9	4.2	0	0.0	0.0	87	111.9	135.7
Mercer	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	31	143.1	127.6
Nicholas	0	0.0	0.0	1	14.3	14.1	0	0.0	0.0	8	114.2	91.1
Powell	1	7.3	7.0	1	7.3	7.4	0	0.0	0.0	21	153.0	155.6
Scott	0	0.0	0.0	1	2.5	2.3	1	2.5	3.7	25	63.2	88.8
Woodford	1	4.1	6.0	1	4.1	4.4	0	0.0	0.0	31	128.4	141.0

*Age-adjusted and crude rates per 100,000 population.