

Appendix 6 - Maxey Flats Data Summaries

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	101
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	3.75E-02
<i>Min:</i>	-1.36E-01
<i>MAX:</i>	2.82E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00008	1/12/2006	6.272E-02	pCi/mL	9.946E-02	3.233E-01	U
2006-00008	1/12/2006	-8.454E-02	pCi/mL	9.593E-02	3.233E-01	U
2006-00109	2/15/2006	2.718E-02	pCi/mL	8.786E-02	2.879E-01	U
2006-00109	2/15/2006	1.151E-01	pCi/mL	8.984E-02	2.879E-01	U
2006-00190	3/16/2006	-1.360E-01	pCi/mL	8.735E-02	2.986E-01	U
2006-00190	3/16/2006	7.278E-03	pCi/mL	9.064E-02	2.986E-01	U
2006-00248	4/18/2006	3.455E-02	pCi/mL	9.510E-02	3.112E-01	U
2006-00248	4/18/2006	4.966E-02	pCi/mL	9.544E-02	3.112E-01	U
2006-00385	5/24/2006	8.698E-02	pCi/mL	1.105E-01	3.581E-01	U
2006-00385	5/24/2006	-1.300E-02	pCi/mL	1.082E-01	3.581E-01	U
2006-00551	7/19/2006	1.562E-02	pCi/mL	8.706E-02	2.861E-01	U
2006-00551	7/19/2006	-7.348E-02	pCi/mL	8.497E-02	2.861E-01	U
2006-00650	8/23/2006	-3.318E-02	pCi/mL	8.587E-02	2.861E-01	U
2006-00650	8/23/2006	-2.885E-02	pCi/mL	8.598E-02	2.861E-01	U
2006-00785	9/27/2006	-8.013E-03	pCi/mL	8.649E-02	2.860E-01	U
2006-00785	9/27/2006	2.444E-01	pCi/mL	9.215E-02	2.860E-01	U
2006-00855	10/25/2006	3.762E-03	pCi/mL	9.757E-02	3.217E-01	U
2006-00855	10/25/2006	2.825E-01	pCi/mL	1.037E-01	3.217E-01	U
2006-00959	11/28/2006	1.667E-01	pCi/mL	9.316E-02	2.946E-01	U
2006-00959	11/28/2006	2.992E-02	pCi/mL	8.997E-02	2.946E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	101
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	-8.73E-02
<i>Min:</i>	-2.28E+00
<i>MAX:</i>	1.03E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00008	1/12/2006	-1.331E+00	pCi/L	1.160E+00	3.247E+00	U
2006-00109	2/15/2006	7.111E-01	pCi/L	1.169E+00	2.997E+00	U
2006-00190	3/16/2006	4.359E-01	pCi/L	1.169E+00	2.928E+00	U
2006-00248	4/18/2006	6.049E-01	pCi/L	9.296E-01	2.364E+00	U
2006-00385	5/24/2006	1.035E+00	pCi/L	1.126E+00	2.238E+00	U
2006-00551	7/19/2006	-2.276E+00	pCi/L	1.291E+00	3.656E+00	U
2006-00650	8/23/2006	0.000E+00	pCi/L	8.746E-01	2.271E+00	U
2006-00785	9/27/2006	-3.755E-01	pCi/L	1.047E+00	3.095E+00	U
2006-00855	10/25/2006	-1.697E-01	pCi/L	1.031E+00	2.978E+00	U
2006-00959	11/28/2006	4.915E-01	pCi/L	1.132E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	101
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	1.23E+00
<i>Min:</i>	-7.91E-01
<i>MAX:</i>	3.55E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00008	1/12/2006	1.702E+00	pCi/L	1.586E+00	4.858E+00	U
2006-00109	2/15/2006	-7.874E-02	pCi/L	1.534E+00	4.983E+00	U
2006-00190	3/16/2006	1.593E+00	pCi/L	1.621E+00	5.011E+00	U
2006-00248	4/18/2006	2.564E+00	pCi/L	1.492E+00	4.456E+00	U
2006-00385	5/24/2006	4.568E-01	pCi/L	1.452E+00	4.553E+00	U
2006-00551	7/19/2006	1.967E+00	pCi/L	1.760E+00	5.404E+00	U
2006-00650	8/23/2006	3.545E+00	pCi/L	1.653E+00	4.809E+00	U
2006-00785	9/27/2006	1.739E+00	pCi/L	1.622E+00	5.033E+00	U
2006-00855	10/25/2006	-7.915E-01	pCi/L	1.568E+00	5.192E+00	U
2006-00959	11/28/2006	-3.470E-01	pCi/L	1.668E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	5.90E-01
<i>Min:</i>	2.04E-01
<i>MAX:</i>	1.04E+00

>MDC

<i>Count:</i>	18
<i>AVG:</i>	6.26E-01
<i>Min:</i>	3.37E-01
<i>MAX:</i>	1.04E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00006	1/12/2006	1.044E+00	pCi/mL	1.203E-01	3.233E-01	=
2006-00006	1/12/2006	9.159E-01	pCi/mL	1.178E-01	3.233E-01	=
2006-00107	2/15/2006	6.107E-01	pCi/mL	1.003E-01	2.879E-01	=
2006-00107	2/15/2006	6.387E-01	pCi/mL	1.008E-01	2.879E-01	=
2006-00188	3/16/2006	5.640E-01	pCi/mL	1.024E-01	2.986E-01	=
2006-00188	3/16/2006	6.050E-01	pCi/mL	1.033E-01	2.986E-01	=
2006-00246	4/18/2006	7.535E-01	pCi/mL	1.102E-01	3.112E-01	=
2006-00246	4/18/2006	8.205E-01	pCi/mL	1.115E-01	3.112E-01	=
2006-00383	5/24/2006	6.868E-01	pCi/mL	1.233E-01	3.581E-01	=
2006-00383	5/24/2006	6.568E-01	pCi/mL	1.227E-01	3.581E-01	=
2006-00549	7/19/2006	7.365E-01	pCi/mL	1.025E-01	2.861E-01	=
2006-00549	7/19/2006	6.474E-01	pCi/mL	1.007E-01	2.861E-01	=
2006-00648	8/23/2006	3.628E-01	pCi/mL	9.533E-02	2.861E-01	=
2006-00648	8/23/2006	4.515E-01	pCi/mL	9.732E-02	2.861E-01	=
2006-00783	9/27/2006	2.043E-01	pCi/mL	9.128E-02	2.860E-01	U
2006-00783	9/27/2006	3.366E-01	pCi/mL	9.413E-02	2.860E-01	=
2006-00853	10/25/2006	3.198E-01	pCi/mL	1.044E-01	3.217E-01	U
2006-00853	10/25/2006	4.032E-01	pCi/mL	1.062E-01	3.217E-01	=
2006-00957	11/28/2006	5.215E-01	pCi/mL	1.010E-01	2.946E-01	=
2006-00957	11/28/2006	5.130E-01	pCi/mL	1.008E-01	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	-1.79E-01
<i>Min:</i>	-1.35E+00
<i>MAX:</i>	1.56E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00006	1/12/2006	-1.047E+00	pCi/L	1.170E+00	3.247E+00	U
2006-00107	2/15/2006	-5.394E-02	pCi/L	1.151E+00	2.997E+00	U
2006-00188	3/16/2006	-8.679E-01	pCi/L	9.344E-01	2.928E+00	U
2006-00246	4/18/2006	3.610E-01	pCi/L	9.153E-01	2.364E+00	U
2006-00383	5/24/2006	1.387E-01	pCi/L	9.406E-01	2.238E+00	U
2006-00549	7/19/2006	-1.099E+00	pCi/L	1.302E+00	3.656E+00	U
2006-00648	8/23/2006	5.049E-01	pCi/L	8.746E-01	2.271E+00	U
2006-00783	9/27/2006	-1.349E+00	pCi/L	9.014E-01	3.095E+00	U
2006-00853	10/25/2006	5.927E-02	pCi/L	1.106E+00	2.978E+00	U
2006-00957	11/28/2006	1.564E+00	pCi/L	1.224E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	3.28E-01
<i>Min:</i>	-2.44E+00
<i>MAX:</i>	4.18E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00006	1/12/2006	8.996E-01	pCi/L	1.550E+00	4.858E+00	U
2006-00107	2/15/2006	1.109E+00	pCi/L	1.593E+00	4.983E+00	U
2006-00188	3/16/2006	-2.951E-01	pCi/L	1.531E+00	5.011E+00	U
2006-00246	4/18/2006	4.175E+00	pCi/L	1.565E+00	4.456E+00	U
2006-00383	5/24/2006	3.493E-02	pCi/L	1.423E+00	4.553E+00	U
2006-00549	7/19/2006	-1.164E+00	pCi/L	1.632E+00	5.404E+00	U
2006-00648	8/23/2006	3.088E+00	pCi/L	1.620E+00	4.809E+00	U
2006-00783	9/27/2006	-5.340E-01	pCi/L	1.522E+00	5.033E+00	U
2006-00853	10/25/2006	-2.444E+00	pCi/L	1.512E+00	5.192E+00	U
2006-00957	11/28/2006	-1.591E+00	pCi/L	1.611E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102QC
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	5.15E-01
<i>Min:</i>	1.04E-01
<i>MAX:</i>	8.69E-01

>MDC

<i>Count:</i>	17
<i>AVG:</i>	5.70E-01
<i>Min:</i>	3.12E-01
<i>MAX:</i>	8.69E-01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00007	1/12/2006	8.692E-01	pCi/mL	1.169E-01	3.233E-01	=
2006-00007	1/12/2006	8.622E-01	pCi/mL	1.167E-01	3.233E-01	=
2006-00108	2/15/2006	6.867E-01	pCi/mL	1.018E-01	2.879E-01	=
2006-00108	2/15/2006	7.306E-01	pCi/mL	1.026E-01	2.879E-01	=
2006-00189	3/16/2006	4.453E-01	pCi/mL	1.000E-01	2.986E-01	=
2006-00189	3/16/2006	4.863E-01	pCi/mL	1.009E-01	2.986E-01	=
2006-00247	4/18/2006	5.419E-01	pCi/mL	1.060E-01	3.112E-01	=
2006-00247	4/18/2006	5.614E-01	pCi/mL	1.064E-01	3.112E-01	=
2006-00384	5/24/2006	7.668E-01	pCi/mL	1.249E-01	3.581E-01	=
2006-00384	5/24/2006	6.169E-01	pCi/mL	1.219E-01	3.581E-01	=
2006-00550	7/19/2006	6.434E-01	pCi/mL	1.006E-01	2.861E-01	=
2006-00550	7/19/2006	4.773E-01	pCi/mL	9.721E-02	2.861E-01	=
2006-00649	8/23/2006	2.698E-01	pCi/mL	9.319E-02	2.861E-01	U
2006-00649	8/23/2006	4.537E-01	pCi/mL	9.737E-02	2.861E-01	=
2006-00784	9/27/2006	1.042E-01	pCi/mL	8.905E-02	2.860E-01	U
2006-00784	9/27/2006	2.284E-01	pCi/mL	9.180E-02	2.860E-01	U
2006-00854	10/25/2006	3.593E-01	pCi/mL	1.053E-01	3.217E-01	=
2006-00854	10/25/2006	3.681E-01	pCi/mL	1.054E-01	3.217E-01	=
2006-00958	11/28/2006	5.087E-01	pCi/mL	1.007E-01	2.946E-01	=
2006-00958	11/28/2006	3.121E-01	pCi/mL	9.644E-02	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102QC
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	-8.02E-01
<i>Min:</i>	-1.64E+00
<i>MAX:</i>	0.00E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00007	1/12/2006	-1.540E+00	pCi/L	1.089E+00	3.247E+00	U
2006-00108	2/15/2006	-5.587E-01	pCi/L	1.022E+00	2.997E+00	U
2006-00189	3/16/2006	-1.382E+00	pCi/L	8.644E-01	2.928E+00	U
2006-00247	4/18/2006	-4.077E-01	pCi/L	7.896E-01	2.364E+00	U
2006-00384	5/24/2006	-1.281E-01	pCi/L	8.304E-01	2.238E+00	U
2006-00550	7/19/2006	-1.637E+00	pCi/L	1.275E+00	3.656E+00	U
2006-00649	8/23/2006	0.000E+00	pCi/L	7.850E-01	2.271E+00	U
2006-00784	9/27/2006	-1.590E+00	pCi/L	8.647E-01	3.095E+00	U
2006-00854	10/25/2006	-1.746E-01	pCi/L	1.060E+00	2.978E+00	U
2006-00958	11/28/2006	-6.051E-01	pCi/L	9.412E-01	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102QC
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	-1.13E-03
<i>Min:</i>	-2.58E+00
<i>MAX:</i>	2.89E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00007	1/12/2006	2.893E+00	pCi/L	1.631E+00	4.858E+00	U
2006-00108	2/15/2006	-2.179E+00	pCi/L	1.441E+00	4.983E+00	U
2006-00189	3/16/2006	-2.576E+00	pCi/L	1.428E+00	5.011E+00	U
2006-00247	4/18/2006	2.567E+00	pCi/L	1.493E+00	4.456E+00	U
2006-00384	5/24/2006	8.666E-01	pCi/L	1.453E+00	4.553E+00	U
2006-00550	7/19/2006	-4.164E-01	pCi/L	1.664E+00	5.404E+00	U
2006-00649	8/23/2006	1.949E+00	pCi/L	1.567E+00	4.809E+00	U
2006-00784	9/27/2006	-1.735E+00	pCi/L	1.468E+00	5.033E+00	U
2006-00854	10/25/2006	-2.058E-01	pCi/L	1.594E+00	5.192E+00	U
2006-00958	11/28/2006	-1.175E+00	pCi/L	1.626E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	1
<i>AVG:</i>	-6.60E-01
<i>Min:</i>	-6.60E-01
<i>MAX:</i>	-6.60E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00549	7/19/2006	-6.601E-01	pCi/L	7.562E-01	2.147E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	1
<i>AVG:</i>	9.35E-02
<i>Min:</i>	9.35E-02
<i>MAX:</i>	9.35E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00549	7/19/2006	9.348E-02	pCi/L	6.708E-02	8.824E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	1
<i>AVG:</i>	3.59E-02
<i>Min:</i>	3.59E-02
<i>MAX:</i>	3.59E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00549	7/19/2006	3.587E-02	pCi/L	3.244E-02	2.152E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	1
<i>AVG:</i>	5.70E-02
<i>Min:</i>	5.70E-02
<i>MAX:</i>	5.70E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00549	7/19/2006	5.696E-02	pCi/L	3.842E-02	1.899E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	1
<i>AVG:</i>	6.36E-02
<i>Min:</i>	6.36E-02
<i>MAX:</i>	6.36E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00549	7/19/2006	6.356E-02	pCi/L	4.072E-02	1.907E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	1
<i>AVG:</i>	7.84E-03
<i>Min:</i>	7.84E-03
<i>MAX:</i>	7.84E-03

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00549	7/19/2006	7.841E-03	pCi/L	1.570E-02	2.352E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102QC
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	2
<i>AVG:</i>	1.53E-01
<i>Min:</i>	-1.16E+00
<i>MAX:</i>	1.47E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00007	1/12/2006	1.471E+00	pCi/L	8.827E-01	2.414E+00	U
2006-00854	10/25/2006	-1.165E+00	pCi/L	1.179E+00	2.147E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102QC
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	2
<i>AVG:</i>	5.92E-02
<i>Min:</i>	7.79E-03
<i>MAX:</i>	1.11E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00007	1/12/2006	1.106E-01	pCi/L	6.486E-02	6.041E-02	U
2006-00854	10/25/2006	7.787E-03	pCi/L	6.788E-02	1.316E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102QC
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	2
<i>AVG:</i>	-2.74E-02
<i>Min:</i>	-3.16E-02
<i>MAX:</i>	-2.33E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00007	1/12/2006	-3.159E-02	pCi/L	3.186E-02	9.713E-02	U
2006-00854	10/25/2006	-2.330E-02	pCi/L	3.488E-02	9.553E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102QC
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	2
<i>AVG:</i>	2.56E-02
<i>Min:</i>	1.80E-02
<i>MAX:</i>	3.32E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00007	1/12/2006	3.322E-02	pCi/L	2.994E-02	1.993E-02	U
2006-00854	10/25/2006	1.796E-02	pCi/L	2.083E-02	1.796E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102QC
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	2
<i>AVG:</i>	3.41E-02
<i>Min:</i>	2.00E-02
<i>MAX:</i>	4.81E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00007	1/12/2006	2.002E-02	pCi/L	2.322E-02	2.002E-02	U
2006-00854	10/25/2006	4.810E-02	pCi/L	3.440E-02	1.804E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	102QC
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	2
<i>AVG:</i>	1.57E-02
<i>Min:</i>	1.48E-02
<i>MAX:</i>	1.65E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00007	1/12/2006	1.647E-02	pCi/L	2.336E-02	2.470E-02	U
2006-00854	10/25/2006	1.484E-02	pCi/L	2.104E-02	2.225E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	103
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	4.29E-01
<i>Min:</i>	8.41E-02
<i>MAX:</i>	8.51E-01

>MDC

<i>Count:</i>	14
<i>AVG:</i>	5.24E-01
<i>Min:</i>	3.80E-01
<i>MAX:</i>	8.51E-01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00009	1/12/2006	4.110E-01	pCi/mL	1.073E-01	3.233E-01	=
2006-00009	1/12/2006	3.806E-01	pCi/mL	1.067E-01	3.233E-01	=
2006-00110	2/15/2006	8.186E-01	pCi/mL	1.043E-01	2.879E-01	=
2006-00110	2/15/2006	8.505E-01	pCi/mL	1.049E-01	2.879E-01	=
2006-00191	3/16/2006	5.067E-01	pCi/mL	1.013E-01	2.986E-01	=
2006-00191	3/16/2006	6.009E-01	pCi/mL	1.032E-01	2.986E-01	=
2006-00249	4/18/2006	4.383E-01	pCi/mL	1.039E-01	3.112E-01	=
2006-00249	4/18/2006	5.808E-01	pCi/mL	1.068E-01	3.112E-01	=
2006-00386	5/24/2006	4.819E-01	pCi/mL	1.191E-01	3.581E-01	=
2006-00386	5/24/2006	4.619E-01	pCi/mL	1.187E-01	3.581E-01	=
2006-00552	7/19/2006	3.882E-01	pCi/mL	9.534E-02	2.861E-01	=
2006-00552	7/19/2006	3.801E-01	pCi/mL	9.516E-02	2.861E-01	=
2006-00651	8/23/2006	1.529E-01	pCi/mL	9.044E-02	2.861E-01	U
2006-00651	8/23/2006	2.827E-01	pCi/mL	9.349E-02	2.861E-01	U
2006-00786	9/27/2006	8.414E-02	pCi/mL	8.860E-02	2.860E-01	U
2006-00786	9/27/2006	1.723E-01	pCi/mL	9.057E-02	2.860E-01	U
2006-00856	10/25/2006	2.298E-01	pCi/mL	1.025E-01	3.217E-01	U
2006-00856	10/25/2006	3.066E-01	pCi/mL	1.042E-01	3.217E-01	U
2006-00960	11/28/2006	5.343E-01	pCi/mL	1.012E-01	2.946E-01	=
2006-00960	11/28/2006	5.087E-01	pCi/mL	1.007E-01	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	103
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	-4.36E-01
<i>Min:</i>	-1.48E+00
<i>MAX:</i>	1.35E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00009	1/12/2006	0.000E+00	pCi/L	1.322E+00	3.247E+00	U
2006-00110	2/15/2006	-1.354E+00	pCi/L	9.460E-01	2.997E+00	U
2006-00191	3/16/2006	-6.483E-01	pCi/L	1.025E+00	2.928E+00	U
2006-00249	4/18/2006	-1.482E+00	pCi/L	6.264E-01	2.364E+00	U
2006-00386	5/24/2006	1.035E+00	pCi/L	1.126E+00	2.238E+00	U
2006-00552	7/19/2006	-1.441E+00	pCi/L	1.360E+00	3.656E+00	U
2006-00651	8/23/2006	1.353E+00	pCi/L	1.048E+00	2.271E+00	U
2006-00786	9/27/2006	-8.892E-01	pCi/L	1.000E+00	3.095E+00	U
2006-00856	10/25/2006	5.092E-01	pCi/L	1.103E+00	2.978E+00	U
2006-00960	11/28/2006	-1.438E+00	pCi/L	8.333E-01	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	103
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	1.20E+00
<i>Min:</i>	-1.53E+00
<i>MAX:</i>	4.72E+00

>MDC

<i>Count:</i>	1
<i>AVG:</i>	4.72E+00
<i>Min:</i>	4.72E+00
<i>MAX:</i>	4.72E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00009	1/12/2006	1.704E+00	pCi/L	1.589E+00	4.858E+00	U
2006-00110	2/15/2006	-1.526E+00	pCi/L	1.474E+00	4.983E+00	U
2006-00191	3/16/2006	1.457E+00	pCi/L	1.614E+00	5.011E+00	U
2006-00249	4/18/2006	4.723E+00	pCi/L	1.592E+00	4.456E+00	=
2006-00386	5/24/2006	-5.271E-01	pCi/L	1.404E+00	4.553E+00	U
2006-00552	7/19/2006	-4.182E-02	pCi/L	1.685E+00	5.404E+00	U
2006-00651	8/23/2006	3.109E+00	pCi/L	1.631E+00	4.809E+00	U
2006-00786	9/27/2006	2.411E+00	pCi/L	1.651E+00	5.033E+00	U
2006-00856	10/25/2006	-3.224E-01	pCi/L	1.585E+00	5.192E+00	U
2006-00960	11/28/2006	1.038E+00	pCi/L	1.721E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	103
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	3
<i>AVG:</i>	-7.85E-01
<i>Min:</i>	-1.30E+00
<i>MAX:</i>	-1.52E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00009	1/12/2006	-1.522E-01	pCi/L	8.407E-01	2.414E+00	U
2006-00249	4/18/2006	-9.072E-01	pCi/L	1.039E+00	2.147E+00	U
2006-00856	10/25/2006	-1.295E+00	pCi/L	1.173E+00	2.147E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	103
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	3
<i>AVG:</i>	8.91E-02
<i>Min:</i>	2.89E-02
<i>MAX:</i>	1.25E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00009	1/12/2006	2.894E-02	pCi/L	5.800E-02	1.041E-01	U
2006-00249	4/18/2006	1.249E-01	pCi/L	8.144E-02	1.045E-01	U
2006-00856	10/25/2006	1.134E-01	pCi/L	7.659E-02	1.018E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	103
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	3
<i>AVG:</i>	-1.89E-02
<i>Min:</i>	-7.23E-02
<i>MAX:</i>	1.56E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00009	1/12/2006	-7.231E-02	pCi/L	5.096E-02	1.332E-01	U
2006-00249	4/18/2006	1.560E-02	pCi/L	2.216E-02	2.340E-02	U
2006-00856	10/25/2006	-1.172E-07	pCi/L	2.001E-02	5.411E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	103
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	3
<i>AVG:</i>	4.58E-02
<i>Min:</i>	3.90E-02
<i>MAX:</i>	5.42E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00009	1/12/2006	3.901E-02	pCi/L	4.336E-02	6.854E-02	U
2006-00249	4/18/2006	5.424E-02	pCi/L	3.662E-02	1.808E-02	U
2006-00856	10/25/2006	4.426E-02	pCi/L	3.164E-02	1.660E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	103
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	3
<i>AVG:</i>	1.35E-02
<i>Min:</i>	5.60E-03
<i>MAX:</i>	1.82E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00009	1/12/2006	5.598E-03	pCi/L	4.036E-02	8.054E-02	U
2006-00249	4/18/2006	1.816E-02	pCi/L	3.209E-02	5.796E-02	U
2006-00856	10/25/2006	1.667E-02	pCi/L	2.945E-02	5.320E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	103
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	3
<i>AVG:</i>	-4.23E-03
<i>Min:</i>	-2.76E-02
<i>MAX:</i>	1.49E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00009	1/12/2006	-2.762E-02	pCi/L	2.777E-02	8.492E-02	U
2006-00249	4/18/2006	1.493E-02	pCi/L	2.118E-02	2.240E-02	U
2006-00856	10/25/2006	0.000E+00	pCi/L	0.000E+00	2.056E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	106
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	22
<i>AVG:</i>	3.35E+00
<i>Min:</i>	1.95E+00
<i>MAX:</i>	5.02E+00

>MDC

<i>Count:</i>	22
<i>AVG:</i>	3.35E+00
<i>Min:</i>	1.95E+00
<i>MAX:</i>	5.02E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00015	1/12/2006	4.153E+00	pCi/mL	1.703E-01	3.233E-01	=
2006-00015	1/12/2006	4.046E+00	pCi/mL	1.689E-01	3.233E-01	=
2006-00115	2/15/2006	3.117E+00	pCi/mL	1.417E-01	2.879E-01	=
2006-00115	2/15/2006	3.289E+00	pCi/mL	1.441E-01	2.879E-01	=
2006-00196	3/16/2006	3.663E+00	pCi/mL	1.523E-01	2.986E-01	=
2006-00196	3/16/2006	3.847E+00	pCi/mL	1.547E-01	2.986E-01	=
2006-00255	4/18/2006	2.820E+00	pCi/mL	1.452E-01	3.112E-01	=
2006-00255	4/18/2006	2.867E+00	pCi/mL	1.459E-01	3.112E-01	=
2006-00390	5/24/2006	3.251E+00	pCi/mL	1.674E-01	3.581E-01	=
2006-00390	5/24/2006	3.176E+00	pCi/mL	1.663E-01	3.581E-01	=
2006-00557	7/19/2006	3.693E+00	pCi/mL	1.499E-01	2.861E-01	=
2006-00557	7/19/2006	3.567E+00	pCi/mL	1.482E-01	2.861E-01	=
2006-00655	8/23/2006	4.662E+00	pCi/mL	1.754E-01	3.285E-01	=
2006-00655	8/23/2006	4.695E+00	pCi/mL	1.668E-01	2.861E-01	=
2006-00655	8/23/2006	4.773E+00	pCi/mL	1.678E-01	2.861E-01	=
2006-00655	8/23/2006	5.018E+00	pCi/mL	1.798E-01	3.285E-01	=
2006-00791	9/27/2006	1.947E+00	pCi/mL	1.238E-01	2.860E-01	=
2006-00791	9/27/2006	2.055E+00	pCi/mL	1.255E-01	2.860E-01	=
2006-00862	10/25/2006	2.249E+00	pCi/mL	1.392E-01	3.217E-01	=
2006-00862	10/25/2006	2.493E+00	pCi/mL	1.430E-01	3.217E-01	=
2006-00965	11/28/2006	2.214E+00	pCi/mL	1.320E-01	2.946E-01	=
2006-00965	11/28/2006	2.129E+00	pCi/mL	1.306E-01	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	106
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	-3.66E-01
<i>Min:</i>	-1.63E+00
<i>MAX:</i>	9.34E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00015	1/12/2006	-2.577E-01	pCi/L	1.236E+00	3.247E+00	U
2006-00115	2/15/2006	-5.805E-02	pCi/L	1.238E+00	2.997E+00	U
2006-00196	3/16/2006	9.336E-01	pCi/L	1.171E+00	2.928E+00	U
2006-00255	4/18/2006	-6.722E-01	pCi/L	7.582E-01	2.364E+00	U
2006-00390	5/24/2006	-7.165E-01	pCi/L	8.356E-01	2.238E+00	U
2006-00557	7/19/2006	-1.451E+00	pCi/L	1.370E+00	3.656E+00	U
2006-00655	8/23/2006	4.998E-01	pCi/L	8.658E-01	2.271E+00	U
2006-00791	9/27/2006	-1.630E+00	pCi/L	8.864E-01	3.095E+00	U
2006-00862	10/25/2006	2.844E-01	pCi/L	1.085E+00	2.978E+00	U
2006-00965	11/28/2006	-5.940E-01	pCi/L	9.240E-01	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	106
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	1.17E-01
<i>Min:</i>	-1.38E+00
<i>MAX:</i>	2.10E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00015	1/12/2006	2.096E+00	pCi/L	1.598E+00	4.858E+00	U
2006-00115	2/15/2006	1.861E-01	pCi/L	1.565E+00	4.983E+00	U
2006-00196	3/16/2006	-4.299E-01	pCi/L	1.527E+00	5.011E+00	U
2006-00255	4/18/2006	-7.764E-01	pCi/L	1.337E+00	4.456E+00	U
2006-00390	5/24/2006	8.759E-01	pCi/L	1.468E+00	4.553E+00	U
2006-00557	7/19/2006	-1.297E+00	pCi/L	1.638E+00	5.404E+00	U
2006-00655	8/23/2006	2.092E+00	pCi/L	1.575E+00	4.809E+00	U
2006-00791	9/27/2006	-1.338E-01	pCi/L	1.543E+00	5.033E+00	U
2006-00862	10/25/2006	-1.378E+00	pCi/L	1.546E+00	5.192E+00	U
2006-00965	11/28/2006	-6.898E-02	pCi/L	1.670E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	106
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	4
<i>AVG:</i>	-3.34E-02
<i>Min:</i>	-5.35E-01
<i>MAX:</i>	5.09E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00015	1/12/2006	1.511E-01	pCi/L	8.479E-01	2.414E+00	U
2006-00255	4/18/2006	5.094E-01	pCi/L	1.248E+00	2.147E+00	U
2006-00557	7/19/2006	-2.595E-01	pCi/L	4.010E-01	2.147E+00	U
2006-00862	10/25/2006	-5.347E-01	pCi/L	8.264E-01	2.147E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	106
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	4
<i>AVG:</i>	4.27E-02
<i>Min:</i>	-4.81E-06
<i>MAX:</i>	7.22E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00015	1/12/2006	-4.807E-06	pCi/L	6.440E-02	1.274E-01	U
2006-00255	4/18/2006	4.347E-02	pCi/L	6.506E-02	1.108E-01	U
2006-00557	7/19/2006	5.499E-02	pCi/L	6.521E-02	1.050E-01	U
2006-00862	10/25/2006	7.216E-02	pCi/L	7.061E-02	1.072E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	106
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	4
<i>AVG:</i>	9.72E-03
<i>Min:</i>	0.00E+00
<i>MAX:</i>	1.60E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00015	1/12/2006	7.196E-03	pCi/L	1.442E-02	2.159E-02	U
2006-00255	4/18/2006	0.000E+00	pCi/L	0.000E+00	5.537E-02	U
2006-00557	7/19/2006	1.567E-02	pCi/L	3.142E-02	5.995E-02	U
2006-00862	10/25/2006	1.600E-02	pCi/L	2.273E-02	2.399E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	106
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	4
<i>AVG:</i>	1.22E-02
<i>Min:</i>	6.05E-03
<i>MAX:</i>	1.83E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00015	1/12/2006	6.046E-03	pCi/L	1.211E-02	1.814E-02	U
2006-00255	4/18/2006	1.196E-02	pCi/L	2.395E-02	4.574E-02	U
2006-00557	7/19/2006	1.266E-02	pCi/L	1.795E-02	1.899E-02	U
2006-00862	10/25/2006	1.825E-02	pCi/L	2.117E-02	1.825E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	106
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	4
<i>AVG:</i>	4.30E-02
<i>Min:</i>	4.20E-02
<i>MAX:</i>	4.45E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00015	1/12/2006	4.250E-02	pCi/L	3.245E-02	1.822E-02	U
2006-00255	4/18/2006	4.204E-02	pCi/L	3.209E-02	1.802E-02	U
2006-00557	7/19/2006	4.449E-02	pCi/L	3.394E-02	1.907E-02	U
2006-00862	10/25/2006	4.277E-02	pCi/L	3.265E-02	1.833E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	106
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	4
<i>AVG:</i>	1.78E-03
<i>Min:</i>	-7.84E-03
<i>MAX:</i>	7.54E-03

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00015	1/12/2006	0.000E+00	pCi/L	0.000E+00	2.247E-02	U
2006-00255	4/18/2006	7.408E-03	pCi/L	1.484E-02	2.222E-02	U
2006-00557	7/19/2006	-7.841E-03	pCi/L	1.570E-02	5.998E-02	U
2006-00862	10/25/2006	7.538E-03	pCi/L	1.510E-02	2.261E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	107
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	22
<i>AVG:</i>	9.77E-01
<i>Min:</i>	6.41E-02
<i>MAX:</i>	1.67E+00

>MDC

<i>Count:</i>	20
<i>AVG:</i>	1.06E+00
<i>Min:</i>	3.94E-01
<i>MAX:</i>	1.67E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00018	1/12/2006	1.391E+00	pCi/mL	1.223E-01	3.027E-01	=
2006-00018	1/12/2006	1.360E+00	pCi/mL	1.217E-01	3.027E-01	=
2006-00123	2/15/2006	7.707E-01	pCi/mL	1.249E-01	3.657E-01	=
2006-00123	2/15/2006	9.347E-01	pCi/mL	1.277E-01	3.657E-01	=
2006-00123	2/15/2006	1.066E+00	pCi/mL	1.095E-01	2.900E-01	=
2006-00123	2/15/2006	1.082E+00	pCi/mL	1.098E-01	2.900E-01	=
2006-00206	3/16/2006	1.547E+00	pCi/mL	1.205E-01	2.986E-01	=
2006-00206	3/16/2006	1.588E+00	pCi/mL	1.212E-01	2.986E-01	=
2006-00268	4/20/2006	1.321E+00	pCi/mL	1.208E-01	3.112E-01	=
2006-00268	4/20/2006	1.129E+00	pCi/mL	1.174E-01	3.112E-01	=
2006-00393	5/24/2006	1.667E+00	pCi/mL	1.418E-01	3.581E-01	=
2006-00393	5/24/2006	1.397E+00	pCi/mL	1.370E-01	3.581E-01	=
2006-00563	7/24/2006	4.571E-01	pCi/mL	9.679E-02	2.861E-01	=
2006-00563	7/24/2006	5.340E-01	pCi/mL	9.839E-02	2.861E-01	=
2006-00671	8/23/2006	5.268E-01	pCi/mL	1.068E-01	3.151E-01	=
2006-00671	8/23/2006	6.872E-01	pCi/mL	1.100E-01	3.151E-01	=
2006-00794	9/27/2006	6.411E-02	pCi/mL	8.815E-02	2.860E-01	U
2006-00794	9/27/2006	1.763E-01	pCi/mL	9.066E-02	2.860E-01	U
2006-00874	10/25/2006	3.944E-01	pCi/mL	1.060E-01	3.217E-01	=
2006-00874	10/25/2006	4.427E-01	pCi/mL	1.070E-01	3.217E-01	=
2006-00971	11/28/2006	1.586E+00	pCi/mL	1.214E-01	2.946E-01	=
2006-00971	11/28/2006	1.376E+00	pCi/mL	1.177E-01	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	107
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	8
<i>AVG:</i>	1.62E-01
<i>Min:</i>	-6.84E-01
<i>MAX:</i>	1.55E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00018	1/12/2006	5.241E-01	pCi/L	1.336E+00	3.247E+00	U
2006-00123	2/15/2006	-6.343E-01	pCi/L	1.160E+00	2.997E+00	U
2006-00206	3/16/2006	1.553E+00	pCi/L	1.313E+00	2.928E+00	U
2006-00268	4/20/2006	-4.164E-01	pCi/L	8.064E-01	2.364E+00	U
2006-00393	5/24/2006	1.791E-01	pCi/L	1.215E+00	2.238E+00	U
2006-00794	9/27/2006	1.422E+00	pCi/L	1.280E+00	3.095E+00	U
2006-00874	10/25/2006	-6.505E-01	pCi/L	1.024E+00	2.978E+00	U
2006-00971	11/28/2006	-6.843E-01	pCi/L	1.064E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	107
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	8
<i>AVG:</i>	2.95E-01
<i>Min:</i>	-1.85E+00
<i>MAX:</i>	2.84E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00018	1/12/2006	4.998E-01	pCi/L	1.533E+00	4.858E+00	U
2006-00123	2/15/2006	-8.767E-01	pCi/L	1.518E+00	4.983E+00	U
2006-00206	3/16/2006	5.138E-01	pCi/L	1.578E+00	5.011E+00	U
2006-00268	4/20/2006	2.840E+00	pCi/L	1.508E+00	4.456E+00	U
2006-00393	5/24/2006	1.467E+00	pCi/L	1.527E+00	4.553E+00	U
2006-00794	9/27/2006	5.367E-01	pCi/L	1.576E+00	5.033E+00	U
2006-00874	10/25/2006	-1.855E+00	pCi/L	1.534E+00	5.192E+00	U
2006-00971	11/28/2006	-7.691E-01	pCi/L	1.663E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	107
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	4
<i>AVG:</i>	1.24E-01
<i>Min:</i>	-6.67E-01
<i>MAX:</i>	5.43E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00018	1/12/2006	1.679E-01	pCi/L	9.425E-01	2.414E+00	U
2006-00268	4/20/2006	4.499E-01	pCi/L	8.862E-01	2.147E+00	U
2006-00563	7/24/2006	5.434E-01	pCi/L	7.724E-01	2.147E+00	U
2006-00874	10/25/2006	-6.670E-01	pCi/L	1.031E+00	2.147E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	107
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	4
<i>AVG:</i>	8.05E-02
<i>Min:</i>	4.38E-02
<i>MAX:</i>	1.20E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00018	1/12/2006	1.204E-01	pCi/L	8.988E-02	1.240E-01	U
2006-00268	4/20/2006	7.765E-02	pCi/L	6.849E-02	1.015E-01	U
2006-00563	7/24/2006	8.007E-02	pCi/L	5.740E-02	7.559E-02	U
2006-00874	10/25/2006	4.380E-02	pCi/L	7.243E-02	1.258E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	107
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	4
<i>AVG:</i>	-4.11E-03
<i>Min:</i>	-2.78E-02
<i>MAX:</i>	1.75E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00018	1/12/2006	-2.777E-02	pCi/L	3.222E-02	1.023E-01	U
2006-00268	4/20/2006	-7.045E-07	pCi/L	2.821E-02	6.753E-02	U
2006-00563	7/24/2006	-6.146E-03	pCi/L	2.750E-02	6.794E-02	U
2006-00874	10/25/2006	1.748E-02	pCi/L	4.287E-02	8.369E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	107
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	4
<i>AVG:</i>	3.15E-02
<i>Min:</i>	1.33E-02
<i>MAX:</i>	6.05E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00018	1/12/2006	2.192E-02	pCi/L	2.537E-02	2.192E-02	U
2006-00268	4/20/2006	3.034E-02	pCi/L	2.733E-02	1.820E-02	U
2006-00563	7/24/2006	1.328E-02	pCi/L	1.882E-02	1.991E-02	U
2006-00874	10/25/2006	6.046E-02	pCi/L	4.059E-02	2.015E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	107
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	4
<i>AVG:</i>	4.12E-02
<i>Min:</i>	2.94E-02
<i>MAX:</i>	5.48E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00018	1/12/2006	2.935E-02	pCi/L	3.602E-02	5.613E-02	U
2006-00268	4/20/2006	5.484E-02	pCi/L	3.703E-02	1.828E-02	U
2006-00563	7/24/2006	4.000E-02	pCi/L	3.292E-02	2.000E-02	U
2006-00874	10/25/2006	4.048E-02	pCi/L	3.830E-02	5.161E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	107
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	4
<i>AVG:</i>	4.55E-03
<i>Min:</i>	-8.22E-03
<i>MAX:</i>	1.81E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00018	1/12/2006	1.810E-02	pCi/L	2.564E-02	2.715E-02	U
2006-00268	4/20/2006	0.000E+00	pCi/L	0.000E+00	2.255E-02	U
2006-00563	7/24/2006	-8.223E-03	pCi/L	1.647E-02	6.291E-02	U
2006-00874	10/25/2006	8.323E-03	pCi/L	1.666E-02	2.497E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	108
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	16
<i>AVG:</i>	6.41E-01
<i>Min:</i>	3.81E-01
<i>MAX:</i>	1.31E+00

>MDC

<i>Count:</i>	16
<i>AVG:</i>	6.41E-01
<i>Min:</i>	3.81E-01
<i>MAX:</i>	1.31E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00022	1/12/2006	6.027E-01	pCi/mL	1.114E-01	3.233E-01	=
2006-00022	1/12/2006	5.980E-01	pCi/mL	1.113E-01	3.233E-01	=
2006-00139	2/15/2006	4.593E-01	pCi/mL	9.776E-02	2.900E-01	=
2006-00139	2/15/2006	5.312E-01	pCi/mL	9.922E-02	2.900E-01	=
2006-00210	3/16/2006	5.477E-01	pCi/mL	1.021E-01	2.986E-01	=
2006-00210	3/16/2006	5.968E-01	pCi/mL	1.031E-01	2.986E-01	=
2006-00397	5/24/2006	6.468E-01	pCi/mL	1.225E-01	3.581E-01	=
2006-00397	5/24/2006	5.469E-01	pCi/mL	1.204E-01	3.581E-01	=
2006-00567	7/24/2006	4.854E-01	pCi/mL	9.738E-02	2.861E-01	=
2006-00567	7/24/2006	4.004E-01	pCi/mL	9.559E-02	2.861E-01	=
2006-00660	8/23/2006	6.874E-01	pCi/mL	1.024E-01	2.861E-01	=
2006-00660	8/23/2006	7.242E-01	pCi/mL	1.032E-01	2.861E-01	=
2006-00870	10/25/2006	3.812E-01	pCi/mL	1.057E-01	3.217E-01	=
2006-00870	10/25/2006	5.766E-01	pCi/mL	1.097E-01	3.217E-01	=
2006-00975	11/28/2006	1.312E+00	pCi/mL	1.165E-01	2.946E-01	=
2006-00975	11/28/2006	1.154E+00	pCi/mL	1.136E-01	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	108
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	8
<i>AVG:</i>	3.00E-01
<i>Min:</i>	-1.76E+00
<i>MAX:</i>	5.91E+00

>MDC

<i>Count:</i>	1
<i>AVG:</i>	5.91E+00
<i>Min:</i>	5.91E+00
<i>MAX:</i>	5.91E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00022	1/12/2006	-2.215E-01	pCi/L	1.062E+00	3.247E+00	U
2006-00139	2/15/2006	-1.758E+00	pCi/L	8.174E-01	2.997E+00	U
2006-00210	3/16/2006	-6.411E-01	pCi/L	1.014E+00	2.928E+00	U
2006-00322	4/20/2006	9.825E-02	pCi/L	8.365E-01	2.364E+00	U
2006-00397	5/24/2006	-9.315E-01	pCi/L	7.289E-01	2.238E+00	U
2006-00660	8/23/2006	5.905E+00	pCi/L	1.968E+00	2.271E+00	=
2006-00870	10/25/2006	3.171E-01	pCi/L	1.210E+00	2.978E+00	U
2006-00975	11/28/2006	-3.689E-01	pCi/L	1.074E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	108
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	8
<i>AVG:</i>	1.90E+00
<i>Min:</i>	-6.27E-01
<i>MAX:</i>	6.78E+00

>MDC

<i>Count:</i>	1
<i>AVG:</i>	6.78E+00
<i>Min:</i>	6.78E+00
<i>MAX:</i>	6.78E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00022	1/12/2006	8.852E-01	pCi/L	1.525E+00	4.858E+00	U
2006-00139	2/15/2006	3.452E+00	pCi/L	1.672E+00	4.983E+00	U
2006-00210	3/16/2006	1.590E+00	pCi/L	1.618E+00	5.011E+00	U
2006-00322	4/20/2006	-1.066E-01	pCi/L	1.364E+00	4.456E+00	U
2006-00397	5/24/2006	1.426E+00	pCi/L	1.484E+00	4.553E+00	U
2006-00660	8/23/2006	6.777E+00	pCi/L	1.840E+00	4.809E+00	=
2006-00870	10/25/2006	1.808E+00	pCi/L	1.680E+00	5.192E+00	U
2006-00975	11/28/2006	-6.275E-01	pCi/L	1.665E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	108
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	1
<i>AVG:</i>	1.58E+01
<i>Min:</i>	1.58E+01
<i>MAX:</i>	1.58E+01

>MDC

<i>Count:</i>	1
<i>AVG:</i>	1.58E+01
<i>Min:</i>	1.58E+01
<i>MAX:</i>	1.58E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00322	4/20/2006	1.577E+01	pCi/L	5.907E+00	1.236E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	112
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	5.40E-02
<i>Min:</i>	-1.18E-01
<i>MAX:</i>	2.62E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00026	1/12/2006	6.623E-03	pCi/mL	9.813E-02	3.233E-01	U
2006-00026	1/12/2006	-5.415E-02	pCi/mL	9.667E-02	3.233E-01	U
2006-00130	2/15/2006	-6.790E-02	pCi/mL	8.632E-02	2.900E-01	U
2006-00130	2/15/2006	-4.394E-02	pCi/mL	8.687E-02	2.900E-01	U
2006-00214	3/16/2006	-7.869E-02	pCi/mL	8.868E-02	2.986E-01	U
2006-00214	3/16/2006	5.231E-02	pCi/mL	9.165E-02	2.986E-01	U
2006-00274	4/20/2006	3.886E-02	pCi/mL	9.520E-02	3.112E-01	U
2006-00274	4/20/2006	1.900E-01	pCi/mL	9.857E-02	3.112E-01	U
2006-00401	5/24/2006	2.619E-01	pCi/mL	1.144E-01	3.581E-01	U
2006-00401	5/24/2006	1.520E-01	pCi/mL	1.120E-01	3.581E-01	U
2006-00570	7/24/2006	1.562E-02	pCi/mL	8.706E-02	2.861E-01	U
2006-00570	7/24/2006	-1.180E-01	pCi/mL	8.390E-02	2.861E-01	U
2006-00664	8/23/2006	1.659E-02	pCi/mL	8.711E-02	2.861E-01	U
2006-00664	8/23/2006	3.390E-02	pCi/mL	8.754E-02	2.861E-01	U
2006-00800	9/27/2006	2.805E-02	pCi/mL	8.732E-02	2.860E-01	U
2006-00800	9/27/2006	4.808E-02	pCi/mL	8.778E-02	2.860E-01	U
2006-00875	10/25/2006	8.935E-02	pCi/mL	9.948E-02	3.217E-01	U
2006-00875	10/25/2006	2.232E-01	pCi/mL	1.024E-01	3.217E-01	U
2006-00979	11/28/2006	2.137E-01	pCi/mL	9.424E-02	2.946E-01	U
2006-00979	11/28/2006	7.267E-02	pCi/mL	9.098E-02	2.946E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	112
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	-7.40E-01
<i>Min:</i>	-1.59E+00
<i>MAX:</i>	1.36E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00026	1/12/2006	-7.897E-01	pCi/L	1.206E+00	3.247E+00	U
2006-00130	2/15/2006	-9.127E-01	pCi/L	1.112E+00	2.997E+00	U
2006-00214	3/16/2006	-1.213E+00	pCi/L	9.707E-01	2.928E+00	U
2006-00274	4/20/2006	-1.564E-01	pCi/L	8.485E-01	2.364E+00	U
2006-00401	5/24/2006	-6.574E-01	pCi/L	7.667E-01	2.238E+00	U
2006-00664	8/23/2006	-8.305E-01	pCi/L	7.324E-01	2.271E+00	U
2006-00800	9/27/2006	1.355E-01	pCi/L	1.197E+00	3.095E+00	U
2006-00875	10/25/2006	-1.587E+00	pCi/L	9.031E-01	2.978E+00	U
2006-00979	11/28/2006	-6.463E-01	pCi/L	1.005E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	112
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	2.55E+00
<i>Min:</i>	3.48E-01
<i>MAX:</i>	6.12E+00

>MDC

<i>Count:</i>	1
<i>AVG:</i>	6.12E+00
<i>Min:</i>	6.12E+00
<i>MAX:</i>	6.12E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00026	1/12/2006	1.967E+00	pCi/L	1.596E+00	4.858E+00	U
2006-00130	2/15/2006	2.973E+00	pCi/L	1.676E+00	4.983E+00	U
2006-00214	3/16/2006	7.838E-01	pCi/L	1.589E+00	5.011E+00	U
2006-00274	4/20/2006	2.170E+00	pCi/L	1.478E+00	4.456E+00	U
2006-00401	5/24/2006	3.927E+00	pCi/L	1.595E+00	4.553E+00	U
2006-00664	8/23/2006	6.124E+00	pCi/L	1.762E+00	4.809E+00	=
2006-00800	9/27/2006	2.426E+00	pCi/L	1.662E+00	5.033E+00	U
2006-00875	10/25/2006	2.265E+00	pCi/L	1.684E+00	5.192E+00	U
2006-00979	11/28/2006	3.477E-01	pCi/L	1.701E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	112
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	1
<i>AVG:</i>	-8.83E-01
<i>Min:</i>	-8.83E-01
<i>MAX:</i>	-8.83E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00875	10/25/2006	-8.832E-01	pCi/L	8.940E-01	2.147E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	113
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	1.26E+02
<i>Min:</i>	3.37E+01
<i>MAX:</i>	3.08E+02

>MDC

<i>Count:</i>	20
<i>AVG:</i>	1.26E+02
<i>Min:</i>	3.37E+01
<i>MAX:</i>	3.08E+02

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00013	1/12/2006	5.018E+01	pCi/mL	4.942E-01	3.233E-01	=
2006-00013	1/12/2006	4.941E+01	pCi/mL	4.905E-01	3.233E-01	=
2006-00113	2/15/2006	7.143E+01	pCi/mL	5.414E-01	2.879E-01	=
2006-00113	2/15/2006	7.230E+01	pCi/mL	5.446E-01	2.879E-01	=
2006-00194	3/16/2006	1.201E+02	pCi/mL	7.069E-01	2.986E-01	=
2006-00194	3/16/2006	1.218E+02	pCi/mL	7.120E-01	2.986E-01	=
2006-00253	4/18/2006	7.156E+01	pCi/mL	5.638E-01	3.112E-01	=
2006-00253	4/18/2006	7.233E+01	pCi/mL	5.668E-01	3.112E-01	=
2006-00388	5/24/2006	2.325E+02	pCi/mL	1.083E+00	3.581E-01	=
2006-00388	5/24/2006	2.305E+02	pCi/mL	1.079E+00	3.581E-01	=
2006-00555	7/19/2006	1.553E+02	pCi/mL	7.977E-01	2.861E-01	=
2006-00555	7/19/2006	1.548E+02	pCi/mL	7.966E-01	2.861E-01	=
2006-00653	8/23/2006	3.367E+01	pCi/mL	3.914E-01	2.861E-01	=
2006-00653	8/23/2006	3.379E+01	pCi/mL	3.921E-01	2.861E-01	=
2006-00789	9/27/2006	8.861E+01	pCi/mL	6.021E-01	2.860E-01	=
2006-00789	9/27/2006	9.020E+01	pCi/mL	6.074E-01	2.860E-01	=
2006-00860	10/25/2006	1.332E+02	pCi/mL	7.709E-01	3.217E-01	=
2006-00860	10/25/2006	1.333E+02	pCi/mL	7.712E-01	3.217E-01	=
2006-00963	11/28/2006	3.083E+02	pCi/mL	1.152E+00	2.946E-01	=
2006-00963	11/28/2006	2.995E+02	pCi/mL	1.135E+00	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	113
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	-3.57E-01
<i>Min:</i>	-2.52E+00
<i>MAX:</i>	2.70E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00013	1/12/2006	-2.436E-01	pCi/L	1.168E+00	3.247E+00	U
2006-00113	2/15/2006	-3.308E-01	pCi/L	1.143E+00	2.997E+00	U
2006-00194	3/16/2006	-1.355E-01	pCi/L	1.372E+00	2.928E+00	U
2006-00253	4/18/2006	-7.082E-01	pCi/L	7.988E-01	2.364E+00	U
2006-00388	5/24/2006	-5.620E-01	pCi/L	1.155E+00	2.238E+00	U
2006-00555	7/19/2006	-2.519E+00	pCi/L	1.428E+00	3.656E+00	U
2006-00653	8/23/2006	5.344E-01	pCi/L	9.256E-01	2.271E+00	U
2006-00789	9/27/2006	-1.456E+00	pCi/L	9.728E-01	3.095E+00	U
2006-00860	10/25/2006	2.700E+00	pCi/L	1.619E+00	2.978E+00	U
2006-00963	11/28/2006	-8.449E-01	pCi/L	2.460E+00	5.428E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	113
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	1.80E+00
<i>Min:</i>	-5.63E-01
<i>MAX:</i>	6.36E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00013	1/12/2006	-5.625E-01	pCi/L	1.475E+00	4.858E+00	U
2006-00113	2/15/2006	-7.937E-02	pCi/L	1.546E+00	4.983E+00	U
2006-00194	3/16/2006	3.280E+00	pCi/L	1.722E+00	5.011E+00	U
2006-00253	4/18/2006	1.641E+00	pCi/L	1.460E+00	4.456E+00	U
2006-00388	5/24/2006	3.594E-02	pCi/L	1.464E+00	4.553E+00	U
2006-00555	7/19/2006	-4.227E-02	pCi/L	1.703E+00	5.404E+00	U
2006-00653	8/23/2006	4.247E+00	pCi/L	1.679E+00	4.809E+00	U
2006-00789	9/27/2006	1.345E-01	pCi/L	1.563E+00	5.033E+00	U
2006-00860	10/25/2006	3.034E+00	pCi/L	1.744E+00	5.192E+00	U
2006-00963	11/28/2006	6.356E+00	pCi/L	3.678E+00	1.082E+01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	119
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	16
<i>AVG:</i>	8.20E-01
<i>Min:</i>	-4.67E-02
<i>MAX:</i>	5.70E+00

>MDC

<i>Count:</i>	3
<i>AVG:</i>	3.94E+00
<i>Min:</i>	4.65E-01
<i>MAX:</i>	5.70E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00030	1/12/2006	4.648E-01	pCi/mL	1.085E-01	3.233E-01	=
2006-00030	1/12/2006	2.661E-01	pCi/mL	1.041E-01	3.233E-01	U
2006-00134	2/15/2006	5.026E-02	pCi/mL	8.713E-02	2.837E-01	U
2006-00134	2/15/2006	1.830E-01	pCi/mL	9.014E-02	2.837E-01	U
2006-00279	4/20/2006	-4.534E-02	pCi/mL	9.327E-02	3.112E-01	U
2006-00279	4/20/2006	2.591E-02	pCi/mL	9.490E-02	3.112E-01	U
2006-00403	5/24/2006	5.701E+00	pCi/mL	2.007E-01	3.581E-01	=
2006-00403	5/24/2006	5.661E+00	pCi/mL	2.002E-01	3.581E-01	=
2006-00572	7/24/2006	1.817E-01	pCi/mL	9.084E-02	2.861E-01	U
2006-00572	7/24/2006	7.637E-02	pCi/mL	8.847E-02	2.861E-01	U
2006-00802	9/27/2006	1.162E-01	pCi/mL	8.932E-02	2.860E-01	U
2006-00802	9/27/2006	1.603E-01	pCi/mL	9.030E-02	2.860E-01	U
2006-00877	10/25/2006	-4.672E-02	pCi/mL	9.643E-02	3.217E-01	U
2006-00877	10/25/2006	9.594E-02	pCi/mL	9.962E-02	3.217E-01	U
2006-00982	11/28/2006	1.197E-01	pCi/mL	9.208E-02	2.946E-01	U
2006-00982	11/28/2006	1.154E-01	pCi/mL	9.198E-02	2.946E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	119
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	-4.58E-01
<i>Min:</i>	-1.62E+00
<i>MAX:</i>	5.00E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00030	1/12/2006	5.000E-01	pCi/L	1.275E+00	3.247E+00	U
2006-00134	2/15/2006	-1.363E+00	pCi/L	9.523E-01	2.997E+00	U
2006-00219	3/16/2006	-8.751E-01	pCi/L	9.422E-01	2.928E+00	U
2006-00279	4/20/2006	3.620E-01	pCi/L	9.178E-01	2.364E+00	U
2006-00403	5/24/2006	-1.702E-01	pCi/L	1.103E+00	2.238E+00	U
2006-00666	8/23/2006	-5.119E-01	pCi/L	7.239E-01	2.271E+00	U
2006-00802	9/27/2006	-1.615E+00	pCi/L	8.786E-01	3.095E+00	U
2006-00877	10/25/2006	-9.181E-01	pCi/L	1.031E+00	2.978E+00	U
2006-00982	11/28/2006	4.696E-01	pCi/L	1.082E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	119
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	5.39E-01
<i>Min:</i>	-9.67E-01
<i>MAX:</i>	2.27E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00030	1/12/2006	6.303E-01	pCi/L	1.532E+00	4.858E+00	U
2006-00134	2/15/2006	-8.688E-01	pCi/L	1.504E+00	4.983E+00	U
2006-00219	3/16/2006	-9.666E-01	pCi/L	1.502E+00	5.011E+00	U
2006-00279	4/20/2006	1.098E+00	pCi/L	1.428E+00	4.456E+00	U
2006-00403	5/24/2006	1.318E+00	pCi/L	1.513E+00	4.553E+00	U
2006-00666	8/23/2006	1.066E-01	pCi/L	1.486E+00	4.809E+00	U
2006-00802	9/27/2006	2.272E+00	pCi/L	1.642E+00	5.033E+00	U
2006-00877	10/25/2006	1.329E+00	pCi/L	1.657E+00	5.192E+00	U
2006-00982	11/28/2006	-6.909E-02	pCi/L	1.672E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	121
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	3.38E-01
<i>Min:</i>	-6.65E-02
<i>MAX:</i>	2.81E+00

>MDC

<i>Count:</i>	2
<i>AVG:</i>	2.66E+00
<i>Min:</i>	2.52E+00
<i>MAX:</i>	2.81E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00031	1/12/2006	2.474E-01	pCi/mL	1.037E-01	3.233E-01	U
2006-00031	1/12/2006	8.610E-02	pCi/mL	1.000E-01	3.233E-01	U
2006-00135	2/15/2006	1.198E-02	pCi/mL	8.815E-02	2.900E-01	U
2006-00135	2/15/2006	1.678E-01	pCi/mL	9.161E-02	2.900E-01	U
2006-00220	3/16/2006	3.184E-02	pCi/mL	9.120E-02	2.986E-01	U
2006-00220	3/16/2006	7.278E-02	pCi/mL	9.211E-02	2.986E-01	U
2006-00280	4/20/2006	2.807E-02	pCi/mL	9.495E-02	3.112E-01	U
2006-00280	4/20/2006	7.125E-02	pCi/mL	9.593E-02	3.112E-01	U
2006-00404	5/24/2006	2.811E+00	pCi/mL	1.607E-01	3.581E-01	=
2006-00404	5/24/2006	2.516E+00	pCi/mL	1.561E-01	3.581E-01	=
2006-00573	7/24/2006	8.447E-02	pCi/mL	8.865E-02	2.861E-01	U
2006-00573	7/24/2006	-1.273E-02	pCi/mL	8.640E-02	2.861E-01	U
2006-00667	8/23/2006	7.285E-02	pCi/mL	8.850E-02	2.861E-01	U
2006-00667	8/23/2006	1.031E-01	pCi/mL	8.924E-02	2.861E-01	U
2006-00803	9/27/2006	-2.404E-02	pCi/mL	8.612E-02	2.860E-01	U
2006-00803	9/27/2006	9.215E-02	pCi/mL	8.878E-02	2.860E-01	U
2006-00878	10/25/2006	-6.647E-02	pCi/mL	9.598E-02	3.217E-01	U
2006-00878	10/25/2006	1.881E-01	pCi/mL	1.016E-01	3.217E-01	U
2006-00983	11/28/2006	1.539E-01	pCi/mL	9.287E-02	2.946E-01	U
2006-00983	11/28/2006	1.154E-01	pCi/mL	9.198E-02	2.946E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	121
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	-5.70E-01
<i>Min:</i>	-2.54E+00
<i>MAX:</i>	1.21E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00031	1/12/2006	-1.037E+00	pCi/L	1.159E+00	3.247E+00	U
2006-00135	2/15/2006	-2.543E+00	pCi/L	8.385E-01	2.997E+00	U
2006-00220	3/16/2006	-1.035E-01	pCi/L	1.047E+00	2.928E+00	U
2006-00280	4/20/2006	-4.098E-01	pCi/L	7.935E-01	2.364E+00	U
2006-00404	5/24/2006	-7.525E-01	pCi/L	8.775E-01	2.238E+00	U
2006-00667	8/23/2006	0.000E+00	pCi/L	1.043E+00	2.271E+00	U
2006-00803	9/27/2006	3.886E-01	pCi/L	1.173E+00	3.095E+00	U
2006-00878	10/25/2006	1.209E+00	pCi/L	1.191E+00	2.978E+00	U
2006-00983	11/28/2006	-1.878E+00	pCi/L	6.974E-01	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	121
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	8.97E-01
<i>Min:</i>	-1.72E+00
<i>MAX:</i>	4.92E+00

>MDC

<i>Count:</i>	1
<i>AVG:</i>	4.92E+00
<i>Min:</i>	4.92E+00
<i>MAX:</i>	4.92E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00031	1/12/2006	-1.365E+00	pCi/L	1.448E+00	4.858E+00	U
2006-00135	2/15/2006	1.508E+00	pCi/L	1.613E+00	4.983E+00	U
2006-00220	3/16/2006	5.104E-01	pCi/L	1.567E+00	5.011E+00	U
2006-00280	4/20/2006	2.835E+00	pCi/L	1.506E+00	4.456E+00	U
2006-00404	5/24/2006	-3.872E-01	pCi/L	1.413E+00	4.553E+00	U
2006-00667	8/23/2006	4.916E+00	pCi/L	1.737E+00	4.809E+00	=
2006-00803	9/27/2006	1.745E+00	pCi/L	1.627E+00	5.033E+00	U
2006-00878	10/25/2006	2.936E-02	pCi/L	1.601E+00	5.192E+00	U
2006-00983	11/28/2006	-1.721E+00	pCi/L	1.597E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	122
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	18
<i>AVG:</i>	3.30E-02
<i>Min:</i>	-7.30E-02
<i>MAX:</i>	1.71E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00116	2/15/2006	5.116E-02	pCi/mL	8.840E-02	2.879E-01	U
2006-00116	2/15/2006	-7.994E-04	pCi/mL	8.722E-02	2.879E-01	U
2006-00197	3/16/2006	-1.729E-02	pCi/mL	9.009E-02	2.986E-01	U
2006-00197	3/16/2006	1.342E-01	pCi/mL	9.347E-02	2.986E-01	U
2006-00256	4/18/2006	4.691E-02	pCi/mL	9.623E-02	3.140E-01	U
2006-00256	4/18/2006	1.713E-01	pCi/mL	9.901E-02	3.140E-01	U
2006-00391	5/24/2006	-1.800E-02	pCi/mL	1.081E-01	3.581E-01	U
2006-00391	5/24/2006	-7.298E-02	pCi/mL	1.068E-01	3.581E-01	U
2006-00559	7/19/2006	-2.488E-02	pCi/mL	8.612E-02	2.861E-01	U
2006-00559	7/19/2006	-5.728E-02	pCi/mL	8.535E-02	2.861E-01	U
2006-00656	8/23/2006	2.308E-02	pCi/mL	8.727E-02	2.861E-01	U
2006-00656	8/23/2006	7.285E-02	pCi/mL	8.850E-02	2.861E-01	U
2006-00792	9/27/2006	-6.010E-02	pCi/mL	8.528E-02	2.860E-01	U
2006-00792	9/27/2006	5.209E-02	pCi/mL	8.787E-02	2.860E-01	U
2006-00864	10/25/2006	4.766E-02	pCi/mL	9.855E-02	3.217E-01	U
2006-00864	10/25/2006	9.594E-02	pCi/mL	9.962E-02	3.217E-01	U
2006-00966	11/28/2006	7.694E-02	pCi/mL	9.108E-02	2.946E-01	U
2006-00966	11/28/2006	7.267E-02	pCi/mL	9.098E-02	2.946E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	122
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	-4.78E-01
<i>Min:</i>	-1.39E+00
<i>MAX:</i>	1.07E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00016	1/12/2006	-2.563E-01	pCi/L	1.229E+00	3.247E+00	U
2006-00116	2/15/2006	-5.322E-02	pCi/L	1.135E+00	2.997E+00	U
2006-00197	3/16/2006	-1.391E+00	pCi/L	8.694E-01	2.928E+00	U
2006-00256	4/18/2006	-6.451E-01	pCi/L	7.276E-01	2.364E+00	U
2006-00391	5/24/2006	-3.861E-01	pCi/L	7.933E-01	2.238E+00	U
2006-00559	7/19/2006	-9.021E-01	pCi/L	1.068E+00	3.656E+00	U
2006-00656	8/23/2006	2.574E-01	pCi/L	8.536E-01	2.271E+00	U
2006-00792	9/27/2006	-1.359E+00	pCi/L	9.078E-01	3.095E+00	U
2006-00864	10/25/2006	1.070E+00	pCi/L	1.278E+00	2.978E+00	U
2006-00966	11/28/2006	-1.117E+00	pCi/L	8.415E-01	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	122
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	2.52E-01
<i>Min:</i>	-2.24E+00
<i>MAX:</i>	3.07E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00016	1/12/2006	1.696E+00	pCi/L	1.581E+00	4.858E+00	U
2006-00116	2/15/2006	-2.109E-01	pCi/L	1.535E+00	4.983E+00	U
2006-00197	3/16/2006	-8.324E-01	pCi/L	1.508E+00	5.011E+00	U
2006-00256	4/18/2006	6.933E-01	pCi/L	1.403E+00	4.456E+00	U
2006-00391	5/24/2006	1.283E+00	pCi/L	1.473E+00	4.553E+00	U
2006-00559	7/19/2006	-2.243E+00	pCi/L	1.559E+00	5.404E+00	U
2006-00656	8/23/2006	-7.468E-01	pCi/L	1.445E+00	4.809E+00	U
2006-00792	9/27/2006	3.073E+00	pCi/L	1.674E+00	5.033E+00	U
2006-00864	10/25/2006	1.481E-01	pCi/L	1.619E+00	5.192E+00	U
2006-00966	11/28/2006	-3.448E-01	pCi/L	1.658E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	122
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	3
<i>AVG:</i>	-2.12E-01
<i>Min:</i>	-2.51E+00
<i>MAX:</i>	2.20E+00

>MDC

<i>Count:</i>	1
<i>AVG:</i>	2.20E+00
<i>Min:</i>	2.20E+00
<i>MAX:</i>	2.20E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00016	1/12/2006	-2.507E+00	pCi/L	1.526E+00	2.414E+00	U
2006-00256	4/18/2006	2.200E+00	pCi/L	9.871E-01	2.147E+00	=
2006-00864	10/25/2006	-3.293E-01	pCi/L	1.036E+00	2.147E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	122
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	3
<i>AVG:</i>	6.25E-02
<i>Min:</i>	3.55E-02
<i>MAX:</i>	8.96E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00016	1/12/2006	8.961E-02	pCi/L	8.549E-02	1.315E-01	U
2006-00256	4/18/2006	3.554E-02	pCi/L	5.147E-02	8.734E-02	U
2006-00864	10/25/2006	6.228E-02	pCi/L	7.677E-02	1.254E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	122
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	3
<i>AVG:</i>	1.53E-02
<i>Min:</i>	1.42E-02
<i>MAX:</i>	1.63E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00016	1/12/2006	1.628E-02	pCi/L	3.264E-02	6.228E-02	U
2006-00256	4/18/2006	1.420E-02	pCi/L	2.017E-02	2.130E-02	U
2006-00864	10/25/2006	1.553E-02	pCi/L	2.207E-02	2.330E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	122
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	3
<i>AVG:</i>	1.07E-02
<i>Min:</i>	6.31E-03
<i>MAX:</i>	1.32E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00016	1/12/2006	1.254E-02	pCi/L	1.779E-02	1.881E-02	U
2006-00256	4/18/2006	6.312E-03	pCi/L	1.264E-02	1.893E-02	U
2006-00864	10/25/2006	1.324E-02	pCi/L	1.878E-02	1.986E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	122
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	3
<i>AVG:</i>	4.09E-02
<i>Min:</i>	3.17E-02
<i>MAX:</i>	5.32E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00016	1/12/2006	3.778E-02	pCi/L	3.112E-02	1.889E-02	U
2006-00256	4/18/2006	3.169E-02	pCi/L	2.855E-02	1.902E-02	U
2006-00864	10/25/2006	5.318E-02	pCi/L	4.245E-02	5.085E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	122
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	3
<i>AVG:</i>	5.47E-03
<i>Min:</i>	0.00E+00
<i>MAX:</i>	1.64E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00016	1/12/2006	0.000E+00	pCi/L	0.000E+00	2.331E-02	U
2006-00256	4/18/2006	3.910E-07	pCi/L	2.212E-02	5.982E-02	U
2006-00864	10/25/2006	1.640E-02	pCi/L	2.326E-02	2.460E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	124
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	7.29E-02
<i>Min:</i>	-9.83E-02
<i>MAX:</i>	2.15E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00024	1/13/2006	2.147E-01	pCi/mL	1.030E-01	3.233E-01	U
2006-00024	1/13/2006	2.077E-01	pCi/mL	1.028E-01	3.233E-01	U
2006-00128	2/15/2006	-6.391E-02	pCi/mL	8.641E-02	2.900E-01	U
2006-00128	2/15/2006	-7.989E-03	pCi/mL	8.769E-02	2.900E-01	U
2006-00212	3/16/2006	-5.004E-02	pCi/mL	8.934E-02	2.986E-01	U
2006-00212	3/16/2006	1.096E-01	pCi/mL	9.293E-02	2.986E-01	U
2006-00272	4/20/2006	7.773E-02	pCi/mL	9.608E-02	3.112E-01	U
2006-00272	4/20/2006	1.641E-01	pCi/mL	9.800E-02	3.112E-01	U
2006-00399	5/24/2006	1.570E-01	pCi/mL	1.121E-01	3.581E-01	U
2006-00399	5/24/2006	-3.799E-02	pCi/mL	1.076E-01	3.581E-01	U
2006-00569	7/24/2006	8.042E-02	pCi/mL	8.856E-02	2.861E-01	U
2006-00569	7/24/2006	7.637E-02	pCi/mL	8.847E-02	2.861E-01	U
2006-00662	8/23/2006	1.031E-01	pCi/mL	8.924E-02	2.861E-01	U
2006-00662	8/23/2006	1.378E-01	pCi/mL	9.007E-02	2.861E-01	U
2006-00798	9/27/2006	3.606E-02	pCi/mL	8.751E-02	2.860E-01	U
2006-00798	9/27/2006	1.002E-01	pCi/mL	8.896E-02	2.860E-01	U
2006-00872	10/25/2006	-6.208E-02	pCi/mL	9.608E-02	3.217E-01	U
2006-00872	10/25/2006	1.815E-01	pCi/mL	1.015E-01	3.217E-01	U
2006-00977	11/28/2006	1.325E-01	pCi/mL	9.238E-02	2.946E-01	U
2006-00977	11/28/2006	-9.832E-02	pCi/mL	8.687E-02	2.946E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	124
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	-2.98E-01
<i>Min:</i>	-1.59E+00
<i>MAX:</i>	2.83E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00024	1/13/2006	-1.589E+00	pCi/L	9.358E-01	2.598E+00	U
2006-00128	2/15/2006	2.831E-01	pCi/L	7.070E-01	1.998E+00	U
2006-00212	3/16/2006	-3.863E-01	pCi/L	6.108E-01	1.952E+00	U
2006-00272	4/20/2006	4.994E-02	pCi/L	4.252E-01	1.891E+00	U
2006-00399	5/24/2006	-4.027E-01	pCi/L	4.696E-01	1.492E+00	U
2006-00662	8/23/2006	0.000E+00	pCi/L	7.655E-01	2.271E+00	U
2006-00798	9/27/2006	-3.065E-01	pCi/L	8.548E-01	2.063E+00	U
2006-00872	10/25/2006	3.615E-02	pCi/L	6.744E-01	1.985E+00	U
2006-00977	11/28/2006	-3.626E-01	pCi/L	5.641E-01	1.809E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	124
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	1.97E-01
<i>Min:</i>	-1.14E+00
<i>MAX:</i>	2.55E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00024	1/13/2006	2.552E+00	pCi/L	1.326E+00	3.886E+00	U
2006-00128	2/15/2006	1.772E+00	pCi/L	1.091E+00	3.322E+00	U
2006-00212	3/16/2006	-1.957E-01	pCi/L	1.015E+00	3.341E+00	U
2006-00272	4/20/2006	-4.885E-01	pCi/L	1.022E+00	3.564E+00	U
2006-00399	5/24/2006	4.825E-01	pCi/L	9.585E-01	3.035E+00	U
2006-00662	8/23/2006	-4.596E-01	pCi/L	1.451E+00	4.809E+00	U
2006-00798	9/27/2006	-4.546E-01	pCi/L	1.033E+00	3.356E+00	U
2006-00872	10/25/2006	-2.919E-01	pCi/L	1.050E+00	3.461E+00	U
2006-00977	11/28/2006	-1.140E+00	pCi/L	1.058E+00	3.608E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	130
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	1.45E-02
<i>Min:</i>	-5.83E-02
<i>MAX:</i>	1.67E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00032	1/12/2006	4.285E-03	pCi/mL	9.807E-02	3.233E-01	U
2006-00032	1/12/2006	-2.610E-02	pCi/mL	9.735E-02	3.233E-01	U
2006-00136	2/15/2006	-3.595E-02	pCi/mL	8.705E-02	2.900E-01	U
2006-00136	2/15/2006	1.598E-02	pCi/mL	8.824E-02	2.900E-01	U
2006-00221	3/16/2006	7.278E-03	pCi/mL	9.064E-02	2.986E-01	U
2006-00221	3/16/2006	1.260E-01	pCi/mL	9.329E-02	2.986E-01	U
2006-00281	4/20/2006	-5.830E-02	pCi/mL	9.297E-02	3.112E-01	U
2006-00281	4/20/2006	7.989E-02	pCi/mL	9.612E-02	3.112E-01	U
2006-00405	5/24/2006	1.670E-01	pCi/mL	1.123E-01	3.581E-01	U
2006-00405	5/24/2006	5.699E-02	pCi/mL	1.098E-01	3.581E-01	U
2006-00574	7/24/2006	1.157E-02	pCi/mL	8.697E-02	2.861E-01	U
2006-00574	7/24/2006	-2.893E-02	pCi/mL	8.602E-02	2.861E-01	U
2006-00668	8/23/2006	-7.213E-03	pCi/mL	8.652E-02	2.861E-01	U
2006-00668	8/23/2006	8.800E-02	pCi/mL	8.887E-02	2.861E-01	U
2006-00804	9/27/2006	-4.007E-02	pCi/mL	8.575E-02	2.860E-01	U
2006-00804	9/27/2006	-2.404E-02	pCi/mL	8.612E-02	2.860E-01	U
2006-00879	10/25/2006	-5.769E-02	pCi/mL	9.618E-02	3.217E-01	U
2006-00879	10/25/2006	-9.406E-03	pCi/mL	9.728E-02	3.217E-01	U
2006-00984	11/28/2006	5.557E-02	pCi/mL	9.058E-02	2.946E-01	U
2006-00984	11/28/2006	-3.420E-02	pCi/mL	8.844E-02	2.946E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	130
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	-1.52E-01
<i>Min:</i>	-1.12E+00
<i>MAX:</i>	1.60E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00032	1/12/2006	1.602E+00	pCi/L	1.463E+00	3.247E+00	U
2006-00136	2/15/2006	-8.676E-01	pCi/L	1.057E+00	2.997E+00	U
2006-00221	3/16/2006	-1.114E-01	pCi/L	1.128E+00	2.928E+00	U
2006-00281	4/20/2006	-6.398E-01	pCi/L	7.216E-01	2.364E+00	U
2006-00405	5/24/2006	-7.488E-01	pCi/L	8.732E-01	2.238E+00	U
2006-00668	8/23/2006	8.034E-01	pCi/L	9.655E-01	2.271E+00	U
2006-00804	9/27/2006	-1.239E-01	pCi/L	1.066E+00	3.095E+00	U
2006-00879	10/25/2006	-1.708E-01	pCi/L	1.037E+00	2.978E+00	U
2006-00984	11/28/2006	-1.115E+00	pCi/L	8.402E-01	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	130
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	5.97E-01
<i>Min:</i>	-1.14E+00
<i>MAX:</i>	2.24E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00032	1/12/2006	2.237E+00	pCi/L	1.609E+00	4.858E+00	U
2006-00136	2/15/2006	1.373E+00	pCi/L	1.604E+00	4.983E+00	U
2006-00221	3/16/2006	-5.681E-01	pCi/L	1.532E+00	5.011E+00	U
2006-00281	4/20/2006	-1.066E-01	pCi/L	1.364E+00	4.456E+00	U
2006-00405	5/24/2006	1.442E+00	pCi/L	1.501E+00	4.553E+00	U
2006-00668	8/23/2006	1.249E+00	pCi/L	1.546E+00	4.809E+00	U
2006-00804	9/27/2006	2.673E-01	pCi/L	1.558E+00	5.033E+00	U
2006-00879	10/25/2006	-1.144E+00	pCi/L	1.555E+00	5.192E+00	U
2006-00984	11/28/2006	6.205E-01	pCi/L	1.697E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	132
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	18
<i>AVG:</i>	4.37E-02
<i>Min:</i>	-1.73E-01
<i>MAX:</i>	2.69E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00025	1/12/2006	-5.065E-03	pCi/mL	9.785E-02	3.233E-01	U
2006-00025	1/12/2006	-1.734E-01	pCi/mL	9.374E-02	3.233E-01	U
2006-00129	2/15/2006	-4.793E-02	pCi/mL	8.678E-02	2.900E-01	U
2006-00129	2/15/2006	-2.796E-02	pCi/mL	8.724E-02	2.900E-01	U
2006-00213	3/16/2006	2.365E-02	pCi/mL	9.101E-02	2.986E-01	U
2006-00213	3/16/2006	8.916E-02	pCi/mL	9.247E-02	2.986E-01	U
2006-00273	4/20/2006	5.182E-02	pCi/mL	9.549E-02	3.112E-01	U
2006-00273	4/20/2006	-7.125E-02	pCi/mL	9.267E-02	3.112E-01	U
2006-00400	5/24/2006	8.698E-02	pCi/mL	1.105E-01	3.581E-01	U
2006-00400	5/24/2006	3.699E-02	pCi/mL	1.094E-01	3.581E-01	U
2006-00560	7/19/2006	-1.273E-02	pCi/mL	8.640E-02	2.861E-01	U
2006-00560	7/19/2006	6.422E-02	pCi/mL	8.819E-02	2.861E-01	U
2006-00663	8/23/2006	6.852E-02	pCi/mL	8.839E-02	2.861E-01	U
2006-00663	8/23/2006	1.897E-01	pCi/mL	9.131E-02	2.861E-01	U
2006-00799	9/27/2006	-9.215E-02	pCi/mL	8.452E-02	2.860E-01	U
2006-00799	9/27/2006	1.442E-01	pCi/mL	8.995E-02	2.860E-01	U
2006-00978	11/28/2006	2.693E-01	pCi/mL	9.549E-02	2.946E-01	U
2006-00978	11/28/2006	1.924E-01	pCi/mL	9.375E-02	2.946E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	132
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	-6.38E-01
<i>Min:</i>	-1.51E+00
<i>MAX:</i>	9.67E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00025	1/12/2006	-1.505E+00	pCi/L	1.064E+00	3.247E+00	U
2006-00129	2/15/2006	-1.340E+00	pCi/L	9.361E-01	2.997E+00	U
2006-00213	3/16/2006	9.668E-01	pCi/L	1.213E+00	2.928E+00	U
2006-00273	4/20/2006	-1.175E+00	pCi/L	6.564E-01	2.364E+00	U
2006-00400	5/24/2006	-4.457E-01	pCi/L	9.158E-01	2.238E+00	U
2006-00560	7/19/2006	-1.110E+00	pCi/L	1.048E+00	3.656E+00	U
2006-00663	8/23/2006	8.551E-01	pCi/L	1.028E+00	2.271E+00	U
2006-00799	9/27/2006	-1.120E+00	pCi/L	9.477E-01	3.095E+00	U
2006-00978	11/28/2006	-8.686E-01	pCi/L	8.964E-01	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	132
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	2.56E-01
<i>Min:</i>	-1.24E+00
<i>MAX:</i>	3.41E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00025	1/12/2006	-5.641E-01	pCi/L	1.480E+00	4.858E+00	U
2006-00129	2/15/2006	-4.731E-01	pCi/L	1.519E+00	4.983E+00	U
2006-00213	3/16/2006	-1.240E+00	pCi/L	1.496E+00	5.011E+00	U
2006-00273	4/20/2006	8.290E-01	pCi/L	1.414E+00	4.456E+00	U
2006-00400	5/24/2006	-1.055E-01	pCi/L	1.425E+00	4.553E+00	U
2006-00560	7/19/2006	8.156E-01	pCi/L	1.674E+00	5.404E+00	U
2006-00663	8/23/2006	3.412E+00	pCi/L	1.652E+00	4.809E+00	U
2006-00799	9/27/2006	6.684E-01	pCi/L	1.576E+00	5.033E+00	U
2006-00978	11/28/2006	-1.036E+00	pCi/L	1.631E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	136
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	4.54E-02
<i>Min:</i>	-1.14E-01
<i>MAX:</i>	6.87E-01

>MDC

<i>Count:</i>	2
<i>AVG:</i>	6.02E-01
<i>Min:</i>	5.17E-01
<i>MAX:</i>	6.87E-01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00033	1/12/2006	9.779E-02	pCi/mL	1.003E-01	3.233E-01	U
2006-00033	1/12/2006	-3.779E-02	pCi/mL	9.707E-02	3.233E-01	U
2006-00137	2/15/2006	-7.989E-03	pCi/mL	8.769E-02	2.900E-01	U
2006-00137	2/15/2006	6.391E-02	pCi/mL	8.932E-02	2.900E-01	U
2006-00222	3/16/2006	-2.138E-02	pCi/mL	8.999E-02	2.986E-01	U
2006-00222	3/16/2006	6.869E-02	pCi/mL	9.202E-02	2.986E-01	U
2006-00282	4/20/2006	-1.144E-01	pCi/mL	9.166E-02	3.112E-01	U
2006-00282	4/20/2006	-6.046E-02	pCi/mL	9.292E-02	3.112E-01	U
2006-00406	5/24/2006	6.868E-01	pCi/mL	1.233E-01	3.581E-01	=
2006-00406	5/24/2006	5.169E-01	pCi/mL	1.198E-01	3.581E-01	=
2006-00575	7/24/2006	7.521E-03	pCi/mL	8.688E-02	2.861E-01	U
2006-00575	7/24/2006	-8.563E-02	pCi/mL	8.468E-02	2.861E-01	U
2006-00669	8/23/2006	-2.020E-02	pCi/mL	8.619E-02	2.861E-01	U
2006-00669	8/23/2006	1.443E-03	pCi/mL	8.674E-02	2.861E-01	U
2006-00805	9/27/2006	-8.815E-02	pCi/mL	8.461E-02	2.860E-01	U
2006-00805	9/27/2006	-6.811E-02	pCi/mL	8.509E-02	2.860E-01	U
2006-00880	10/25/2006	-8.841E-02	pCi/mL	9.548E-02	3.217E-01	U
2006-00880	10/25/2006	-4.891E-02	pCi/mL	9.638E-02	3.217E-01	U
2006-00985	11/28/2006	1.026E-01	pCi/mL	9.168E-02	2.946E-01	U
2006-00985	11/28/2006	4.275E-03	pCi/mL	8.936E-02	2.946E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	136
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	-2.71E-01
<i>Min:</i>	-1.37E+00
<i>MAX:</i>	1.02E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00033	1/12/2006	-6.229E-01	pCi/L	1.461E+00	3.247E+00	U
2006-00137	2/15/2006	-1.374E+00	pCi/L	9.601E-01	2.997E+00	U
2006-00222	3/16/2006	1.648E-01	pCi/L	1.145E+00	2.928E+00	U
2006-00282	4/20/2006	9.988E-02	pCi/L	8.504E-01	2.364E+00	U
2006-00406	5/24/2006	-1.059E+00	pCi/L	8.287E-01	2.238E+00	U
2006-00669	8/23/2006	1.016E+00	pCi/L	1.221E+00	2.271E+00	U
2006-00805	9/27/2006	-3.761E-01	pCi/L	1.049E+00	3.095E+00	U
2006-00880	10/25/2006	5.314E-01	pCi/L	1.151E+00	2.978E+00	U
2006-00985	11/28/2006	-8.168E-01	pCi/L	2.379E+00	5.428E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	136
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	3.09E-01
<i>Min:</i>	-4.36E+00
<i>MAX:</i>	4.05E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00033	1/12/2006	1.728E+00	pCi/L	1.610E+00	4.858E+00	U
2006-00137	2/15/2006	5.270E-02	pCi/L	1.545E+00	4.983E+00	U
2006-00222	3/16/2006	1.594E+00	pCi/L	1.622E+00	5.011E+00	U
2006-00282	4/20/2006	5.603E-01	pCi/L	1.398E+00	4.456E+00	U
2006-00406	5/24/2006	3.522E-02	pCi/L	1.435E+00	4.553E+00	U
2006-00669	8/23/2006	4.052E+00	pCi/L	1.704E+00	4.809E+00	U
2006-00805	9/27/2006	-6.689E-01	pCi/L	1.519E+00	5.033E+00	U
2006-00880	10/25/2006	-2.060E-01	pCi/L	1.596E+00	5.192E+00	U
2006-00985	11/28/2006	-4.365E+00	pCi/L	3.229E+00	1.082E+01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	142
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	6
<i>AVG:</i>	2.59E-01
<i>Min:</i>	-6.43E-02
<i>MAX:</i>	4.73E-01

>MDC

<i>Count:</i>	4
<i>AVG:</i>	4.09E-01
<i>Min:</i>	3.69E-01
<i>MAX:</i>	4.73E-01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00258	4/20/2006	3.843E-01	pCi/mL	1.027E-01	3.112E-01	=
2006-00258	4/20/2006	3.692E-01	pCi/mL	1.024E-01	3.112E-01	=
2006-00558	7/19/2006	4.733E-01	pCi/mL	9.713E-02	2.861E-01	=
2006-00558	7/19/2006	4.085E-01	pCi/mL	9.577E-02	2.861E-01	=
2006-00863	10/25/2006	-1.818E-02	pCi/mL	9.708E-02	3.217E-01	U
2006-00863	10/25/2006	-6.427E-02	pCi/mL	9.603E-02	3.217E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	142
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	3
<i>AVG:</i>	1.40E+00
<i>Min:</i>	8.01E-01
<i>MAX:</i>	2.33E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00258	4/20/2006	1.080E+00	pCi/L	9.696E-01	2.364E+00	U
2006-00558	7/19/2006	2.326E+00	pCi/L	2.132E+00	3.656E+00	U
2006-00863	10/25/2006	8.011E-01	pCi/L	1.226E+00	2.978E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	142
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	3
<i>AVG:</i>	1.66E+00
<i>Min:</i>	-5.62E-01
<i>MAX:</i>	4.97E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00258	4/20/2006	5.594E-01	pCi/L	1.396E+00	4.456E+00	U
2006-00558	7/19/2006	4.970E+00	pCi/L	1.904E+00	5.404E+00	U
2006-00863	10/25/2006	-5.616E-01	pCi/L	1.589E+00	5.192E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	143
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	1.02E-01
<i>Min:</i>	-1.04E-01
<i>MAX:</i>	3.11E-01

>MDC

<i>Count:</i>	1
<i>AVG:</i>	3.11E-01
<i>Min:</i>	3.11E-01
<i>MAX:</i>	3.11E-01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00010	1/12/2006	2.147E-01	pCi/mL	1.030E-01	3.233E-01	U
2006-00010	1/12/2006	1.656E-01	pCi/mL	1.018E-01	3.233E-01	U
2006-00111	2/15/2006	8.713E-02	pCi/mL	8.921E-02	2.879E-01	U
2006-00111	2/15/2006	9.513E-02	pCi/mL	8.939E-02	2.879E-01	U
2006-00192	3/16/2006	6.459E-02	pCi/mL	9.193E-02	2.986E-01	U
2006-00192	3/16/2006	7.278E-02	pCi/mL	9.211E-02	2.986E-01	U
2006-00250	4/18/2006	-1.036E-01	pCi/mL	9.191E-02	3.112E-01	U
2006-00250	4/18/2006	3.886E-02	pCi/mL	9.520E-02	3.112E-01	U
2006-00387	5/24/2006	1.870E-01	pCi/mL	1.127E-01	3.581E-01	U
2006-00387	5/24/2006	9.198E-02	pCi/mL	1.106E-01	3.581E-01	U
2006-00553	7/19/2006	2.100E-01	pCi/mL	9.147E-02	2.861E-01	U
2006-00553	7/19/2006	1.574E-01	pCi/mL	9.030E-02	2.861E-01	U
2006-00652	8/23/2006	2.113E-01	pCi/mL	9.182E-02	2.861E-01	U
2006-00652	8/23/2006	3.109E-01	pCi/mL	9.414E-02	2.861E-01	=
2006-00787	9/27/2006	-5.609E-02	pCi/mL	8.537E-02	2.860E-01	U
2006-00787	9/27/2006	5.609E-02	pCi/mL	8.796E-02	2.860E-01	U
2006-00857	10/25/2006	4.766E-02	pCi/mL	9.855E-02	3.217E-01	U
2006-00857	10/25/2006	1.047E-01	pCi/mL	9.982E-02	3.217E-01	U
2006-00961	11/28/2006	1.111E-01	pCi/mL	9.188E-02	2.946E-01	U
2006-00961	11/28/2006	-3.420E-02	pCi/mL	8.844E-02	2.946E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	143
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	3.33E-01
<i>Min:</i>	-1.80E+00
<i>MAX:</i>	2.15E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00010	1/12/2006	1.407E+00	pCi/L	1.515E+00	3.247E+00	U
2006-00111	2/15/2006	2.368E-01	pCi/L	1.297E+00	2.997E+00	U
2006-00192	3/16/2006	-6.349E-01	pCi/L	1.004E+00	2.928E+00	U
2006-00250	4/18/2006	3.859E-01	pCi/L	9.785E-01	2.364E+00	U
2006-00387	5/24/2006	1.136E+00	pCi/L	1.236E+00	2.238E+00	U
2006-00553	7/19/2006	-1.080E-01	pCi/L	1.784E+00	3.656E+00	U
2006-00652	8/23/2006	2.151E+00	pCi/L	1.434E+00	2.271E+00	U
2006-00787	9/27/2006	-1.797E+00	pCi/L	9.774E-01	3.095E+00	U
2006-00857	10/25/2006	3.227E-01	pCi/L	1.231E+00	2.978E+00	U
2006-00961	11/28/2006	2.277E-01	pCi/L	1.186E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	143
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	2.22E+00
<i>Min:</i>	2.97E-02
<i>MAX:</i>	7.45E+00

>MDC

<i>Count:</i>	1
<i>AVG:</i>	7.45E+00
<i>Min:</i>	7.45E+00
<i>MAX:</i>	7.45E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00010	1/12/2006	2.248E+00	pCi/L	1.617E+00	4.858E+00	U
2006-00111	2/15/2006	3.196E-01	pCi/L	1.574E+00	4.983E+00	U
2006-00192	3/16/2006	1.319E+00	pCi/L	1.605E+00	5.011E+00	U
2006-00250	4/18/2006	2.047E+00	pCi/L	1.480E+00	4.456E+00	U
2006-00387	5/24/2006	2.446E+00	pCi/L	1.558E+00	4.553E+00	U
2006-00553	7/19/2006	8.509E-02	pCi/L	1.719E+00	5.404E+00	U
2006-00652	8/23/2006	7.451E+00	pCi/L	1.853E+00	4.809E+00	=
2006-00787	9/27/2006	3.241E+00	pCi/L	1.697E+00	5.033E+00	U
2006-00857	10/25/2006	2.969E-02	pCi/L	1.618E+00	5.192E+00	U
2006-00961	11/28/2006	3.006E+00	pCi/L	1.815E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	143
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	4
<i>AVG:</i>	-1.80E-01
<i>Min:</i>	-1.81E+00
<i>MAX:</i>	6.44E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00010	1/12/2006	-7.475E-02	pCi/L	8.290E-01	2.414E+00	U
2006-00250	4/18/2006	6.438E-01	pCi/L	1.268E+00	2.147E+00	U
2006-00553	7/19/2006	-1.810E+00	pCi/L	7.264E-01	2.147E+00	U
2006-00857	10/25/2006	5.213E-01	pCi/L	1.277E+00	2.147E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	143
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	4
<i>AVG:</i>	3.05E-02
<i>Min:</i>	7.36E-03
<i>MAX:</i>	6.58E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00010	1/12/2006	6.577E-02	pCi/L	7.762E-02	1.257E-01	U
2006-00250	4/18/2006	3.009E-02	pCi/L	5.227E-02	9.243E-02	U
2006-00553	7/19/2006	7.360E-03	pCi/L	6.070E-02	1.186E-01	U
2006-00857	10/25/2006	1.874E-02	pCi/L	9.186E-02	1.722E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	143
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	4
<i>AVG:</i>	1.50E-02
<i>Min:</i>	3.12E-07
<i>MAX:</i>	3.67E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00010	1/12/2006	8.217E-03	pCi/L	2.848E-02	6.286E-02	U
2006-00250	4/18/2006	1.503E-02	pCi/L	3.013E-02	5.749E-02	U
2006-00553	7/19/2006	3.672E-02	pCi/L	3.321E-02	2.203E-02	U
2006-00857	10/25/2006	3.121E-07	pCi/L	3.740E-02	8.953E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	143
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	4
<i>AVG:</i>	1.84E-01
<i>Min:</i>	3.80E-02
<i>MAX:</i>	3.87E-01

>MDC

<i>Count:</i>	3
<i>AVG:</i>	2.32E-01
<i>Min:</i>	1.49E-01
<i>MAX:</i>	3.87E-01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00010	1/12/2006	3.804E-02	pCi/L	3.610E-02	4.850E-02	U
2006-00250	4/18/2006	1.485E-01	pCi/L	7.205E-02	2.474E-02	=
2006-00553	7/19/2006	3.871E-01	pCi/L	1.022E-01	1.733E-02	=
2006-00857	10/25/2006	1.618E-01	pCi/L	6.560E-02	4.422E-02	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	143
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	4
<i>AVG:</i>	2.03E-01
<i>Min:</i>	6.37E-02
<i>MAX:</i>	5.05E-01

>MDC

<i>Count:</i>	2
<i>AVG:</i>	3.16E-01
<i>Min:</i>	1.28E-01
<i>MAX:</i>	5.05E-01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00010	1/12/2006	6.367E-02	pCi/L	5.140E-02	7.038E-02	U
2006-00250	4/18/2006	1.160E-01	pCi/L	6.341E-02	2.485E-02	U
2006-00553	7/19/2006	5.048E-01	pCi/L	1.206E-01	4.439E-02	=
2006-00857	10/25/2006	1.277E-01	pCi/L	5.611E-02	1.741E-02	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	143
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	4
<i>AVG:</i>	2.08E-02
<i>Min:</i>	-7.86E-03
<i>MAX:</i>	4.09E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00010	1/12/2006	-7.855E-03	pCi/L	1.573E-02	6.009E-02	U
2006-00250	4/18/2006	4.087E-02	pCi/L	5.799E-02	9.785E-02	U
2006-00553	7/19/2006	3.579E-02	pCi/L	3.221E-02	2.148E-02	U
2006-00857	10/25/2006	1.432E-02	pCi/L	2.031E-02	2.148E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	144
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	5.25E+01
<i>Min:</i>	1.02E+01
<i>MAX:</i>	1.14E+02

>MDC

<i>Count:</i>	20
<i>AVG:</i>	5.25E+01
<i>Min:</i>	1.02E+01
<i>MAX:</i>	1.14E+02

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00014	1/12/2006	2.919E+01	pCi/mL	3.822E-01	3.233E-01	=
2006-00014	1/12/2006	2.865E+01	pCi/mL	3.789E-01	3.233E-01	=
2006-00114	2/15/2006	4.502E+01	pCi/mL	4.331E-01	2.879E-01	=
2006-00114	2/15/2006	4.581E+01	pCi/mL	4.367E-01	2.879E-01	=
2006-00195	3/16/2006	6.353E+01	pCi/mL	5.180E-01	2.986E-01	=
2006-00195	3/16/2006	6.379E+01	pCi/mL	5.190E-01	2.986E-01	=
2006-00254	4/18/2006	4.015E+01	pCi/mL	4.269E-01	3.112E-01	=
2006-00254	4/18/2006	4.063E+01	pCi/mL	4.294E-01	3.112E-01	=
2006-00389	5/24/2006	9.405E+01	pCi/mL	6.942E-01	3.581E-01	=
2006-00389	5/24/2006	9.310E+01	pCi/mL	6.908E-01	3.581E-01	=
2006-00556	7/19/2006	2.861E+01	pCi/mL	3.513E-01	2.861E-01	=
2006-00556	7/19/2006	2.842E+01	pCi/mL	3.502E-01	2.861E-01	=
2006-00654	8/23/2006	1.018E+01	pCi/mL	2.271E-01	2.861E-01	=
2006-00654	8/23/2006	1.031E+01	pCi/mL	2.284E-01	2.861E-01	=
2006-00790	9/27/2006	4.367E+01	pCi/mL	4.272E-01	2.860E-01	=
2006-00790	9/27/2006	4.388E+01	pCi/mL	4.281E-01	2.860E-01	=
2006-00861	10/25/2006	5.737E+01	pCi/mL	5.112E-01	3.217E-01	=
2006-00861	10/25/2006	5.817E+01	pCi/mL	5.146E-01	3.217E-01	=
2006-00964	11/28/2006	1.140E+02	pCi/mL	7.037E-01	2.946E-01	=
2006-00964	11/28/2006	1.110E+02	pCi/mL	6.945E-01	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	144
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	-1.75E-01
<i>Min:</i>	-1.05E+00
<i>MAX:</i>	2.17E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00014	1/12/2006	0.000E+00	pCi/L	1.173E+00	3.247E+00	U
2006-00114	2/15/2006	-5.620E-01	pCi/L	1.028E+00	2.997E+00	U
2006-00195	3/16/2006	-1.053E+00	pCi/L	1.133E+00	2.928E+00	U
2006-00254	4/18/2006	1.098E-01	pCi/L	9.349E-01	2.364E+00	U
2006-00389	5/24/2006	-4.502E-01	pCi/L	9.250E-01	2.238E+00	U
2006-00556	7/19/2006	-6.073E-01	pCi/L	1.385E+00	3.656E+00	U
2006-00654	8/23/2006	2.550E-01	pCi/L	8.457E-01	2.271E+00	U
2006-00790	9/27/2006	-9.001E-01	pCi/L	1.012E+00	3.095E+00	U
2006-00861	10/25/2006	2.168E+00	pCi/L	1.434E+00	2.978E+00	U
2006-00964	11/28/2006	-7.143E-01	pCi/L	1.111E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	144
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	5.96E-01
<i>Min:</i>	-1.23E+00
<i>MAX:</i>	2.74E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00014	1/12/2006	2.312E-01	pCi/L	1.508E+00	4.858E+00	U
2006-00114	2/15/2006	-8.667E-01	pCi/L	1.501E+00	4.983E+00	U
2006-00195	3/16/2006	2.159E+00	pCi/L	1.663E+00	5.011E+00	U
2006-00254	4/18/2006	5.654E-01	pCi/L	1.411E+00	4.456E+00	U
2006-00389	5/24/2006	-1.232E+00	pCi/L	1.370E+00	4.553E+00	U
2006-00556	7/19/2006	-5.417E-01	pCi/L	1.660E+00	5.404E+00	U
2006-00654	8/23/2006	2.487E-01	pCi/L	1.492E+00	4.809E+00	U
2006-00790	9/27/2006	1.341E-01	pCi/L	1.558E+00	5.033E+00	U
2006-00861	10/25/2006	2.528E+00	pCi/L	1.710E+00	5.192E+00	U
2006-00964	11/28/2006	2.738E+00	pCi/L	1.812E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	144
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	4
<i>AVG:</i>	1.76E-02
<i>Min:</i>	-8.13E-01
<i>MAX:</i>	7.43E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00014	1/12/2006	2.387E-01	pCi/L	8.966E-01	2.414E+00	U
2006-00254	4/18/2006	-9.815E-02	pCi/L	9.363E-01	2.147E+00	U
2006-00556	7/19/2006	-8.135E-01	pCi/L	6.063E-01	2.147E+00	U
2006-00861	10/25/2006	7.432E-01	pCi/L	1.056E+00	2.147E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	144
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	4
<i>AVG:</i>	7.84E-02
<i>Min:</i>	3.99E-02
<i>MAX:</i>	1.53E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00014	1/12/2006	7.428E-02	pCi/L	5.642E-02	7.109E-02	U
2006-00254	4/18/2006	4.649E-02	pCi/L	5.832E-02	9.520E-02	U
2006-00556	7/19/2006	1.531E-01	pCi/L	8.011E-02	7.699E-02	U
2006-00861	10/25/2006	3.990E-02	pCi/L	8.001E-02	1.410E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	144
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	4
<i>AVG:</i>	2.80E-02
<i>Min:</i>	-7.42E-03
<i>MAX:</i>	6.43E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00014	1/12/2006	-7.424E-03	pCi/L	1.488E-02	5.679E-02	U
2006-00254	4/18/2006	2.322E-02	pCi/L	2.699E-02	2.322E-02	U
2006-00556	7/19/2006	6.432E-02	pCi/L	6.081E-02	8.887E-02	U
2006-00861	10/25/2006	3.185E-02	pCi/L	3.216E-02	2.388E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	144
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	4
<i>AVG:</i>	6.02E-02
<i>Min:</i>	1.24E-02
<i>MAX:</i>	8.20E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00014	1/12/2006	7.830E-02	pCi/L	4.549E-02	4.279E-02	U
2006-00254	4/18/2006	8.199E-02	pCi/L	4.765E-02	4.480E-02	U
2006-00556	7/19/2006	6.828E-02	pCi/L	4.176E-02	1.862E-02	U
2006-00861	10/25/2006	1.238E-02	pCi/L	1.757E-02	1.858E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	144
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	4
<i>AVG:</i>	4.89E-02
<i>Min:</i>	3.74E-02
<i>MAX:</i>	6.18E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00014	1/12/2006	6.179E-02	pCi/L	4.102E-02	4.297E-02	U
2006-00254	4/18/2006	5.293E-02	pCi/L	3.941E-02	4.499E-02	U
2006-00556	7/19/2006	3.741E-02	pCi/L	3.078E-02	1.870E-02	U
2006-00861	10/25/2006	4.353E-02	pCi/L	3.761E-02	4.758E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	144
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	4
<i>AVG:</i>	1.86E-04
<i>Min:</i>	-6.93E-03
<i>MAX:</i>	7.67E-03

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00014	1/12/2006	-6.930E-03	pCi/L	1.388E-02	5.301E-02	U
2006-00254	4/18/2006	0.000E+00	pCi/L	0.000E+00	2.177E-02	U
2006-00556	7/19/2006	0.000E+00	pCi/L	0.000E+00	2.307E-02	U
2006-00861	10/25/2006	7.672E-03	pCi/L	1.537E-02	2.302E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	145
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	21
<i>AVG:</i>	8.64E-01
<i>Min:</i>	1.92E-01
<i>MAX:</i>	1.54E+00

>MDC

<i>Count:</i>	20
<i>AVG:</i>	8.98E-01
<i>Min:</i>	3.05E-01
<i>MAX:</i>	1.54E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00023	1/12/2006	9.744E-01	pCi/mL	1.190E-01	3.233E-01	=
2006-00023	1/12/2006	8.855E-01	pCi/mL	1.172E-01	3.233E-01	=
2006-00127	2/15/2006	8.625E-01	pCi/mL	1.052E-01	2.879E-01	=
2006-00127	2/15/2006	8.827E-01	pCi/mL	1.061E-01	2.900E-01	=
2006-00127	2/15/2006	9.625E-01	pCi/mL	1.070E-01	2.879E-01	=
2006-00211	3/16/2006	9.816E-01	pCi/mL	1.105E-01	2.986E-01	=
2006-00211	3/16/2006	1.006E+00	pCi/mL	1.109E-01	2.986E-01	=
2006-00283	4/20/2006	1.032E+00	pCi/mL	1.155E-01	3.112E-01	=
2006-00283	4/20/2006	1.127E+00	pCi/mL	1.173E-01	3.112E-01	=
2006-00398	5/24/2006	1.537E+00	pCi/mL	1.395E-01	3.581E-01	=
2006-00398	5/24/2006	1.237E+00	pCi/mL	1.340E-01	3.581E-01	=
2006-00568	7/24/2006	6.191E-01	pCi/mL	1.001E-01	2.861E-01	=
2006-00568	7/24/2006	5.705E-01	pCi/mL	9.913E-02	2.861E-01	=
2006-00661	8/23/2006	7.025E-01	pCi/mL	1.027E-01	2.861E-01	=
2006-00661	8/23/2006	8.042E-01	pCi/mL	1.049E-01	2.861E-01	=
2006-00797	9/27/2006	1.923E-01	pCi/mL	9.101E-02	2.860E-01	U
2006-00797	9/27/2006	3.045E-01	pCi/mL	9.345E-02	2.860E-01	=
2006-00871	10/25/2006	4.800E-01	pCi/mL	1.078E-01	3.217E-01	=
2006-00871	10/25/2006	5.239E-01	pCi/mL	1.086E-01	3.217E-01	=
2006-00976	11/28/2006	1.312E+00	pCi/mL	1.165E-01	2.946E-01	=
2006-00976	11/28/2006	1.150E+00	pCi/mL	1.135E-01	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	145
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	-4.01E-01
<i>Min:</i>	-9.75E-01
<i>MAX:</i>	5.40E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00023	1/12/2006	-7.909E-01	pCi/L	1.208E+00	3.247E+00	U
2006-00127	2/15/2006	-9.755E-01	pCi/L	1.188E+00	2.997E+00	U
2006-00211	3/16/2006	-9.288E-01	pCi/L	1.000E+00	2.928E+00	U
2006-00283	4/20/2006	1.033E-01	pCi/L	8.800E-01	2.364E+00	U
2006-00398	5/24/2006	-4.779E-01	pCi/L	9.820E-01	2.238E+00	U
2006-00661	8/23/2006	0.000E+00	pCi/L	8.687E-01	2.271E+00	U
2006-00797	9/27/2006	-4.193E-01	pCi/L	1.169E+00	3.095E+00	U
2006-00871	10/25/2006	5.395E-01	pCi/L	1.169E+00	2.978E+00	U
2006-00976	11/28/2006	-6.599E-01	pCi/L	1.027E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	145
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	1.48E+00
<i>Min:</i>	-2.02E+00
<i>MAX:</i>	3.57E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00023	1/12/2006	3.567E+00	pCi/L	1.662E+00	4.858E+00	U
2006-00127	2/15/2006	1.656E+00	pCi/L	1.633E+00	4.983E+00	U
2006-00211	3/16/2006	1.188E+00	pCi/L	1.604E+00	5.011E+00	U
2006-00283	4/20/2006	1.499E+00	pCi/L	1.447E+00	4.456E+00	U
2006-00398	5/24/2006	1.026E+00	pCi/L	1.490E+00	4.553E+00	U
2006-00661	8/23/2006	2.970E+00	pCi/L	1.627E+00	4.809E+00	U
2006-00797	9/27/2006	2.974E+00	pCi/L	1.688E+00	5.033E+00	U
2006-00871	10/25/2006	5.011E-01	pCi/L	1.624E+00	5.192E+00	U
2006-00976	11/28/2006	-2.021E+00	pCi/L	1.604E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	145
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	3
<i>AVG:</i>	3.28E-01
<i>Min:</i>	-6.22E-01
<i>MAX:</i>	1.76E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00023	1/12/2006	-1.537E-01	pCi/L	8.488E-01	2.414E+00	U
2006-00283	4/20/2006	1.759E+00	pCi/L	9.309E-01	2.147E+00	U
2006-00871	10/25/2006	-6.218E-01	pCi/L	8.190E-01	2.147E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	145
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	4
<i>AVG:</i>	9.45E-02
<i>Min:</i>	2.51E-02
<i>MAX:</i>	1.88E-01

>MDC

<i>Count:</i>	1
<i>AVG:</i>	1.88E-01
<i>Min:</i>	1.88E-01
<i>MAX:</i>	1.88E-01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00023	1/12/2006	2.513E-02	pCi/L	5.033E-02	9.253E-02	U
2006-00283	4/20/2006	8.133E-02	pCi/L	6.068E-02	6.906E-02	U
2006-00568	7/24/2006	8.325E-02	pCi/L	7.347E-02	1.087E-01	U
2006-00871	10/25/2006	1.883E-01	pCi/L	8.482E-02	6.247E-02	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	145
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	4
<i>AVG:</i>	1.61E-02
<i>Min:</i>	0.00E+00
<i>MAX:</i>	3.27E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00023	1/12/2006	1.674E-02	pCi/L	3.353E-02	6.404E-02	U
2006-00283	4/20/2006	0.000E+00	pCi/L	0.000E+00	2.708E-02	U
2006-00568	7/24/2006	1.510E-02	pCi/L	3.028E-02	5.777E-02	U
2006-00871	10/25/2006	3.267E-02	pCi/L	5.179E-02	9.027E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	145
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	4
<i>AVG:</i>	2.40E-02
<i>Min:</i>	6.62E-03
<i>MAX:</i>	4.09E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00023	1/12/2006	2.035E-02	pCi/L	3.038E-02	5.189E-02	U
2006-00283	4/20/2006	6.624E-03	pCi/L	1.326E-02	1.987E-02	U
2006-00568	7/24/2006	4.085E-02	pCi/L	3.362E-02	2.042E-02	U
2006-00871	10/25/2006	2.830E-02	pCi/L	2.840E-02	2.123E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	145
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	4
<i>AVG:</i>	4.65E-02
<i>Min:</i>	3.33E-02
<i>MAX:</i>	6.40E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00023	1/12/2006	4.088E-02	pCi/L	3.353E-02	2.044E-02	U
2006-00283	4/20/2006	3.326E-02	pCi/L	3.530E-02	5.089E-02	U
2006-00568	7/24/2006	4.786E-02	pCi/L	3.652E-02	2.051E-02	U
2006-00871	10/25/2006	6.395E-02	pCi/L	4.743E-02	5.436E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	145
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	4
<i>AVG:</i>	4.16E-03
<i>Min:</i>	0.00E+00
<i>MAX:</i>	8.44E-03

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00023	1/12/2006	0.000E+00	pCi/L	0.000E+00	2.521E-02	U
2006-00283	4/20/2006	8.207E-03	pCi/L	1.643E-02	2.462E-02	U
2006-00568	7/24/2006	8.435E-03	pCi/L	1.689E-02	2.530E-02	U
2006-00871	10/25/2006	0.000E+00	pCi/L	0.000E+00	2.630E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	N107
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	22
<i>AVG:</i>	7.38E-01
<i>Min:</i>	1.66E-01
<i>MAX:</i>	1.45E+00

>MDC

<i>Count:</i>	18
<i>AVG:</i>	8.50E-01
<i>Min:</i>	3.89E-01
<i>MAX:</i>	1.45E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00017	1/12/2006	6.074E-01	pCi/mL	1.115E-01	3.233E-01	=
2006-00017	1/12/2006	5.840E-01	pCi/mL	1.110E-01	3.233E-01	=
2006-00122	2/15/2006	7.746E-01	pCi/mL	1.035E-01	2.879E-01	=
2006-00122	2/15/2006	8.186E-01	pCi/mL	1.043E-01	2.879E-01	=
2006-00205	3/16/2006	9.612E-01	pCi/mL	1.101E-01	2.986E-01	=
2006-00205	3/16/2006	1.010E+00	pCi/mL	1.110E-01	2.986E-01	=
2006-00267	4/20/2006	1.164E+00	pCi/mL	1.180E-01	3.112E-01	=
2006-00267	4/20/2006	7.492E-01	pCi/mL	1.101E-01	3.112E-01	=
2006-00267	4/20/2006	1.123E+00	pCi/mL	1.181E-01	3.140E-01	=
2006-00267	4/20/2006	1.136E+00	pCi/mL	1.184E-01	3.140E-01	=
2006-00392	5/24/2006	1.452E+00	pCi/mL	1.380E-01	3.581E-01	=
2006-00392	5/24/2006	1.162E+00	pCi/mL	1.326E-01	3.581E-01	=
2006-00562	7/24/2006	4.409E-01	pCi/mL	9.645E-02	2.861E-01	=
2006-00562	7/24/2006	4.611E-01	pCi/mL	9.687E-02	2.861E-01	=
2006-00657	8/24/2006	2.395E-01	pCi/mL	9.248E-02	2.861E-01	U
2006-00657	8/24/2006	3.909E-01	pCi/mL	9.596E-02	2.861E-01	=
2006-00793	9/27/2006	2.524E-01	pCi/mL	9.233E-02	2.860E-01	U
2006-00793	9/27/2006	3.886E-01	pCi/mL	9.524E-02	2.860E-01	=
2006-00873	10/25/2006	1.662E-01	pCi/mL	1.012E-01	3.217E-01	U
2006-00873	10/25/2006	2.737E-01	pCi/mL	1.035E-01	3.217E-01	U
2006-00970	11/28/2006	1.107E+00	pCi/mL	1.127E-01	2.946E-01	=
2006-00970	11/28/2006	9.704E-01	pCi/mL	1.101E-01	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	N107
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	-1.41E-01
<i>Min:</i>	-1.96E+00
<i>MAX:</i>	2.51E+00

>MDC

<i>Count:</i>	1
<i>AVG:</i>	2.51E+00
<i>Min:</i>	2.51E+00
<i>MAX:</i>	2.51E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00017	1/12/2006	-5.196E-01	pCi/L	1.219E+00	3.247E+00	U
2006-00122	2/15/2006	-1.562E+00	pCi/L	1.091E+00	2.997E+00	U
2006-00205	3/16/2006	-3.825E-01	pCi/L	1.072E+00	2.928E+00	U
2006-00267	4/20/2006	3.792E-01	pCi/L	9.614E-01	2.364E+00	U
2006-00392	5/24/2006	-1.836E-01	pCi/L	1.190E+00	2.238E+00	U
2006-00657	8/24/2006	2.510E+00	pCi/L	1.215E+00	2.271E+00	=
2006-00793	9/27/2006	-1.961E+00	pCi/L	8.866E-01	3.095E+00	U
2006-00873	10/25/2006	8.173E-01	pCi/L	1.251E+00	2.978E+00	U
2006-00970	11/28/2006	-3.680E-01	pCi/L	1.072E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	N107
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	1.39E+00
<i>Min:</i>	-1.32E+00
<i>MAX:</i>	5.70E+00

>MDC

<i>Count:</i>	1
<i>AVG:</i>	5.70E+00
<i>Min:</i>	5.70E+00
<i>MAX:</i>	5.70E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00017	1/12/2006	9.988E-02	pCi/L	1.514E+00	4.858E+00	U
2006-00122	2/15/2006	-1.014E+00	pCi/L	1.518E+00	4.983E+00	U
2006-00205	3/16/2006	3.889E+00	pCi/L	1.714E+00	5.011E+00	U
2006-00267	4/20/2006	3.254E+00	pCi/L	1.532E+00	4.456E+00	U
2006-00392	5/24/2006	2.188E+00	pCi/L	1.564E+00	4.553E+00	U
2006-00657	8/24/2006	5.698E+00	pCi/L	1.745E+00	4.809E+00	=
2006-00793	9/27/2006	2.686E-01	pCi/L	1.566E+00	5.033E+00	U
2006-00873	10/25/2006	-5.626E-01	pCi/L	1.592E+00	5.192E+00	U
2006-00970	11/28/2006	-1.324E+00	pCi/L	1.635E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	PNSDKGS
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	8
<i>AVG:</i>	2.05E-02
<i>Min:</i>	-8.84E-02
<i>MAX:</i>	1.57E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00012	1/12/2006	9.077E-02	pCi/mL	1.001E-01	3.233E-01	U
2006-00012	1/12/2006	-1.675E-02	pCi/mL	9.757E-02	3.233E-01	U
2006-00252	4/18/2006	2.807E-02	pCi/mL	9.495E-02	3.112E-01	U
2006-00252	4/18/2006	8.637E-03	pCi/mL	9.451E-02	3.112E-01	U
2006-00554	7/19/2006	1.574E-01	pCi/mL	9.030E-02	2.861E-01	U
2006-00554	7/19/2006	1.157E-02	pCi/mL	8.697E-02	2.861E-01	U
2006-00859	10/25/2006	-2.696E-02	pCi/mL	9.688E-02	3.217E-01	U
2006-00859	10/25/2006	-8.841E-02	pCi/mL	9.548E-02	3.217E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	PNSKGS
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	4
<i>AVG:</i>	2.06E+00
<i>Min:</i>	-3.63E-01
<i>MAX:</i>	5.48E+00

>MDC

<i>Count:</i>	1
<i>AVG:</i>	5.48E+00
<i>Min:</i>	5.48E+00
<i>MAX:</i>	5.48E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00012	1/12/2006	2.638E+00	pCi/L	1.538E+00	3.247E+00	U
2006-00252	4/18/2006	5.485E+00	pCi/L	1.511E+00	2.364E+00	=
2006-00554	7/19/2006	-3.634E-01	pCi/L	1.476E+00	3.656E+00	U
2006-00859	10/25/2006	4.804E-01	pCi/L	7.354E-01	1.985E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	PNSKGS
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	4
<i>AVG:</i>	2.53E+00
<i>Min:</i>	-5.85E-02
<i>MAX:</i>	4.63E+00

>MDC

<i>Count:</i>	1
<i>AVG:</i>	4.60E+00
<i>Min:</i>	4.60E+00
<i>MAX:</i>	4.60E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00012	1/12/2006	4.635E+00	pCi/L	1.704E+00	4.858E+00	U
2006-00252	4/18/2006	4.595E+00	pCi/L	1.589E+00	4.456E+00	=
2006-00554	7/19/2006	9.626E-01	pCi/L	1.723E+00	5.404E+00	U
2006-00859	10/25/2006	-5.851E-02	pCi/L	1.060E+00	3.461E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	TRPBLK
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	-7.78E-03
<i>Min:</i>	-1.36E-01
<i>MAX:</i>	1.96E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00034	1/12/2006	6.623E-03	pCi/mL	9.813E-02	3.233E-01	U
2006-00034	1/12/2006	-6.584E-02	pCi/mL	9.639E-02	3.233E-01	U
2006-00138	2/15/2006	-9.187E-02	pCi/mL	8.576E-02	2.900E-01	U
2006-00138	2/15/2006	-2.796E-02	pCi/mL	8.724E-02	2.900E-01	U
2006-00223	3/16/2006	-1.360E-01	pCi/mL	8.735E-02	2.986E-01	U
2006-00223	3/16/2006	-5.822E-02	pCi/mL	8.915E-02	2.986E-01	U
2006-00257	4/18/2006	9.716E-02	pCi/mL	9.651E-02	3.112E-01	U
2006-00257	4/18/2006	1.965E-01	pCi/mL	9.871E-02	3.112E-01	U
2006-00407	5/24/2006	8.198E-02	pCi/mL	1.104E-01	3.581E-01	U
2006-00407	5/24/2006	4.699E-02	pCi/mL	1.096E-01	3.581E-01	U
2006-00561	7/19/2006	-4.629E-03	pCi/mL	8.659E-02	2.861E-01	U
2006-00561	7/19/2006	-4.918E-02	pCi/mL	8.554E-02	2.861E-01	U
2006-00576	7/24/2006	-1.342E-01	pCi/mL	8.351E-02	2.861E-01	U
2006-00576	7/24/2006	-4.918E-02	pCi/mL	8.554E-02	2.861E-01	U
2006-00806	9/27/2006	-3.205E-02	pCi/mL	8.593E-02	2.860E-01	U
2006-00806	9/27/2006	6.010E-02	pCi/mL	8.805E-02	2.860E-01	U
2006-00881	10/25/2006	-4.672E-02	pCi/mL	9.643E-02	3.217E-01	U
2006-00881	10/25/2006	1.254E-02	pCi/mL	9.777E-02	3.217E-01	U
2006-00986	11/28/2006	5.130E-02	pCi/mL	9.048E-02	2.946E-01	U
2006-00986	11/28/2006	-1.282E-02	pCi/mL	8.895E-02	2.946E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	TRPBLK
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	-7.53E-01
<i>Min:</i>	-3.78E+00
<i>MAX:</i>	1.32E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00034	1/12/2006	-5.138E-01	pCi/L	2.464E+00	6.495E+00	U
2006-00138	2/15/2006	-1.598E+00	pCi/L	1.116E+00	2.997E+00	U
2006-00223	3/16/2006	-1.285E+00	pCi/L	1.028E+00	2.928E+00	U
2006-00257	4/18/2006	-1.806E-01	pCi/L	9.801E-01	2.364E+00	U
2006-00407	5/24/2006	2.561E-01	pCi/L	1.737E+00	2.984E+00	U
2006-00561	7/19/2006	-3.782E+00	pCi/L	2.946E+00	7.313E+00	U
2006-00670	8/23/2006	-6.710E-01	pCi/L	9.489E-01	2.271E+00	U
2006-00806	9/27/2006	-2.246E+00	pCi/L	1.500E+00	4.126E+00	U
2006-00881	10/25/2006	1.318E+00	pCi/L	2.017E+00	3.971E+00	U
2006-00986	11/28/2006	1.168E+00	pCi/L	2.689E+00	5.428E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	TRPBLK
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	-4.46E-01
<i>Min:</i>	-5.91E+00
<i>MAX:</i>	3.39E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00034	1/12/2006	3.392E+00	pCi/L	3.162E+00	9.716E+00	U
2006-00138	2/15/2006	-1.417E+00	pCi/L	1.504E+00	4.983E+00	U
2006-00223	3/16/2006	-2.718E-02	pCi/L	1.562E+00	5.011E+00	U
2006-00257	4/18/2006	-2.553E+00	pCi/L	1.265E+00	4.456E+00	U
2006-00407	5/24/2006	6.245E-01	pCi/L	1.985E+00	6.070E+00	U
2006-00561	7/19/2006	-5.910E+00	pCi/L	3.177E+00	1.081E+01	U
2006-00670	8/23/2006	6.930E-01	pCi/L	1.553E+00	4.809E+00	U
2006-00806	9/27/2006	-7.273E-01	pCi/L	2.073E+00	6.711E+00	U
2006-00881	10/25/2006	1.327E+00	pCi/L	2.238E+00	6.922E+00	U
2006-00986	11/28/2006	1.411E-01	pCi/L	3.427E+00	1.082E+01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	TRPBLK
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	2
<i>AVG:</i>	1.08E-01
<i>Min:</i>	9.74E-02
<i>MAX:</i>	1.19E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00576	7/24/2006	9.740E-02	pCi/L	7.896E-02	1.144E-01	U
2006-00881	10/25/2006	1.192E-01	pCi/L	7.581E-02	7.579E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	TRPBLK
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	2
<i>AVG:</i>	4.95E-03
<i>Min:</i>	1.25E-07
<i>MAX:</i>	9.91E-03

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00576	7/24/2006	1.252E-07	pCi/L	2.114E-02	5.719E-02	U
2006-00881	10/25/2006	9.907E-03	pCi/L	1.985E-02	2.972E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	TRPBLK
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	1
<i>AVG:</i>	6.00E-02
<i>Min:</i>	6.00E-02
<i>MAX:</i>	6.00E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00881	10/25/2006	6.001E-02	pCi/L	4.449E-02	5.101E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	TRPBLK
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	1
<i>AVG:</i>	3.35E-02
<i>Min:</i>	3.35E-02
<i>MAX:</i>	3.35E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00881	10/25/2006	3.348E-02	pCi/L	4.027E-02	6.413E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Offsites
<i>Specific Location:</i>	TRPBLK
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	1
<i>AVG:</i>	0.00E+00
<i>Min:</i>	0.00E+00
<i>MAX:</i>	0.00E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00881	10/25/2006	0.000E+00	pCi/L	0.000E+00	2.478E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Porous Cups
<i>Specific Location:</i>	M2(LSS)
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	2
<i>AVG:</i>	3.50E+05
<i>Min:</i>	3.49E+05
<i>MAX:</i>	3.50E+05

>MDC

<i>Count:</i>	2
<i>AVG:</i>	3.50E+05
<i>Min:</i>	3.49E+05
<i>MAX:</i>	3.50E+05

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00746	9/20/2006	3.502E+05	pCi/mL	8.984E+02	1.627E+02	=
2006-00746	9/20/2006	3.492E+05	pCi/mL	8.972E+02	1.627E+02	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Porous Cups
<i>Specific Location:</i>	M4(LSS)
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	2
<i>AVG:</i>	-2.34E+00
<i>Min:</i>	-3.72E+00
<i>MAX:</i>	-9.55E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00142	2/23/2006	-9.555E-01	pCi/mL	5.199E+00	1.722E+01	U
2006-00142	2/23/2006	-3.716E+00	pCi/mL	5.142E+00	1.722E+01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Porous Cups
<i>Specific Location:</i>	M5(LSS)
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	2
<i>AVG:</i>	5.46E+02
<i>Min:</i>	5.45E+02
<i>MAX:</i>	5.47E+02

>MDC

<i>Count:</i>	2
<i>AVG:</i>	5.46E+02
<i>Min:</i>	5.45E+02
<i>MAX:</i>	5.47E+02

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00141	2/23/2006	5.471E+02	pCi/mL	1.197E+01	1.722E+01	=
2006-00141	2/23/2006	5.448E+02	pCi/mL	1.195E+01	1.722E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Porous Cups
<i>Specific Location:</i>	N2(LSS)
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	2
<i>AVG:</i>	2.51E+05
<i>Min:</i>	2.50E+05
<i>MAX:</i>	2.51E+05

>MDC

<i>Count:</i>	2
<i>AVG:</i>	2.51E+05
<i>Min:</i>	2.50E+05
<i>MAX:</i>	2.51E+05

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00143	2/23/2006	2.515E+05	pCi/mL	2.311E+02	1.722E+01	=
2006-00143	2/23/2006	2.501E+05	pCi/mL	2.305E+02	1.722E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Porous Cups
<i>Specific Location:</i>	S2(LSS)
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	2
<i>AVG:</i>	1.72E+06
<i>Min:</i>	1.71E+06
<i>MAX:</i>	1.72E+06

>MDC

<i>Count:</i>	2
<i>AVG:</i>	1.72E+06
<i>Min:</i>	1.71E+06
<i>MAX:</i>	1.72E+06

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00745	9/20/2006	1.724E+06	pCi/mL	1.991E+03	1.627E+02	=
2006-00745	9/20/2006	1.709E+06	pCi/mL	1.982E+03	1.627E+02	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Seeps
<i>Specific Location:</i>	EMR1
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	2
<i>AVG:</i>	8.45E+03
<i>Min:</i>	8.43E+03
<i>MAX:</i>	8.48E+03

>MDC

<i>Count:</i>	2
<i>AVG:</i>	8.45E+03
<i>Min:</i>	8.43E+03
<i>MAX:</i>	8.48E+03

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00809	10/3/2006	8.478E+03	pCi/mL	1.361E+01	1.554E+00	=
2006-00809	10/3/2006	8.430E+03	pCi/mL	1.357E+01	1.554E+00	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Seeps
<i>Specific Location:</i>	EMR1
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	1
<i>AVG:</i>	4.72E+00
<i>Min:</i>	4.72E+00
<i>MAX:</i>	4.72E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00809	10/3/2006	4.718E+00	pCi/L	8.172E+00	1.530E+01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Seeps
<i>Specific Location:</i>	EMR1
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	1
<i>AVG:</i>	4.86E+01
<i>Min:</i>	4.86E+01
<i>MAX:</i>	4.86E+01

>MDC

<i>Count:</i>	1
<i>AVG:</i>	4.86E+01
<i>Min:</i>	4.86E+01
<i>MAX:</i>	4.86E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00809	10/3/2006	4.863E+01	pCi/L	1.204E+01	3.136E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Seeps
<i>Specific Location:</i>	EMR2
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	2
<i>AVG:</i>	8.45E+03
<i>Min:</i>	8.42E+03
<i>MAX:</i>	8.48E+03

>MDC

<i>Count:</i>	2
<i>AVG:</i>	8.45E+03
<i>Min:</i>	8.42E+03
<i>MAX:</i>	8.48E+03

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00810	10/3/2006	8.483E+03	pCi/mL	1.361E+01	1.554E+00	=
2006-00810	10/3/2006	8.420E+03	pCi/mL	1.356E+01	1.554E+00	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Seeps
<i>Specific Location:</i>	EMR2
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	1
<i>AVG:</i>	0.00E+00
<i>Min:</i>	0.00E+00
<i>MAX:</i>	0.00E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00810	10/3/2006	0.000E+00	pCi/L	7.410E+00	1.530E+01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Seeps
<i>Specific Location:</i>	EMR2
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	1
<i>AVG:</i>	3.63E+01
<i>Min:</i>	3.63E+01
<i>MAX:</i>	3.63E+01

>MDC

<i>Count:</i>	1
<i>AVG:</i>	3.63E+01
<i>Min:</i>	3.63E+01
<i>MAX:</i>	3.63E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00810	10/3/2006	3.633E+01	pCi/L	1.154E+01	3.136E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Seeps
<i>Specific Location:</i>	LFS2
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	22
<i>AVG:</i>	4.57E+03
<i>Min:</i>	3.11E+03
<i>MAX:</i>	6.29E+03

>MDC

<i>Count:</i>	22
<i>AVG:</i>	4.57E+03
<i>Min:</i>	3.11E+03
<i>MAX:</i>	6.29E+03

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00029	1/12/2006	4.675E+03	pCi/mL	4.676E+00	3.233E-01	=
2006-00029	1/12/2006	4.517E+03	pCi/mL	4.596E+00	3.233E-01	=
2006-00133	2/15/2006	5.270E+03	pCi/mL	4.589E+00	2.900E-01	=
2006-00133	2/15/2006	5.279E+03	pCi/mL	4.593E+00	2.900E-01	=
2006-00218	3/16/2006	3.826E+03	pCi/mL	3.959E+00	2.986E-01	=
2006-00218	3/16/2006	3.839E+03	pCi/mL	3.966E+00	2.986E-01	=
2006-00278	4/20/2006	3.108E+03	pCi/mL	3.665E+00	3.112E-01	=
2006-00278	4/20/2006	3.111E+03	pCi/mL	3.666E+00	3.112E-01	=
2006-00402	5/24/2006	6.294E+03	pCi/mL	5.610E+00	3.581E-01	=
2006-00402	5/24/2006	6.216E+03	pCi/mL	5.576E+00	3.581E-01	=
2006-00571	7/24/2006	3.575E+03	pCi/mL	3.806E+00	2.861E-01	=
2006-00571	7/24/2006	3.553E+03	pCi/mL	3.794E+00	2.861E-01	=
2006-00665	8/23/2006	4.770E+03	pCi/mL	4.544E+00	2.861E-01	=
2006-00665	8/23/2006	4.826E+03	pCi/mL	4.571E+00	2.861E-01	=
2006-00801	9/27/2006	3.892E+03	pCi/mL	3.950E+00	2.860E-01	=
2006-00801	9/27/2006	3.939E+03	pCi/mL	3.973E+00	2.860E-01	=
2006-00807	10/3/2006	4.224E+03	pCi/mL	9.612E+00	1.554E+00	=
2006-00807	10/3/2006	4.260E+03	pCi/mL	9.653E+00	1.554E+00	=
2006-00876	10/25/2006	5.525E+03	pCi/mL	4.925E+00	3.217E-01	=
2006-00876	10/25/2006	5.557E+03	pCi/mL	4.940E+00	3.217E-01	=
2006-00981	11/28/2006	5.197E+03	pCi/mL	4.714E+00	2.946E-01	=
2006-00981	11/28/2006	5.186E+03	pCi/mL	4.709E+00	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Seeps
<i>Specific Location:</i>	LFS2
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	-6.88E-01
<i>Min:</i>	-9.60E+00
<i>MAX:</i>	8.38E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00029	1/12/2006	8.376E+00	pCi/L	1.108E+01	2.165E+01	U
2006-00133	2/15/2006	-2.223E+00	pCi/L	7.681E+00	1.998E+01	U
2006-00218	3/16/2006	-4.752E-01	pCi/L	4.811E+00	1.171E+01	U
2006-00278	4/20/2006	8.418E-01	pCi/L	7.167E+00	1.576E+01	U
2006-00402	5/24/2006	-6.121E+00	pCi/L	7.138E+00	1.492E+01	U
2006-00665	8/23/2006	-4.384E+00	pCi/L	6.201E+00	1.514E+01	U
2006-00801	9/27/2006	-6.383E+00	pCi/L	7.180E+00	2.063E+01	U
2006-00807	10/3/2006	6.242E+00	pCi/L	7.502E+00	1.530E+01	U
2006-00876	10/25/2006	-9.605E+00	pCi/L	6.629E+00	1.985E+01	U
2006-00981	11/28/2006	6.853E+00	pCi/L	7.807E+00	1.809E+01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Seeps
<i>Specific Location:</i>	LFS2
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	10
<i>AVG:</i>	8.82E+00
<i>Min:</i>	-1.44E+01
<i>MAX:</i>	2.56E+01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00029	1/12/2006	7.006E+00	pCi/L	1.055E+01	3.239E+01	U
2006-00133	2/15/2006	2.153E+01	pCi/L	1.122E+01	3.322E+01	U
2006-00218	3/16/2006	1.023E+01	pCi/L	6.694E+00	2.004E+01	U
2006-00278	4/20/2006	2.565E+01	pCi/L	1.052E+01	2.970E+01	U
2006-00402	5/24/2006	9.805E+00	pCi/L	1.020E+01	3.035E+01	U
2006-00665	8/23/2006	2.208E+01	pCi/L	1.112E+01	3.206E+01	U
2006-00801	9/27/2006	-1.439E+01	pCi/L	9.770E+00	3.356E+01	U
2006-00807	10/3/2006	2.473E+01	pCi/L	1.094E+01	3.136E+01	U
2006-00876	10/25/2006	-6.907E+00	pCi/L	1.049E+01	3.461E+01	U
2006-00981	11/28/2006	-1.154E+01	pCi/L	1.071E+01	3.608E+01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Seeps
<i>Specific Location:</i>	UFS1N
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	2
<i>AVG:</i>	9.91E+03
<i>Min:</i>	9.88E+03
<i>MAX:</i>	9.93E+03

>MDC

<i>Count:</i>	2
<i>AVG:</i>	9.91E+03
<i>Min:</i>	9.88E+03
<i>MAX:</i>	9.93E+03

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00808	10/3/2006	9.934E+03	pCi/mL	1.473E+01	1.554E+00	=
2006-00808	10/3/2006	9.884E+03	pCi/mL	1.469E+01	1.554E+00	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Seeps
<i>Specific Location:</i>	UFS1N
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	1
<i>AVG:</i>	0.00E+00
<i>Min:</i>	0.00E+00
<i>MAX:</i>	0.00E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00808	10/3/2006	0.000E+00	pCi/L	7.814E+00	1.530E+01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Seeps
<i>Specific Location:</i>	UFS1N
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	1
<i>AVG:</i>	5.64E+01
<i>Min:</i>	5.64E+01
<i>MAX:</i>	5.64E+01

>MDC

<i>Count:</i>	1
<i>AVG:</i>	5.64E+01
<i>Min:</i>	5.64E+01
<i>MAX:</i>	5.64E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00808	10/3/2006	5.643E+01	pCi/L	1.238E+01	3.136E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	N2B
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	4
<i>AVG:</i>	1.86E+05
<i>Min:</i>	8.67E+04
<i>MAX:</i>	2.88E+05

>MDC

<i>Count:</i>	4
<i>AVG:</i>	1.86E+05
<i>Min:</i>	8.67E+04
<i>MAX:</i>	2.88E+05

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00321	4/18/2006	8.689E+04	pCi/mL	1.302E+02	1.339E+01	=
2006-00321	4/18/2006	8.671E+04	pCi/mL	1.314E+02	1.352E+01	=
2006-00848	10/18/2006	2.880E+05	pCi/mL	2.504E+02	1.588E+01	=
2006-00848	10/18/2006	2.826E+05	pCi/mL	2.480E+02	1.588E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	N2B
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	2
<i>AVG:</i>	1.69E+01
<i>Min:</i>	1.67E+01
<i>MAX:</i>	1.70E+01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00321	4/18/2006	1.666E+01	pCi/L	1.154E+01	2.143E+01	U
2006-00848	10/18/2006	1.704E+01	pCi/L	8.899E+00	1.173E+01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	N2B
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	2
<i>AVG:</i>	2.48E+02
<i>Min:</i>	2.17E+02
<i>MAX:</i>	2.79E+02

>MDC

<i>Count:</i>	2
<i>AVG:</i>	2.48E+02
<i>Min:</i>	2.17E+02
<i>MAX:</i>	2.79E+02

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00321	4/18/2006	2.174E+02	pCi/L	2.234E+01	4.539E+01	=
2006-00848	10/18/2006	2.794E+02	pCi/L	1.350E+01	1.874E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	N2B
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	2
<i>AVG:</i>	2.23E+01
<i>Min:</i>	1.15E+01
<i>MAX:</i>	3.30E+01

>MDC

<i>Count:</i>	1
<i>AVG:</i>	3.30E+01
<i>Min:</i>	3.30E+01
<i>MAX:</i>	3.30E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00321	4/18/2006	1.155E+01	pCi/L	5.581E+00	1.236E+01	U
2006-00848	10/18/2006	3.303E+01	pCi/L	6.788E+00	1.288E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	N2B
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	3
<i>AVG:</i>	2.73E+00
<i>Min:</i>	2.52E+00
<i>MAX:</i>	2.86E+00

>MDC

<i>Count:</i>	3
<i>AVG:</i>	2.73E+00
<i>Min:</i>	2.52E+00
<i>MAX:</i>	2.86E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00321	4/18/2006	2.859E+00	pCi/L	9.462E-01	8.571E-01	=
2006-00321	4/18/2006	2.823E+00	pCi/L	8.681E-01	6.547E-01	=
2006-00848	10/18/2006	2.518E+00	pCi/L	9.239E-01	9.665E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	N2B
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	3
<i>AVG:</i>	1.10E-01
<i>Min:</i>	4.84E-02
<i>MAX:</i>	1.90E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00321	4/18/2006	9.099E-02	pCi/L	1.824E-01	3.480E-01	U
2006-00321	4/18/2006	4.842E-02	pCi/L	2.166E-01	4.636E-01	U
2006-00848	10/18/2006	1.895E-01	pCi/L	2.336E-01	3.625E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	N2B
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	3
<i>AVG:</i>	3.69E-01
<i>Min:</i>	1.26E-01
<i>MAX:</i>	8.03E-01

>MDC

<i>Count:</i>	1
<i>AVG:</i>	8.03E-01
<i>Min:</i>	8.03E-01
<i>MAX:</i>	8.03E-01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00321	4/18/2006	1.768E-01	pCi/L	1.774E-01	1.326E-01	U
2006-00321	4/18/2006	1.263E-01	pCi/L	1.462E-01	1.263E-01	U
2006-00848	10/18/2006	8.027E-01	pCi/L	3.927E-01	3.232E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	N2B
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	3
<i>AVG:</i>	9.46E+00
<i>Min:</i>	3.26E+00
<i>MAX:</i>	2.02E+01

>MDC

<i>Count:</i>	3
<i>AVG:</i>	9.46E+00
<i>Min:</i>	3.26E+00
<i>MAX:</i>	2.02E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00321	4/18/2006	4.928E+00	pCi/L	1.021E+00	1.332E-01	=
2006-00321	4/18/2006	3.255E+00	pCi/L	7.875E-01	1.268E-01	=
2006-00848	10/18/2006	2.020E+01	pCi/L	2.483E+00	4.063E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	N2B
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	3
<i>AVG:</i>	1.05E-01
<i>Min:</i>	5.22E-02
<i>MAX:</i>	2.09E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00321	4/18/2006	5.477E-02	pCi/L	1.096E-01	1.643E-01	U
2006-00321	4/18/2006	5.215E-02	pCi/L	1.044E-01	1.564E-01	U
2006-00848	10/18/2006	2.094E-01	pCi/L	2.570E-01	4.004E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	N2B
<i>Analyte:</i>	C-14

Total

<i>Count:</i>	2
<i>AVG:</i>	3.45E+02
<i>Min:</i>	2.14E+02
<i>MAX:</i>	4.75E+02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00321	4/18/2006	2.144E+02	pCi/L	3.866E+01		=
2006-00848	10/18/2006	4.746E+02	pCi/L	4.076E+01		=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	N2B
<i>Analyte:</i>	Co-60

Total

<i>Count:</i>	2
<i>AVG:</i>	4.26E+01
<i>Min:</i>	1.66E+01
<i>MAX:</i>	6.85E+01

>MDC

<i>Count:</i>	1
<i>AVG:</i>	6.85E+01
<i>Min:</i>	6.85E+01
<i>MAX:</i>	6.85E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00321	4/18/2006	1.657E+01	pCi/L	1.532E+01	1.043E+01	U
2006-00848	10/18/2006	6.854E+01	pCi/L	1.679E+01	1.026E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UE2
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	4
<i>AVG:</i>	3.59E+05
<i>Min:</i>	2.59E+05
<i>MAX:</i>	4.51E+05

>MDC

<i>Count:</i>	4
<i>AVG:</i>	3.59E+05
<i>Min:</i>	2.59E+05
<i>MAX:</i>	4.51E+05

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00317	4/19/2006	4.509E+05	pCi/mL	2.994E+02	1.352E+01	=
2006-00317	4/19/2006	4.496E+05	pCi/mL	2.990E+02	1.352E+01	=
2006-00849	10/18/2006	2.773E+05	pCi/mL	2.457E+02	1.588E+01	=
2006-00849	10/18/2006	2.589E+05	pCi/mL	2.374E+02	1.588E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UE2
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	2
<i>AVG:</i>	1.23E+02
<i>Min:</i>	4.73E+01
<i>MAX:</i>	1.99E+02

>MDC

<i>Count:</i>	2
<i>AVG:</i>	1.23E+02
<i>Min:</i>	4.73E+01
<i>MAX:</i>	1.99E+02

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00317	4/19/2006	1.990E+02	pCi/L	3.407E+01	2.143E+01	=
2006-00849	10/18/2006	4.729E+01	pCi/L	1.737E+01	1.955E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UE2
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	2
<i>AVG:</i>	9.08E+02
<i>Min:</i>	4.52E+02
<i>MAX:</i>	1.36E+03

>MDC

<i>Count:</i>	2
<i>AVG:</i>	9.08E+02
<i>Min:</i>	4.52E+02
<i>MAX:</i>	1.36E+03

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00317	4/19/2006	1.364E+03	pCi/L	4.659E+01	4.539E+01	=
2006-00849	10/18/2006	4.518E+02	pCi/L	2.233E+01	3.123E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UE2
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	2
<i>AVG:</i>	7.44E+01
<i>Min:</i>	5.56E+01
<i>MAX:</i>	9.31E+01

>MDC

<i>Count:</i>	2
<i>AVG:</i>	7.44E+01
<i>Min:</i>	5.56E+01
<i>MAX:</i>	9.31E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00317	4/19/2006	9.309E+01	pCi/L	8.164E+00	1.236E+01	=
2006-00849	10/18/2006	5.564E+01	pCi/L	7.598E+00	1.288E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UE2
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	2
<i>AVG:</i>	6.15E+00
<i>Min:</i>	2.88E+00
<i>MAX:</i>	9.42E+00

>MDC

<i>Count:</i>	2
<i>AVG:</i>	6.15E+00
<i>Min:</i>	2.88E+00
<i>MAX:</i>	9.42E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00317	4/19/2006	9.423E+00	pCi/L	1.841E+00	6.361E-01	=
2006-00849	10/18/2006	2.880E+00	pCi/L	9.028E-01	6.091E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UE2
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	2
<i>AVG:</i>	1.63E-01
<i>Min:</i>	1.49E-01
<i>MAX:</i>	1.77E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00317	4/19/2006	1.768E-01	pCi/L	2.179E-01	3.382E-01	U
2006-00849	10/18/2006	1.486E-01	pCi/L	2.629E-01	4.742E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UE2
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	2
<i>AVG:</i>	7.49E-01
<i>Min:</i>	5.38E-01
<i>MAX:</i>	9.60E-01

>MDC

<i>Count:</i>	1
<i>AVG:</i>	9.60E-01
<i>Min:</i>	9.60E-01
<i>MAX:</i>	9.60E-01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00317	4/19/2006	9.601E-01	pCi/L	4.170E-01	1.309E-01	=
2006-00849	10/18/2006	5.383E-01	pCi/L	3.017E-01	1.242E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UE2
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	2
<i>AVG:</i>	1.86E+01
<i>Min:</i>	1.56E+01
<i>MAX:</i>	2.17E+01

>MDC

<i>Count:</i>	2
<i>AVG:</i>	1.86E+01
<i>Min:</i>	1.56E+01
<i>MAX:</i>	2.17E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00317	4/19/2006	2.165E+01	pCi/L	2.647E+00	3.353E-01	=
2006-00849	10/18/2006	1.559E+01	pCi/L	2.050E+00	3.181E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UE2
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	2
<i>AVG:</i>	2.12E-01
<i>Min:</i>	1.54E-01
<i>MAX:</i>	2.70E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00317	4/19/2006	2.703E-01	pCi/L	2.428E-01	1.622E-01	U
2006-00849	10/18/2006	1.539E-01	pCi/L	1.781E-01	1.539E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UE2
<i>Analyte:</i>	C-14

Total

<i>Count:</i>	2
<i>AVG:</i>	9.88E+02
<i>Min:</i>	4.61E+02
<i>MAX:</i>	1.52E+03

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00317	4/19/2006	1.515E+03	pCi/L	7.210E+01		=
2006-00849	10/18/2006	4.613E+02	pCi/L	4.045E+01		=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UE2
<i>Analyte:</i>	Co-60

Total

<i>Count:</i>	2
<i>AVG:</i>	3.76E+01
<i>Min:</i>	3.28E+01
<i>MAX:</i>	4.24E+01

>MDC

<i>Count:</i>	2
<i>AVG:</i>	3.76E+01
<i>Min:</i>	3.28E+01
<i>MAX:</i>	4.24E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00317	4/19/2006	4.239E+01	pCi/L	1.792E+01	1.009E+01	=
2006-00849	10/18/2006	3.280E+01	pCi/L	1.511E+01	9.858E+00	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF10a
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	4
<i>AVG:</i>	3.00E+04
<i>Min:</i>	2.74E+04
<i>MAX:</i>	3.29E+04

>MDC

<i>Count:</i>	4
<i>AVG:</i>	3.00E+04
<i>Min:</i>	2.74E+04
<i>MAX:</i>	3.29E+04

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00319	4/19/2006	3.288E+04	pCi/mL	8.096E+01	1.352E+01	=
2006-00319	4/19/2006	3.229E+04	pCi/mL	8.023E+01	1.352E+01	=
2006-00852	10/18/2006	2.747E+04	pCi/mL	7.746E+01	1.588E+01	=
2006-00852	10/18/2006	2.737E+04	pCi/mL	7.732E+01	1.588E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF10a
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	2
<i>AVG:</i>	2.05E+00
<i>Min:</i>	-1.88E+00
<i>MAX:</i>	5.97E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00319	4/19/2006	-1.878E+00	pCi/L	1.095E+01	2.143E+01	U
2006-00852	10/18/2006	5.973E+00	pCi/L	9.955E+00	1.955E+01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF10a
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	2
<i>AVG:</i>	5.67E+01
<i>Min:</i>	5.30E+01
<i>MAX:</i>	6.04E+01

>MDC

<i>Count:</i>	2
<i>AVG:</i>	5.67E+01
<i>Min:</i>	5.30E+01
<i>MAX:</i>	6.04E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00319	4/19/2006	5.303E+01	pCi/L	1.686E+01	4.539E+01	=
2006-00852	10/18/2006	6.041E+01	pCi/L	1.220E+01	3.123E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF10a
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	2
<i>AVG:</i>	1.48E+01
<i>Min:</i>	2.67E+00
<i>MAX:</i>	2.69E+01

>MDC

<i>Count:</i>	1
<i>AVG:</i>	2.69E+01
<i>Min:</i>	2.69E+01
<i>MAX:</i>	2.69E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00319	4/19/2006	2.674E+00	pCi/L	4.988E+00	1.236E+01	U
2006-00852	10/18/2006	2.687E+01	pCi/L	6.106E+00	1.288E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF10a
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	2
<i>AVG:</i>	1.87E-02
<i>Min:</i>	-4.89E-02
<i>MAX:</i>	8.64E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00319	4/19/2006	8.642E-02	pCi/L	1.732E-01	3.305E-01	U
2006-00852	10/18/2006	-4.894E-02	pCi/L	2.190E-01	5.410E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF10a
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	2
<i>AVG:</i>	7.50E-01
<i>Min:</i>	3.70E-01
<i>MAX:</i>	1.13E+00

>MDC

<i>Count:</i>	1
<i>AVG:</i>	1.13E+00
<i>Min:</i>	1.13E+00
<i>MAX:</i>	1.13E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00319	4/19/2006	3.697E-01	pCi/L	2.741E-01	3.142E-01	U
2006-00852	10/18/2006	1.130E+00	pCi/L	4.852E-01	4.162E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF10a
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	2
<i>AVG:</i>	1.65E+00
<i>Min:</i>	9.90E-01
<i>MAX:</i>	2.31E+00

>MDC

<i>Count:</i>	2
<i>AVG:</i>	1.65E+00
<i>Min:</i>	9.90E-01
<i>MAX:</i>	2.31E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00319	4/19/2006	9.901E-01	pCi/L	4.119E-01	1.238E-01	=
2006-00852	10/18/2006	2.314E+00	pCi/L	6.637E-01	1.310E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF10a
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	2
<i>AVG:</i>	1.35E-01
<i>Min:</i>	0.00E+00
<i>MAX:</i>	2.69E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00319	4/19/2006	0.000E+00	pCi/L	0.000E+00	1.527E-01	U
2006-00852	10/18/2006	2.693E-01	pCi/L	2.419E-01	1.616E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF10a
<i>Analyte:</i>	C-14

Total

<i>Count:</i>	2
<i>AVG:</i>	3.81E+01
<i>Min:</i>	3.62E+01
<i>MAX:</i>	4.00E+01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00319	4/19/2006	4.003E+01	pCi/L	3.159E+01		=
2006-00852	10/18/2006	3.621E+01	pCi/L	2.879E+01		=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF10a
<i>Analyte:</i>	Co-60

Total

<i>Count:</i>	2
<i>AVG:</i>	7.67E+00
<i>Min:</i>	-3.06E+00
<i>MAX:</i>	1.84E+01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00319	4/19/2006	1.840E+01	pCi/L	9.682E+00	1.493E+01	U
2006-00852	10/18/2006	-3.063E+00	pCi/L	8.733E+00	1.275E+01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF2
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	4
<i>AVG:</i>	1.85E+05
<i>Min:</i>	1.73E+05
<i>MAX:</i>	2.01E+05

>MDC

<i>Count:</i>	4
<i>AVG:</i>	1.85E+05
<i>Min:</i>	1.73E+05
<i>MAX:</i>	2.01E+05

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00318	4/18/2006	2.011E+05	pCi/mL	2.000E+02	1.352E+01	=
2006-00318	4/18/2006	1.948E+05	pCi/mL	1.968E+02	1.352E+01	=
2006-00851	10/17/2006	1.733E+05	pCi/mL	1.943E+02	1.588E+01	=
2006-00851	10/17/2006	1.725E+05	pCi/mL	1.938E+02	1.588E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF2
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	2
<i>AVG:</i>	5.87E+01
<i>Min:</i>	2.84E+01
<i>MAX:</i>	8.90E+01

>MDC

<i>Count:</i>	2
<i>AVG:</i>	5.87E+01
<i>Min:</i>	2.84E+01
<i>MAX:</i>	8.90E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00318	4/18/2006	8.902E+01	pCi/L	2.359E+01	2.143E+01	=
2006-00851	10/17/2006	2.840E+01	pCi/L	1.380E+01	1.955E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF2
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	2
<i>AVG:</i>	9.90E+02
<i>Min:</i>	6.60E+02
<i>MAX:</i>	1.32E+03

>MDC

<i>Count:</i>	2
<i>AVG:</i>	9.90E+02
<i>Min:</i>	6.60E+02
<i>MAX:</i>	1.32E+03

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00318	4/18/2006	1.321E+03	pCi/L	4.567E+01	4.539E+01	=
2006-00851	10/17/2006	6.602E+02	pCi/L	2.585E+01	3.123E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF2
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	2
<i>AVG:</i>	1.18E+02
<i>Min:</i>	7.93E+01
<i>MAX:</i>	1.56E+02

>MDC

<i>Count:</i>	2
<i>AVG:</i>	1.18E+02
<i>Min:</i>	7.93E+01
<i>MAX:</i>	1.56E+02

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00318	4/18/2006	1.562E+02	pCi/L	9.917E+00	1.236E+01	=
2006-00851	10/17/2006	7.934E+01	pCi/L	8.424E+00	1.288E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF2
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	2
<i>AVG:</i>	3.10E+00
<i>Min:</i>	1.96E+00
<i>MAX:</i>	4.24E+00

>MDC

<i>Count:</i>	2
<i>AVG:</i>	3.10E+00
<i>Min:</i>	1.96E+00
<i>MAX:</i>	4.24E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00318	4/18/2006	4.242E+00	pCi/L	1.058E+00	3.487E-01	=
2006-00851	10/17/2006	1.958E+00	pCi/L	7.328E-01	6.005E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF2
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	2
<i>AVG:</i>	1.19E-01
<i>Min:</i>	9.12E-02
<i>MAX:</i>	1.47E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00318	4/18/2006	9.115E-02	pCi/L	2.236E-01	4.365E-01	U
2006-00851	10/17/2006	1.465E-01	pCi/L	2.937E-01	5.397E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF2
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	2
<i>AVG:</i>	2.00E+00
<i>Min:</i>	-4.05E-02
<i>MAX:</i>	4.05E+00

>MDC

<i>Count:</i>	1
<i>AVG:</i>	4.05E+00
<i>Min:</i>	4.05E+00
<i>MAX:</i>	4.05E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00318	4/18/2006	-4.053E-02	pCi/L	1.404E-01	3.881E-01	U
2006-00851	10/17/2006	4.049E+00	pCi/L	8.982E-01	3.227E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF2
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	2
<i>AVG:</i>	1.44E+01
<i>Min:</i>	9.65E+00
<i>MAX:</i>	1.92E+01

>MDC

<i>Count:</i>	2
<i>AVG:</i>	1.44E+01
<i>Min:</i>	9.65E+00
<i>MAX:</i>	1.92E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00318	4/18/2006	9.646E+00	pCi/L	1.479E+00	3.898E-01	=
2006-00851	10/17/2006	1.919E+01	pCi/L	2.398E+00	4.683E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF2
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	2
<i>AVG:</i>	1.82E-01
<i>Min:</i>	5.02E-02
<i>MAX:</i>	3.14E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00318	4/18/2006	5.021E-02	pCi/L	1.740E-01	3.841E-01	U
2006-00851	10/17/2006	3.135E-01	pCi/L	2.573E-01	1.568E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF2
<i>Analyte:</i>	C-14

Total

<i>Count:</i>	2
<i>AVG:</i>	1.08E+03
<i>Min:</i>	5.47E+02
<i>MAX:</i>	1.61E+03

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00318	4/18/2006	1.610E+03	pCi/L	7.394E+01		=
2006-00851	10/17/2006	5.470E+02	pCi/L	4.241E+01		=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UF2
<i>Analyte:</i>	Co-60

Total

<i>Count:</i>	2
<i>AVG:</i>	3.99E+01
<i>Min:</i>	2.85E+01
<i>MAX:</i>	5.12E+01

>MDC

<i>Count:</i>	2
<i>AVG:</i>	3.99E+01
<i>Min:</i>	2.85E+01
<i>MAX:</i>	5.12E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00318	4/18/2006	5.121E+01	pCi/L	1.224E+01	1.101E+01	=
2006-00851	10/17/2006	2.851E+01	pCi/L	1.267E+01	1.155E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UK1
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	4
<i>AVG:</i>	2.58E+05
<i>Min:</i>	1.83E+05
<i>MAX:</i>	3.28E+05

>MDC

<i>Count:</i>	4
<i>AVG:</i>	2.58E+05
<i>Min:</i>	1.83E+05
<i>MAX:</i>	3.28E+05

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00320	4/18/2006	1.941E+05	pCi/mL	1.965E+02	1.352E+01	=
2006-00320	4/18/2006	1.830E+05	pCi/mL	1.908E+02	1.352E+01	=
2006-00850	10/18/2006	3.278E+05	pCi/mL	2.671E+02	1.588E+01	=
2006-00850	10/18/2006	3.263E+05	pCi/mL	2.665E+02	1.588E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UK1
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	2
<i>AVG:</i>	3.79E+01
<i>Min:</i>	3.65E+01
<i>MAX:</i>	3.93E+01

>MDC

<i>Count:</i>	1
<i>AVG:</i>	3.65E+01
<i>Min:</i>	3.65E+01
<i>MAX:</i>	3.65E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00320	4/18/2006	3.929E+01	pCi/L	2.128E+01	2.143E+01	U
2006-00850	10/18/2006	3.650E+01	pCi/L	1.774E+01	1.955E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UK1
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	2
<i>AVG:</i>	4.30E+02
<i>Min:</i>	4.01E+02
<i>MAX:</i>	4.59E+02

>MDC

<i>Count:</i>	2
<i>AVG:</i>	4.30E+02
<i>Min:</i>	4.01E+02
<i>MAX:</i>	4.59E+02

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00320	4/18/2006	4.589E+02	pCi/L	2.979E+01	4.539E+01	=
2006-00850	10/18/2006	4.014E+02	pCi/L	2.145E+01	3.123E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UK1
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	2
<i>AVG:</i>	1.51E+01
<i>Min:</i>	4.69E+00
<i>MAX:</i>	2.56E+01

>MDC

<i>Count:</i>	1
<i>AVG:</i>	2.56E+01
<i>Min:</i>	2.56E+01
<i>MAX:</i>	2.56E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00320	4/18/2006	2.561E+01	pCi/L	5.790E+00	1.236E+01	=
2006-00850	10/18/2006	4.686E+00	pCi/L	6.853E-01	1.288E+01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UK1
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	2
<i>AVG:</i>	4.40E+00
<i>Min:</i>	3.39E+00
<i>MAX:</i>	5.42E+00

>MDC

<i>Count:</i>	2
<i>AVG:</i>	4.40E+00
<i>Min:</i>	3.39E+00
<i>MAX:</i>	5.42E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00320	4/18/2006	5.417E+00	pCi/L	1.242E+00	6.522E-01	=
2006-00850	10/18/2006	3.385E+00	pCi/L	9.503E-01	5.610E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UK1
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	2
<i>AVG:</i>	1.81E-01
<i>Min:</i>	4.26E-02
<i>MAX:</i>	3.19E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00320	4/18/2006	4.262E-02	pCi/L	8.542E-02	1.279E-01	U
2006-00850	10/18/2006	3.193E-01	pCi/L	2.772E-01	3.489E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UK1
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	2
<i>AVG:</i>	4.48E-01
<i>Min:</i>	3.71E-01
<i>MAX:</i>	5.26E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00320	4/18/2006	3.711E-01	pCi/L	2.643E-01	1.392E-01	U
2006-00850	10/18/2006	5.258E-01	pCi/L	3.067E-01	1.315E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UK1
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	2
<i>AVG:</i>	8.29E+00
<i>Min:</i>	4.71E+00
<i>MAX:</i>	1.19E+01

>MDC

<i>Count:</i>	2
<i>AVG:</i>	8.29E+00
<i>Min:</i>	4.71E+00
<i>MAX:</i>	1.19E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00320	4/18/2006	4.705E+00	pCi/L	1.018E+00	1.398E-01	=
2006-00850	10/18/2006	1.188E+01	pCi/L	1.755E+00	3.367E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UK1
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	2
<i>AVG:</i>	1.64E-01
<i>Min:</i>	5.75E-02
<i>MAX:</i>	2.71E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00320	4/18/2006	5.747E-02	pCi/L	1.150E-01	1.724E-01	U
2006-00850	10/18/2006	2.714E-01	pCi/L	2.438E-01	1.629E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UK1
<i>Analyte:</i>	C-14

Total

<i>Count:</i>	2
<i>AVG:</i>	4.58E+02
<i>Min:</i>	3.87E+02
<i>MAX:</i>	5.29E+02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00320	4/18/2006	5.289E+02	pCi/L	4.889E+01		=
2006-00850	10/18/2006	3.869E+02	pCi/L	3.866E+01		=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	U Wells
<i>Specific Location:</i>	UK1
<i>Analyte:</i>	Co-60

Total

<i>Count:</i>	2
<i>AVG:</i>	3.85E+01
<i>Min:</i>	3.32E+01
<i>MAX:</i>	4.37E+01

>MDC

<i>Count:</i>	2
<i>AVG:</i>	3.85E+01
<i>Min:</i>	3.32E+01
<i>MAX:</i>	4.37E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00320	4/18/2006	3.324E+01	pCi/L	9.243E+00	1.737E+01	=
2006-00850	10/18/2006	4.373E+01	pCi/L	1.246E+01	2.526E+01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	B107
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	4
<i>AVG:</i>	4.88E+00
<i>Min:</i>	4.74E+00
<i>MAX:</i>	5.08E+00

>MDC

<i>Count:</i>	4
<i>AVG:</i>	4.88E+00
<i>Min:</i>	4.74E+00
<i>MAX:</i>	5.08E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00204	3/16/2006	4.887E+00	pCi/mL	1.679E-01	2.986E-01	=
2006-00204	3/16/2006	4.736E+00	pCi/mL	1.661E-01	2.986E-01	=
2006-00266	4/20/2006	5.080E+00	pCi/mL	1.756E-01	3.112E-01	=
2006-00266	4/20/2006	4.824E+00	pCi/mL	1.724E-01	3.112E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	B107
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	2
<i>AVG:</i>	-8.93E-01
<i>Min:</i>	-1.42E+00
<i>MAX:</i>	-3.68E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00204	3/16/2006	-3.682E-01	pCi/L	1.032E+00	2.928E+00	U
2006-00266	4/20/2006	-1.417E+00	pCi/L	5.990E-01	2.364E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	B107
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	2
<i>AVG:</i>	1.15E+00
<i>Min:</i>	-6.41E-01
<i>MAX:</i>	2.93E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00204	3/16/2006	2.933E+00	pCi/L	1.671E+00	5.011E+00	U
2006-00266	4/20/2006	-6.412E-01	pCi/L	1.341E+00	4.456E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	BF143
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	14
<i>AVG:</i>	1.02E-01
<i>Min:</i>	-4.01E-02
<i>MAX:</i>	2.31E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00011	1/12/2006	1.656E-01	pCi/mL	1.018E-01	3.233E-01	U
2006-00011	1/12/2006	-3.896E-04	pCi/mL	9.796E-02	3.233E-01	U
2006-00112	2/15/2006	2.070E-01	pCi/mL	9.186E-02	2.879E-01	U
2006-00112	2/15/2006	1.631E-01	pCi/mL	9.090E-02	2.879E-01	U
2006-00193	3/16/2006	8.916E-02	pCi/mL	9.247E-02	2.986E-01	U
2006-00193	3/16/2006	4.003E-02	pCi/mL	9.138E-02	2.986E-01	U
2006-00251	4/18/2006	1.771E-01	pCi/mL	9.828E-02	3.112E-01	U
2006-00251	4/18/2006	1.727E-02	pCi/mL	9.471E-02	3.112E-01	U
2006-00788	9/27/2006	4.007E-03	pCi/mL	8.677E-02	2.860E-01	U
2006-00788	9/27/2006	-1.603E-02	pCi/mL	8.631E-02	2.860E-01	U
2006-00858	10/25/2006	2.188E-01	pCi/mL	1.023E-01	3.217E-01	U
2006-00858	10/25/2006	-4.013E-02	pCi/mL	9.658E-02	3.217E-01	U
2006-00962	11/28/2006	2.308E-01	pCi/mL	9.462E-02	2.946E-01	U
2006-00962	11/28/2006	1.710E-01	pCi/mL	9.326E-02	2.946E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	BF143
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	7
<i>AVG:</i>	1.06E-01
<i>Min:</i>	-1.65E+00
<i>MAX:</i>	1.74E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00011	1/12/2006	0.000E+00	pCi/L	1.277E+00	3.247E+00	U
2006-00112	2/15/2006	-3.125E-01	pCi/L	1.080E+00	2.997E+00	U
2006-00193	3/16/2006	-1.650E+00	pCi/L	8.315E-01	2.928E+00	U
2006-00251	4/18/2006	1.116E+00	pCi/L	1.002E+00	2.364E+00	U
2006-00788	9/27/2006	-6.391E-01	pCi/L	1.038E+00	3.095E+00	U
2006-00858	10/25/2006	1.740E+00	pCi/L	1.287E+00	2.978E+00	U
2006-00962	11/28/2006	4.907E-01	pCi/L	1.130E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	BF143
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	7
<i>AVG:</i>	3.26E-01
<i>Min:</i>	-9.14E-01
<i>MAX:</i>	2.10E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00011	1/12/2006	2.098E+00	pCi/L	1.600E+00	4.858E+00	U
2006-00112	2/15/2006	-3.420E-01	pCi/L	1.526E+00	4.983E+00	U
2006-00193	3/16/2006	-2.954E-01	pCi/L	1.532E+00	5.011E+00	U
2006-00251	4/18/2006	9.620E-01	pCi/L	1.419E+00	4.456E+00	U
2006-00788	9/27/2006	-2.681E-01	pCi/L	1.540E+00	5.033E+00	U
2006-00858	10/25/2006	-9.139E-01	pCi/L	1.572E+00	5.192E+00	U
2006-00962	11/28/2006	1.041E+00	pCi/L	1.725E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	C107
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	10
<i>AVG:</i>	7.85E+00
<i>Min:</i>	5.97E+00
<i>MAX:</i>	9.64E+00

>MDC

<i>Count:</i>	10
<i>AVG:</i>	7.85E+00
<i>Min:</i>	5.97E+00
<i>MAX:</i>	9.64E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00120	2/15/2006	8.461E+00	pCi/mL	2.035E-01	2.879E-01	=
2006-00120	2/15/2006	8.333E+00	pCi/mL	2.023E-01	2.879E-01	=
2006-00201	3/16/2006	7.409E+00	pCi/mL	1.963E-01	2.986E-01	=
2006-00201	3/16/2006	7.393E+00	pCi/mL	1.961E-01	2.986E-01	=
2006-00263	4/20/2006	7.656E+00	pCi/mL	2.048E-01	3.112E-01	=
2006-00263	4/20/2006	7.617E+00	pCi/mL	2.044E-01	3.112E-01	=
2006-00865	10/25/2006	6.515E+00	pCi/mL	1.952E-01	3.217E-01	=
2006-00865	10/25/2006	5.969E+00	pCi/mL	1.890E-01	3.217E-01	=
2006-00968	11/28/2006	9.644E+00	pCi/mL	2.218E-01	2.946E-01	=
2006-00968	11/28/2006	9.468E+00	pCi/mL	2.201E-01	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	C107
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	5
<i>AVG:</i>	-4.04E-01
<i>Min:</i>	-1.73E+00
<i>MAX:</i>	3.59E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00120	2/15/2006	-1.732E+00	pCi/L	9.755E-01	2.997E+00	U
2006-00201	3/16/2006	-6.355E-01	pCi/L	1.005E+00	2.928E+00	U
2006-00263	4/20/2006	3.586E-01	pCi/L	9.092E-01	2.364E+00	U
2006-00865	10/25/2006	5.718E-02	pCi/L	1.067E+00	2.978E+00	U
2006-00968	11/28/2006	-7.104E-02	pCi/L	1.073E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	C107
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	5
<i>AVG:</i>	-2.47E-01
<i>Min:</i>	-2.57E+00
<i>MAX:</i>	1.50E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00120	2/15/2006	1.854E-01	pCi/L	1.559E+00	4.983E+00	U
2006-00201	3/16/2006	9.154E-01	pCi/L	1.588E+00	5.011E+00	U
2006-00263	4/20/2006	1.498E+00	pCi/L	1.445E+00	4.456E+00	U
2006-00865	10/25/2006	-1.262E+00	pCi/L	1.552E+00	5.192E+00	U
2006-00968	11/28/2006	-2.570E+00	pCi/L	1.575E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	D107
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	8
<i>AVG:</i>	8.33E+00
<i>Min:</i>	6.92E+00
<i>MAX:</i>	1.05E+01

>MDC

<i>Count:</i>	8
<i>AVG:</i>	8.33E+00
<i>Min:</i>	6.92E+00
<i>MAX:</i>	1.05E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00119	2/15/2006	8.313E+00	pCi/mL	2.021E-01	2.879E-01	=
2006-00119	2/15/2006	8.117E+00	pCi/mL	2.001E-01	2.879E-01	=
2006-00200	3/16/2006	7.143E+00	pCi/mL	1.935E-01	2.986E-01	=
2006-00200	3/16/2006	6.922E+00	pCi/mL	1.911E-01	2.986E-01	=
2006-00262	4/20/2006	7.712E+00	pCi/mL	2.054E-01	3.112E-01	=
2006-00262	4/20/2006	7.624E+00	pCi/mL	2.045E-01	3.112E-01	=
2006-00967	11/28/2006	1.045E+01	pCi/mL	2.294E-01	2.946E-01	=
2006-00967	11/28/2006	1.037E+01	pCi/mL	2.287E-01	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	D107
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	4
<i>AVG:</i>	-7.45E-01
<i>Min:</i>	-9.80E-01
<i>MAX:</i>	-4.33E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00119	2/15/2006	-9.221E-01	pCi/L	1.123E+00	2.997E+00	U
2006-00200	3/16/2006	-6.447E-01	pCi/L	1.019E+00	2.928E+00	U
2006-00262	4/20/2006	-4.329E-01	pCi/L	8.382E-01	2.364E+00	U
2006-00967	11/28/2006	-9.796E-01	pCi/L	1.011E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	D107
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	4
<i>AVG:</i>	6.37E-01
<i>Min:</i>	-2.97E-01
<i>MAX:</i>	2.18E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00119	2/15/2006	3.188E-01	pCi/L	1.569E+00	4.983E+00	U
2006-00200	3/16/2006	-2.966E-01	pCi/L	1.538E+00	5.011E+00	U
2006-00262	4/20/2006	2.178E+00	pCi/L	1.484E+00	4.456E+00	U
2006-00967	11/28/2006	3.493E-01	pCi/L	1.708E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	DRN107
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	4
<i>AVG:</i>	5.55E+00
<i>Min:</i>	5.26E+00
<i>MAX:</i>	5.79E+00

>MDC

<i>Count:</i>	4
<i>AVG:</i>	5.55E+00
<i>Min:</i>	5.26E+00
<i>MAX:</i>	5.79E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00203	3/16/2006	5.501E+00	pCi/mL	1.752E-01	2.986E-01	=
2006-00203	3/16/2006	5.264E+00	pCi/mL	1.724E-01	2.986E-01	=
2006-00265	4/20/2006	5.789E+00	pCi/mL	1.841E-01	3.112E-01	=
2006-00265	4/20/2006	5.644E+00	pCi/mL	1.824E-01	3.112E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	DRN107
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	2
<i>AVG:</i>	-1.44E-02
<i>Min:</i>	-4.37E-01
<i>MAX:</i>	4.08E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00203	3/16/2006	4.082E-01	pCi/L	1.094E+00	2.928E+00	U
2006-00265	4/20/2006	-4.370E-01	pCi/L	8.462E-01	2.364E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	DRN107
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	2
<i>AVG:</i>	1.28E+00
<i>Min:</i>	7.78E-01
<i>MAX:</i>	1.78E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00203	3/16/2006	7.780E-01	pCi/L	1.577E+00	5.011E+00	U
2006-00265	4/20/2006	1.776E+00	pCi/L	1.467E+00	4.456E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	E107
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	6
<i>AVG:</i>	9.59E+00
<i>Min:</i>	8.62E+00
<i>MAX:</i>	1.07E+01

>MDC

<i>Count:</i>	6
<i>AVG:</i>	9.59E+00
<i>Min:</i>	8.62E+00
<i>MAX:</i>	1.07E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00118	2/15/2006	9.040E+00	pCi/mL	2.091E-01	2.879E-01	=
2006-00118	2/15/2006	8.625E+00	pCi/mL	2.051E-01	2.879E-01	=
2006-00199	3/16/2006	9.497E+00	pCi/mL	2.169E-01	2.986E-01	=
2006-00199	3/16/2006	9.452E+00	pCi/mL	2.165E-01	2.986E-01	=
2006-00261	4/20/2006	1.065E+01	pCi/mL	2.343E-01	3.112E-01	=
2006-00261	4/20/2006	1.027E+01	pCi/mL	2.308E-01	3.112E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	E107
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	3
<i>AVG:</i>	-7.71E-01
<i>Min:</i>	-9.82E-01
<i>MAX:</i>	-3.66E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00118	2/15/2006	-3.660E-01	pCi/L	1.265E+00	2.997E+00	U
2006-00199	3/16/2006	-9.662E-01	pCi/L	1.040E+00	2.928E+00	U
2006-00261	4/20/2006	-9.821E-01	pCi/L	7.521E-01	2.364E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	E107
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	3
<i>AVG:</i>	3.83E-01
<i>Min:</i>	-1.68E+00
<i>MAX:</i>	1.78E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00118	2/15/2006	-1.683E+00	pCi/L	1.491E+00	4.983E+00	U
2006-00199	3/16/2006	1.057E+00	pCi/L	1.605E+00	5.011E+00	U
2006-00261	4/20/2006	1.776E+00	pCi/L	1.467E+00	4.456E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	EDOUTL
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	2
<i>AVG:</i>	3.88E-01
<i>Min:</i>	3.86E-01
<i>MAX:</i>	3.89E-01

>MDC

<i>Count:</i>	2
<i>AVG:</i>	3.88E-01
<i>Min:</i>	3.86E-01
<i>MAX:</i>	3.89E-01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00277	4/20/2006	3.886E-01	pCi/mL	1.028E-01	3.112E-01	=
2006-00277	4/20/2006	3.865E-01	pCi/mL	1.028E-01	3.112E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	EDOUTL
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	1
<i>AVG:</i>	-1.24E+00
<i>Min:</i>	-1.24E+00
<i>MAX:</i>	-1.24E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00277	4/20/2006	-1.242E+00	pCi/L	6.938E-01	2.364E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	EDOUTL
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	1
<i>AVG:</i>	1.24E+00
<i>Min:</i>	1.24E+00
<i>MAX:</i>	1.24E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00277	4/20/2006	1.237E+00	pCi/L	1.440E+00	4.456E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	EDOUTL
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	1
<i>AVG:</i>	1.40E+00
<i>Min:</i>	1.40E+00
<i>MAX:</i>	1.40E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00277	4/20/2006	1.403E+00	pCi/L	8.616E-01	2.147E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	EDOUTL
<i>Analyte:</i>	Pu-238

Total

<i>Count:</i>	1
<i>AVG:</i>	8.53E-02
<i>Min:</i>	8.53E-02
<i>MAX:</i>	8.53E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00277	4/20/2006	8.532E-02	pCi/L	5.482E-02	2.557E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	EDOUTL
<i>Analyte:</i>	Pu-239

Total

<i>Count:</i>	1
<i>AVG:</i>	8.52E-03
<i>Min:</i>	8.52E-03
<i>MAX:</i>	8.52E-03

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00277	4/20/2006	8.524E-03	pCi/L	2.954E-02	6.521E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	EDOUTL
<i>Analyte:</i>	U-238

Total

<i>Count:</i>	1
<i>AVG:</i>	2.90E-02
<i>Min:</i>	2.90E-02
<i>MAX:</i>	2.90E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00277	4/20/2006	2.899E-02	pCi/L	3.559E-02	5.544E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	EDOUTL
<i>Analyte:</i>	U-234

Total

<i>Count:</i>	1
<i>AVG:</i>	1.31E-01
<i>Min:</i>	1.31E-01
<i>MAX:</i>	1.31E-01

>MDC

<i>Count:</i>	1
<i>AVG:</i>	1.31E-01
<i>Min:</i>	1.31E-01
<i>MAX:</i>	1.31E-01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00277	4/20/2006	1.310E-01	pCi/L	6.270E-02	2.184E-02	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	EDOUTL
<i>Analyte:</i>	U-235

Total

<i>Count:</i>	1
<i>AVG:</i>	1.80E-02
<i>Min:</i>	1.80E-02
<i>MAX:</i>	1.80E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00277	4/20/2006	1.796E-02	pCi/L	2.544E-02	2.694E-02	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	EDPOND
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	6
<i>AVG:</i>	4.74E-01
<i>Min:</i>	2.12E-01
<i>MAX:</i>	6.83E-01

>MDC

<i>Count:</i>	5
<i>AVG:</i>	5.26E-01
<i>Min:</i>	3.76E-01
<i>MAX:</i>	6.83E-01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00028	1/12/2006	5.209E-01	pCi/mL	1.097E-01	3.233E-01	=
2006-00028	1/12/2006	3.947E-01	pCi/mL	1.070E-01	3.233E-01	=
2006-00132	2/15/2006	6.830E-01	pCi/mL	1.022E-01	2.900E-01	=
2006-00132	2/15/2006	6.551E-01	pCi/mL	1.017E-01	2.900E-01	=
2006-00217	3/16/2006	3.757E-01	pCi/mL	9.861E-02	2.986E-01	=
2006-00217	3/16/2006	2.120E-01	pCi/mL	9.515E-02	2.986E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	EDPOND
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	3
<i>AVG:</i>	-1.95E+00
<i>Min:</i>	-2.34E+00
<i>MAX:</i>	-1.43E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00028	1/12/2006	-2.343E+00	pCi/L	1.008E+00	3.247E+00	U
2006-00132	2/15/2006	-2.088E+00	pCi/L	9.707E-01	2.997E+00	U
2006-00217	3/16/2006	-1.429E+00	pCi/L	8.935E-01	2.928E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	EDPOND
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	3
<i>AVG:</i>	-1.11E+00
<i>Min:</i>	-3.10E+00
<i>MAX:</i>	3.19E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00028	1/12/2006	-3.097E+00	pCi/L	1.367E+00	4.858E+00	U
2006-00132	2/15/2006	3.190E-01	pCi/L	1.570E+00	4.983E+00	U
2006-00217	3/16/2006	-5.654E-01	pCi/L	1.524E+00	5.011E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	F107
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	6
<i>AVG:</i>	1.16E+01
<i>Min:</i>	9.47E+00
<i>MAX:</i>	1.37E+01

>MDC

<i>Count:</i>	6
<i>AVG:</i>	1.16E+01
<i>Min:</i>	9.47E+00
<i>MAX:</i>	1.37E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00117	2/15/2006	1.002E+01	pCi/mL	2.183E-01	2.879E-01	=
2006-00117	2/15/2006	9.468E+00	pCi/mL	2.132E-01	2.879E-01	=
2006-00198	3/16/2006	1.162E+01	pCi/mL	2.361E-01	2.986E-01	=
2006-00198	3/16/2006	1.138E+01	pCi/mL	2.340E-01	2.986E-01	=
2006-00260	4/20/2006	1.370E+01	pCi/mL	2.609E-01	3.112E-01	=
2006-00260	4/20/2006	1.352E+01	pCi/mL	2.594E-01	3.112E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	F107
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	3
<i>AVG:</i>	-7.88E-01
<i>Min:</i>	-2.04E+00
<i>MAX:</i>	9.08E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00117	2/15/2006	-2.036E+00	pCi/L	9.462E-01	2.997E+00	U
2006-00198	3/16/2006	-1.237E+00	pCi/L	9.899E-01	2.928E+00	U
2006-00260	4/20/2006	9.078E-01	pCi/L	1.020E+00	2.364E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	F107
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	3
<i>AVG:</i>	1.81E+00
<i>Min:</i>	8.49E-01
<i>MAX:</i>	2.44E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00117	2/15/2006	8.486E-01	pCi/L	1.589E+00	4.983E+00	U
2006-00198	3/16/2006	2.139E+00	pCi/L	1.648E+00	5.011E+00	U
2006-00260	4/20/2006	2.444E+00	pCi/L	1.494E+00	4.456E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	G107
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	2
<i>AVG:</i>	1.45E+01
<i>Min:</i>	1.44E+01
<i>MAX:</i>	1.46E+01

>MDC

<i>Count:</i>	2
<i>AVG:</i>	1.45E+01
<i>Min:</i>	1.44E+01
<i>MAX:</i>	1.46E+01

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00259	4/20/2006	1.464E+01	pCi/mL	2.686E-01	3.112E-01	=
2006-00259	4/20/2006	1.441E+01	pCi/mL	2.667E-01	3.112E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	G107
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	1
<i>AVG:</i>	-1.66E-01
<i>Min:</i>	-1.66E-01
<i>MAX:</i>	-1.66E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00259	4/20/2006	-1.660E-01	pCi/L	9.008E-01	2.364E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary. "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	G107
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	1
<i>AVG:</i>	9.70E-01
<i>Min:</i>	9.70E-01
<i>MAX:</i>	9.70E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00259	4/20/2006	9.701E-01	pCi/L	1.431E+00	4.456E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	I107
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	6
<i>AVG:</i>	8.64E-02
<i>Min:</i>	-5.59E-02
<i>MAX:</i>	2.42E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00140	2/15/2006	1.238E-01	pCi/mL	9.065E-02	2.900E-01	U
2006-00140	2/15/2006	-5.592E-02	pCi/mL	8.660E-02	2.900E-01	U
2006-00216	3/16/2006	3.594E-02	pCi/mL	9.129E-02	2.986E-01	U
2006-00216	3/16/2006	-1.729E-02	pCi/mL	9.009E-02	2.986E-01	U
2006-00276	4/20/2006	2.418E-01	pCi/mL	9.970E-02	3.112E-01	U
2006-00276	4/20/2006	1.900E-01	pCi/mL	9.857E-02	3.112E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	I107
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	3
<i>AVG:</i>	-7.35E-01
<i>Min:</i>	-1.73E+00
<i>MAX:</i>	-5.94E-02

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00140	2/15/2006	-5.944E-02	pCi/L	1.268E+00	2.997E+00	U
2006-00216	3/16/2006	-1.728E+00	pCi/L	1.080E+00	2.928E+00	U
2006-00276	4/20/2006	-4.169E-01	pCi/L	8.073E-01	2.364E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	I107
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	3
<i>AVG:</i>	1.11E+00
<i>Min:</i>	4.53E-01
<i>MAX:</i>	2.30E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00140	2/15/2006	4.530E-01	pCi/L	1.580E+00	4.983E+00	U
2006-00216	3/16/2006	2.303E+00	pCi/L	1.674E+00	5.011E+00	U
2006-00276	4/20/2006	5.626E-01	pCi/L	1.404E+00	4.456E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	J107
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	10
<i>AVG:</i>	9.40E-02
<i>Min:</i>	-9.62E-02
<i>MAX:</i>	1.88E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00027	1/12/2006	1.001E-01	pCi/mL	1.003E-01	3.233E-01	U
2006-00027	1/12/2006	-9.623E-02	pCi/mL	9.565E-02	3.233E-01	U
2006-00131	2/15/2006	1.398E-01	pCi/mL	9.100E-02	2.900E-01	U
2006-00131	2/15/2006	3.994E-02	pCi/mL	8.878E-02	2.900E-01	U
2006-00215	3/16/2006	1.178E-01	pCi/mL	9.311E-02	2.986E-01	U
2006-00215	3/16/2006	2.365E-02	pCi/mL	9.101E-02	2.986E-01	U
2006-00275	4/20/2006	1.878E-01	pCi/mL	9.852E-02	3.112E-01	U
2006-00275	4/20/2006	1.792E-01	pCi/mL	9.833E-02	3.112E-01	U
2006-00980	11/28/2006	1.667E-01	pCi/mL	9.316E-02	2.946E-01	U
2006-00980	11/28/2006	8.122E-02	pCi/mL	9.118E-02	2.946E-01	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	J107
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	5
<i>AVG:</i>	-1.04E+00
<i>Min:</i>	-2.15E+00
<i>MAX:</i>	-6.57E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00027	1/12/2006	-1.046E+00	pCi/L	1.169E+00	3.247E+00	U
2006-00131	2/15/2006	-2.151E+00	pCi/L	9.999E-01	2.997E+00	U
2006-00215	3/16/2006	-6.567E-01	pCi/L	1.038E+00	2.928E+00	U
2006-00275	4/20/2006	-6.775E-01	pCi/L	7.641E-01	2.364E+00	U
2006-00980	11/28/2006	-6.609E-01	pCi/L	1.028E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	J107
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	5
<i>AVG:</i>	1.42E-02
<i>Min:</i>	-3.55E+00
<i>MAX:</i>	2.50E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00027	1/12/2006	2.499E+00	pCi/L	1.617E+00	4.858E+00	U
2006-00131	2/15/2006	1.866E-01	pCi/L	1.569E+00	4.983E+00	U
2006-00215	3/16/2006	2.431E-01	pCi/L	1.564E+00	5.011E+00	U
2006-00275	4/20/2006	6.966E-01	pCi/L	1.410E+00	4.456E+00	U
2006-00980	11/28/2006	-3.554E+00	pCi/L	1.536E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	NCW114
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	9.75E-01
<i>Min:</i>	3.61E-02
<i>MAX:</i>	1.85E+00

>MDC

<i>Count:</i>	18
<i>AVG:</i>	1.07E+00
<i>Min:</i>	4.87E-01
<i>MAX:</i>	1.85E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00019	1/12/2006	1.026E+00	pCi/mL	1.200E-01	3.233E-01	=
2006-00019	1/12/2006	8.855E-01	pCi/mL	1.172E-01	3.233E-01	=
2006-00124	2/15/2006	9.225E-01	pCi/mL	1.063E-01	2.879E-01	=
2006-00124	2/15/2006	1.014E+00	pCi/mL	1.080E-01	2.879E-01	=
2006-00207	3/16/2006	1.436E+00	pCi/mL	1.186E-01	2.986E-01	=
2006-00207	3/16/2006	1.547E+00	pCi/mL	1.205E-01	2.986E-01	=
2006-00269	4/20/2006	1.151E+00	pCi/mL	1.177E-01	3.112E-01	=
2006-00269	4/20/2006	1.272E+00	pCi/mL	1.199E-01	3.112E-01	=
2006-00394	5/24/2006	1.852E+00	pCi/mL	1.450E-01	3.581E-01	=
2006-00394	5/24/2006	1.642E+00	pCi/mL	1.414E-01	3.581E-01	=
2006-00564	7/24/2006	6.839E-01	pCi/mL	1.014E-01	2.861E-01	=
2006-00564	7/24/2006	5.502E-01	pCi/mL	9.872E-02	2.861E-01	=
2006-00658	8/23/2006	5.078E-01	pCi/mL	9.856E-02	2.861E-01	=
2006-00658	8/23/2006	7.263E-01	pCi/mL	1.032E-01	2.861E-01	=
2006-00795	9/27/2006	3.606E-02	pCi/mL	8.751E-02	2.860E-01	U
2006-00795	9/27/2006	2.845E-01	pCi/mL	9.302E-02	2.860E-01	U
2006-00867	10/25/2006	4.866E-01	pCi/mL	1.079E-01	3.217E-01	=
2006-00867	10/25/2006	6.666E-01	pCi/mL	1.115E-01	3.217E-01	=
2006-00972	11/28/2006	1.445E+00	pCi/mL	1.189E-01	2.946E-01	=
2006-00972	11/28/2006	1.376E+00	pCi/mL	1.177E-01	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	NCW114
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	-2.70E-01
<i>Min:</i>	-1.48E+00
<i>MAX:</i>	1.39E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00019	1/12/2006	-1.365E+00	pCi/L	1.190E+00	3.247E+00	U
2006-00124	2/15/2006	-1.479E+00	pCi/L	1.033E+00	2.997E+00	U
2006-00207	3/16/2006	-1.290E+00	pCi/L	1.033E+00	2.928E+00	U
2006-00269	4/20/2006	1.390E+00	pCi/L	1.049E+00	2.364E+00	U
2006-00394	5/24/2006	8.213E-01	pCi/L	1.207E+00	2.238E+00	U
2006-00658	8/23/2006	-8.371E-01	pCi/L	7.382E-01	2.271E+00	U
2006-00795	9/27/2006	-1.182E+00	pCi/L	1.000E+00	3.095E+00	U
2006-00867	10/25/2006	1.293E+00	pCi/L	1.274E+00	2.978E+00	U
2006-00972	11/28/2006	2.189E-01	pCi/L	1.140E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	NCW114
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	9
<i>AVG:</i>	1.61E+00
<i>Min:</i>	-8.76E-01
<i>MAX:</i>	3.58E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00019	1/12/2006	3.579E+00	pCi/L	1.667E+00	4.858E+00	U
2006-00124	2/15/2006	-8.756E-01	pCi/L	1.516E+00	4.983E+00	U
2006-00207	3/16/2006	2.827E+00	pCi/L	1.683E+00	5.011E+00	U
2006-00269	4/20/2006	1.606E-01	pCi/L	1.383E+00	4.456E+00	U
2006-00394	5/24/2006	7.453E-01	pCi/L	1.480E+00	4.553E+00	U
2006-00658	8/23/2006	2.401E+00	pCi/L	1.604E+00	4.809E+00	U
2006-00795	9/27/2006	1.613E+00	pCi/L	1.624E+00	5.033E+00	U
2006-00867	10/25/2006	2.985E+00	pCi/L	1.716E+00	5.192E+00	U
2006-00972	11/28/2006	1.045E+00	pCi/L	1.731E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	NCW114
<i>Analyte:</i>	Sr-90

Total

<i>Count:</i>	1
<i>AVG:</i>	-3.38E-01
<i>Min:</i>	-3.38E-01
<i>MAX:</i>	-3.38E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00564	7/24/2006	-3.379E-01	pCi/L	7.926E-01	2.147E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	NCW145
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	18
<i>AVG:</i>	9.59E-01
<i>Min:</i>	5.30E-01
<i>MAX:</i>	1.48E+00

>MDC

<i>Count:</i>	18
<i>AVG:</i>	9.59E-01
<i>Min:</i>	5.30E-01
<i>MAX:</i>	1.48E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00021	1/12/2006	9.720E-01	pCi/mL	1.189E-01	3.233E-01	=
2006-00021	1/12/2006	8.084E-01	pCi/mL	1.157E-01	3.233E-01	=
2006-00126	2/15/2006	9.824E-01	pCi/mL	1.074E-01	2.879E-01	=
2006-00126	2/15/2006	1.022E+00	pCi/mL	1.082E-01	2.879E-01	=
2006-00209	3/16/2006	1.141E+00	pCi/mL	1.134E-01	2.986E-01	=
2006-00209	3/16/2006	1.260E+00	pCi/mL	1.155E-01	2.986E-01	=
2006-00271	4/20/2006	1.045E+00	pCi/mL	1.158E-01	3.112E-01	=
2006-00271	4/20/2006	9.867E-01	pCi/mL	1.147E-01	3.112E-01	=
2006-00396	5/24/2006	1.477E+00	pCi/mL	1.384E-01	3.581E-01	=
2006-00396	5/24/2006	1.352E+00	pCi/mL	1.361E-01	3.581E-01	=
2006-00566	7/24/2006	5.907E-01	pCi/mL	9.955E-02	2.861E-01	=
2006-00566	7/24/2006	6.758E-01	pCi/mL	1.013E-01	2.861E-01	=
2006-00659	8/23/2006	6.463E-01	pCi/mL	1.016E-01	2.861E-01	=
2006-00659	8/23/2006	6.722E-01	pCi/mL	1.021E-01	2.861E-01	=
2006-00869	10/25/2006	5.305E-01	pCi/mL	1.088E-01	3.217E-01	=
2006-00869	10/25/2006	5.393E-01	pCi/mL	1.090E-01	3.217E-01	=
2006-00974	11/28/2006	1.291E+00	pCi/mL	1.161E-01	2.946E-01	=
2006-00974	11/28/2006	1.261E+00	pCi/mL	1.156E-01	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	NCW145
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	8
<i>AVG:</i>	-3.10E-01
<i>Min:</i>	-1.14E+00
<i>MAX:</i>	8.17E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	.
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00021	1/12/2006	-8.903E-01	pCi/L	1.360E+00	3.247E+00	U
2006-00126	2/15/2006	-6.228E-01	pCi/L	1.139E+00	2.997E+00	U
2006-00209	3/16/2006	-1.141E+00	pCi/L	9.133E-01	2.928E+00	U
2006-00271	4/20/2006	-6.631E-01	pCi/L	7.479E-01	2.364E+00	U
2006-00396	5/24/2006	7.619E-01	pCi/L	1.120E+00	2.238E+00	U
2006-00659	8/23/2006	8.173E-01	pCi/L	9.822E-01	2.271E+00	U
2006-00869	10/25/2006	-6.655E-01	pCi/L	1.048E+00	2.978E+00	U
2006-00974	11/28/2006	-7.453E-02	pCi/L	1.125E+00	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	NCW145
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	8
<i>AVG:</i>	2.09E+00
<i>Min:</i>	-1.24E+00
<i>MAX:</i>	7.69E+00

>MDC

<i>Count:</i>	2
<i>AVG:</i>	7.27E+00
<i>Min:</i>	6.84E+00
<i>MAX:</i>	7.69E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00021	1/12/2006	6.845E+00	pCi/L	1.806E+00	4.858E+00	=
2006-00126	2/15/2006	-6.100E-01	pCi/L	1.527E+00	4.983E+00	U
2006-00209	3/16/2006	-1.236E+00	pCi/L	1.491E+00	5.011E+00	U
2006-00271	4/20/2006	2.567E+00	pCi/L	1.493E+00	4.456E+00	U
2006-00396	5/24/2006	1.868E+00	pCi/L	1.523E+00	4.553E+00	U
2006-00659	8/23/2006	7.688E+00	pCi/L	1.822E+00	4.809E+00	=
2006-00869	10/25/2006	6.196E-01	pCi/L	1.630E+00	5.192E+00	U
2006-00974	11/28/2006	-1.047E+00	pCi/L	1.648E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	SCW114
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	20
<i>AVG:</i>	1.05E+00
<i>Min:</i>	2.76E-01
<i>MAX:</i>	1.71E+00

>MDC

<i>Count:</i>	19
<i>AVG:</i>	1.09E+00
<i>Min:</i>	3.33E-01
<i>MAX:</i>	1.71E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00020	1/12/2006	1.247E+00	pCi/mL	1.195E-01	3.027E-01	=
2006-00020	1/12/2006	1.355E+00	pCi/mL	1.262E-01	3.233E-01	=
2006-00020	1/12/2006	1.374E+00	pCi/mL	1.220E-01	3.027E-01	=
2006-00020	1/12/2006	1.229E+00	pCi/mL	1.239E-01	3.233E-01	=
2006-00125	2/15/2006	1.034E+00	pCi/mL	1.084E-01	2.879E-01	=
2006-00125	2/15/2006	1.038E+00	pCi/mL	1.084E-01	2.879E-01	=
2006-00208	3/16/2006	1.121E+00	pCi/mL	1.130E-01	2.986E-01	=
2006-00208	3/16/2006	1.326E+00	pCi/mL	1.167E-01	2.986E-01	=
2006-00270	4/20/2006	1.246E+00	pCi/mL	1.195E-01	3.112E-01	=
2006-00270	4/20/2006	1.226E+00	pCi/mL	1.191E-01	3.112E-01	=
2006-00395	5/24/2006	1.707E+00	pCi/mL	1.425E-01	3.581E-01	=
2006-00395	5/24/2006	1.512E+00	pCi/mL	1.390E-01	3.581E-01	=
2006-00565	7/24/2006	5.138E-01	pCi/mL	9.797E-02	2.861E-01	=
2006-00565	7/24/2006	5.381E-01	pCi/mL	9.847E-02	2.861E-01	=
2006-00796	9/27/2006	2.765E-01	pCi/mL	9.285E-02	2.860E-01	U
2006-00796	9/27/2006	3.326E-01	pCi/mL	9.405E-02	2.860E-01	=
2006-00868	10/25/2006	4.603E-01	pCi/mL	1.073E-01	3.217E-01	=
2006-00868	10/25/2006	5.568E-01	pCi/mL	1.093E-01	3.217E-01	=
2006-00973	11/28/2006	1.458E+00	pCi/mL	1.192E-01	2.946E-01	=
2006-00973	11/28/2006	1.351E+00	pCi/mL	1.172E-01	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	SCW114
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	8
<i>AVG:</i>	8.18E-02
<i>Min:</i>	-9.60E-01
<i>MAX:</i>	1.23E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00020	1/12/2006	-8.305E-01	pCi/L	1.269E+00	3.247E+00	U
2006-00125	2/15/2006	-9.324E-01	pCi/L	1.136E+00	2.997E+00	U
2006-00208	3/16/2006	4.407E-01	pCi/L	1.181E+00	2.928E+00	U
2006-00270	4/20/2006	-4.207E-01	pCi/L	8.146E-01	2.364E+00	U
2006-00395	5/24/2006	1.227E+00	pCi/L	1.335E+00	2.238E+00	U
2006-00796	9/27/2006	1.107E+00	pCi/L	1.192E+00	3.095E+00	U
2006-00868	10/25/2006	1.023E+00	pCi/L	1.221E+00	2.978E+00	U
2006-00973	11/28/2006	-9.600E-01	pCi/L	9.908E-01	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	SCW114
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	8
<i>AVG:</i>	4.98E-01
<i>Min:</i>	-1.65E+00
<i>MAX:</i>	4.32E+00

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00020	1/12/2006	9.044E-01	pCi/L	1.558E+00	4.858E+00	U
2006-00125	2/15/2006	-8.776E-01	pCi/L	1.520E+00	4.983E+00	U
2006-00208	3/16/2006	-1.649E+00	pCi/L	1.481E+00	5.011E+00	U
2006-00270	4/20/2006	4.317E+00	pCi/L	1.574E+00	4.456E+00	U
2006-00395	5/24/2006	1.321E+00	pCi/L	1.517E+00	4.553E+00	U
2006-00796	9/27/2006	1.202E+00	pCi/L	1.597E+00	5.033E+00	U
2006-00868	10/25/2006	-3.244E-01	pCi/L	1.595E+00	5.192E+00	U
2006-00973	11/28/2006	-9.064E-01	pCi/L	1.653E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Informatio

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	W7ATRD
<i>Analyte:</i>	HTO

Total

<i>Count:</i>	10
<i>AVG:</i>	5.54E+00
<i>Min:</i>	3.86E+00
<i>MAX:</i>	7.51E+00

>MDC

<i>Count:</i>	10
<i>AVG:</i>	5.54E+00
<i>Min:</i>	3.86E+00
<i>MAX:</i>	7.51E+00

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00121	2/15/2006	7.505E+00	pCi/mL	1.939E-01	2.879E-01	=
2006-00121	2/15/2006	7.058E+00	pCi/mL	1.893E-01	2.879E-01	=
2006-00202	3/16/2006	5.137E+00	pCi/mL	1.709E-01	2.986E-01	=
2006-00202	3/16/2006	4.818E+00	pCi/mL	1.671E-01	2.986E-01	=
2006-00264	4/20/2006	5.627E+00	pCi/mL	1.822E-01	3.112E-01	=
2006-00264	4/20/2006	5.337E+00	pCi/mL	1.787E-01	3.112E-01	=
2006-00866	10/25/2006	4.042E+00	pCi/mL	1.651E-01	3.217E-01	=
2006-00866	10/25/2006	3.855E+00	pCi/mL	1.626E-01	3.217E-01	=
2006-00969	11/28/2006	6.040E+00	pCi/mL	1.838E-01	2.946E-01	=
2006-00969	11/28/2006	5.955E+00	pCi/mL	1.828E-01	2.946E-01	=

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	W7ATRD
<i>Analyte:</i>	Gross-Alpha-Total Solids

Total

<i>Count:</i>	5
<i>AVG:</i>	-6.59E-01
<i>Min:</i>	-2.25E+00
<i>MAX:</i>	9.14E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00121	2/15/2006	-2.253E+00	pCi/L	8.773E-01	2.997E+00	U
2006-00202	3/16/2006	9.135E-01	pCi/L	1.146E+00	2.928E+00	U
2006-00264	4/20/2006	-6.610E-01	pCi/L	7.456E-01	2.364E+00	U
2006-00866	10/25/2006	-4.176E-01	pCi/L	1.060E+00	2.978E+00	U
2006-00969	11/28/2006	-8.779E-01	pCi/L	9.060E-01	2.714E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.

All Analysis Results Shown 'R' Values Excluded

Sample Information

<i>Year:</i>	2006
<i>General Location:</i>	Westwashes
<i>Specific Location:</i>	W7ATRD
<i>Analyte:</i>	Gross-Beta-Total Solids

Total

<i>Count:</i>	5
<i>AVG:</i>	-1.33E+00
<i>Min:</i>	-3.53E+00
<i>MAX:</i>	3.75E-01

>MDC

<i>Count:</i>	0
<i>AVG:</i>	
<i>Min:</i>	
<i>MAX:</i>	

<i>Lab ID</i>	<i>Collection Date</i>	<i>Value</i>	<i>Units</i>	<i>CU^a</i>	<i>MDC^b</i>	<i>Code^c</i>
2006-00121	2/15/2006	-6.083E-01	pCi/L	1.523E+00	4.983E+00	U
2006-00202	3/16/2006	3.754E-01	pCi/L	1.559E+00	5.011E+00	U
2006-00264	4/20/2006	-1.069E-01	pCi/L	1.368E+00	4.456E+00	U
2006-00866	10/25/2006	-2.799E+00	pCi/L	1.499E+00	5.192E+00	U
2006-00969	11/28/2006	-3.526E+00	pCi/L	1.524E+00	5.412E+00	U

a = Counting Uncertainty

b = Minimum Detectable Concentration and is sample dependent

c = Analysis codes where "=" indicates that no qualifier is necessary, "U" indicates nuclide not detected above 2X the counting uncertainty (CU) and "R" indicates that the result is not usable for its intended purpose.