


# Diabetes Short-Term Complications Admission Rate (PQI 1)

Based on Kentucky Hospital Inpatient Discharge Claims  
January 1, 2019 to December 31, 2019

**PQI 1 Risk Adjusted Rate  
(Considering Margin of Error)**

**Counties  
PQI01**

- No Cases
- Comparable to National Average
- Above National Average



National rate per 1,000 population is 0.5832  
State rate per 1,000 population is 1.0050

\*Population age 18 years or older  
\*\*Source: Nationwide Inpatient Sample, 2017,  
AHRQ website: <https://www.qualityindicators.ahrq.gov/>

# Diabetes Long-Term Complications Admission Rate (PQI 3)


Based on Kentucky Hospital Inpatient Discharge Claims  
January 1, 2019 to December 31, 2019

**PQI 3 Risk Adjusted Rate  
(Considering Margin of Error)**

**Counties**

**PQI03**

- No Cases
- Below National Rate
- Comparable to National Rate
- Above National Rate



National rate per 1,000 population is 1.0407  
State rate per 1,000 population is 0.9900

\*Population age 18 years or older

\*\*Source: Nationwide Inpatient Sample, 2017,  
AHRQ website: <https://www.qualityindicators.ahrq.gov/>

# Chronic Obstructive Pulmonary Disease (COPD) or Asthma in Older Adults Admission Rates (PQI 5)


Based on Kentucky Hospital Inpatient Discharge Claims  
January 1, 2019 to December 31, 2019

**PQI 5 Risk Adjusted Rate  
(Considering Margin of Error)**

**Counties**

**PQI05**

- Below National Average
- Comparable to National Average
- Above National Average



National rate per 1,000 population is 4.9382  
State rate per 1,000 population is 4.7270

\*Population age 40 years or older

\*\*Source: Nationwide Inpatient Sample, 2017.

AHRQ website: <https://www.qualityindicators.ahrq.gov/>

# Hypertension Admission Rate (PQI 7)


Based on Kentucky Hospital Inpatient Discharge Claims  
January 1, 2019 to December 31, 2019

**PQI 7 Risk Adjusted Rate  
(Considering Margin of Error)**

**Counties**

**PQI07**

- No Cases
- Below National Rate
- Comparable to National Rate
- Above National Rate



National rate per 1,000 population is 0.5998  
State rate per 1,000 population is 0.6021

\*Population age 18 years or older

\*\*Source: Nationwide Inpatient Sample, 2018,  
AHRQ website: <https://www.qualityindicators.ahrq.gov/>

# Heart Failure Admission Rates (PQI 8)


Based on Kentucky Hospital Inpatient Discharge Claims  
January 1, 2019 to December 31, 2019

**PQI 8 Risk Adjusted Rate  
(Considering Margin of Error)**

**Counties**

**PQI08**

- No Cases
- Below National Rate
- Comparable to National Rate
- Above National Rate



\*Population age 18 years or older

\*\*Source: Nationwide Inpatient Sample, 2017,  
AHRQ website: <https://www.qualityindicators.ahrq.gov/>

# Bacterial Pneumonia Admission Rate (PQI 11)


Based on Kentucky Hospital Inpatient Discharge Claims  
January 1, 2019 to December 31, 2019

## PQI 11 Risk Adjusted Rate (Considering Margin of Error)

### Counties

#### PQI11

- Below National Rate
- Comparable to National Rate
- Above National Rate



National rate per 1,000 population is 1.5880  
State rate per 1,000 population is 2.8295

\*Population age 18 years or older

\*\*Source: Nationwide Inpatient Sample, 2017,  
AHRQ website: <https://www.qualityindicators.ahrq.gov/>

# Urinary Tract Infection Admission Rates (PQI 12)


Based on Kentucky Hospital Inpatient Discharge Claims  
January 1, 2019 to December 31, 2019

**PQI 12 Risk Adjusted Rate  
(Considering Margin of Error)**

**Counties**

**PQI12**

- Below National Average
- Comprable to National Average
- Above National Average



National rate per 1,000 population is 1.4129  
State rate per 1,000 population is 1.4629

\*Population age 18 years or older

\*\*Source: Nationwide Inpatient Sample, 2017,  
AHRQ website: <https://www.qualityindicators.ahrq.gov/>

# Uncontrolled Diabetes Admission Rates (PQI 14)


Based on Kentucky Hospital Inpatient Discharge Claims  
January 1, 2019 to December 31, 2019

**PQI 14 Risk Adjusted Rate  
(Considering Margin of Error)**

**Counties**

**PQI14**

- No Cases
- Below National Average
- Comparable to National Average
- Above National Average



National rate per 1,000 population is 0.4301  
State rate per 1,000 population is 0.3613

\*Population age 18 years or older

\*\*Source: Nationwide Inpatient Sample, 2017,  
AHRQ website: <https://www.qualityindicators.ahrq.gov/>



# Asthma in Younger Adults Admission Rates (PQI 15)


Based on Kentucky Hospital Inpatient Discharge Claims  
January 1, 2019 to December 31, 2019

**PQI 15 Risk Adjusted Rate  
(Considering Margin of Error)**

**Counties**

**PQI15**

- No Cases
- Below National Average
- Comparable to National Rate
- Above National Rate



National rate per 1,000 population is 0.3027  
State rate per 1,000 population is 0.1905

\*Population age 18 - 39 years

\*\*Source: Nationwide Inpatient Sample, 2017,  
AHRQ website: <https://www.qualityindicators.ahrq.gov/>

# Lower - Extremity Amputation Among Patients with Diabetes Rate (PQI 16)


Based on Kentucky Hospital Inpatient Discharge Claims  
January 1, 2019 to December 31, 2019

**PQI 16 Risk Adjusted Rate  
(Considering Margin of Error)**

**Counties**

**PQI16**

- No Cases
- Below National Average
- Comparable to National Average
- Above National Average



National rate per 1,000 population is 0.2926  
State rate per 1,000 population is 0.2859

\*Population age 18 years and older.

\*\*Source: Nationwide Inpatient Sample, 2017,  
AHRQ website: <https://www.qualityindicators.ahrq.gov/>

# Prevention Quality Overall Composite (PQI 90)


Based on Kentucky Hospital Inpatient Discharge Claims  
January 1, 2019 to December 31, 2019

**PQI 90 Risk Adjusted Rate  
(Considering Margin of Error)**

**Counties**

**PQI90**

- Below National Average
- Comparable to National Average
- Above National Average



National rate per 1,000 population is 13.0633  
State rate per 1,000 population is 15.0616

\*Population age 18 years and older.

\*\*Source: Nationwide Inpatient Sample, 2017,  
AHRQ website: <https://www.qualityindicators.ahrq.gov/>

# Prevention Quality Acute Composite (PQI 91)


Based on Kentucky Hospital Inpatient Discharge Claims  
January 1, 2019 to December 31, 2019

**PQI 91 Risk Adjusted Rate  
(Considering Margin of Error)**

**Counties**

**PQI91**

- Below National Average
- Comparable to National Average
- Above National Average



National rate per 1,000 population is 3.0008  
State rate per 1,000 population is 4.2924

\*Population age 18 years and older.

\*\*Source: Nationwide Inpatient Sample, 2017,  
AHRQ website: <https://www.qualityindicators.ahrq.gov/>

# Prevention Quality Chronic Composite (PQI 92)


Based on Kentucky Hospital Inpatient Discharge Claims  
January 1, 2019 to December 31, 2019

## PQI 92 Risk Adjusted Rate (Considering Margin of Error)

### Counties

### PQI92

- Below National Rate
- Comparable to National Rate
- Above National Rate



National rate per 1,000 population is 10.0638  
State rate per 1,000 population is 10.7692

\*Population age 18 years and older.

\*\*Source: Nationwide Inpatient Sample, 2017,  
AHRQ website: <https://www.qualityindicators.ahrq.gov/>

# Prevention Quality Diabetes Composite (PQI 93)


Based on Kentucky Hospital Inpatient Discharge Claims  
January 1, 2019 to December 31, 2019

## PQI 93 Risk Adjusted Rate (Considering Margin of Error)

### Counties

#### PQI92

- Below National Rate
- Comparable to National Rate
- Above National Rate



National rate per 1,000 population is 2.1880  
State rate per 1,000 population is 1.0550

\*Population age 18 years and older.

\*\*Source: Nationwide Inpatient Sample, 2017,  
AHRQ website: <https://www.qualityindicators.ahrq.gov/>